

LIST OF CITATIONS

IVAN NIKOLOV LANDJEV

- (1) **On near-MDS codes**, *Journal of Geometry*, **54**, 1995, 30–43. (with S. Dodunekov) (cited also as: Tech. Report, LiTH-ISY-R-1563, Linköping University, 1994)
- 1.1. T.Klove, V.T. Korzik, Error-detecting codes, general theory and their application in feedback communication systems, Springer Int. Series in Commun. and Computer Science vol. 335, 1995.
 - 1.2. J.W.P. Hirschfeld, L. Storme, The packing problem in statistics, coding theory and finite projective spaces, Proc. Int. Conf. dedicated to R.C. Bose, Fort Collins, Colorado, 1995.
 - 1.3. J.W.P. Hirschfeld, L. Storme, The packing problem in statistics, coding theory and finite projective spaces, *J. Stat. Pl. and Inference* **72**(1998), 355–380.
 - 1.4. J.W.P. Hirschfeld, L.Storme. The packing problem in statistics, coding theory and finite projective spaces: update 2001. Developments in Mathematics, vol.3, Kluwer Academic Publishers, Finite Geometries. Proc. Of the Fourth Isle of Thorns Conference (Chelwood Gate, July16-21,2000), Eds. A. Blokhuis. J.W.P. Hirschfeld, D. Jungnickel.,J.A. Thas), pp.201-246.
 - 1.5. M.de Boer, Codes, their parameters and geometry, PhD Thesis, Eindhoven University of Technology, 1996.
 - 1.6. M. de Boer, Almost MDS codes, *Designs, Codes and Cryptography*, **9**(1996), 143–155.
 - 1.7. J. Olsson, On near-near-MDS codes, Proc. Int. Workshop on ACCT, Szozopol, 1996.
 - 1.8. A. Faldum, W. Willems, Codes of small defect, *Designs, Codes and Cryptography* **10**(1997), 341–350.

in the early publications also: Landgev.

- 1.9. J. Olsson, A sufficient condition on linear codes to be proper, Proc. Int. Workshop on Optimal Codes, Sozopol, 1998, 175–182.
- 1.10. J.W.P. Hirschfeld, Projective geometries over finite fields, Oxford Univ. Press, 1998.
- 1.11. A. Barg, A. Ashikhmin, Minimal vectors in linear codes and secret sharing schemes, *Journal of Geometry*, **44**(1998), 2010-2017.
- 1.12. R. Hill, E. Koley, A survey of recent results on optimal linear codes, Combinatorial designs and their application, 127–152. (F.C. Holroyd, K.A.S. Quinn, Ch. Rowley, B.S. Webb eds.), Research Notes in Math 403, Chapman & Hall CRC, 1999, 127–152.
- 1.13. J. Olsson, On the quaternary $[18, 9, 8]$ codes, Proc. Int. Workshop WCC'99, Paris, 1999, 65–73.
- 1.14. J. Olsson, Linear codes with performance close to the Singleton bound, PhD Thesis, Institute of Technology, Linköpings Universitet, No605, 1999.
- 1.15. S. Marcugini, A. Milani, F. Pambianco, Existence and classification of NMDS codes over $GF(5)$ and $GF(7)$, Proc. 7th Int. Workshop on ACCT, Bansko, 2000, 232–239.
- 1.16. G. Viswanath, B. Sundar-Rajan, Systematic generator matrix characterization of NearMDS codes, Proc. 7th Int. Workshop on ACCT, Bansko, 2000, 316–319.
- 1.17. S. Marcugini, F. Pambianco, AMDS codes of small dimension, Proc. of the Ninth Int. Workshop on ACCT, Kranevo, Bulgaria, 2004, pp. 277–282.
- 1.18. G. Viswanath and B. Sundar Rajan, "Matrix characterization of near-MDS codes over $\mathbb{Z}/m\mathbb{Z}$ and Abelian groups," International Symposium on Information Theory, 2004. ISIT 2004. Proceedings., Chicago, IL, USA, 2004. doi: 10.1109/ISIT.2004.1365565.
- 1.19. V. Abatangelo, B. Larato, Near-MDS codes arising from algebraic curves, *Discrete Mathematics* 301(1),(2005), 5–19.
- 1.20. Z. Katona, 3-wise exactly 1-intersecting families of sets, *Graphs and Combinatorics* 21(1)(2005), 71–76.

- 1.21. M. Stepanov, S Bezzateev, Algebraic-geometry codes on Griesmer bound, Proc. of the 10th International Workshop on ACCT, Zvenigorod, 2006, 256–258.
- 1.22. T. I. Alderson, A. A. Bruen, Maximal AMDS Codes, *AAECC* 19(2) (2008), 87–98.
- 1.23. G. Visvanath, B. Sandor-Rajan, Matrix characterization of linear codes with arbitrary weight hierarchy, *Linear Algebra and Applications* 412(2006), 396–407.
- 1.24. V. Abatangelo, B. Larato, Elliptic near-MDS codes, *Des. Codes Cryptogr.* 46(2008), 167–174.
- 1.25. S. T. Dougherty, J. L. Kim, H. Liu, Constructions of self-dual codes over finite commutative chain rings, *Int. J. of Inf. and Coding Theory* 1(2)(2010), 171–190.
- 1.26. T. Klove, Codes for error-detection, World Scientific Publishers, 2007.
- 1.27. J. Bierbrauer, S. Marcuguini, F. Pambianco, The smallest size of a complete cap in $\text{PG}(3,7)$, *Discrete Math.* 306(2006), 1257–1263.
- 1.28. S. Marcuguini, A. Milani, F. Pambianco,, maximal $(n,3)$ -arcs in $\text{PG}(2,13)$, *Discrete Math.* 294(2005), 139–145.
- 1.29. T. Gulliver, J. L. Kim, Y. Lee, New MDS or near-MDS self-dual codes, *IEEE Inf. Theory* IT-54(2008), 4354–4360.
- 1.30. H. Lee, Y. Lee, Constructions of self-dual codes over finite rings \mathbb{Z}_{p^m} , *J. Comb. Theory Ser. A* 115(2008), 407–422.
- 1.31. S. Kotsireas, C. Koukovinos, D. E. Simos, MDS and near-MDS self-dual codes over large prime fields, *Adv. in Math. of Comm.* 3(4)(2009), 349–361.
- 1.32. Joan Daemen, Vincent Rijmen, Codes and Provable Security of Ciphers, NATO Science for Peace and Security Series - D: Information and Communication Security, Volume 23: Enhancing Cryptographic Primitives with Techniques from Error Correcting Codes, IOS Press, 69–80, 2009.
DOI10.3233/978-1-60750-002-5-69

- 1.33. M. Guilietti, F. Pasticci, On the completeness of certain n -tracks arising from elliptic curves, *Finite Fields and Appl.* 13(2007), 988–1000.
- 1.34. E. Nikolova, Codes feasible for error-detection PhD Thesis, Sofia, 2005
- 1.35. I. Bouyukliev, DSc Thesis, Sofia, 2009.
- 1.36. I. Bouyukliev, J. Simonis, Some new results on optimal codes over F_5 . Designs, Codes and Cryptography, vol. 30, 2003, pp. 97-111.
- 1.37. R. Dodunekova, The duals of MMD codes are proper for error detection, IEEE Trans. Inform. Theory, vol.49, No.8, 2003, pp. 2034-2038.
- 1.38. R. Dodunekova, The extended binomial moments of a linear code and the undetected error probability, Problems of Information Transmission, v.39, No.3, 2003, pp.255-265.
- 1.39. Jon-Lark Kim, Yoonjin Lee, Euclidean and Hermitian self-dual MDS codes over large finite fields. Journal of Comb. Theory, Ser. A, v.105, 2004, 79-95.
- 1.40. M. Giulietti. On the extendability of Near-MDS elliptic codes. AAECC, v.15, No.1, June 2004, pp.1-11.
- 1.41. S. Marcugini, A. Milani, F. Pambianco. Classification of the $(n,3)$ -arcs in $PG(2,7)$. J. Geometry, v.80, No.1/2, 2004, pp.179-184.
- 1.42. S. Marcugini, A. Milani, F. Pambianco. NMDS codes of maximal length over F_q , $8 \leq q \leq 11$. IEEE Trans. Inform. Theory, v.48, No.4, 2002, pp.963-966.
- 1.43. S. Marcugini, A. Milani, F. Pambianco. Classification of the $[n,3,n-3]_q$ NMDS codes over $GF(7)$, $GF(8)$ and $GF(9)$. Ars Combinatoria, v.61, 2001.
- 1.44. Katona Zsolt. Tobbszorosen metszo halmazrendszerek. Matematikai Lapok, Vol. 2000-2001/2 (2005), 26-44.
- 1.45. S. Marcugini, A. Milani, F. Pambianco, Classification of linear codes exploiting an invariant. Contributions to discrete mathematics, v.1, No.1, (2006), 1-7.
- 1.46. Liu Zi-hui, Cheng Wen-de. The Chain condition of codes of small defects, Mathematics in practice and theory, vol.36, No.7, 2006, pp.314-319.
- 1.47. R. Roth, Introduction to Coding Theory, Cambridge University Press, 2006.

- 1.48. Barg, A., Purkayastha P., Near MDS poset codes and distributions, Proc IEEE Int. Symp. in Information Theory, 2010. Also arXiv: 1004.5601v1[csIT].April 2010.
- 1.49. J. W. P. H. Hirschfeld, G. Korchmáros, F. Torres, Algebraic Curves over a Finite Field, Princeton University Press, 2008.(ISBN 978-0-691-09679-7)
- 1.50. Q. Liao, H. Liao, On m-MDS codes over finite fields, *Int. J. of Comp. Mathematics* (2013),
DOI: 10.1080/00207160.2013.818669.
- 1.51. D. Bartoli, S. Marciguini, F. Pambianco, The nonexistence of some NMDS codes and the extremal sizes of complete $(n, 3)$ -arcs, *Designs, Codes and Cryptography* 72(1)(2014), 129–134. DOI: 10.1007/s10623-013-9817-0.
- 1.52. H. Tong, D. Yang, Quasi-cyclic NMDS codes, *Finite Fields and Their Applications* 24(2013), 45–54.
- 1.53. D. Suprijarto, A note on new near-MDS-codes, *Applied Math. Sciences* 7(2013), 2917–2924.
- 1.54. X.-S. Liu, H.-L. Liu, Near-MDS codes over the ring $F_2 + vF_2$, *Computer Engineering* 39(1)(2013), 89–92.
- 1.55. N. Hamada, T. Maruta, Y. Oya, A Necessary and Sufficient Condition for the Existence of an (n, r) -arc in $PG(2, q)$ and Its Applications, *Serdica J. Comp* 6(3)(2012), 253–266,
- 1.56. D. C. Kim, J. Y. Hyun, A Riemann hypothesis analogue for NMDS codes, *Disc. Appl. Math.* 160(2012), 2440–2444. (120)
- 1.57. A. Kasparian, I. Marinov, Duursma reduced polynomial, *Advances in Mathematics of Communication* 11(4)(2017), 647-669.
- 1.58. D. Suprijato, Y. Renata, M. L. Putri, New Hermitian self-dual MDS or NMDS codes over finite fields, *J. Math. Fund. Sci.* 46(2014), 62–75.
- 1.59. A. Ashikhmin, A. Barg, Minimal Vectors in Linear Codes, *IEEE Trans. Inf. Theory* 44(5)(1998), 2010-2017.
- 1.60. M. R. Albrecht, B. Driessen, E. B. Kavun, G. Leander, Chr. Paar, T. Yalcin, Block ciphers - focus on the linear layer (feat. PRIDE), Lecture Notes in Comp. Science vol 8616(2014), 57–76.

- 1.61. T. Y. Nee, L. Ti-Chung, A. M. Huey, An Explicit Basis on Riemann-Roch Space of Elliptic Function Fields, Proc. Sixth IMT GT Conference in Mathematics, Statistics and Applications (ICMSA-2010), Malaysia, 2010, 252–266.
- 1.62. H. Tong, W. Chen, F. Yu, On l -th NMDS codes, *Chinese J. Electronics* **23**(3)(2014), 454–457.
- 1.63. X. Zhang, Q. Mao, Near MDR codes over Z_4 , *Wuhan Univ. J. of nat. Sci.* **19**(1)(2014), 79–83.
- 1.64. D. Gligorski, K. Kalevska, Families of optimal binary non-MDS erasure codes, Proc. IEEE Symp. on IT (ISIT-2014), 2014, 3150–3154.
- 1.65. P. Purkayastha, Bounds on the size of codes, PhD thesis, University of Maryland, 2010. (supervisor: A. Barg)
- 1.66. D. Suprijato, A note on new (near)-MDS Euclidean self-dual codes, *Appl. Math. Sci.* **7**(2013), 2917–2924.
- 1.67. J. P. Robinson, Golomb rectangles as folded rulers, *IEEE Trans. Inf. Theory* **43**(1997), 290–293.
- 1.68. D. Bartoli, S. Marcugini, F. Pambianco, The non-existence of some NMDS codes and the extremal sizes of complete $(n, 3)$ -arcs in $PG(2, 16)$, *Designs, Codes and Cryptography* **72**(1)(2014), 129–134.
- 1.69. H. Lipmaa, Succinct Non-interactive Zero Knowledge Arguments from Span Programs and Linear Error-Correcting Codes, In: (K. Sako, P. Sarkar, eds.) ASIACRYPT 2013, Lecture Notes in Computer Science vol 8269, 41–60, Bangalore, India, December 1–5, 2013.
- 1.70. T. Kurihara, T. Uyemasu, Strongly-secure secret sharing based on linear codes can be characterized by generalized Hamming weight, Proc 49th Allerton Conference on Comm., Control and Computing vol. 111, 2011, 35–40.
- 1.71. H. Tong, NNMDS codes, *J. Systems Science and Computing* **25**(3)(2012), 617–624.
- 1.72. G. Visvanath, Elias upper bound for euclidean space codes and codes close to the Singleton bound, PhD Thesis, Indian Institute of science, Bangalore, 2004.

- 1.73. D. Bartoli, M. Giulietti, G. Zini, Complete $(k, 3)$ -arcs from quartic curves, *Designs, Codes and Cryptography*, 2015, DOI:10.1007/s10623-015-0073-7.
- 1.74. S. Dyshko, MacWilliams Extension Theorem for MDS codes over a vector space alphabet *Designs, Codes and Cryptography*, Volume 82, Issue 1-2, pp 57–67 (2017) DOI 10.1007/s10623-016-0247-y.
- 1.75. S. Marcugini, A. Milani, F. Pambianco, Classification of Linear Codes Exploiting an invariant, *Contributions to Disc. Math.* **1** No 1, 1–7. (ISSN 1715-0868)
- 1.76. Yu. V. Kosolapov, Shema razdeleniya sekreta tipa shemy Blekli, osnovana na persechenii podprostranstv, *Mat. vopr. kriptografii* **8** No 1(2017), 13–30. (in Russian)
- 1.77. Generalized weights and bounds for error probability over erasure channels, LC Lemes, M Firer - Information Theory and Applications, 2014 - ieeexplore.ieee.org ISBN: 978-1-4799-3589-5, INSPEC Accession Number: 14255984
DOI: 10.1109/ITA.2014.6804237
- 1.78. C Li, Q Wang, Design of Lightweight Linear Diffusion Layers from Near-MDS Matrices *Transactions on Symmetric Cryptology*, Vol. 2017, Issue 1, DOI: <http://dx.doi.org/10.13154/tosc.v2017.i1.129-155>
- 1.79. S. D. Cardell, M. Firer, D. Napp, Generalized column distances for convolutional codes Proc. International Symposium on Information Theory (ISIT), 2017, Electronic ISSN: 2157-8117, INSPEC Accession Number: 17100108
DOI: 10.1109/ISIT.2017.8006482
- 1.80. A. Thomas, B. S. Rajan, Binary index codes using l -th NMDS codes Published in: Communications (ICC), 2017 IEEE International Conference on Communications, Electronic ISSN: 1938-1883, INSPEC Accession Number: 17079994,
DOI: 10.1109/ICC.2017.7997268
- 1.81. Chaoyun Li, Qingyn Wang, Design of Lightweight Diffusion Layers from Near-MDS Matrices, *IACR Transactions on Symmetric Cryptology* Vol. 2017, Issue 1, ISSN 2519-173X.

- 1.82. D. Bartoli, S. Marcugini, F. Pambianco, On the completeness of plane cubic curves over finite fields, *Designs, Codes and Cryptography* **83**(2)(2017), 233–267.
- 1.83. Ivan Marinov, Zeta functions of linear codes and locally finite modules, PhD Thesis, FMI, SU, Sofia, 2018.
- 1.84. J. Hao, K. Shum, S. Xia and Y. Yang, "On the Maximal Code Length of Optimal Linear Locally Repairable Codes," 2018 IEEE International Symposium on Information Theory (ISIT), 2018, pp. 1326-1330, doi: 10.1109/ISIT.2018.8437466.
- 1.85. A. Thomas and B. S. Rajan, "Binary Informed Source Codes and Index Codes Using Certain Near-MDS Codes," in IEEE Transactions on Communications, vol. 66, no. 5, pp. 2181-2190, May 2018, doi: 10.1109/TCOMM.2018.2789457.
- 1.86. Liu, Zihui, and Dajian Liao. "Higher weights and near-MDR codes over chain rings." *Advances in Mathematics of Communications* 12.4 (2018): 761-772.
- 1.87. Javier de la Cruz, On dually almost MRD codes, *Finite Fields and Their Applications*, Volume 53, 2018, 1-20, ISSN 1071-5797, <https://doi.org/10.1016/j.faa.2018.05.003>.
- 1.88. L. Jin and H. Kan, "Self-Dual Near MDS Codes from Elliptic Curves," in IEEE Transactions on Information Theory, vol. 65, no. 4, pp. 2166-2170, April 2019, doi: 10.1109/TIT.2018.2880913.
- 1.89. Mehta S., Saraswat V., Sen S., Secret Sharing Using Near-MDS Codes. In: Carlet C., Guilley S., Nitaj A., Souidi E. (eds) *Codes, Cryptology and Information Security. C2SI 2019. Lecture Notes in Computer Science*, vol 11445, 2019, 195-214, Springer. https://doi.org/10.1007/978-3-030-16458-4_12
- 1.90. S. D. Cardell, D. Napp and M. Firer, "Unrestricted Generalized Column Distances: A Wider Definition," 2019 IEEE International Symposium on Information Theory (ISIT), 2019, pp. 2783-2787,

doi: 10.1109/ISIT.2019.8849486.

- 1.91. Y. Xia and B. Chen, "Complete Characterizations of Optimal Locally Repairable Codes With Locality 1 and $K - 1$," in IEEE Access, vol. 7, pp. 111271-111276, 2019,
doi: 10.1109/ACCESS.2019.2934769.
- 1.92. G. Micheli and A. Neri, "New Lower Bounds for Permutation Codes Using Linear Block Codes," in IEEE Transactions on Information Theory, vol. 66, no. 7, pp. 4019-4025, July 2020,
doi: 10.1109/TIT.2019.2957354.
- 1.93. K. Reing, G. Ver Steeg and A. Galstyan, "Maximizing Multivariate Information With Error-Correcting Codes," in IEEE Transactions on Information Theory, vol. 66, no. 5, pp. 2683-2695, May 2020,
doi: 10.1109/TIT.2019.2956144.
- 1.94. C. Ding and C. Tang, "Infinite Families of Near MDS Codes Holding t -Designs," in IEEE Transactions on Information Theory, vol. 66, no. 9, pp. 5419-5428, Sept. 2020,
doi: 10.1109/TIT.2020.2990396.
- 1.95. R. Daskalov and E. Metodiev, "New QC Codes over $GF(11)$," 2020 Algebraic and Combinatorial Coding Theory (ACCT), 2020, pp. 1-4,
doi: 10.1109/ACCT51235.2020.9383337.
- 1.96. A. Rafiepour; M. Mazrooei. "SOME NEW CONSTRUCTIONS OF LINEAR CODES INCLUDING A WIDE FAMILY OF MDS CODES". Journal of Algebraic Systems, 7, 2, 2020, 291-300.
doi: 10.22044/jas.2019.7004.1343
- 1.97. S. D. Cardell, M. Firer and D. Napp, "Generalized Column Distances," in IEEE Transactions on Information Theory, vol. 66, no. 11, pp. 6863-6871, Nov. 2020,
doi: 10.1109/TIT.2020.2999987.

- 1.98. J. Hao, S. -T. Xia, K. W. Shum, B. Chen, F. -W. Fu and Y. Yang, "Bounds and Constructions of Locally Repairable Codes: Parity-Check Matrix Approach," in IEEE Transactions on Information Theory, vol. 66, no. 12, pp. 7465-7474, Dec. 2020,
doi: 10.1109/TIT.2020.3021707.
- 1.99. C. Tang and C. Ding, "An Infinite Family of Linear Codes Supporting 4-Designs," in IEEE Transactions on Information Theory, vol. 67, no. 1, pp. 244-254, Jan. 2021,
doi: 10.1109/TIT.2020.3032600.
- 1.100. Huang, D., Yue, Q., Niu, Y. et al. MDS or NMDS self-dual codes from twisted generalized Reed-Solomon codes. Des. Codes Cryptogr. 89, 2195–2209 (2021).
<https://doi.org/10.1007/s10623-021-00910-7>
- 1.101. H. Chen, J. Weng, W. Luo and L. Xu, "Long Optimal and Small-Defect LRC Codes With Unbounded Minimum Distances," in IEEE Transactions on Information Theory, vol. 67, no. 5, pp. 2786-2792, May 2021,
doi: 10.1109/TIT.2021.3052749.
- 1.102. Qiuyan Wang, Ziling Heng, Near MDS codes from oval polynomials, Discrete Mathematics, Volume 344, Issue 4, 2021, 112277, ISSN 0012-365X,
<https://doi.org/10.1016/j.disc.2020.112277>.
- 1.103. Aguglia, A., Giuzzi, L., Sonnino, A. Near-MDS codes from elliptic curves. Des. Codes Cryptogr. 89, 965?972 (2021).
<https://doi.org/10.1007/s10623-021-00852-0>
- 1.104. Gao, Yun, Shilin Yang, and Fang-Wei Fu. "Some optimal cyclic \mathbb{F}_q -linear \mathbb{F}_{q^t} -codes." Advances in Mathematics of Communications 15.3 (2021): 387-396.
- 1.105. Innamorati, Stefano, and Mauro Zannetti. "The Shape of the (15, 3)-Arc of PG (2, 7)." Mathematics 9.5 (2021): 486.
- 1.106. J. Hao, K. W. Shum, S. -T. Xia, F. -W. Fu and Y. Yang, "On Optimal Quaternary Locally Repairable Codes," 2021 IEEE International Symposium on Information Theory (ISIT), 2021, pp. 3267-3272,

- doi: 10.1109/ISIT45174.2021.9518245.
- 1.107. Alessio Meneghetti, Marco Pellegrini, Massimiliano Sala, A formula on the weight distribution of linear codes with applications to AMDS codes, *Finite Fields and Their Applications*, Volume 77, 2022, 101933, ISSN 1071-5797, <https://doi.org/10.1016/j.ffa.2021.101933>.
 - 1.108. Z. Heng, "Projective Linear Codes From Some Almost Difference Sets," in *IEEE Transactions on Information Theory*, 2022, doi: 10.1109/TIT.2022.3203380.
 - 1.109. Z. Heng, C. Li and X. Wang, "Constructions of MDS, Near MDS and Almost MDS Codes From Cyclic Subgroups of $F^*_{q^2}$," in *IEEE Transactions on Information Theory*, vol. 68, no. 12, pp. 7817-7831, Dec. 2022, doi: 10.1109/TIT.2022.3194914.
(<https://www.sciencedirect.com/science/article/pii/S1071579722000053>)
 - 1.111. J. Hao, J. Zhang, S. -T. Xia, F. -W. Fu and Y. Yang, "Constructions and Weight Distributions of Optimal Locally Repairable Codes," in *IEEE Transactions on Communications*, vol. 70, no. 5, pp. 2895-2908, May 2022, doi: 10.1109/TCOMM.2022.3155165.
 - 1.112. Sui, J., Zhu, X., Shi, X. MDS and near-MDS codes via twisted Reed-Solomon codes. *Des. Codes Cryptogr.* 90, 1937–1958 (2022).
<https://doi.org/10.1007/s10623-022-01049-9>
 - 1.113. G. Xu, X. Cao and L. Qu, "Infinite Families of 3-Designs and 2-Designs From Almost MDS Codes", in *IEEE Transactions on Information Theory*, vol. 68, no. 7, pp. 4344-4353, July 2022, doi: 10.1109/TIT.2022.3157199.
 - 1.114. Zhang, J., Zhou, Z., Tang, C. A class of twisted generalized Reed-Solomon codes. *Des. Codes Cryptogr.* 90, 1649–1658 (2022).
<https://doi.org/10.1007/s10623-022-01064-w>

- 1.115. Q. Yan and J. Zhou, "Infinite Families of Linear Codes Supporting More t -Designs", in IEEE Transactions on Information Theory, vol. 68, no. 7, pp. 4365-4377, July 2022,
doi: 10.1109/TIT.2022.3156072.
- 1.116. Heng, Z., Li, X. (2023). Near MDS Codes with Dimension 4 and Their Application in Locally Recoverable Codes. In: Mesnager, S., Zhou, Z. (eds) Arithmetic of Finite Fields. WAIFI 2022. Lecture Notes in Computer Science, vol 13638. Springer, Cham.
https://doi.org/10.1007/978-3-031-22944-2_8
- 1.117. Ceria, M., Cossidente, A., Marino, G. et al. On near-MDS codes and caps. Des. Codes Cryptogr. 91, 1095-1110, (2023).
<https://doi.org/10.1007/s10623-022-01141-0>
- 1.118. Tan, P., Fan, C., Ding, C. et al. The minimum locality of linear codes. Des. Codes Cryptogr. 91, 83-114 (2023).
<https://doi.org/10.1007/s10623-022-01099-z>
- 1.119. J. Zhang and D. Wan, "On Deep Holes of Elliptic Curve Codes," in IEEE Transactions on Information Theory, vol. 69, no. 7, pp. 4498-4506, July 2023,
doi: 10.1109/TIT.2023.3257320.
- 1.120. Boyi He, Qunying Liao, The error-correcting pair for direct sum codes, *Advances in Mathematics of Communications* (2023)
Doi: 10.3934/amc.2023046
- 1.121. Xiaoru Li, Ziling Heng, Constructions of near-MDS codes which are optimal locally recoverable codes, Finite Fields and Their Applications, Volume 88, 2023, 102184,
<https://doi.org/10.1016/j.faa.2023.102184>.
- 1.122. D. Han and C. Fan, "Roth-Lempel NMDS Codes of Non-Elliptic-Curve Type," in IEEE Transactions on Information Theory, vol. 69, no. 9, pp. 5670-5675, Sept. 2023,
doi: 10.1109/TIT.2023.3272384.

- 1.123. Li, X., Heng, Z. A construction of optimal locally recoverable codes. *Cryptogr. Commun.* 15, 553–563 (2023).
<https://doi.org/10.1007/s12095-022-00619-x>
- 1.124. Guo, G., Li, R., Liu, Y. et al. Duality of generalized twisted Reed-Solomon codes and Hermitian self-dual MDS or NMDS codes. *Cryptogr. Commun.* 15, 383–395 (2023).
<https://doi.org/10.1007/s12095-022-00605-3>
- 1.125. Huang, D., Yue, Q., Niu, Y. MDS or NMDS LCD codes from twisted Reed-Solomon codes. *Cryptogr. Commun.* 15, 221–237 (2023).
<https://doi.org/10.1007/s12095-022-00564-9>
- 1.126. Sadeq Hamdallah Naji; Emad Bakr Al-Zangana, Special NMDS codes of dimension three over the finite field of order 27, *AIP Conf. Proc.* 2414, 040068 (2023).
<https://doi.org/10.1063/5.0120529>
- 1.127. Bandana Pandey, Prabal Paul, Classification of a class of A3MDS code and applications in secret-sharing schemes, *Discrete Mathematics, Algorithms and Applications*, World Scientific, 2023.
<https://doi.org/10.1142/S1793830923500842>
- 1.128. Hai Q. Dinh, Bac T. Nguyen, Hiep L. Thi, Woraphon Yamaka, On Hamming distance distributions of repeated-root constacyclic codes of length $3ps$ over $F_{pm}+uF_{pm}$, *Discrete Mathematics*, Volume 346, Issue 12, 2023, 113593,
<https://doi.org/10.1016/j.disc.2023.113593>.
- 1.129. Li Xu, Cuiling Fan, Near MDS codes of non-elliptic-curve type from Reed-Solomon codes, *Discrete Mathematics*, Volume 346, Issue 9, 2023, 113490,
<https://doi.org/10.1016/j.disc.2023.113490>.
- 1.130. Z. Sun and C. Ding, "The extended codes of a family of reversible MDS cyclic codes," in *IEEE Transactions on Information Theory*,
doi: 10.1109/TIT.2023.3342216.
- 1.131. Gupta, K.C., Pandey, S.K., Samanta, S. On the construction of near-MDS matrices. *Cryptogr. Commun.* 16, 249–283 (2024).
<https://doi.org/10.1007/s12095-023-00667-x>

- 1.132. He, B., Liao, Q. The properties and the error-correcting pair for lengthened GRS codes. *Des. Codes Cryptogr.* 92, 211–225 (2024).
<https://doi.org/10.1007/s10623-023-01304-7>
- 1.133. H. Chen, "Many Non-Reed-Solomon Type MDS Codes From Arbitrary Genus Algebraic Curves," in *IEEE Transactions on Information Theory*, doi: 10.1109/TIT.2023.3348146.
- 1.134. Fan, C., Wang, A., Xu, L. New classes of NMDS codes with dimension 3. *Des. Codes Cryptogr.* 92, 397–418 (2024).
<https://doi.org/10.1007/s10623-023-01313-6>
- 1.135. Zhu, C., Liao, Q. The $[1, 0]$ -twisted generalized Reed-Solomon code. *Cryptogr. Commun.* (2024).
<https://doi.org/10.1007/s12095-024-00704-3>
- 1.136. Li Xu, Cuiling Fan, Dongchun Han, Near-MDS codes from maximal arcs in $PG(2, q)$, *Finite Fields and Their Applications*, Volume 93, 2024, 102338,
<https://doi.org/10.1016/j.faa.2023.102338>.
- 1.137. Canze Zhu, Qunying Liao, A class of double-twisted generalized Reed-Solomon codes, *Finite Fields and Their Applications*, Volume 95, 2024, 102395,
<https://doi.org/10.1016/j.faa.2024.102395>.
- 1.138. Davydov, A.A., Marcugini, S., Pambianco, F. Further results on covering codes with radius R and codimension $tR + 1$, *Des. Codes Cryptogr.* (2024).
<https://doi.org/10.1007/s10623-024-01402-0>
- 1.139. Qiang Fu, Buhong Wang, Ruihu Li, Ruipan Yang, Construction of Singleton-Type Optimal LRCs from Existing LRCs and Near-MDS Codes, *IEICE TRANSACTIONS on Fundamentals of Electronics, Communications and Computer Sciences* Vol.E106-A No.8 pp.1051-1056.
doi: 10.1587/transfun.2022EAP1107
- 1.140. B. Pandey, P. Paul and C. R. Pradeep, "Classification of a Class of A2MDS codes and Application in Cryptography Algorithms," 2024 International Conference on Artificial Intelligence, Computer, Data Sciences and Applications (ACDSA), Victoria, Seychelles, 2024, pp. 1-5,
doi: 10.1109/ACDSA59508.2024.10467553.

- 1.141. Y. Li, S. Zhu and E. Martínez-Moro, "On t -MDS codes and a conjecture on infinite families of 1-MDS codes," in IEEE Transactions on Information Theory, 2024.
doi: 10.1109/TIT.2024.3402745

(2) **Linear codes over finite chain rings, *Electronic Journal of Combinatorics*, 7(1), 2000, R11.** (with Th. Honold)

- 2.1. A. Kelarev, Ring Constructions and Applications, Series in Algebra Vol. 9 World Scientific, 2002.
- 2.2. M. K. Gupta, M. C. Bhandari, A. K. Lai, On linear codes over \mathbb{Z}_{2^s} , *Designs, Codes and Cryptography* 36(3)(2005), 227–244.
- 2.3. S. T. Dougherty, J. L. Kim, H. Liu, Constructions of self-dual codes over finite commutative chain rings, *Int. J. of Inf. and Coding Theory* 1(2)(2010), 171–190.
- 2.4. A. Rouseva, Arcs in finite projective geometries and their application in coding theory, PhD Thesis, 2005.
- 2.5. M. Kiermaier, A. Kohnert, New arcs in projective Hjelmslev planes over Galois rings, Proc. of the 5th Int. Workshop on Optimal codes and related topics, White Lagoon, 2007.
- 2.6. G. Nebe, E. M. Rains, N. J. A. Sloane, Self-dual codes and invariant theory, Springer, 2006.
- 2.7. T. Feulner, Canonization of linear codes over \mathbb{Z}_4 , Advances in Mathematics of Communications Volume 5, Issue 2, May 2011, Pages 245-266.
- 2.8. M. Kiermaier, M. Koch, S. Kurz, 2-Arcs of maximal size in the affine and the projective Hjelmslev plane over \mathbb{Z}_{25} , Advances in Mathematics of Communications Volume 5, Issue 2, May 2011, Pages 287-301.
- 2.9. Kiermaier, M., Zwanzger, J. A \mathbb{Z}_4 -linear code of high minimum Lee distance derived from a hyperoval. Advances in Mathematics of Communications Volume 5, Issue 2, May 2011, Pages 275-286

- 2.10. Yildiz, B., Siap, I., Bilgin, T., Yesilot, G, The covering problem for finite rings with respect to the RT-metric, Applied Mathematics Letters Volume 23, Issue 9, September 2010, Pages 988-992.
- 2.11. Keppens, D., van Maldeghem, H. Embeddings of projective Klingenberg planes in the projective space $PG(5, K)$, Beitrage zur Algebra und Geometrie Volume 50, Issue 2, 2009, Pages 483-493.
- 2.12. Shiromoto, K., Storme, L, Griesmer Bound for Codes over Finite Quasi-Frobenius Rings, Electronic Notes in Discrete Mathematics Volume 6, April 2001, Pages 337-345.
- 2.13. Dougherty, S.T., Shiromoto, K. Maximum distance codes over rings of order 4, IEEE Transactions on Information Theory Volume 47, Issue 1, January 2001, Pages 400-404
- 2.14. K. Shiromoto, L. Storme, A Griesmer bound for codes over finite quasi-Frobenius rings. Electronic Notes in Discrete Mathematics Volume 6, 2000, Pages 1-9
- 2.15. Shiromoto K, Storme L. A Griesmer bound for linear codes over finite quasi-Frobenius rings, Discrete Applied Mathematics, Volume 128, Issue 1, 2003, 263–274.
- 2.16. H. Horimoto, K. Shiromoto, On Generalized Hamming Weights for Codes over Finite Chain Rings, Lecture Notes in Computer Science, 2001, Volume 2227/2001, 141–150.
- 2.17. Camion P. Codes over Z_{p^n} and Association Schemes. In: Barg A, Litsyn S (Eds) Codes and Association Schemes - DIMACS Series in Discrete Mathematics and Theoretical Computer Science. Vol 56, 2001, 59-86.
- 2.18. C. J. Colbourn, M. K. Gupta, On quaternary MacDonald codes, Information Technology: Coding and Computing [Computers and Communications], 2003, Proceedings ITCC 2003 International Conference, 212 - 215.
- 2.19. M. Kiermaier and S. Kurz, Inclusion-maximal integral point sets over Finite fields. OPUS Bayreuth, 2008.
- 2.20. Horimoto H., and Shiromoto K., Higher Weights for Codes over Finite Rings, (Name of journal in Japanese) 28-34.

- 2.21. Zwanzger, Johannes (2011) Computer-aided search for optimal linear codes over finite chain rings using heuristic methods, PhD Thesis, University of Bayreuth, Germany.
- 2.22. M. Kiermaier, J. Zwanzger, New Ring-Linear Codes from Geometric Dualization, Proc. WCC 2011 - Workshop on coding and cryptography (2011), 111-120.
- 2.23. T. Britz, Relations, Matroids and Codes, PhD Thesis, University of Aarhus, Denmark, Aarhus, 2002.
- 2.24. M. Kiermaier, J. Zwanzger, New ring linear codes from dualization on projective Hjelmslev geometries, *Designs, Codes and Cryptography* **66**(1-3)(2013),39–55.
- 2.25. C. Feng, R. Nöberga, F. Kschischang, D. Silva, Communication over finite chain ring matrix channels, *IEEE trans. Inf Theory* 60(2014), 5899–5917.
- 2.26. Abdullah Pasa, Bahattin Yildiz, Constructing Gray maps from combinatorial geometries, *Commun. Fac. Sci. Univ. Ank. Series A1 Volume 63*, Number 2, Pages 147–161 (2014).
https://doi.org/10.1501/Commua1_00000000720
- 2.27. R. Nöberga, C. Feng, D. Silva, On multiplicative matrix channels over finite chain rings, *J. Commun. and Inf. Systems* 32(1)(2017),90-101.
- 2.28. Th. Feulner, Eine kanonische Form zur Darstellung äquivalenter Codes, Dissertation, Universität Bayreuth, 2013.
- 2.29. E. Saltürk, I. Siap, Numbers related to linear codes over galois rings, *Europ. J. of Pure and Appl. Math.* **5**(2)(2012), 250–259.
- 2.30. H. Guessing-Luerssen, Fourier-reflexive partitions and MacWilliams identities for linear codes, *Designs, Codes and Cryptography*, 75(3)(2015), 543–563.
DOI: 1007/s10623-014-9940-x.
- 2.31. E. Byrne, M. Kiermaier, A. Sneyd, Properties of codes with two homogeneous weights, *Finite Fields and Appl.* **18**(4)(2012), 711–727.
- 2.32. J. A. Wood, Relative 1-weight linear codes, *Designs, Codes and Cryptography* **72**(2)(2014), 331-344.

- 2.33. E. Saltürk, I. Siap, Enumeration of codes over the ring $F_q + uF_q$, *Physica Macedonica* **61**(2012), 121–126.
- 2.34. S. T. Dougherty, J. L. Kim, H. Kulosman, MDS codes over finite principal ideal rings, *Designs, Codes and Cryptography* **50**(1)(2009), 77–92.
- 2.35. S. Nadella, Stabilizer Codes over Frobenius Rings (Doctoral dissertation, Texas A&M University), 2012.
- 2.36. R. W. da Nöbrega, "Canais Matriciais Multiplicativos sobre Corpos e Anais Finitos com Aplicacoes em Codificacao de Rede." PhD diss., Universidade Federal de Santa Catarina, 2013.
- 2.37. E. Martinez-Moro, S. Szabo, On Codes over Local Frobenius Non-chain rings of Order 16, *Contemporary Mathematics* **634**(2015), 227–241.
- 2.38. Y. Cao, J. Gao, Repeated root Cyclic \mathbb{F}_q -linear Codes, *Finite Fields and Applications* **31**(2015), 202–227.
- 2.39. B. Kong, X. Zheng, H. Ma, The Depth spectrums of Constacyclic Codes over Finite Chain Rings, *Discrete Math.* **338**(2015), 256–261.
- 2.40. M. Kiermaier, A. Wasserman, Double and Bordered 2-circulant self-dual Codes over Finite Commutative Chain Rings, Proc 11th Int. Workshop on ACCT, June 16-22,2008, 144–150.
- 2.41. Y. Cao, J. Gao, F. Fu, Enumeration and Construction of Additive Cyclic Codes, *Discrete math.* **338**(6)(2015), 922–937.
- 2.42. M. Holzer, Finite chain Rings, Finitely Generated Modules over Finite Chain Rings and Projective Hjelmslev Geometries, PhD Thesis, University of Zurich, 2015) (Supervisors: J. Rosenthal, A.-L. Trautmann)
- 2.43. M Shi, Y Liu, P Solé, Optimal Two-Weight Codes From Trace Codes Over $F_2 + uF_2$, *IEEE Communications Letters* **20**(12) Dec. 2016, 2346–2349.
- 2.44. S. Nadella, A. Klappenecker, Stabilizer codes over Frobenius rings, Proc. 2012 IEEE Sympoium on Information Theory, 2012,165–169.
DOI: 10.1109/ISIT.2012.6283558
- 2.45. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* **10** No 3-4, (2016), 285–297. (347)

- 2.46. Shi, M., Qian, L., Solé, P. AAEECC (2017). Few-weight codes from trace codes over a local ring, *Applicable Algebra in Engineering, Communication and Computing*, 2017 - Springer, 1–16.
<https://doi.org/10.1007/s00200-017-0345-8>
- 2.47. Bandi, R., Tabue, A.F., Martinez-Moro, E. On counting subring-submodules of free modules over finite commutative frobenius rings. *Des. Codes Cryptogr.* 86, 2247?2254 (2018).
<https://doi.org/10.1007/s10623-017-0446-1>
- 2.48. P. Chela Pandian, On Codes over Finite Rings and Related Parameters, PhD Thesis, Bharathidassan University, India, 2017.
- 2.49. D. Keppens, 50 Years of Finite Geometry, the “Geometries over Finite Rings” Part, *Innovations in Incidence Geometry* **15**(2017), 123-143.
- 2.50. S. T. Dougherty families of Rings, Ch. 4 in: *Algebraic Coding Theory over Finite Commutative Rings*, Briefs in Math, Springer, 2017.
- 2.51. Karim Samei, Saadoun Mahmoudi, Cyclic R-additive codes, *Discrete Mathematics*, Volume 340, Issue 7, 2017, Pages 1657-1668,
<https://doi.org/10.1016/j.disc.2016.11.007>.
- 2.52. Shi, M., Qian, L., Solé, P. Few-weight codes from trace codes over a local ring. *AAEECC* 29, 335–350 (2018).
<https://doi.org/10.1007/s00200-017-0345-8>
- 2.53. Jay A. Wood, Isometry groups of additive codes over finite fields, *Journal of Algebra and Its Applications*, Vol. 17, No. 10, 2018, 1850198.
<https://doi.org/10.1142/S0219498818501980>
- 2.54. Alexandre Fotue Tabue, Christophe Mouaha, Contraction of cyclic codes over finite chain rings, *Discrete Mathematics*, Volume 341, Issue 6, 2018, 1722-1731, ISSN 0012-365X,
<https://doi.org/10.1016/j.disc.2018.03.008>.
- 2.55. Borges, Joaquim, Cristina Fernandez-Cordoba, and Roger TenValls. "Linear and cyclic codes over direct product of finite chain rings." *Mathematical Methods in the Applied Sciences* 41.16 (2018): 6519-6529.
<https://doi.org/10.1002/mma.4491>

- 2.56. Edgar Martinez-Moro, Kamil Otal, Ferruh Özbudak, Additive cyclic codes over finite commutative chain rings, *Discrete Mathematics*, Volume 341, Issue 7, 2018, 1873-1884, ISSN 0012-365X,
<https://doi.org/10.1016/j.disc.2018.03.016>.
- 2.57. K. Samei, S. Mahmoudi, Singleton Bounds for R-additive codes, *Adv. In Math. Of Communications* vol. 12, no. 1, 2018, 107-114.
Doi: 10.3934/amc.201.2006
- 2.58. Antrobus, J., Gluesing-Luerssen, H. Lexicodes over finite principal ideal rings. *Des. Codes Cryptogr.* 86, 2661–2676 (2018).
<https://doi.org/10.1007/s10623-018-0469-2>
- 2.59. Aydogdu, I., Gursay, F. $\mathbb{Z}_2\mathbb{Z}_4\mathbb{Z}_8$ -Cyclic codes. *J. Appl. Math. Comput.* 60, 327–341 (2019).
<https://doi.org/10.1007/s12190-018-01216-z>
- 2.60. Alexandre Fotue-Tabue, Christophe Mouaha, On the lattice of cyclic codes over finite chain rings *Algebra Discrete Math.*, 2019, Volume 27, Issue 2, Pages 252–268.
- 2.61. Rostami E., Nekooei R. Computation of Minimum Hamming Weight for Linear Codes. *Iranian J. of Math. Sciences and Informatics*, 2019; 14 (1) :81-93
<http://ijmsi.ir/article-1-944-en.html>, ISSN: 1735-4463
- 2.62. Li, Zhihui, $\mathbb{Z}_2(\mathbb{Z}_2 + u\mathbb{Z}_2)(\mathbb{Z}_2 + u\mathbb{Z}_2 + u^2\mathbb{Z}_2)$ -Additive Cyclic Codes. *Engineering Mathematics*, 3(2), 2019,30.
- 2.63. Alexandre Fotue Tabue, Edgar Martínez-Moro, Christophe Mouaha, Galois correspondence on linear codes over finite chain rings, *Discrete Mathematics*, Volume 343, Issue 2, 2020, 111653, ISSN 0012-365X,
<https://doi.org/10.1016/j.disc.2019.111653>.
- 2.64. Somphong Jitman, Ekkasit Sangwisut, Patanee Udomkavanich, Hulls of cyclic codes over \mathbb{Z}_4 , *Discrete Mathematics*, Volume 343, Issue 1, 2020, 111621, ISSN 0012-365X,
<https://doi.org/10.1016/j.disc.2019.111621>.

- 2.65. Durgun, Yilmaz. On LCD Codes over Finite Chain Rings, Bulletin of the Korean Mathematical Society , vol. 57, no. 1, Korean Mathematical Society, Jan. 2020, pp. 37–50,
doi:10.4134/BKMS.B181173.
- 2.66. Renner, J., Neri, A., Puchinger, S. Low-rank parity-check codes over Galois rings. Des. Codes Cryptogr. 89, 351-386 (2021).
<https://doi.org/10.1007/s10623-020-00825-9>
- 2.67. W. Cary Huffman, , J.-L. Kim, P. Sole, Concise Encyclopaedia of Coding Theory, Chapman and Hall/CRC Press, 2021,
doi.org/10.1201/9781315147901
- 2.68. Yildiz, E., Abualrub, T., Aydogdu, I. On the number of $\mathbb{Z}_2\mathbb{Z}_4$ and $\mathbb{Z}_p\mathbb{Z}_{p^2}$ -additive cyclic codes. AAECC 34(2023), 81-97.
<https://doi.org/10.1007/s00200-020-00474-4>
- 2.69. Sarra Talbi, Aicha Batoul, Alexandre Fotue Tabue, Edgar Martínez-Moro, Hulls of cyclic serial codes over a finite chain ring, Finite Fields and Their Applications, Vol. 77, 2022, 101950, ISSN 1071-5797,
<https://doi.org/10.1016/j.ffa.2021.101950>.
- 2.70. Eimear Byrne, Anna-Lena Horlemann, Karan Khathuria, Violetta Weger, Density of free modules over finite chain rings, Linear Algebra and its Applications, Volume 651, 2022, Pages 1-25, ISSN 0024-3795,
<https://doi.org/10.1016/j.laa.2022.06.013>.
- 2.71. Jungin Lee, Universality of the cokernels of random p -adic Hermitian matrices, Trans. Amer. Math. Soc. 376 (2023), 8699-8732
DOI: <https://doi.org/10.1090/tran/9031>
- 2.72. Eimear Byrne, Violetta Weger, Bounds in the Lee metric and optimal codes, Finite Fields and Their Applications, Volume 87, 2023, 102151.
<https://doi.org/10.1016/j.ffa.2022.102151>.
- 2.73. M. Stanojkovski, Submodule codes as spherical codes in buildings. Des. Codes Cryptogr. 91, 2449–2472 (2023).
<https://doi.org/10.1007/s10623-023-01207-7>

- 2.74. U. Martinez-Penas and S. Puchinger, "Maximum Sum-Rank Distance Codes over Finite Chain Rings," in IEEE Transactions on Information Theory, 2024.
doi: 10.1109/TIT.2024.3354513.
 - 2.75. Aiad Mohammed Khalaf; Nada Yassen Kasm Yahya, New examples in coding theory for construction optimal linear codes related with weight distribution, AIP Conf. Proc. 2845, 050043 (2023)
<https://doi.org/10.1063/5.0170590>
 - 2.76. Sihem Mesnager, Liqin Qian, Xiwang Cao, Two families of few-weight codes over a finite chain ring, Discrete Mathematics, Volume 346, Issue 7, 2023, 113464,
<https://doi.org/10.1016/j.disc.2023.113464>.
- (3) **Near-MDS Codes over some small fields, *Discrete Mathematics*, 213, 2000, 55–65.** (with S. Dodunekov) **IF:0.294**
- 3.1. A. Brouwer, Bounds on the size of linear codes, Handbook of coding theory, (V. Pless and W.C. Huffman eds.) North-Holland, 1998, 295–461.
 - 3.2. J. Olsson, Linear codes with performance close to the Singleton bound, PhD Thesis, Institute of Technology, Linköpings Universitet, No605, 1999.
 - 3.3. S. Marcugini, A. Milani, F. Pambianco, Existence and classification of NMDS codes over $GF(5)$ and $GF(7)$, Proc. 7th Int. Workshop on ACCT, Bansko, 2000, 232–239.
 - 3.4. S. Marcugini, F. Pambianco, AMDS codes of small dimension, Proc. of the Nineth Int. Workshop on ACCT, Kranevo, Bulgaria, 2004, pp. 277–282.
 - 3.5. G. Viswanath, B.S. Rajan, A matrix characterization of near-MDS codes, *Ars Combinatoria* 79(2006), 289–294.
 - 3.6. V. Abatangelo, B. Larato, Near-MDS codes arising from algebraic curves, *Discrete Mathematics* 301(1), 5–19.
 - 3.7. T. I. Alderson, A. A. Bruen, Maximal AMDS Codes, *AAECC* 19(2) (2008), 87–98.

- 3.8. V. Abatangelo, B. Larato, Elliptic near-MDS codes, *Des. Codes Cryptogr.* 46(2008), 167–174.
- 3.9. R.N.Daskalov, T.Aaron Gulliver, Minimum Distance Bounds for Linear Codes over GF(7). *J.Comb. Math. and Comb.Computing* , v.36, 2001, pp.175-191.
- 3.10. R.N. Daskalov, T.Aaron Gulliver, Bounds on Minimum Distance for Linear Codes over GF(5), *Applicable Algebra in Engineering, Communications and Computing* , v.9, 1999,pp. 547-558.
- 3.11. S. Marcugini, A. Milani, F. Pambianco. NMDS codes of maximal length over F_q . *IEEE Trans. Inform. Theory*, v.48,N0.4, 2002, pp.963-966. IF 2.045
- 3.12. S. Marcugini, A. Milani, F. Pambianco. Classification of the $[n,3,n-3]_q$ NMDS codes over GF(7), GF(8) and GF(9). *Ars Combinatoria*, v.61, 2001.
- 3.13. S. Marcugini, A. Milani, F. Pambianco, Classification of linear codes exploiting an invariant. *Contributions to Discrete Mathematics*, v.1, No.1, pp.1-7.
- 3.14. Liu Zi-hui, Cheng Wen-de. The Chain condition of codes of small defects, *Mathematics in practice and theory* vol.36, No.7, 2006, pp.314-319.
- 3.15. R. Roth, Introduction to Coding Theory, Cambridge University Press, 2006.
- 3.16. J. W. P. H. Hirschfeld, G. Korchmáros, F. Torres, Algebraic Curves over a Finite Field, Princeton University Press, 2008. (ISBN 978-0-691-09679-7)
- 3.17. Q. Liao, H. Liao, On m-MDS codes over finite fields, *Int. J. of Comp. Mathematics* (2013),
DOI: 10.1080/00207160.2013.818669.
- 3.18. D. Bartoli, S. Marciguini, F. Pambianco, The nonexistence of some NMDS codes and the extremal sizes of complete $(n,3)$ -arcs, *Designs, Codes and Cryptography*, June 2013,
DOI: 10.1007/s10623-013-9817-0.
- 3.19. H. Tong, D. Yang, Quasi-cyclic NMDS codes, *Finite Fields and Their Applications* **24**(2013), 45–54.

- 3.20. D. Bartoli, S. Marcugini, F. Pambianco, The non-existence of some NMDS codes and the extremal sizes of complete $(n, 3)$ -arcs in $PG(2, 16)$, *Designs, Codes and Cryptography* **72**(1)(2014), 129–134.
- 3.21. H. Tong, NNMDS codes, *J. Systems Science and Computing* **25**(3)(2012), 617–624.
- 3.22. D. Bartoli, M. Giulietti, G. Zini, Complete $(k, 3)$ -arcs from quartic curves, *Designs, Codes and Cryptography*, 79(3)(2016), 487–505. DOI:10.1007/s10623-015-0073-7.
- 3.23. L. Jin and H. Kan, "Self-Dual Near MDS Codes from Elliptic Curves," in *IEEE Transactions on Information Theory*, vol. 65, no. 4, pp. 2166-2170, April 2019, doi: 10.1109/TIT.2018.2880913.
- 3.24. Mehta S., Saraswat V., Sen S., Secret Sharing Using Near-MDS Codes. In: Carlet C., Guilley S., Nitaj A., Souidi E. (eds) *Codes, Cryptology and Information Security. C2SI 2019. Lecture Notes in Computer Science*, vol 11445, 2019, 195-214, Springer. https://doi.org/10.1007/978-3-030-16458-4_12
- 3.25. Y. Xia and B. Chen, "Complete Characterizations of Optimal Locally Repairable Codes With Locality 1 and K_1 ," in *IEEE Access*, vol. 7, pp. 111271-111276, 2019, doi: 10.1109/ACCESS.2019.2934769.
- 3.26. C. Ding and C. Tang, Infinite Families of Near MDS Codes Holding t -Designs, *IEEE Transactions on Information Theory*, vol. 66, no. 9, pp. 5419-5428, Sept. 2020, doi: 10.1109/TIT.2020.2990396.
- 3.27. C. Tang and C. Ding, "An Infinite Family of Linear Codes Supporting 4-Designs," in *IEEE Transactions on Information Theory*, vol. 67, no. 1, pp. 244-254, Jan. 2021, doi: 10.1109/TIT.2020.3032600.
- 3.28. Sok, L. New families of self-dual codes. *Des. Codes Cryptogr.* 89, 2021, 823–841.

<https://doi.org/10.1007/s10623-021-00847-x>

- 3.29. Qiuyan Wang, Ziling Heng, Near MDS codes from oval polynomials, *Discrete Mathematics*, Volume 344, Issue 4, 2021, 112277, ISSN 0012-365X,
<https://doi.org/10.1016/j.disc.2020.112277>.
H. Chen, J. Weng, W. Luo and L. Xu, "Long Optimal and Small-Defect LRC Codes With Unbounded Minimum Distances," in *IEEE Transactions on Information Theory*, vol. 67, no. 5, pp. 2786-2792, May 2021,
doi: 10.1109/TIT.2021.3052749.
- 3.30. Aguglia, A., Giuzzi, L. , Sonnino, A. Near-MDS codes from elliptic curves. *Des. Codes Cryptogr.* 89, 965-972 (2021).
<https://doi.org/10.1007/s10623-021-00852-0>
- 3.31. J. -L. Kim and W. -H. Choi, "Self-Dual Codes, Symmetric Matrices, and Eigenvectors," in *IEEE Access*, vol. 9, pp. 104294-104303, 2021,
doi: 10.1109/ACCESS.2021.3099434.
- 3.32. J. Sui, Q. Yue, X. Li and D. Huang, "MDS, Near-MDS or 2-MDS Self-Dual Codes via Twisted Generalized Reed-Solomon Codes," in *IEEE Transactions on Information Theory*, vol. 68, no. 12, pp. 7832-7841, Dec. 2022,
doi: 10.1109/TIT.2022.3190676.
- 3.33. Huang, D., Yue, Q., Niu, Y. MDS or NMDS LCD codes from twisted Reed-Solomon codes. *Cryptogr. Commun.* (2022). <https://doi.org/10.1007/s12095-022-00564-9>
- 3.34. L. Sok, "On Linear Codes With One-Dimensional Euclidean Hull and Their Applications to EAQECCs," in *IEEE Transactions on Information Theory*, vol. 68, no. 7, pp. 4329-4343, July 2022,
doi: 10.1109/TIT.2022.3152580.
- 3.35. Zhang, J., Zhou, Z., Tang, C. A class of twisted generalized Reed-Solomon codes. *Des. Codes Cryptogr.* 90, 1649–1658 (2022).
<https://doi.org/10.1007/s10623-022-01064-w>
- 3.36. Sui, J., Zhu, X., Shi, X. MDS and near-MDS codes via twisted Reed-Solomon codes. *Des. Codes Cryptogr.* 90, 1937-1958 (2022).
<https://doi.org/10.1007/s10623-022-01049-9>

- 3.37. Sok, L. A new construction of linear codes with one-dimensional hull. Des. Codes Cryptogr. 90, 2823?2839 (2022).
<https://doi.org/10.1007/s10623-021-00991-4>
- 3.38. Roghayeh Mohammadi Hesari, Mahboubeh Hosseinabadi, Rashid Rezaei, Karim Samei. $\mathbb{F}_{p^m}\mathbb{F}_{p^m}[u^2]$ -additive skew cyclic codes of length $2p^s$. Advances in Mathematics of Communications **18**(3)(2024), 753-770.
doi: 10.3934/amc.2022023
- 3.39. Lii Xu, Cuiling Fan, Dongchun Han, Near-MDS codes from maximal arcs in PG(2,q), Finite Fields and Their Applications 93(1)(2023):102338,
doi: 10.1016/j.ffa.2023.102338
- 3.40. Tan, P., Fan, C., Ding, C. et al. The minimum locality of linear codes. Des. Codes Cryptogr. 91, 83?114 (2023).
<https://doi.org/10.1007/s10623-022-01099-z>
- 3.41. Huang, D., Yue, Q., Niu, Y. MDS or NMDS LCD codes from twisted Reed-Solomon codes. Cryptogr. Commun. 15, 221?237 (2023). <https://doi.org/10.1007/s12095-022-00564-9>
- 3.42. Roghayeh Mohammadi Hesari, Karim Samei, Skew constacyclic codes of lengths ps and $2ps$ over $\mathbb{F}_{p^m} + u\mathbb{F}_{p^m}$, Finite Fields and Their Applications, Volume 91, 2023, 102269,
<https://doi.org/10.1016/j.ffa.2023.102269>.
- 3.43. Li Xu, Cuiling Fan, Near MDS codes of non-elliptic-curve type from Reed-Solomon codes, Discrete Mathematics, Volume 346, Issue 9, 2023, 113490,
<https://doi.org/10.1016/j.disc.2023.113490>.
- 3.44. Bandana Pandey and Prabal Paul, Classification of a class of A^3 MDS code and applications in secret-sharing schemes, *Discrete Mathematics, Algorithms and Applications*, 2023.
<https://doi.org/10.1142/S1793830923500842>
- 3.45. Fan, C., Wang, A., Xu, L. New classes of NMDS codes with dimension 3. Des. Codes Cryptogr. 92, 397?418 (2024).
<https://doi.org/10.1007/s10623-023-01313-6>

- 3.46. Li Xu, Cuiling Fan, Dongchun Han, Near-MDS codes from maximal arcs in $PG(2,q)$, *Finite Fields and Their Applications*, Volume 93, 2024, 102338, <https://doi.org/10.1016/j.ffa.2023.102338>.

(4) **The classification of the largest caps in $AG(5,3)$, *Journal of Combinatorial Theory Ser. A*, **99(2002)**, 95–110.** (with Y. Edel, S. Ferret, L. Storme)

IF:0.443

- 4.1. Fan, Y., Gao, W., Zhong, Q. On the Erdős-Ginzburg-Ziv constant of finite abelian groups of high rank. *Journal of Number Theory* Volume 131, Issue 10, October 2011, Pages 1864-1874.
- 4.2. Geroldinger, A., Gryniewicz, D.J., Schmid, W.A The catenary degree of Krull monoids I. *Journal de Theorie des Nombres de Bordeaux* Volume 23, Issue 1, 2011, Pages 137-169.
- 4.3. Potchin, A. Maximal caps in $AG(6,3)$. *Designs, Codes, and Cryptography* Volume 46, Issue 3, March 2008, Pages 243-259.
- 4.4. Delorme, C., Marquez, I., Ordaz, O., Quiroz, D Maximum line-free set geometry in \mathbb{Z}_3^d . *Divulgaciones Matematicas* Volume 15, Issue 2, 2007, Pages 253-263.
- 4.5. Gao, W., Geroldinger, A., Schmid, W.A Inverse zero-sum problems. *Acta Arithmetica* Volume 128, Issue 3, 2007, Pages 245-279.
- 4.6. Gao, W.D., Thangadurai, R. A variant of Kemnitz conjecture. *Journal of Combinatorial Theory. Series A* Volume 107, Issue 1, July 2004, Pages 69-86.
- 4.7. Elsholtz, C. Lower bounds for multidimensional zero sums. *Combinatorica* Volume 24, Issue 3, 2004, Pages 351-358.
- 4.8. Bierbrauer, J. Large caps. *Journal of Geometry* Volume 76, Issue 1-2, 2003, Pages 16-51.
- 4.9. B. L. Davis, D. MacLagan, R. Vakil, The card game set, *The Mathematical Intelligencer* Volume 25, Issue 3, June 2003, Pages 33-40.

- 4.10. Janos Barat, On complete caps in the projective geometries over F_3 . II, Journal of Combinatorial Mathematics and Combinatorial Computing ? 2004, Volume 49, pp. 9-31.
- 4.11. Kurz S. Caps in $Z(2, n)$. Serdica Journal of Computing, Vol. 3, No 2, (2009), 159-178.
- 4.12. Norman Do, The Joy of SET, Gazette AMS, Vol. 32, No4, 233-240.
<http://www.austms.org.au/Gazette/2005/Sep05/mathellaneous.pdf>
- 4.13. Noga Alon, Multicolored matchings in hypergraphs, *Moscow Journal of Combinatorics and Number Theory* 1(1)(2011), 3–10.
<http://www.tau.ac.il/~nogaa/PDFS/rainbow1.pdf>
- 4.14. Cardoso J., A. Lemos. Problemas de soma zero com peso sobre grupos abelianos finitos. 2010. 56 f. Tese (Doutorado em Matematica)-Universidade de Brasilia, Brasilia, 2010.
- 4.15. Y. Fan, W. Gao, L. Wang, Q. Zhang, two zero-sum invariants on finite abelian groups, *European J. Math.* 34(8)(2013), 1331-1337.
- 4.16. G. Bhowmik, J. C. Schlage-Puchta, Davenport's constant for groups with large exponent *Contemporary Mathematics*, Vol. 579(2012), 21–32.
- 4.17. S. D. Adhikari, S. Baier, P. Rath, An extremal problem in lattice point combinatorics, Diophantine Equations, (N. Saradha Ed.) 19 –32, Tata Institute of Fundamental Research, Narosa, New Delhi, 2008 .
- 4.18. Michael Follett, Kyle Kalail, Elizabeth McMahon, Catherine Pelland, Robert Won, Partitions of $AG(4,3)$ into maximal caps, Discrete Mathematics, Volume 337, 2014, Pages 1-8,
<https://doi.org/10.1016/j.disc.2014.08.002>.
- 4.19. Pallier Gabriel, Le jeu SET ou la pêche à la ligne. Quadrature. N° 106. p. 25-34 (2017). ISSN : 1142-2785
- 4.20. Fábio Botler, Andrés Cristi, Ruben Hoeksma, Kevin Schewior, and Andreas Tönnis. SUPERSET: A (Super)Natural Variant of the Card Game SET. In 9th International Conference on Fun with Algorithms (FUN 2018). Leibniz International Proceedings in Informatics (LIPIcs), Volume 100, pp. 12:1-12:17, Schloss Dagstuhl - Leibniz-Zentrum für Informatik (2018)

<https://doi.org/10.4230/LIPIcs.FUN.2018.12>

- 4.21. B. Girard, An asymptotically tight bound for the Davenport constant, *Journal de l'École polytechnique - Mathématiques*, Tome 5 (2018) , pp. 605-611.
- 4.22. Michael Bennett, Occurrence of right angles in vector spaces over finite fields, *European Journal of Combinatorics*, Volume 70, 2018, 155-163, ISSN 0195-6698,
<https://doi.org/10.1016/j.ejc.2017.12.005>.
- 4.23. Joshua A. Grochow, New applications of the polynomial method: the cap set conjecture and beyond, *Bull. Amer. Math. Soc.* 56 (2019), 29-64.
<https://doi.org/10.1090/bull/1648>
- 4.24. Huang, Yixuan, Michael Tait, and Robert Won. Sidon sets and 2-caps in \mathbb{F}_n . *Involve* vol. 12, no. 6, 2019, 995-1003. ISSN 1944-4176,
doi: 10.2140/involve.2019.12.995.
- 4.25. Elsholtz, C., Pach, P.P. Caps and progression-free sets in \mathbb{Z}_m . *Des. Codes Cryptogr.* 88, 2133-2170 (2020).
<https://doi.org/10.1007/s10623-020-00769-0>
- 4.26. Michael Bennett, Bounds on sizes of generalized caps in $AG(n, q)$ via the Croot-Lev-Pach polynomial method, *Journal of Combinatorial Theory, Series A*, Volume 168, 2019, Pages 255-271, ISSN 0097-3165,
<https://doi.org/10.1016/j.jcta.2019.06.001>.
- 4.27. M. Tait, R. Won, Improved Bounds on Sizes of Generalized Caps in $AG(n, q)$, *SIAM J. Discrete Math.*, 35(1), 2021, 521-531.
- 4.28. Luz Marchan, Oscar Ordaz, Felicia Villaroel, Jose Salazar. Existence conditions for k -baricentric Olson constant, *Revista de Matemática: Teoría y Aplicaciones* 28.1 (2021): 39-53.
- 4.29. Henry Robert Thackeray, The cap set problem and standard diagrams, *Discrete Mathematics*, Volume 344, Issue 11, 2021, 112558, ISSN 0012-365X,
<https://doi.org/10.1016/j.disc.2021.112558>.
- 4.30. Awan, J., Frechette, C., Li, Y. et al. Demicaps in $AG(4, 3)$ and Maximal Cap Partitions. *Graphs and Combinatorics* 38, 193 (2022).
<https://doi.org/10.1007/s00373-022-02568-x>

- 4.31. Peter Pal Pach, Unif. Distrib. Theory 17 (2022), no.1, 1–10 Bounds on the size of Progression-free sets in Z_n , *Unif. Distrib. Theory* 17(2022), no.1, 1-10. DOI: 10.2478/UDT-2022-0005
- 4.32. Iskandar Karapetyan, Karen Karapetyan, Complete caps in projective geometry $G(n, 3)$, AIP Conf. Proc. 2757, 040003 (2023)
<https://doi.org/10.1063/5.0135975>
- 4.33. F. E. Brochero Martinez, A. Lemos, B. K. Moriya, and S. Ribas, The Main Zero-Sum Constants over $D_{2n} \times C_2$, *SIAM J. on Discrete Mathematics* **37**(3)(2023)
<https://doi.org/10.1137/22M1496013>
- 4.34. Karapetyan, I., Karapetyan, K. Complete Caps in Affine Geometry $AG(n, 3)$. Pattern Recognit. Image Anal. 34, 74–91 (2024).
<https://doi.org/10.1134/S1054661824010097>

(5) **Linear codes over finite fields and finite projective geometries, *Discrete Mathematics*, 213, 2000, 211-214.** IF:0.294

- 5.1. S. Dodunekov, J. Simonis, Codes and projective multisets, *The Electronic Journal of Combinatorics*, **5**(1998), R37.
- 5.2. R. Quarez, Some subsets of points in the plane associated with the truncated Reed-Muller codes with good parameters, *Discrete Applied Mathematics* 154(2)(2006), 392–398.
- 5.3. V. Abatangelo, B. Larato, Near-MDS codes arising from algebraic curves, *Discrete Mathematics* 301(1)(2005), 5–19.
- 5.4. V. Abatangelo, B. Larato, Elliptic near-MDS codes, *Des. Codes Cryptogr.* 46(2008), 167–174.
- 5.5. P. Lisonek, Combinatorial families enumerated by quasi-polynomials, *J. Comb. Theory Ser. A* 114(2007), 619–630.
- 5.6. J. Bierbrauer, S. Marcuguini, F. Pambianco, A geometric nonexistence proof of an extremal additive code, *J. Comb. Theory Ser. A* 117(2010), 128–137.
- 5.7. A. Rouseva, Arcs in finite projective geometries and their application in coding theory, PhD Thesis, Sofia, 2005.

- 5.8. Davydov, A.A, Giulietti, M., Marcugini, S., Pambianco, F , Linear nonbinary covering codes and saturating sets in projective spaces, *Advances in Mathematics of Communications* Volume 5, Issue 1, February 2011, Pages 119-147.
- 5.9. Giulietti, M. On the extendibility of near-MDS elliptic codes. *Applicable Algebra in Engineering, Communications and Computing*, Volume 15, Issue 1, June 2004, Pages 1-11.
- 5.10. J. W. P. H. Hirschfeld, G. Korchmáros, F. Torres, *Algebraic Curves over a Finite Field*, Princeton University Press, 2008, (ISBN 978-0-691-09679-7)
- 5.11. G. Faina, M. Giulietti, On small dense arcs in Galois planes of square order, *Discrete Mathematics* 267(2003), 113–125.
- 5.12. S. Dodunekov, J. Simonis, Constructions of optimal linear codes, In: Althöfer et al. (eds) *Numbers, Information and Complexity* Kluwer Acad Publishers 2000, 245–263.
- 5.13. H. Fripertinger, Enumeration of the Semilinear Isometry Classes of Linear Codes, *Bayreuther Mathematische Schriften* 74 (2005), 100–122.
- 5.14. D. Bartoli, A. Davydov, G. Faina, A. Kreschchuk, Upper Bounds on the Smallest Size of a Complete Arc in a Finite Desarguesian Projective Plane Based on Computer Search, *J. of Geometry*, April 2016, Volume 107, Issue 1, pp 89–117.
- 5.15. D. Bartoli, A. Davydov, G. Faina, A. Kreschchuk, Upper Bounds on the Smallest Size of a Complete Arc in a Finite Desarguesian rojective Plane Based on a Certain Probabilistic Conjecture, *Probl. of Inf. Transmission*, Problems of Information Transmission October 2014, Volume 50, Issue 4, pp 320–339.
- 5.16. T Honold, M Kiermaier, S Kurz, Partial spreads and vector space partitions arXiv preprint arXiv:1611.06328, 2016 - arxiv.org
- 5.17. I. Boukliev, M. Dzhumalieva-Stoeva, Representing Equivalence Problems for Combinatorial Objects, *Serdica Journal of Computing*, Vol. 8, No 4, (2014), 327–354.

- 5.18. D. Bartoli, A. A. Davydov, G. Faina, A. A. Kreshchuk, Tables of sizes of small complete arcs in the plane $PG(2, q)$, $q \leq 360007$, arXiv:1312.2155, 12/2013.
- 5.19. A. Rousseva, A General Construction for blocking sets in finite affine geometries, *Compt. Rend. Acad. Bulg. des Sci.* 71(4)(2018), 460-466.
- 5.20. Honold T., Kiermaier M., Kurz S. (2018) Partial Spreads and Vector Space Partitions. In: Greferath M., Pav?evi? M., Silberstein N., Vázquez-Castro M. (eds) *Network Coding and Subspace Designs. Signals and Communication Technology*. Springer, Cham.
https://doi.org/10.1007/978-3-319-70293-3_7
- 5.21. Iliya Bouyukliev, Stefka Bouyuklieva, About code equivalence - a geometric approach, *New Horizons in Differential Geometry and its Related Fields*, pp. 91-103 (2022)
https://doi.org/10.1142/9789811248108_0006
- 5.22. Vito Napolitano, Olga Polverino, Paolo Santonastaso, Ferdinando Zullo. Two pointsets in $PG(2, q^n)$ and the associated codes. *Advances in Mathematics of Communications* 2023, Volume 17, Issue 1: 227-245.
doi: 10.3934/amc.2022006
Aguglia, A., Giuzzi, L., Sonnino, A. Near-MDS codes from elliptic curves. *Des. Codes Cryptogr.* 89, 965-972 (2021).
<https://doi.org/10.1007/s10623-021-00852-0>
- 5.23. Can Xiang, Jinquan Luo, Some subfield codes from MDS codes, *Advances in Mathematics of Communications* 17(4), 815–827.
Doi: 10.3934/amc.2021023
- 5.24. Mohammed Ibrahim, Islam Abaas Abd-alzahra, Large $(k, 3)$ -arcs in $PG(2, 19)$ and the related linear codes, *Journal of Kufa for Mathematics and Computer* Vol. 11 No. 1 (2024)
<https://doi.org/10.31642/JoKMC/2018/110108%2>
- 5.25. A. Rousseva, On Affine blocking sets, *Mathematics and Education in Mathematics*, Proc. 53rd Spring Conference of the UBM, 2024, 9–17.
<https://doi.org/10.55630/mem.2024.53.009-017>

- (6) **On the nonexistence of some quaternary codes**, **Applications of Finite Fields** (ed. D. Gollmann), **IMA Conference Series 59**, Clarendon Press, Oxford, 1996, 85–98. (with R. Hill) (also: Technical Report, University of Salford, MCS 94-05, 1994)
- 6.1. R. Daskalov, E. Metodieva, Minimum distance bounds for quaternary linear codes of dimension five, *Math. and Education in Math.*, 1995, 167–176.
 - 6.2. N. Hamada, The nonexistence of some quaternary linear codes meeting the Griesmer bound and the bounds for $n_4(5, d)$, $1 \leq d \leq 256$, *Mathematica Japonica*, **43** No1, 7–21.
 - 6.3. I. Bouklev, R. Daskalov, S. Kapralov, *IEEE Trans. Inf. Th.* **IT-42** (1996), 1228–1235.
 - 6.4. I. Bouyukliev, Optimal linear codes – constructions and bounds, PhD Thesis, Sofia, 1996.
 - 6.5. I. Bouklev, S. Kapralov, T. Maruta, M. Fukui, Optimal linear codes of dimension 4 over \mathbb{F}_5 , *IEEE Trans. Inf. Th.* **IT-43** (1997), 308–313.
 - 6.6. T. Maruta, On the achievement of the Griesmer bound, *Designs, Codes and Cryptography*, **12**(1997), 83–87.
 - 6.7. A. Brouwer, Bounds on the size of linear codes, *Handbook of coding theory*, (V. Pless and W.C. Huffman eds.) North-Holland, 1998, 295–461.
 - 6.8. N. Hamada, The nonexistence of some quaternary codes with parameters $[243, 5, 181]$, $[248, 5, 185]$ and $[240, 5, 179]$, *Ars Combinatoria* **51**(1999), 3–19.
 - 6.9. T. Maruta, On the minimum length of q -ary linear codes of dimension four, *Discrete Math.* **208/209**(1999), 427–435.
 - 6.10. R. Daskalov, T. Gulliver, New good quaternary linear codes in dimensions six, seven and eight, *Proc. 7th Int. Workshop on ACCT*, Bansko, 2000, 117–121.
 - 6.11. T. Maruta, The nonexistence of some quaternary linear codes of dimension 5, *Discrete Math.* **288**(2001), 99–113.
 - 6.12. H.N. Ward, Divisible codes – a survey, *Euroworkshop on Optimal Codes and Related Topics*, Sunny Beach, 2001, 151–165.

- 6.13. A.Klein, On codes meeting the Griesmer bound, *Discrete Math.* **274**(2004), 289–297.
 - 6.14. St. Kapralov, Bounds, constructions and classification of optimal codes, Thesis, Doctor of Sciences, Sofia, 2004.
 - 6.15. H.N. Ward, A sequence of unique quaternary Griesmer codes, *Designs, Codes and Cryptography* **33**(2004), 71–85. (218)
 - 6.16. I. Buyukliev, Thesis, Doctor of Sciences, Sofia, 2009.
 - 6.17. A. Rouseva, Arcs in finite projective geometries and their application in coding theory, Sofia, 2005.
 - 6.18. R. Daskalov, Optimal linear codes over small fields, Thesis, Doctor of Sciences, Sofia, 2009.
 - 6.19. I. Bouyukliev, M. Grassl, Z. Varbanov, New bounds for $n_4(k, d)$ and classification of some optimal codes over $\text{GF}(4)$, *Discrete Mathematics* **281**(2004), 43–66.
 - 6.20. H. N. Ward, Divisible codes – a survey, *Serdica Math. J.* **27**(2001), 203–278.
 - 6.21. T. Maruta, On the non-existence of linear codes attaining the Griesmer bound, *Geometrie Dedicata* **60**(1)(1996), 1–7.
 - 6.22. T. A. Gulliver, P. Östergard, Improved bounds for quaternary linear codes of dimension 6, *Appl. Alg. Error Corr. Codes* **9**(2)(1998), 153–159.
 - 6.23. I. Bouklev, New bounds for the minimum length of quaternary linear codes of dimension five, *Discrete Math.* **169**(1-3)(1997), 185–192.
 - 6.24. T. Maruta, On the minimum length of q -ary linear codes of dimension five, *Geometriae Dedicata* **65**(3)(1997), 299–304.
- (7) **Linearly representable codes over chain rings**, *Abhandlungen des Mathematischen Seminars der Universität Hamburg*, **69**, 1999, 187–203. (with Th. Honold) IF:0.241
- 7.1. M. K. Gupta, M. C. Bhandari, A. K. Lai, On linear codes over \mathbb{Z}_{2^s} , *Designs, Codes and Cryptography* **36**(3)(2005), 227–244.
 - 7.2. H. Dinh, S. Lopez-Permouth, S. Szabo, On the structure of cyclic and negacyclic codes over finite chain rings, *Codes over Rings*, edited by Patrick

- Sole, Series on Coding Theory and Cryptology - Vol. 6, World Scientific, 2009, 22–59.
- 7.3. E. Byrne, M. Greferath, M. E. O’Sullivan, The linear programming bound for codes over finite Frobenius rings, *Des. Codes Cryptogr.* 42(2007), 289–301.
 - 7.4. M. Muniz, Isometric imbeddings of \mathbb{Z}_{p^k} in the Hamming space \mathbb{F}_{p^n} and \mathbb{Z}_{p^n} -linear codes, *Des. Codes Cryptogr.* 41(2006), 147–152.
 - 7.5. Greferath, M., Schmidt, S.E. Gray isometries for finite chain rings and a nonlinear ternary (36, 312, 15) code. *IEEE Transactions on Information Theory*, 1999, 45(7): 2522 - 2524.
 - 7.6. Dinh, H.Q. Complete Distances of All Negacyclic Codes of Length 2s Over \mathbb{Z}_2 , *IEEE Transactions on Information Theory* 2007 53 (1):147 - 161.
 - 7.7. Duursma, I.M., Greferath, M., Litsyn, S.N., Schmidt, S.E. A \mathbb{Z}_8 -linear lift of the binary Golay code and a nonlinear binary (96, 2^{37} , 24)-code. *IEEE Transactions on Information Theory* 2001 47(4): 1596 - 1598.
 - 7.8. Nechaev AA (2008) Finite Rings with Applications. *Handbook of Algebra* Volume 5, 2008, 213–320.
 - 7.9. Hai Q. Dinh On Some Classes of Repeated-root Constacyclic Codes of Length a Power of 2 over Galois Rings. *ADVANCES IN RING THEORY* Trends in Mathematics, 2010, 131-147.
 - 7.10. Camion P. Codes over \mathbb{Z}_{p^n} and Association Schemes. In: Barg A, Litsyn S (Eds) *Codes and Association Schemes - DIMACS Series in Discrete Mathematics and Theoretical Computer Science*. Vol 56, 2001, 59–86.
 - 7.11. Eimear Byrne, Alison Sneyd. On the Parameters of Codes with Two Homogeneous Weights. WCC 2011 - Workshop on coding and cryptography, Apr 2011, Paris, France. pp.81-90. inria-00607341
<https://inria.hal.science/inria-00607341>
 - 7.12. Eimear Byrne, Michael Kiermaier, Alison Sneyd Properties of Codes with Two Homogeneous Weights, *Finite Fields and Their Applications*, Volume 18, Issue 4, July 2012, Pages 711-727
<https://doi.org/10.1016/j.ffa.2012.01.002>

- 7.13. P. Vandendriesche, Intertwined results on linear codes and Galois geometries, PhD Thesis, Ghent University, 2014.
- 7.14. V. L. Kurakin, A. S. Kuzmin, V. T. Markov, A. V. Mikhalev, A. A. Nechaev, Linear Codes and Polylinear Recurrences over Finite Rings and Modules Applied Algebra, Algebraic Algorithms and Error-Correcting Codes, (eds. M. Fossorier, H. Imai, Shu Lin, A. Poli) Lecture Notes in Comp. Science vol. 1719(1999), 365–390.
- 7.15. H. Q. Dinh, H. D. T. Nguyen, On some classes of constacyclic codes over polynomial residue rings. *Advances in Mathematics of Communications*, **6**(2)(2012), 175–191.
- 7.16. E. Byrne, M. Kiermaier, A. Sneyd, Properties of codes with two homogeneous weights, *Finite Fields and Appl.* **18**(2)(2012), 711-727. (288)
- 7.17. M. Holzer, Finite chain Rings, Finitely Generated Modules over Finite Chain Rings and Projective Hjelmslev Geometries, PhD Thesis, University of Zurich, 2015) (Supervisors: J. Rosenthal, A.-L. Trautmann)
- 7.18. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* **10** No 3-4, (2016), 285-297.
- 7.19. Minjia Shi, Adel Alahmadi, Codes and Rings - Theory and Practice, Academic Press, 2017.
- 7.20. HQ Dinh, H Liu, X Liu, S Sriboonchitta, On structure and distances of some classes of repeated-root constacyclic codes over Galois rings Finite Fields and Their Applications, 2017 - Elsevier Volume 43, January 2017, Pages 86-105.
- 7.21. H. Liu, M. Youcef, Some Repeated-Root Constacyclic Codes over Galois Rings, IEEE Transactions on Information Theory, Volume 63, Issue 10, Oct. 2017, pp 6247–6255
<https://doi.org/10.1109/TIT.2017.2738627>
- 7.22. W. Cary Huffman, , J.-L. Kim, P. Sole, Concise Encyclopaedia of Coding Theory, Chapman and Hall/CRC Press, 2021.
doi.org/10.1201/9781315147901

- 7.23. H. Liu and Y. Maouche, "Some Repeated-Root Constacyclic Codes Over Galois Rings," in IEEE Transactions on Information Theory, vol. 63, no. 10, pp. 6247-6255, Oct. 2017,
doi: 10.1109/TIT.2017.2738627

(8) **The nonexistence of some ternary optimal codes of dimension five, *Designs, Codes and Cryptography* 15, 1998, 245–258.**

- 8.1. M. van Eupen, Ternary linear codes, PhD Thesis, Eindhoven University of Technology, 1996.
- 8.2. N. Hamada, M. van Eupen, The nonexistence of ternary $[38,6,23]$ codes, *Designs, Codes and Cryptography* **13** (1996), 163–172.
- 8.3. A. Brouwer, Bounds on the size of linear codes, Handbook of coding theory, (V. Pless and W.C. Huffman eds.) North-Holland, 1998, 295–461.
- 8.4. R. Hill, E. Kolev, A survey of recent results on optimal linear codes, Combinatorial designs and their application, (F.C. Holroyd, K.A.S. Quinn, Ch. Rowley, B.S. Webb eds.), Research Notes in Math 403, Chapman & Hall CRC, 1999, 127–152.
- 8.5. H.N. Ward, Divisibility of codes meeting the Griesmer bound, *J. of Combinatorial Theory Ser.A* **83**, 1998, 79–93.
- (250)
- 8.6. St. Kapralov, Bounds, constructions and classification of optimal codes, Thesis, Doctor of Sciences, Sofia, 2004.
- 8.7. I. Boukliev, M. Grassl, Z. Varbanov, New bounds for $n_4(k, d)$ and classification of some optimal codes over $\text{GF}(4)$, *Discrete Mathematics* **281**(2004), 43–66.
- 8.8. R. Daskalov, Optimal linear codes over small finite fields, Thesis, Doctor of Sciences, Sofia, 2006
- 8.9. Maruta, T., Oya, Y On optimal ternary linear codes of dimension 6. *Advances in Mathematics of Communications*, 5(3)(2011), 505-520.
- 8.10. Rana, N.S.A note on non-existence of $(8,4)$ -2 burst error correcting code. *Applied Mathematical Sciences* Volume 4, Issue 41-44, 2010, 2201-2205.

- 8.11. Takenaka, M., Okamoto, K., Maruta, T. On optimal non-projective ternary linear codes. Discrete Mathematics Volume 308, Issue 5-6, 28 March 2008, Pages 842-854.
- 8.12. Daskalov, R., Metodieva, E. 2004 The nonexistence of ternary $[105, 6, 68]$ and $[230, 6, 152]$ codes, Discrete Mathematics 286 (3) , pp. 225-232.
- 8.13. Maruta, T. On the Nonexistence of q -ary Linear Codes of Dimension Five Designs, Codes, and Cryptography 22 (2) , pp. 165-177 2001.
- 8.14. Cheon, E.J., Kato, T., Kim, S.J., Nonexistence of a $[g_q(5, d), 5, d]_q$ code for $3q^4 - 4q^3 - 2q + 1 \leq d \leq 3q^4 - 4q^3 - q$. Discrete Mathematics 308 (14) , pp. 3082-3089, 2008.
- 8.15. R. Daskalov, E. Metodieva, The Nonexistence of Ternary $[284, 6, 188]$ Codes, Problems of Information Transmission, 40(2)(2004), 135-146.
- 8.16. H. Chimal-Dzul, J. Diaz-Vargas, An optimal linear code over F_{11} . Lecturas Matematicas 30 (2009), 63–72.
- 8.17. M. Takenaka, K. Okamoto, T. Maruta, Optimal non-projective ternary linear codes, in: Theory and Applications of Combinatorial Designs with Related Field, vol. 1465, 2006, 107–118.
- 8.18. Yusuke Oya, The Nonexistence of $[132, 6, 86]_3$ Codes and $[135, 6, 88]_3$ Codes, *Serdica J. Comp.* Vol. 5 No. 2, 2011, 117–128.
<https://doi.org/10.55630/sjc.2011.5.117-128>
- 8.19. T. Maruta T, Y. Oya, On the minimum length of ternary linear codes, Designs, Codes and Cryptography 67(1-3) (2013), 407–425.
- 8.20. Sawashima, Toshiharu, and Tatsuya Maruta. "Nonexistence of some ternary linear codes." Discrete Mathematics 344(11) (2021), 112572.
<https://doi.org/10.1016/j.disc.2021.112572>
- 8.21. Sawashima, Toshiharu, and Tatsuya Maruta. "Nonexistence of some ternary linear codes with minimum weight-2 modulo 9." Advances in Mathematics of Communications 2023, Volume 17, Issue 6: 1338-1357.
Doi: 10.3934/amc.2021052.

- (9) **Linear codes and Galois geometries, chapter 8 in: "Current research topics in Galois geometries"** (eds. L. Storme and J. De Beule), NOVA Publishers, 2012, 187-214. (ISBN 978-1-61209-523-3)(with L. Storme)

- 9.1. F. De Clerck, N. Durante, Construction and characterizations of classical sets, chapter 1 in: "Galois geometries and linear codes" (eds. L. Storme and J. De Beule), NOVA Publishers, 1–33. (ISBN 978-1-61209-523-3)
- 9.2. J. De Beule, A. Klein, K. Metsch, Substructures of finite classical polar spaces, chapter 2 in: "Galois geometries and linear codes" (eds. L. Storme and J. De Beule), NOVA Publishers, 35–61. (ISBN 978-1-61209-523-3)
- 9.3. A. Blokhuis, P. Sziklai, R. Szönyi, Blocking sets in projective spaces, chapter 3 in: "Galois geometries and linear codes" (eds. L. Storme and J. De Beule), NOVA Publishers, 63-86. (ISBN 978-1-61209-523-3)
- 9.4. S. Yang, Th. Honold, Good Random Matrices over Finite Fields, *Advances in Mathematics of Communications*, 2012, Volume 6, Issue 2: 203-227.
Doi: 10.3934/amc.2012.6.203
- 9.5. Wen-Ai Jackson, K. M. Martin, M. B. Paterson. Applications of Galois Geometry to Cryptology, In: *Current research topics in Galois geometry* (eds: J. De Beule, L. Storme), 2010 Nova Science Publishers, Inc., 141-169. (ISBN 978-1-61209-523-3)
- 9.6. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010.
- 9.7. P. Vandendriesche, Intertwined results on linear codes and Galois geometries, PhD Thesis, Ghent University, 2014.
- 9.8. A. Rousseva, On the structure of $(t \bmod q)$ -arcs in finite projective geometries, *Annuaire de l'Universite de Sofia* **103**(2016), 5–22.
- 9.9. Olga Polverino, Ferdinando Zullo, Codes arising from incidence matrices of points and hyperplanes in $PG(n, q)$, *Journal of Combinatorial Theory, Series A*, Volume 158, 2018, Pages 1-11,
<https://doi.org/10.1016/j.jcta.2018.03.013>.

- 9.10. D. Bartoli, A. A. Davydov, S. Marcugini, F. Pambianco, On the smallest size of an almost complete subset of a conic in $\mathit{PG}(2, q)$ and extendability of Reed-Solomon codes, arXiv:1609.05657, 2016.
- 9.11. A. Rousseva, A General Construction for blocking sets in finite affine geometries, *Compt. Rend. Acad. Bulg. des Sci.* 71(4)(2018), 460-466.
- 9.12. D. Bartoli, A. A. Davydov, S. Markugini, F. Pambianco, On the Smallest Size of an Almost Complete Subset of a Conic in $\mathit{PG}(2, q)$ and Extendability of Reed-Solomon Codes, **54**(2)(2018), 3-19.
DOI: <https://doi.org/10.1134/S0032946018020011>
- 9.13. Davydov, A.A., Marcugini, S., Pambianco, F. New covering codes of radius R , codimension tR and $tR+R2tR+R2$, and saturating sets in projective spaces. *Des. Codes Cryptogr.* 87, 2771–2792 (2019).
<https://doi.org/10.1007/s10623-019-00649-2>
- 9.14. Bartoli, D., Davydov, A.A., Giulietti, M. et al. New bounds for linear codes of covering radii 2 and 3. *Cryptogr. Commun.* 11, 903–920 (2019).
<https://doi.org/10.1007/s12095-018-0335-0>
- 9.15. A. A. Davydov, S. Marcugini and F. Pambianco, "New bounds for linear codes of covering radius 3 and 2-saturating sets in projective spaces," 2019 XVI International Symposium "Problems of Redundancy in Information and Control Systems" (REDUNDANCY), 2019, pp. 52-57,
doi: 10.1109/REDUNDANCY48165.2019.9003348.
- 9.16. Davydov A.A., Marcugini S., Pambianco F. (2020) Bounds for Complete Arcs in $\mathit{PG}(3, q)$ and Covering Codes of Radius 3, Codimension 4, Under a Certain Probabilistic Conjecture. In: Gervasi O. et al. (eds) *Computational Science and Its Applications ? ICCSA 2020*. ICCSA 2020. *Lecture Notes in Computer Science*, vol 12249. Springer, Cham.
https://doi.org/10.1007/978-3-030-58799-4_8
- 9.17. A. A. Davydov, S. Marcugini and F. Pambianco, "On Cosets Weight Distribution of Doubly-Extended Reed-Solomon Codes of Codimension 4," in *IEEE Transactions on Information Theory*, vol. 67, no. 8, pp. 5088-5096, Aug. 2021,

doi: 10.1109/TIT.2021.3089129.

- 9.18. Alexander A. Davydov, Stefano Marcugini, Fernanda Pambianco. Upper bounds on the length function for covering codes with covering radius R and codimension $tR + 1$. *Advances in Mathematics of Communications*, 2022.

doi: 10.3934/amc.2021074

- 9.19. Z. Nagy, L. Szemerédi, Steiner Triple Systems and Spreading Sets in Projective Spaces, *J. Combin. Designs* 30(8), 2022, 549-560.

<https://doi.org/10.1002/jcd.21841>

- 9.20. A. A. Davydov, Nedvoichnye pokrivayushtie kody, *Trudy MFTI* 14 (2), 2022, 43-62. UDK 519.101 (in Russian)

- 9.21. A. Rousseva, On Affine blocking sets, *Mathematics and Education in Mathematics*, Proc. 53rd Spring Conference of the UBM, 2024, 9–17.

<https://doi.org/10.55630/mem.2024.53.009-017>

(10) **On the Nonexistence of $[51, 4, 37]_4$ codes, *Finite Fields and Their Applications*, **2**, 1996, 96–110.** (with R. Hill and T. Maruta)

- 10.1. N. Hamada, The nonexistence of some quaternary linear codes meeting the Griesmer bound and the bounds for $n_4(5, d)$, $1 \leq d \leq 256$, *Mathematica Japonica*, **43** No1 (2006), 7–21.

- 10.2. I. Boukliev, R. Daskalov, S. Kapralov, *IEEE Trans. Inf. Th.* **IT-42** (1996), 1228-1235.

- 10.3. I. Buyukliev, Optimal linear codes – constructions and bounds, PhD Thesis, Sofia, 1996.

- 10.4. I. Boukliev, S. Kapralov, T. Maruta, M. Fukui, Optimal linear codes of dimension 4 over \mathbb{F}_5 , *IEEE Trans. Inf. Th.* **IT-43** (1997), 308–313.

- 10.5. J.W.P. Hirschfeld, Projective geometries over finite fields, Oxford Univ. Press, 1998.

- 10.6. A. Brouwer, Bounds on the size of linear codes, *Handbook of coding theory*, (V. Pless and W.C. Huffman eds.) North-Holland, 1998, 295–461.

- 10.7. N. Hamada, The nonexistence of some quaternary codes with parameters $[243,5,181]$, $[248,5,185]$ and $[240,5,179]$, *Ars Combinatoria* **51**(1999), 3–19.
- 10.8. R. Daskalov, T. Gulliver, New good quaternary linear codes in dimensions six, seven and eight, Proc. 7th Int. Workshop on ACCT, Bansko, 2000, 117–121.
- 10.9. St. Kapralov, Bounds, constructions and classifications of optimal codes, , Thesis, Doctor of Sciences, Sofia, 2004.
- 10.10. I. Bouklev, M. Grassl, Z. Varbanov, New bounds for $n_4(k, d)$ and classification of some optimal codes over $\text{GF}(4)$, *Discrete Mathematics* **281**(2004), 43–66.
- 10.11. H.N. Ward, A sequence of unique quaternary Griesmer codes, *Designs, Codes and Cryptography* **33**(2004), 71–85.
- 10.12. I. Bouyukliev, Thesis, Doctor of Sciences, Sofia, 2009.
- 10.13. A. Rousseva, Arcs in finite projective geometries and their application in coding theory, PhD Thesis, Sofia, 2005.
- 10.14. R. Daskalov, Optimal linear codes over small finite fields, Thesis, Doctor of Sciences, Sofia, 2006.
- 10.15. T. A. Gulliver, P. Östergard, Improved bounds for quaternary linear codes of dimension 6, *Appl. Alg. Error Corr. Codes* **9**(2)(1998), 153–159.
- 10.16. I. Bouklev, J. Simonis, Some new results for optimal codes over F_5 , *Designs, Codes and Cryptography* **70**(1) (2003), 97–111.
- 10.17. I. Bouklev, New bounds for the minimum length of quaternary linear codes of dimension five, *Discrete Math.* **169**(1-3), 185–192.
- 10.18. N. Hamada, On the non-existence of some quaternary linear codes, *J. Stat. Pl. and Inference* **72**(1-2)(1998), 308–322.

- (11) **On arcs in projective Hjelmslev planes**, *Discrete Mathematics*, **231**, **2001**, **265–278**.(with Th. Honold) IF:0.310
- 11.1. M. Saniga, M. Planat, Finite geometries in quantum theory: From Galois (fields) to Hjelmslev (rings), *International Journal of Modern Physics B* **20**(11-13)(2006), 1885-1892.

- 11.2. M. Saniga, M. Planat, Hjelmslev geometry of mutually unbiased bases, *Journal of Physics A: Mathematical and General* 39 (2)(2006), 435-440.
- 11.3. V. Abatangelo, B. Larato, Canonically inherited arcs in Moulton planes of odd order, *Innovations in Incidence Geometry* vol. 6-7(2008), 3–21.
DOI: 10.2140/iig.2008.6-1
- 11.4. M. Kiermaier, M. Koch, New complete 2-arcs in the uniform projective Hjelmslev planes over chain rings of order 25, Proc. of the 6th Int. Workshop on Optimal codes and related topics, Varna, 2009.
- 11.5. M. Kiermaier, A. Kohnert, New arcs in projective Hjelmslev planes over Galois rings, Proc. of the 5th Int. Workshop on Optimal codes and related topics, White Lagoon, 2007.
- 11.6. Kiermaier, M., Koch, M., Kurz, S, 2-Arcs of maximal size in the affine and the projective Hjelmslev plane over \mathbb{Z}_{25} . Advances in Mathematics of Communications Volume 5, Issue 2, May 2011, Pages 287-301.
- 11.7. K. Shiromoto, L. Storme, A Griesmer bound for linear codes over finite quasi-Frobenius rings. Discrete Applied Mathematics 128(1)(2003), 263–274.
- 11.8. Kohnert A. Sets of Type (d_1, d_2) in Projective Hjelmslev Planes over Galois Rings, Algorithmic Algebraic Combinatorics And Gröbner Bases 2009, Part 2, 269–278.
- 11.9. S. Kurz, Caps in $Z(2, n)$, Serdica Journal of Computing, Vol. 3, No 2, (2009), 159–178.
- 11.10. J. Hall, Mutually unbiased bases and related structures. PhD Thesis, RMIT University Melbourne, Victoria, Australia, 2011.
- 11.11. M. Kiermaier, J. Zwanzer, New Ring-Linear Codes from Geometric Dualization, Proc. WCC 2011 - Workshop on coding and cryptography (2011), pp. 111–120.
- 11.12. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010.

- 11.13. M. Kiermaier, J. Zwanzer, New ring linear codes from dualization on projective Hjelmslev geometries, *Designs, Codes and Cryptography* **66**(1-3)(2013), 39–55.
- 11.14. Hall, J.L., Rao, A. (2015). An Algorithm for Constructing Hjelmslev Planes. In: Colbourn, C. (eds) *Algebraic Design Theory and Hadamard Matrices*. Springer Proceedings in Mathematics & Statistics, vol 133. Springer, Cham. https://doi.org/10.1007/978-3-319-17729-8_11
- 11.15. Z. Stepien, L. Szymanskiwicz, Arcs in \mathbb{Z}_2^{2p} , *J. Comb. Optimization* 35(2)(2018), 341–349.
- 11.16. E. Rostami, E. Nekooei, Computation of Minimum Hamming Weight for Linear Codes. *Iranian J. of Math. Sciences and Informatics* (IJMSI) 2019; 14 (1) :81-93
<http://ijmsi.ir/article-1-944-en.html>
- 11.17. Stepien, Z. Ovals in \mathbb{Z}_{2p}^2 , *Ann. Comb.* 24, 549–555 (2020).
<https://doi.org/10.1007/s00026-020-00503-6>

(12) **MacWilliams identities for codes over finite Frobenius rings**, In: *Finite Fields and Applications* (eds. D. Jungnickel, H. Niederreiter), Springer, 2000, **276–292**. (with Th. Honold)

- 12.1. J. Wood, Foundations of linear codes defined over finite modules: the extension theorem and the MacWilliams identities, *Codes over Rings*, edited by Patrick Sole, Series on Coding Theory and Cryptology - Vol. 6, World Scientific, 2009, 124–190.
- 12.2. S. Yang, Second-order weight distributions, *IEEE Transactions on Information Theory* Volume 57, Issue 9, September 2011, Article number 6006632, 6068-6077.
- 12.3. E. Byrne, M. Greferath, M. E. O’Sullivan, The linear programming bound for codes over finite Frobenius rings, *Designs, Codes and Cryptography*, 42(3)(2007), 289–301.

- 12.4. J. A. Wood, Lecture Notes On The Macwilliams Identities And The Extension Theorem, For The Cimat International School And Conference On Coding Theory, Nov. 30 - Dec. 2, 2008, Pp. 1-26.
- 12.5. H. Gluessing-Luerssen, Fourier-reflexive partitions and MacWilliams identities for linear codes, *Designs, Codes and Cryptography* (2014), to appear; also arXiv: 1304.1207.2013.
- 12.6. H. Gluessing-Luerssen, Partitions of Frobenius rings induced by homogeneous weights, *Advances in Mathematics of Communications* Volume 8, Issue 2, 2014, 191-207.
Doi: 10.3934/amc.2014.8.191
- 12.7. X. Hou, Lattice of ideals of the polynomial ring over a commutative chain ring, *AAECC* **26**(2015), 317–346.
<https://doi.org/10.1007/s00200-015-0253-8>
- 12.8. J. Wood, Some applications of the Fourier transform in algebraic coding theory, *Contemporary Mathematics* vol. 642, 2015, 1-41.
- 12.9. J. Antrobus, H. Gluesing-Luerssen, Lexicodes over principal ideal rings, *Designs, Codes and Cryptography*, 2018, doi:10.1007/s10623-018-469-2.
- 12.10. T. Westerbäck, Parity check systems of nonlinear codes over finite commutative Frobenius rings, *Advances in Mathematics of Communication* 2017, Volume 11, Issue 3: 409-427.
Doi: 10.3934/amc.2017035
- 12.11. X. Hou, Lattice of ideals of the polynomial ring over a commutative chain ring *Applicable Algebra in Engineering, Communication and Computing* **26**(4) (2015), 317–346, 2015.
- 12.12. A. Kasparian, "Riemann-Roch Theorem and Mac Williams identities for an additive code with respect to a saturated lattice," *IEEE Xplore*, 2020 Algebraic and Combinatorial Coding Theory (ACCT), 2020, pp. 83-89, doi: 10.1109/ACCT51235.2020.9383243.
- 12.13. Ravagnani, A. Duality of codes supported on regular lattices, with an application to enumerative combinatorics. *Des. Codes Cryptogr.* 86, 2035?2063 (2018).

<https://doi.org/10.1007/s10623-017-0436-3>

- 12.14. Heide Gluesing-Luerssen, Alberto Ravagnani, Partitions of matrix spaces with an application to q-rook polynomials, *European Journal of Combinatorics*, Volume 89, 2020, 103120, ISSN 0195-6698,
<https://doi.org/10.1016/j.ejc.2020.103120>.
- 12.15. Heide Gluesing-Luerssen, Tefjol Pllaha, On quantum stabilizer codes derived from local Frobenius rings, *Finite Fields and Their Applications*, Volume 58, 2019, 145-173, ISSN 1071-5797,
<https://doi.org/10.1016/j.faa.2019.04.004>.
- 12.16. Antrobus, J., Gluesing-Luerssen, H. Lexicodes over finite principal ideal rings. *Des. Codes Cryptogr.* 86, 2661?2676 (2018).
<https://doi.org/10.1007/s10623-018-0469-2>

(13) **The geometric approach to linear codes, in: *Finite Geometries* (eds. A. Blokhuis, J. Hirschfeld, D. Jungnickel, J. Thas), Ser. Developments in Mathematics, 2001, 247–257.**

- 13.1. H.N. Ward, A sequence of unique quaternary Griesmer codes, *Designs, Codes and Cryptography* **33**(2004), 71–85.
- 13.2. A. Rouseva, Arcs in finite projective geometries and their application to coding theory, PhD Thesis, Sofia, 2005.
- 13.3. T. Maruta, A new extension theorem for linear codes, *Finite Fields and Their Applications* 10(4) 2004, 674–685.
- 13.4. H. Ward, Divisible Codes - A Survey, *Serdica Mathematical Journal* 27(4) (2001), 263–278.
- 13.5. T. Maruta, M. Takeda, K. Kawakami, New sufficient conditions for the extendability of quaternary linear codes, *Finite Fields and Their Applications* 14(3) (2008), 615–634.
- 13.6. K. Okamoto, Necessary and Sufficient Conditions for the Extendability of Ternary Linear Codes, *Serdica Journal of Computing* 2(4) (2008), 331–348.

- 13.7. C. J. Colbourn, M. K. Gupta. On quaternary MacDonal codes, Information Technology: Coding and Computing [Computers and Communications], 2003. Proceedings ITCC 2003 International Conference, pp. 212–215.
- 13.8. I. Bouyukliev, Classification of Griesmer codes and dual transform, Discrete Mathematics 309(12) (2009), 4049–4068.
- 13.9. Maruta, T. Extension theorems for linear codes over finite fields. Journal of Geometry Volume 101, Issue 1-2, August 2011, Pages 173-183.
- 13.10. H. N. Ward, Arcs, minihypers and the classification of three-dimensional Griesmer codes, In: Advances in Coding Theory and Cryptography, (T. Shaska, W. C. Huffman, D. Joyner, V. Ustimenko eds.), Series in Coding Theory and Cryptology Vol. 3, World Scientific, 2007, 33–50.
- 13.11. H. N. Ward, Loose Ends, Proc AMS Sectional Meeting, Chicago, October 5–6, 2007, 1030-94-92.
- 13.12. Y. L. Borisov, On McEliece’s result about divisibility of the weights in the binary Reed-Muller codes, Proc. Seventh International Workshop on Optimal Codes, Albena, 2013, 47–52.
- 13.13. A. Rousseva, On the structure of $(t \bmod q)$ -arcs in finite projective geometries, *Annuaire de l’Universite de Sofia* **103**(2016), 5–22.
- 13.14. A. Rousseva, A General Construction for blocking sets in finite affine geometries, *Compt. Rend. Acad. Bulg. des Sci.* 71(4)(2018), 460-466.
- 13.15. W. Cary Huffman, J.-L. Kim, P. Solé, Concise Encyclopaedia of Coding Theory, Chapman and Hall/CRC Press, 2021,
doi.org/10.1201/9781315147901
- 13.16. A. Rousseva, On Affine blocking sets, Mathematics and Education in Mathematics, Proc. 53rd Spring Conference of the UBM, 2024, 9–17.
<https://doi.org/10.55630/mem.2024.53.009-017>

- (14) **On maximal arcs in projective Hjelmslev planes over chain rings of even characteristic**, *Finite Fields and Their Applications* **11**(2005), 292–304.
(with Th. Honold) IF:0.338

- 14.1. M. Kiermaier, M. Koch, New complete 2-arcs in the uniform projective Hjelmslev planes over chain rings of order 25, Proc. of the 6th Int. Workshop on Optimal codes and related topics, Varna, 2009.
- 14.2. Kiermaier M., Koch M., Kurz, S. 2-Arcs of maximal size in the affine and the projective Hjelmslev plane over Z_{25} . Advances in Mathematics of Communications Volume 5, Issue 2, May 2011, Pages 287-301.
- 14.3. Kiermaier, M., Zwanzger, J. A Z_4 -linear code of high minimum lee distance derived from a hyperoval. Advances in Mathematics of Communications Volume 5, Issue 2, May 2011, Pages 275-286
- 14.4. M. Kiermaier, A. Kohnert, New arcs in projective Hjelmslev planes over Galois rings, in "Optimal Codes and Related Topics," White Lagoon, Bulgaria, (2007), 112-119.
- 14.5. A. Kohnert, Sets of Type (d_1, d_2) in Projective Hjelmslev Planes over Galois Rings, Algorithmic Algebraic Combinatorics And Gröbner Bases 2009, Part 2, 269–278.
- 14.6. S. Kurz, Caps in $Z(2, n)$, Serdica Journal of Computing, 3(2) (2009), 159-178.
- 14.7. J. Zwanzger, Computer-aided search for optimal linear codes over finite chain rings using heuristic methods. PhD Thesis, University of Bayreuth, Germany, 2011.
- 14.8. Alahmadi, A., Alhazmi, H., Hellesteth, T. et al. On the lifted Zetterberg code. Des. Codes Cryptogr. 80, 561–576 (2016).
<https://doi.org/10.1007/s10623-015-0118-y>
- 14.9. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010.
- 14.10. M. Kiermaier, A. Wassermann and J. Zwanzger, "New Upper Bounds on Binary Linear Codes and a Z_4 -Code With a Better-Than-Linear Gray Image," in IEEE Transactions on Information Theory, vol. 62, no. 12, pp. 6768-6771, Dec. 2016,
doi: 10.1109/TIT.2016.2612654.

- 14.11. Z. Stepień, L. Szymanskiwicz, Arcs in \mathbb{Z}_2^{2p} , *J. Comb. Optimization* **35**(2)(2018), 341–349.
- 14.12. Stepień, Z., Ovals in \mathbb{Z}_{2p}^2 , *Ann. Comb.* **24**, 549–555 (2020). <https://doi.org/10.1007/s00026-020-00503-6>

(15) **A new design, Coding Theory and Design Theory, Part II, The IMA Volumes in Mathematics and Its Applications, Vol. 21, Springer 1990, 251–256.** (with J.H. van Lint and V.Tonchev) [MR 91f:05018]

- 15.1. R. Mathon, A. Rosa, Tables of parameters of BIBD's with $v \leq 41$ including enumeration and resolvability results – an update, *Ars Combinatoria*, **30**(1990), 65–96.
- 15.2. D. Jungnickel, Design Theory – an update, *Ars Combinatoria* **28**(1989), 129–199.
- 15.3. St. Kapralov, Bounds constructions and classification of optimal codes, Thesis, Doctor of Sciences, Sofia 2004.
- 15.4. R. Mathon, A. Rosa, $2-(v, k, \lambda)$ designs of small order, Handbook of Combinatorial designs, (eds. Ch. Colbourn and J. Dinitz) Chapman & Hall/CRC, Boca Raton-London-New York, 2007 (first edition), 2010 (second edition).
- 15.5. Th. Beth, D. Jungnickel, H. Lenz, Design Theory, Cambridge University Press, 1999.
- 15.6. J. P. McSorley, N. C. K. Phelps, W. D. Wallis, J. L. Yucas, Double arrays, triple arrays, and balanced grids, *Designs, Codes and Cryptography* **35**(1)(2005), 21–45.
- 15.7. Y. J. Ionin, K. McKenzie-Fleuring, A technique for constructing non-imbeddable quasi-residual designs, *J. Combin. Designs* **10**(3)(2002), 160–172.
- 15.8. K. McKenzie-Fleuring, An infinite family of non-embeddable quasi-residual designs, *J. Comb. Theory Ser. A* **74**(2)(1996), 345–350.
- 15.9. T. A. Alraqad, M. S. Shrikhande, An overview of embedding problems of quasi-residual designs, *J. Stat. Theory and Practice* **3**(2)(2009), 319–347.

- 15.10. B. van Asch, A. Blokhuis, H. Hollmann, W. Kantor, Jack van Lint (1932–2004) – a survey of his scientific work, *J. Combin. Theory Ser. A* **113**(2006), 1594–1613.
- 15.11. W. D. Wallis, Triple arrays and related designs, *Disc. Appl. Mathematics* **163**(2)(2014), 220–236.
- 15.12. M. S. Shrikhande, T. A. Alraqad, Recent results on families of symmetric designs and non-embeddable quasi-residual designs, in: Information Security, Coding Theory and Related Combinatorics (eds. D. Crnkovic, V. D. Tonchev), 2011, 363–403.

- (16) **On the minimum length of quaternary linear codes of dimension five**, *Discrete Mathematics*, **202**, **1999**, 145–161. (with T. Maruta) IF:0.318
- 16.1. R. Daskalov, T. Gulliver, New good quaternary linear codes in dimensions six, seven and eight, Proc. 7th Int. Workshop on ACCT, Bansko, 2000, 117–121.
- 16.2. I. Boukliev, M. Grassl, Z. Varbanov, New bounds for $n_4(k, d)$ and classification of some optimal codes over $\text{GF}(4)$, *Discrete Mathematics* **281**(2004), 43–66.
- 16.3. H.N. Ward, A sequence of unique quaternary Griesmer codes, *Designs, Codes and Cryptography* **33**(2004), 71–85.
- 16.4. E.J Cheon, T. Kato, S.J. Kim, Nonexistence of $[n, 5, d]_4$ codes attaining the Griesmer bound for $q^4 - 2q^2 - 2q + 1 \leq d \leq q^4 - 2q^2 - q$, *Designs, Codes and Cryptography* **36**(3)(2005), 289–299.
- 16.5. E.J Cheon, T. Kato, S.J. Kim, On the minimum length of some linear codes of dimension 5, *Designs, Codes and Cryptography* **37**(3)(2006), 421–434.
(299)
- 16.6. A. Rouseva, Arcs in finite projective geometries and their application in coding theory, PhD Thesis, Sofia, 2005.
- 16.7. R. Daskalov, Optimal linear codes over small fields, Thesis, Doctor of Sciences, Sofia, 2006.

- 16.8. Xiaoyu Liu, On divisible codes over finite fields. Dissertation (Ph.D.), California Institute of Technology, 2006.
 - 16.9. E. J. Cheon, T. Kato, S. J. Kim, Nonexistence of a $[g_q(5, d), 5, d]_q$ code for $3q^4 - 4q^3 - 2q + 1 \leq d \leq 3q^4 - 4q^3 - q$, Discrete Mathematics 308(2008) , 3082–3089.
 - 16.10. E. J. Cheon, Determination of minimum length of some linear codes, Journal of the Chungcheong Mathematical Society, Vol. 26 No. 1 (2013), 145-159.
DOI: <https://doi.org/10.14403/jcms.2013.26.1.147>
 - 16.11. H. Kanda, The nonexistence of $[385, 5, 286]$ and $[447, 5, 334]$ quaternary linear codes, *Serdica J. Math* **46**(3)(2020), 207–220.
 - 16.12. Wen Ma, Jinqian Luo, Nonexistence of linear codes meeting the Griesmer bound, Discrete Mathematics, Volume 345, Issue 4, 2022, 112744,
<https://doi.org/10.1016/j.disc.2021.112744>.
- (17) **On the binary codes of Steiner Triple Systems, *Designs, Codes and Cryptography*, 8(1996), 29–43.** (with A. Baartmans and V. Tonchev)
- 17.1. E.F. Assmus, Linearly derived STS's, *Designs, Codes and Cryptography* **12**(1998), 31–49.
 - 17.2. Ch. Colbourn, Minimum Weights of Point Codes of Steiner Triple Systems *Journal of Statistical Planning and Inference* **95**(2001), 161–166.
 - 17.3. Colbourn, C.J., Ling, A.C.H. Point Code Minimum Steiner Triple Systems Designs, Codes, and Cryptography 14 (2)(1998), 141-146 1998.
 - 17.4. Th. Beth, D. Jungnickel, H. Lenz, Design Theory, Cambridge University Press, 1999.
 - 17.5. P. Kaski, P. Östergard, There exist non-isomorphic STS(19) with equivalent point codes, Journal of Combinatorial Designs 12(6)(2004), 443–448.
 - 17.6. Handbook of Combinatorial designs, (eds. Ch. Colbourn and J. Dinitz) Chapman & Hall/CRC, Boca Raton-London-New York, 2007.
 - 17.7. D. C. Clark, Applications of finite geometries to designs and codes. PhD diss., Michigan Technological University, 2011.

- 17.8. M. Emami, C. Maysoori, Some optimal codes from designs, *Bulletin of the Iranian Mathematical Society* **37**(3)(2011), 109-115.
- 17.9. D. Crnkovic, Some orthogonal codes constructed from orbit matrices of 2-designs and quotient matrices of divisible designs, *Electronic Notes in Discrete Mathematics*
- 17.10. Y. Fujiwara, A. Gruner, High-rate quantum low-density parity-check codes assisted by reliable qubits *IEEE Trans. on Information Theory* **61**(4)(2015), 1860–1878.
- 17.11. Mikulić Crnković, V., Traunkar, I. Self-orthogonal codes constructed from weakly self-orthogonal designs invariant under an action of M_{11} , *AAECC* **34**, 139?156 (2023).
<https://doi.org/10.1007/s00200-020-00484-2>

(18) **An extension theorem for arcs and linear codes, *Problems of Information Transmission* **42**(4)(2006), 65–76.** (with A. Rousseva)

IF:0.446

- 18.1. Maruta, T. Extension theorems for linear codes over finite fields. *Journal of Geometry* Volume 101, Issue 1-2, August 2011, Pages 173-183.
- 18.2. Yoshida, Y., Maruta, T. An extension theorem for $[n, k, d]_q$ codes with $\gcd(d, q) = 2$, *Australasian Journal of Combinatorics* **48**(2010), 117–131.
- 18.3. Cheon, E.J., Maruta, T. A new extension theorem for 3-weight modulo q linear codes over F_q . *Designs, Codes, and Cryptography* Volume 52, Issue 2, August 2009, 171-183.
- 18.4. T. Maruta, Extendability of linear codes over \mathbb{F}_q , *Proc of the XI Int. Workshop on Algebraic and Combinatorial Coding Theory*, Pamporovo, 2008, 203–209.
- 18.5. Maruta, T., Okamoto, K. Extendability of 3-weight (mod q) linear codes over F_q . *Finite Fields and their Applications* Volume 15, Issue 2, April 2009, Pages 134-149.
- 18.6. Davydov, A.A., Marcugini, S., Pambianco, F. Complete $(q^2 + q + 8)/2$ -caps in the spaces $\text{PG}(3, q)$, $q \equiv 2 \pmod{3}$ an odd prime, and a complete

- 20-cap in $PG(3, 5)$. *Designs, Codes, and Cryptography* Volume 50, Issue 3, March 2009, Pages 359-372.
- 18.7. T. Maruta, Y. Yoshida, A generalized extension theorem for linear codes, *designs, Codes and Cryptography* **62**(1)(2012), 121–130.
 - 18.8. T. Maruta, T. Tanaka, H. Kanda, Some generalizations of extension theorems for linear codes over finite fields, *Australasian J. Comb.* **60**(2014), 150-157.
 - 18.9. V. Pepe, L. Storme, The use of blocking sets in Galois geometries and in related research areas, *Buildings, Finite Geometries and Groups Springer Proceedings in Mathematics* Volume 10, 2012, 305-327.
 - 18.10. Zhonghua Sun, Cunsheng Ding, Tingfang Chen, The extended codes of some linear codes, *Finite Fields and Their Applications*, Volume 96, 2024, 102401, <https://doi.org/10.1016/j.ffa.2024.102401>.
 - 18.11. Zhonghua Sun, Cunsheng Ding, Tingfang Chen, The extended codes of projective two-weight codes, *Discrete Mathematics*, Volume 347, Issue 9, 2024, 114080, <https://doi.org/10.1016/j.disc.2024.114080>.
- (19) **Optimal linear codes of dimension 4 over $GF(5)$.** In: Mora, T., Mattson, H. (eds) **Applied Algebra, Algebraic Algorithms and Error-Correcting Codes. AAECC 1997. Lecture Notes in Computer Science, vol 1255, 212–220, Springer, Berlin, Heidelberg.**
https://doi.org/10.1007/3-540-63163-1_17
- 19.1. H.N. Ward, The nonexistence of a $[207,4,165]$ code over $GF(5)$, *Designs, Codes and Cryptography* 16(1999).
 - 19.2. R. Daskalov, New bounds on minimum distance for 9-dimensional linear codes over $GF(5)$, *Proc. 7th Int. Workshop on ACCT, Bansko, 2000*, 112–116.
 - 19.3. T. Maruta, On the minimum length of q -ary linear codes of dimension four, *Discrete Math.* **208/209**(1999), 427–435.

- 19.4. T. Maruta, R. Hill, The nonexistence of $[206, 4, 164]_5$ codes, Euroworkshop on Optimal Codes and Related Topics, Sunny Beach, 2001, 111–116.
 - 19.5. A. Rousseva, Arcs in finite projective geometries and their application in coding theory, PhD Thesis, 2005.
 - 19.6. R. Daskalov, Optimal linear codes over small finite fields, Thesis, Doctor of Sciences, Sofia, 2006. Disertacionen trud za pridobivane na nauqnata stepen doktor
 - 19.7. H. Chimal-Dzul, J. Diaz-Vargas, An optimal linear code over F_{11} , *Lecturas Matematicas* 30 (2009), 63–72.
 - 19.8. R. Daskalov, P. Hristov, E. Metodieva, New minimum distance bounds for linear codes over $GF(5)$, *Discrete Mathematics*, 275(2004), 97–110.
 - 19.9. R. N. Daskalov, T. A. Gulliver, New Minimum Distance Bounds for Linear Codes over Small Fields, *Problems of Information Transmission* 37(3)(2001), 206–215.
 - 19.10. M. Emami, L. Pedram, Linear Codes over $GF(7)$ and $GF(11)$ of dimension 3, *Iranian J. of Math. Sciences* 10(1)(2015), 11–22.
DOI: 10.7508/ijmsi.2015.01.002
 - 19.11. Kumegawa, Kazuki - Maruta, Tatsuya. Non-Existence of Some 4-Dimensional Griesmer Codes over Finite Fields. *Journal of Algebra Combinatorics Discrete Structures and Applications* 5/2 (May 2018), 101–116.
<https://doi.org/10.13069/jacodesmath.427968>.
- (20) **On the quaternary $[11, 6, 5]$ and $[12, 6, 6]$ codes, Applications of Finite Fields** (ed. D. Gollmann), **IMA Conference Series 59**, Clarendon Press, Oxford, 1996, 75–84. (with S. Dodunekov) (also: Tech. Report. LiTH-ISY-R1613, Linköping University, 1994)
- 20.1. M. de Boer, Almost MDS codes, *Designs, Codes and Cryptography*, 9(1996), 143–155.
 - 20.2. M. de Boer, Codes, their parameters and geometry, PhD Thesis, Eindhoven University of Technology, 1996.

- 20.3. J. Olsson, Linear codes with performance close to the Singleton bound, PhD Thesis, Institute of Technology, Linköpings Universitet, No605, 1999.
- 20.4. I. Boukliev, M. Grassl, Z. Varbanov, New bounds for $n_4(k, d)$ and classification of some optimal codes over $\text{GF}(4)$, *Discrete Mathematics* **281**(2004), 43–66.
- 20.5. H.N. Ward, A sequence of unique quaternary Griesmer codes, *Designs, Codes and Cryptography* **33**(2004),
- 20.6. A. Rouseva, Arcs in finite projective geometries and their application to coding theory, PhD Thesis, Sofia, 2005.
- 20.7. A.P. Rousseva. A necessary condition for the existence of arcs and codes. *Mathematica Balkanica*, vol.18, Fasc.1-2, 2004, pp.177-181.
- 20.8. Zl. Varbanov, Construction and classification of linear and additive codes. PhD Thesis, University of Veliko Tarnovo, 2007.
- 20.9. I. Bouyukliev, Algorithmic approach to the investigation of linear codes, Thesis, SDoctor of Sciences, IMI, BAS, Sofia, 2008.
- 20.10. Hitoshi Kanda, Tatsuya Maruta, Nonexistence of some linear codes over the field of order four, *Discrete Mathematics*, Volume 341, Issue 10, 2018, Pages 2676-2685,
<https://doi.org/10.1016/j.disc.2018.06.024>.

(21) **On optimal codes over the field with five elements, *Designs Codes and Cryptography*, 29(2003), 165–175.** (with T. Maruta, R. Hill and A. Rousseva)

IF:0.500

- 21.1. R. Daskalov, E. Metodieva, Improved minimum distance bounds for linear codes over $\text{GF}(5)$, *Mathematics and Education in Mathematics*, Proc. 33rd Spring Conference of UBM, 2000.
- 21.2. St. Kapralov, Bounds, constructions and classification of optimal codes, Thesis, Doctor of Sciences, 2024.
- 21.3. E. Metodieva, Optimal linear codes over finite fields with three, four and five elements, PhD Thesis, Sofia, 2004.

- 21.4. R. Daskalov, Optimal linear codes over small finite fields, Thesis, Doctor of Sciences, Sofia, 2006.
- 21.5. R. Daskalov, E. Metodieva, on the nonexistence of $[71, 5, 55]$ codes over \mathbb{F}_5 , Proc. of the 4th Int. Workshop on Optimal codes and related topics, Pamporovo, 2005, 108–113.
- 21.6. H. Chimal-Dzul, J. Diaz-Vargas, An optimal linear code over F_{11} , *Lecturas Matematicas* 30(2009), 63–72.
- 21.7. R. Daskalov, P. Hristov, E. Metodieva, New minimum distance bounds for linear codes over $GF(5)$, *Discrete Mathematics*, 275(2004), 97–110.
- 21.8. Xiaoyu Liu, On divisible codes over finite fields. Ph. D. Dissertation, California Institute of Technology, 2006.
- 21.9. N. Aydin, T. Asamov, Search for good linear codes in the class of quasi-cyclic and related codes. In: Woungang I, Misra S, Misra SC (eds) *Selected Topics in Information and Coding Theory*, Series on Coding Theory and Cryptology, vol 7, pp. 239-285. World Scientific Publishing Co. Pte. Ltd., Singapore, 2010
- 21.10. M. Emami, L. Pedram, Linear Codes over $GF(7)$ and $GF(11)$ of dimension 3, *Iranian J. of Math. Sciences* 10(1)(2015), 11-22.
DOI: 10.7508/ijmsi.2015.01.002

(22) **On optimal codes over the field with five elements**, *Designs Codes and Cryptography*, 29(2003), 165–175. (with T. Maruta, R. Hill and A. Rousseva)
IF:0.500

- 22.1. R. Daskalov, E. Metodieva, Improved minimum distance bounds for linear codes over $GF(5)$, *Mathematics and Education in Mathematics*, Proc. 33rd Spring Conference of UBM, 2000.
- 22.2. St. Kapralov, Bounds, constructions and classification of optimal codes, Thesis, Doctor of Sciences, Sofia, 2004.
- 22.3. E. Metodieva, Optimal linear codes over finite fields with three, four and five elements, PhD Thesis, Sofia, 2004.

- 22.4. R. Daskalov, Optimal linear codes over small fields, Thesis, Doctor of Sciences, Sofia, 2006.
- 22.5. R. Daskalov, E. Metodieva, on the nonexistence of $[71, 5, 55]$ codes over \mathbb{F}_5 , Proc. of the 4th Int. Workshop on Optimal codes and related topics, Pamporovo, 2005, 108–113.
- 22.6. H. Chimal-Dzul, J. Diaz-Vargas, An optimal linear code over F_{11} , *Lecturas Matematicas* 30(2009), 63–72.
- 22.7. R. Daskalov, P. Hristov, E. Metodieva, New minimum distance bounds for linear codes over $GF(5)$, *Discrete Mathematics*, 275(2004), 97–110.
- 22.8. Xiaoyu Liu, On divisible codes over finite fields. Ph. D. Dissertation, California Institute of Technology, 2006.
- 22.9. N. Aydin, T. Asamov, Search for good linear codes in the class of quasi-cyclic and related codes. In: Woungang I, Misra S, Misra SC (eds) *Selected Topics in Information and Coding Theory*, Series on Coding Theory and Cryptology, vol 7, pp. 239-285. World Scientific Publishing Co. Pte. Ltd., Singapore, 2010.
- 22.10. M. Emami, L. Pedram, Linear Codes over $GF(7)$ and $GF(11)$ of dimension 3, *Iranian J. of Math. Sciences* **10**(1)(2015), 11-22.
DOI: 10.7508/ijmsi.2015.01.002

(23) Optimal quaternary codes of dimension four and five, "Algebraic and Comb. Coding Theory", Proc. of the Workshop on ACCT, Novgorod, 1994, 98–101. (with R. Hill and P. Lizak)

- 23.1. R. Daskalov, E. Metodieva, Minimum distance bounds for quaternary linear codes of dimension five, *Math. and Education in Math.*, 1995, 167–176.
- 23.2. N. Hamada, The nonexistence of some quaternary linear codes meeting the Griesmer bound and the bounds for $n_4(5, d)$, $1 \leq d \leq 256$, *Mathematica Japonica*, **43** No1, 7–21.
- 23.3. I. Boukliev, R. Daskalov, S. Kapralov, *IEEE Trans. Inf. Th.* **IT-42** (1996), 1228-1235.

- 23.4. I. Bouyukliev, Optimal linear codes - constructions and bounds, PhD Thesis, Sofia, 1996.
 - 23.5. A. Brouwer, Bounds on the size of linear codes, Handbook of coding theory, (V. Pless and W.C. Huffman eds.) North-Holland, 1998, 295–461.
 - 23.6. R. Daskalov, T. Gulliver, New good quaternary linear codes in dimensions six, seven and eight, Proc. 7th Int. Workshop on ACCT, Bansko, 2000, 117–121.
 - 23.7. A. Rousseva, Arcs in finite projective geometries and their application in coding theory, PhD Thesis, Sofia, 2005.
 - 23.8. R. Daskalov, Optimal linear codes over small fields, Thesis, Doctor of Sciences, Sofia, 2006.
 - 23.9. T. A. Gulliver, P. Östergard, Improved bounds for quaternary linear codes of dimension 6, *Appl. Alg. in Engineering, Commun. and Computing* **9**(2)(1998), 153–159.
- (24) **The nonexistence of $[143, 5, 94]_3$ codes, Proc. Int. Workshop on Optimal Codes, Sozopol, 1995, 108–117.**
- 24.1. R. Daskalov, The nonexistence of ternary linear $[158, 6, 104]$ and $[203, 6, 134]$ codes, Proc. Int. Workshop on ACCT, Sozopol, 1996, 111–116.
 - 24.2. I. Bouyukliev, S. Kapralov, T. Maruta, M. Fukui, Optimal linear codes of dimension 4 over \mathbb{F}_5 , *IEEE Trans. Inf. Th.* **IT-43** (1997), 308–313.
 - 24.3. A. Brouwer, Bounds on the size of linear codes, Handbook of coding theory, (V. Pless and W.C. Huffman eds.) North-Holland, 1998, 295–461.
 - 24.4. R. Hill, E. Koley, A survey of recent results on optimal linear codes, Combinatorial designs and their application, (F.C. Holroyd, K.A.S. Quinn, Ch. Rowley, B.S. Webb eds.), Research Notes in Math 403, Chapman & Hall CRC, 1999, 127–152.
 - 24.5. E.J. Cheon, T. Kato, S.J. Kim, On the minimum length of some linear codes of dimension 5, *Designs, Codes and Cryptography* **37**(3)(2005), 421–434.
 - 24.6. T. Maruta, A characterization of some minihypers and its application to linear codes, *Geometriae Dedicata* **74**(3)(1999), 305–311.

- 24.7. T. Maruta, On the minimum length of q -ary linear codes of dimension five, *Geometriae Dedicata* **65**(3)(1997), 299–304.
- 24.8. I. Boukliev, Some new optimal ternary linear codes, *Designs, Codes and Cryptography* **12**(1)(1997), 5–11.
- 24.9. E. J. Cheon, T. Kato, S. J. Kim, Nonexistence of $[g_q(5, d), 5, d]$ -codes for $3q^4 - 4q^3 - 2q - 1 \leq d \leq 3q^4 - 4q^3 - q$, *Discrete Math.* **308**(2008), 3082–3089.

(25) **On the minimum size of some minihypers and related linear codes**, *Designs, Codes and Cryptography* **34**(2005), 5–15. (with T. Maruta and A. Rousseva).

IF:0.661

- 25.1. E.J. Cheon, T. Kato, S.J. Kim, Nonexistence of $[n, 5, d]_4$ codes attaining the Griesmer bound for $q^4 - 2q^2 - 2q + 1 \leq d \leq q^4 - 2q^2 - q$, *Designs, Codes and Cryptography* **36**(3)(2005), 289–299.
- 25.2. E. J. Cheon, The non-existence of Griesmer codes with parameters close to codes of Belov type. *Designs, Codes, and Cryptography* **61**(2) (2011), 131–139.
- 25.3. R. Daskalov, P. Hristov, E. Metodieva, New minimum distance bounds for linear codes over $\text{GF}(5)$, *Discrete Mathematics*, **275**(2004), 97–110.
- 25.4. R. Daskalov, Optimal linear codes over small fields, Thesis, Doctor of Sciences, Sofia, 2006.
- 25.5. E.J.Cheon, On the upper bound of the minimum length of 5-dimensional linear codes, *Australasian Journal of Combinatorics* **37**(2007), pp. 225–232, Zbl:1114:94019
- 25.6. I. Bouyukliev, Algorithmic approach to the investigation of linear codes, Thesis, Doctor of Sciences, 2008.
- 25.7. E. J. Cheon, Determination of minimum length of some linear codes, *Journal of the Chungcheong Mathematical Society*, Vol. 26 No. 1 (2013), 145–159.
- 25.8. M. Emami, L. Pedram, Linear Codes over $\text{GF}(7)$ and $\text{GF}(11)$ of dimension 3, *Iranian J. of Math. Sciences* **10**(1)(2015), 11–22.

DOI: 10.7508/ijmsi.2015.01.002

- 25.9. Wen Ma, Jinquan Luo, Nonexistence of linear codes meeting the Griesmer bound, *Discrete Mathematics*, Volume 345, Issue 4, 2022, 112744, <https://doi.org/10.1016/j.disc.2021.112744>.

- (26) **Automorphisms of 2-(22,8,4) designs**, *Discrete Mathematics*, **77**, 1989, **177–189**. (with V.Tonchev) [MR 91a:05011] IF:0.162
- 26.1. St. Kapralov, On the 2-(22,8,4) and 2-(10,4,4) designs with an automorphism of order 2, *Mathematics and Education in Mathematics*, 1992, 298–303.
- 26.2. St. Kapralov, Bounds constructions and classification of optimal codes, Thesis, Doctor of Sciences, Sofia 2004.
- 26.3. G. H. van Rees, (22, 33, 12, 8, 4)-BIBD – an update, in: *Computational and Constructive Design Theory* (ed. W. D. Wallis) 262–267, 1996.
- 26.4. R. Bilous, C. W. H. Lam, L. H. Thiel, P. C. Li, G. H. J. van Rees, S. Radziszowski, W. H. Holzmann, H. Khosrovshahi, There os in 2 – (22, 8, 4)-design, *J. Comb. Designs* **15**(3)(2007), 262–267.
- 26.5. A. S. Hedayat, J. Stufken, W. G. Zhang, Constructively and virtually balanced block designs and their efficiencies under various optimality criteria, *Statistica Sinica* **5**(1995), 575–591.
- 26.6. A. S. Hedayat, J. Stufken, W. G. Zhang, Virtually balanced incomplete block designs for $v = 22$, $k = 8$ and $\lambda = 4$. *J. Comb. Designs* **3**(3)(1995), 195–201.
- 26.7. R. T. Bilous, G. H. J. van Rees, Self-dual codes and the (22, 8, 4) balanced incomplete block designs, *J. Comb. Designs* **13**(5)(2005), 363–376.
- 26.8. D. Tiessen, G. H. J. van Rees, Many (22, 44, 14, 7, 4)- and (15, 42, 14, 5, 4)-balanced incomplete block designs, *J. Stat. plann. and Inference* **62**(1)(1997), 115–124.
- (27) **Arcs in projective Hjelmslev planes**, *Discrete Mathematics and Applications* **11**, 2001, **53–70**. (with Th. Honold)

<https://doi.org/10.1515/dma.2001.11.1.53>

- 27.1. A. A. Nechaev, Koneqnye frobeniusovy bimoduli v teorii linejnyh kodov, Trudy po diskretnoj matematike 8(2004), 187–215. (in Russian)
- 27.2. H. N. Ward, Arcs, minihypers and the classification of three-dimensional Griesmer codes, In: Advances in Coding Theory and Cryptography, (T. Shaska, W. C. Huffman, D. Joyner, V. Ustimenko eds.), Series in Coding Theory and Cryptology Vol. 3, World Scientific, 2007, 33–50.
- 27.3. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010.
- 27.4. K. Shiromoto, L. Storme, A Griesmer bound for linear codes over finite quasi-Frobenius rings. Discrete Applied Mathematics 128(1)(2003), 263–274.
- 27.5. Kohnert A. Sets of Type (d_1, d_2) in Projective Hjelmslev Planes over Galois Rings, Algorithmic Algebraic Combinatorics And Gröbner Bases 2009, Part 2, 269–278.
- 27.6. S. Kurz, Caps in $Z(2, n)$, Serdica Journal of Computing, Vol. 3, No 2, (2009), 159–178.
- 27.7. V. Abatangelo, B. Larato, Canonically inherited arcs in Moulton planes, *Innovations in Incidence Geometry* **6-7**(2007/08), 3–22.
- 27.8. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* **10** No 3-4, (2016), 285–297.

(28) **On blocking sets in projective Hjelmslev planes, *Advances in Mathematics of Communication* **1**(2007), 65–82.**

Doi: 10.3934/amc.2007.1.65

- 28.1. E. Byrne, M. Greferath, Th. Honold, Ring geometries two-weight codes and strongly regular graphs, *Des. Codes Cryptogr.* 48(2008), 1–16.
- 28.2. A. Kohnert, Sets of type (d_1, d_2) in projective Hjelmslev planes over Galois rings, In: M. Klin M et al. (Eds.) Algorithmic, Algebraic Combinatorics and Gröbner Bases, Springer-Verlag Berlin Heidelberg, 2009, 269–278.

- 28.3. Th. Honold, M. Kiermaer, The maximal size of 6- and 7-arcs in projective Hjelmslev planes over chain rings of order 9, *Science China*, 55 (1)(2012), 73–92.
 - 28.4. D. Keppens, H. van Maldeghem, Embeddings of Projective Klingenberg Planes in the Projective Space $PG(5, K)$, *Beiträge zur Algebra und Geometrie* Volume 50 (2009), No. 2, 483-493.
 - 28.5. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010.
 - 28.6. T. Honold, A. Edelmayer, Two-intersection sets in projective Hjelmslev spaces. In: *Proceedings of the 19th International Symposium on Mathematical Theory of Networks and Systems-MTNS*, vol. 5, no. 9. 2010.
 - 28.7. Honold, T., Kiermaier, M. The maximal size of 6- and 7-arcs in projective Hjelmslev planes over chain rings of order 9. *Sci. China Math.* 55, 73–92 (2012).
<https://doi.org/10.1007/s11425-011-4296-4>
 - 28.8. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* **10** No 3-4, (2016), 285-297.
- (29) **On $(q^2 + q + 2, q + 2)$ -arcs in the projective plane $PG(2, q)$, *Designs, Codes and Cryptography*, **24**, 2001, 205–224.** (with S. Ball, R. Hill and N.H. Ward)
IF:0.522
- 29.1. A. Rousseva, On the number of double points in plane $(q^2 + q + 2, q + 2)$ -arcs, *Mathematics and Education in Mathematics*, Proc. 30th Spring Conference of UBM, 2000.
 - 29.2. A. Rouseva, Arcs in finite projective geometries and their application in coding theory, Sofia, 2005.
 - 29.3. G. Faina, G. Korchmaros, Aldo Cossu's work in finite geometry, *Mediterr. J. of Math.* 3(2006), 349–361.
 - 29.4. J. W. P. Hirschfeld, L. Storme, The packing problem in statistics, coding theory and finite projective spaces: Update 2001. In: A. Blockhuis et al. (eds), *Finite Geometries*, 201–246. Kluwer Academic Publishers, 2001.

- 29.5. P. Vandendriesche, Optimal blocking multisets, Proc. Colloq. on Galois Geometry, University of Ghent, 2013.
 - 29.6. Yu. Borissov, On McEliece's result about the divisibility of the weights in the binary Reed-Muller codes, Proc of the Seventh Int. Workshop on Optimal Codes and related Topics, Albena, 06–12.09.2013, pp. 47–52.
 - 29.7. P. Vandendriesche, Intertwined results on linear codes and Galois geometries, PhD Thesis, Ghent University, 2014.
- (30) **Linear codes over finite chain rings and projective Hjelmslev geometries, Codes over Rings, edited by Patrick Sole (CNRS, France) Series on Coding Theory and Cryptology - Vol. 6, World Scientific, 2009, 00.60-123.ISBN 978-981-283-768-4; ISBN 981-283-768-X.** (with Th. Honold)
- 30.1. Kiermaier, M., Zwanzger, J. A Z_4 -linear code of high minimum lee distance derived from a hyperoval. Advances in Mathematics of Communications Volume 5, Issue 2, May 2011, Pages 275-286
 - 30.2. J. Hall, Mutually unbiased bases and related structures. PhD Thesis, RMIT University Melbourne, Victoria, Australia, 2011
 - 30.3. M. Kiermaier, J. Zwanzger, New ring-linear codes from dualization in projective Hjelmslev geometries, Designs, Codes and Cryptography 2012, DOI: 10.1007/s10623-012-9650-1.
 - 30.4. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010
 - 30.5. P. Vandendriesche, Intertwined results on linear codes and Galois geometries, PhD Thesis, Ghent University, 2014.
 - 30.6. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* **10** No 3-4, (2016), 285-297.
 - 30.7. W. Cary Huffman, , J.-L. Kim, P. Sole, Concise Encyclopaedia of Coding Theory, Chapman and Hall/CRC Press, 2021, doi.org/10.1201/9781315147901

- (31) I. Landjev, A. Rousseva, **The main conjecture for near-MDS codes**, *Proc. 9th Workshop on WCC, Paris, 2015*, 1–8. <http://hal.inria.fr/hal-01276222/document>
- 31.1. Lingfei Jin, Haibin Kan, Self-dual near-MDS codes from elliptic curves, *IEEE Trans. Inf. Theory* IT-65(4)(2015).
- 31.2. D. Bartoli, B. Csajbok, G. Marino, R. Trombetti, Evasive Spaces, *J. Combin Designs* 29(8), July 2021, 533–551, doi.org/10.1002/jcd.21783
- 31.3. Alessandro Neri, A Geometric Characterization of Near MRD Codes, *Applications of Computer Algebra - ACA 2022 Gebze-Istanbul, Turkey, | August 15-19, 2021 Session on F_q -Analogues in Combinatorics: Matroids, Designs and Codes?*, 163-164.
- 31.4. H. Chen, "Many Non-Reed-Solomon Type MDS Codes From Arbitrary Genus Algebraic Curves," in *IEEE Transactions on Information Theory*, 2023.
doi: 10.1109/TIT.2023.3348146.
- 31.5. Guo, G., Li, R., Liu, Y. et al. Duality of generalized twisted Reed-Solomon codes and Hermitian self-dual MDS or NMDS codes. *Cryptogr. Commun.* 15, 383–395 (2023).
<https://doi.org/10.1007/s12095-022-00605-3>
- 31.6. Li Xu, Cuiling Fan, Dongchun Han, Near-MDS codes from maximal arcs in $PG(2, q)$, *Finite Fields and Their Applications*, Volume 93, 2024, 102338, <https://doi.org/10.1016/j.faa.2023.102338>.
- 31.7. H. Chen, L. Qu, C. Li, S. Lyu, L. Xu and M. Zhou, "Generalized Singleton Type Upper Bounds," in *IEEE Transactions on Information Theory*, vol. 70, no. 5, pp. 3298-3308, May 2024,
doi: 10.1109/TIT.2023.3346179.
- (32) **Results on the support of BIB designs**, *Journal of Statistical Planning and Inference*, **22**, 1989, 295–306. (with A.S.Hedayat and V.Tonchev. [MR 90d:05037][Zbl 674.05006] IF:0.398

- 32.1. D. Jungnickel, Design Theory – an update, *Ars Combinatoria* **28**(1989), 129–199.
 - 32.2. Ch. Colbourn, E.S. Mahmoodian, The spectrum for support sizes for three-fold triple systems, *Discrete Mathematics* **83**(1990), 8–19.
 - 32.3. Th. Beth, D. Jungnickel, H. Lenz, Design Theory, Cambridge University Press, 1999.
 - 32.4. C. J. Colbourn, E. S. Mahmoodian, Support sizes of sixfold triple systems, *Discrete Math* **115**(1-3)(1993), 103–131.
 - 32.5. G. B. Khosrovshahi, B. Tayfeh-Reznik, Classification of simple $2 - (11, 3, 3)$ designs, *Discrete Math.* **309**(3) (2009), 515–520.
 - 32.6. T. Oliveira, BIB Designs with repeated blocks, Proceedings of Tenth ICCS, Vol. 1, American University Cairo, 2010, 82–97.
- (33) **Linearly representable codes over chain rings, Proc. of the Int. Workshop on ACCT , Pskov, Russia, 1998, pp. 135–141.** (with Th. Honold)
- 33.1. M. Greferath, S. Schmidt, Gray Isometries for Finite Chain Rings and a Nonlinear Ternary $(36, 3^{12}, 15)$ Code, *IEEE Trans. Inform. Theory* **IT-45**(1999), 2522–2524.
 - 33.2. I. Duursma, M. Greferath, S. Litsyn, S.E. Schmidt, A \mathbb{Z}_9 -linear code inducing ternary $(72, 2^{35}, 24)$ -code, Euroworkshop on Optimal Codes and Related Topics, Sunny Beach, 2001, 59–64.
 - 33.3. M. Greferath, A. Nechaev, R. Wiesbauer, Linear codes over finite QF-modules, Proc. of the Int. Workshop on ACCT, Kranevo, Bulgaria, 2004, pp. 195–203.
 - 33.4. A. Nechaev, Finite rings with applications, Handbook of Algebra, (ed. M. Hazewinkel) Vol. 5, Elsevier, 2008.
 - 33.5. P. Camion, Codes over \mathbb{Z}_p^n and association schemes, DIMACS Series in Discrete Mathematics and Theoretical Computer Science 56(2001), 59–86.

- 33.6. Dinh, H.Q. (2010). On Some Classes of Repeated-root Constacyclic Codes of Length a Power of 2 over Galois Rings. In: Van Huynh, D., López-Permouth, S.R. (eds) *Advances in Ring Theory. Trends in Mathematics.* Birkhäuser Basel, 131–147.
https://doi.org/10.1007/978-3-0346-0286-0_10

(34) The geometry of $(n, 3)$ -arcs in the projective plane of order 5, *Proc. of the Sixth Workshop on ACCT, Sozopol, 1996*, 170–175.

- 34.1. I. Bouyukliev, Optimal linear codes – constructions and bounds, PhD Thesis, Sofia, 1996.
- 34.2. St. Kapralov, Bounds, constructions and classification of optimal codes, Thesis, Doctor of Sciences, Sofia, 2004.
- 34.3. A. Rousseva, Arcs in finite projective geometries and their application in coding theory, PhD Thesis, Sofia, 2005.
- 34.4. Bouyukliev, I., Simonis, J. Some New Results on Optimal Codes Over F^5 . *Designs, Codes and Cryptography* 30, 97–111 (2003).
<https://doi.org/10.1023/A:1024763410967>
- 34.5. A. Rousseva, On the structure of $(t \bmod q)$ -arcs in finite projective geometries, Vol. 103 (2016): *Ann. Sofia Univ. Fac. Math and Inf.* Vol. 103(2016), 5–22.
- 34.6. Daniela Tondini, $(11, 3)$ -arc configurations in $PG(2, 5)$, *Journal of Interdisciplinary Mathematics* ISSN: 0972-0502 (Print), ISSN: 2169-012X (Online) Vol. 26 (2023), No. 8, pp. 1717–1731
 DOI : 10.47974/JIM-1457

(35) A study of $(x(q+1), x; 2, q)$ -minhypers, *Designs, Codes and Cryptography* 54, No 2 (2010), 135–147. (with L. Storme)

IF:0.771

- 35.1. Kanazawa, R., Maruta, T. On optimal linear codes over F_8 , *Electronic Journal of Combinatorics* Volume 18, Issue 1, 2011.
<https://doi.org/10.37236/521>

- 35.2. P. Vandendriesche, Optimal blocking multisets, Proc. Colloq. on Galois Geometry, University of Ghent, 2013.
- 35.3. P. Vandendriesche, Intertwined results on linear codes and Galois geometries, PhD Thesis, Ghent University, 2014.
- 35.4. A. Rousseva, On the structure of $(t \bmod q)$ -arcs in finite projective geometries, *Annuaire de l'Universite de Sofia* **103**(2016), 5–22.
- 35.5. M. Fujii, T. Maruta, Nonexistence of some Griesmer codes of dimension 4 over F_8 , Proc. Eighth International Workshop on Optimal Codes and Related Topics, July 10-14, 2017, Sofia, Bulgaria pp. 87-92
- 35.6. Bono, Nanami et al. ?On Optimal Linear Codes of Dimension 4?. Journal of Algebra Combinatorics Discrete Structures and Applications 8/2 (May 2021), 73-90.
<https://doi.org/10.13069/jacodesmath.935947>.

(36) **Arcs in projective Hjelmslev spaces obtained from Teichmüller sets, Proc. of the 7th International Workshop on ACCT, Bansko, 2000, 177–182.**(with L. Hemme and Th. Honold)

- 36.1. M. Kiermaier, M. Koch, New complete 2-arcs in the uniform projective Hjelmslev planes over chain rings of order 25, Proc. of the 6th Int. Workshop on Optimal codesand related topics, Varna, 2009. (411)
- 36.2. S. Kurz, Caps in \mathbb{Z}_{2^n} , *Serdica J. Comp.* Vol. 3 No. 2 (2009), 159–178.
<https://doi.org/10.55630/sjc.2009.3.159-178>
- 36.3. M. Kiermaier, J. Zwanzer, New Ring-Linear Codes from Geometric Dualization, Proc. WCC 2011 - Workshop on coding and cryptography (2011), pp. 111–120. (412)
- 36.4. J. Zwanzer, Computergestützte Suche nach optimalen linearen Codes über endlichen Kettenringen unter Verwendung heuristischer Methoden, PhD Thesis, Universität Bayreuth, 2011.
- 36.5. M. Kiermaier, Geometrische Konstruktionen linearer Codes über Galois-Ringen der Charakteristik 4 von hoher homogener Minimaldistanz, PhD Thesis, Universität Bayreuth, 2012.

- 36.6. M. Kiermaier, J. Zwanzger, New ring linear codes from dualization on projective Hjelmslev geometries, *Designs, Codes and Cryptography* **66**(1-3)(2013), 39–55. (413)
- (37) **Some lower bounds for mixed covering codes, Lecture Notes in Computer Science, 781, 1994, 38–50.** (with E. Kolev) IF:0.296
- 37.1. G.D. Cohen, S.N. Litsyn, A.C. Lobstein, N.F. Mattson, Jr., Covering Radius 1984–1995, Applicable Algebra in Engineering, *Communications and Computing* **8**(1997), 173–239.
- 37.2. R.A. Brualdi, S. Litsyn, V. Pless, Covering radius, Handbook of coding theory. (V.Pless and W.C. Huffman eds.) North-Holland, 1998, 755–826.
- 37.3. P. Östergard, H. Härmäläinen, A new table of binary/ternary mixed covering codes, *Designs, Codes and Cryptography* **11**(1997), 151–178.
- 37.4. G. Keri, P. Östergard, On the covering radius of small codes, *Studia Scient. Mathem. Hung.* **40**(1-2), 242–256.
- 37.5. G. Keri, P. Östergard, Further results on the covering radius of small codes, *Discrete Math.* **307**(2007), 69–77.
- (38) **Projective Hjelmslev geometries, Proc. of the International Workshop on Optimal Codes, Sozopol, 1998, 97–115.** (with Th. Honold)
- 38.1. Keisuke Shiromoto, Leo Storme, A Griesmer Bound for Codes over Finite Quasi-Frobenius Rings, Electronic Notes in Discrete Mathematics, Volume 6, 2001, Pages 337-345,
[https://doi.org/10.1016/S1571-0653\(04\)00185-4](https://doi.org/10.1016/S1571-0653(04)00185-4).
- 38.2. Keisuke Shiromoto, Leo Storme, A Griesmer bound for linear codes over finite quasi-Frobenius rings, Discrete Applied Mathematics, Volume 128, Issue 1, 2003, Pages 263-274,
[https://doi.org/10.1016/S0166-218X\(02\)00450-X](https://doi.org/10.1016/S0166-218X(02)00450-X).
- 38.3. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010.
- 38.4. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* **10** No 3-4, (2016), 285-297.

- 38.5. Rostami E, Nekooei R. Computation of Minimum Hamming Weight for Linear Codes. *Iranian Journal of Mathematical Sciences and Informatics* (IJMSI) 2019; 14 (1) :81-93
<http://ijmsi.ir/article-1-944-en.html>
 Computation of Minimum Hamming Weight for Linear Codes

(39) **Codes over rings and ring geometries, chapter 7 in: "Current research topics in Galois geometries"** (eds. L.Storme and Jan De Beule) NOVA Publishers, 2012, 161-186. (ISBN 978-1-61209-523-3)(with Th. Honold)

- 39.1. P. Vandendriesche, Intertwined results on linear codes and Galois geometries, PhD Thesis, Ghent University, 2014.
- 39.2. M. Kiermaier, Michael. Codes from translation schemes on Galois rings of characteristic 4. *Electronic Notes in Discrete Math.* **40** (2013), 175-180.
- 39.3. M. Holzer, Finite chain Rings, Finitely Generated Modules over Finite Chain Rings and Projective Hjelmslev Geometries, PhD Thesis, University of Zurich, 2015) (Supervisors: J. Rosenthal, A.-L. Trautmann)
- 39.4. D. Keppens, Affine planes over finite rings, a summary *Aequationes mathematicae* **91**(5) (2017), 979–993.
- 39.5. D. Keppens, 50 Years of Finite Geometry, the "Geometries over Finite Rings" Part, *Innovations in Incidence Geometry* **15**(2017), 123-143.

(40) **On multiple deletion codes, *Serdica J. Computing* 1(2006), 13–26.** (with Kr. Haralambiev)

- 40.1. K. A. S. Abdel-Ghaffar, F. Paluncic, H. C. Ferreira and W. A. Clarke, "On Helberg's Generalization of the Levenshtein Code for Multiple Deletion/Insertion Error Correction," in IEEE Transactions on Information Theory, vol. 58, no. 3, pp. 1804-1808, March 2012, doi: 10.1109/TIT.2011.2174961.
- 40.2. E. Kolev, On the cardinality of optimal t-deletion-correcting binary codes of length *Global Journal of Pure and Applied Mathematics*, Volume 12, Number 1 (2016), pp. 243-251. (ISSN 0973-1768)

- 40.3. C. Schoeny, A. Wachter-Zeh, R. Gabrys and E. Yaakobi, "Codes Correcting a Burst of Deletions or Insertions," in *IEEE Transactions on Information Theory*, vol. 63, no. 4, pp. 1971-1985, April 2017, doi: 10.1109/TIT.2017.2661747.
- 40.4. T. A. Le and H. D. Nguyen, "New Multiple Insertion/Deletion Correcting Codes for Non-Binary Alphabets," in *IEEE Transactions on Information Theory*, vol. 62, no. 5, pp. 2682-2693, May 2016, doi: 10.1109/TIT.2016.2541139.

(41) **On maximal spherical codes - II, *Journal of Combinatorial Designs*, 7(5), 1999.** (with P.Boyvalenkov and D.Danev)

- 41.1. E. Bannai, E. Bannai, A survey on spherical designs and algebraic combinatorics on spheres, *European J. Combinatorics* **30**(6)(2009). 1392–1425. (293)
- 41.2. M. Stoyanova, On the structure of some spherical codes and designs, PhD Thesis, Sofia University, 2009. (294)
- 41.3. Sergiy Borodachov, Douglas Hardin, Edward Saff, *Discrete Energy on Rectifiable Sets*, Springer, 2019.
- 41.4. Eiichi Bannai , Etsuko Bannai , Tatsuro Ito and Rie Tanaka, *Algebraic Combinatorics*, De Gruyter, 2021.
<https://doi.org/10.1515/9783110630251>

(42) **A note on (xv_t, xv_{t-1}) -minihypers in $PG(t, q)$, *Journal of Combinatorial Theory Ser. A* **119**(2012), 1123–1131.** (with P. Vandendriesche) DOI: 10.1016/j.jcta.2012.02.009

IF:0.683

- 42.1. A. Rousseva, On the structure of $(t \bmod q)$ -arcs in finite projective geometries, *Annuaire de l'Universite de Sofia* **103**(2016), 5–22.
- 42.2. K. Kumegava, T. Maruta, Nonexistence of Some Griesmer Codes over \mathbb{F}_q , *Discrete Math.* **339**(2016), 515–521.

- 42.3. W. Cary Huffman, , J.-L. Kim, P. Sole, Concise Encyclopaedia of Coding Theory, Chapman and Hall/CRC Press, 2021,
doi.org/10.1201/9781315147901
- 42.4. Toshiharu Sawashima, Tatsuya Maruta. Nonexistence of some ternary linear codes with minimum weight -2 modulo 9. Advances in Mathematics of Communications, 2023, 17(6): 1338-1357.
doi: 10.3934/amc.2021052

(43) **On Linear Codes of Almost Constant Weight and the Related Arcs, *Comptes rendus, de l'Academie Bulgare des Sciences* 72(12)(2019), 1626-1633.** (with A. Rousseva, L. Storme) IF:0.321

- 43.1. Boyvalenkov P., Delchev, K., Zinoviev, D. V., and Zinoviev, V. A., On two-weight (linear and nonlinear) codes; Algebraic and Combinatorial Coding Theory (ACCT), 2020, pp.37-40, doi:10.1109/ACCT51235.9383345 (IEEE - Xplore).
- 43.2. Boyvalenkov, P., Delchev, K., Zinoviev, D. V., and V. A. Zinoviev, V. A., On q -ary codes with two distances d and $d + 1$, *Problems of Information Transmission* 56(2020), 33-44.
- 43.3. Boyvalenkov, P., Delchev, K., Zinoviev, D.V., and Zinoviev, V.A., On two-weight codes. *Discrete Mathematics*, 344(5)(2021), p.112318.
- 43.4. Boyvalenkov, P., Delchev, K., Zinoviev, D. V., and D. V. Zinoviev, On Codes with Distances d and n , *Problems of Information Transmission* volume 58(4), 2022, pages:352-371;
DOI: 10.1134/S0032946022040068

(44) **On the nonexistence of some optimal arcs in $PG(4, 4)$, Proc. of the 8th International Workshop on ACCT, Carskoe selo, 2002, 176–180.** (with A. Rousseva)

- 44.1. I. Boukliev, M. Grassl, Z. Varbanov, New bounds for $n_4(k, d)$ and classification of some optimal codes over $GF(4)$, *Discrete Mathematics* 281(2004), 43–66.

- 44.2. R. Daskalov, Optimal linear codes over small fields, Thesis, Doctor of Sciences, Sofia, 2006.
- 44.3. H. Kanda, T. Maruta, Nonexistence of some linear codes over the field of order four, *Discrete Mathematics* **341**(10)(2018), 2676–2685.
- 44.4. H. Kanda, The nonexistence of $[385, 5, 286]$ and $[447, 5, 334]$ quaternary linear codes, *Serdica J. Math* **46**(3)(2020), 207–220.

(45) **Some new arcs in projective Hjelmslev planes over chain rings, Proc. of the 9th International Workshop on ACCT, Kranevo, 2004, 56–62.**(with S. Boumova)

- 45.1. Th. Honold, M. Kiermaier, Classification of maximal arcs in small projective Hjelmslev geometries, Proc. of the 10th International Workshop on ACCT, Zvenigorod, 2006, 112–117.
- 45.2. M. Kiermaier, A. Kohnert, New arcs in projective Hjelmslev planes over Galois rings, Proc. of the 5th Int. Workshop on Optimal codes and related topics, White Lagoon, 2007
- 45.3. Honold, T., Kiermaier, M. The maximal size of 6- and 7-arcs in projective Hjelmslev planes over chain rings of order 9. *Sci. China Math.* 55, 73–92 (2012).
<https://doi.org/10.1007/s11425-011-4296-4>

(46) **The possible support sizes for BIB designs with $v=8$, $k=4$, *Journal of Combinatorial Theory Ser. A*, 51, 1989, 258–267.** (with A.S.Hedayat and J.Stufken) [MR 91g:05014] IF:0.552

- 46.1. G.B. Khosrovshahi, F. Vatan, S. Ajoodani-Namini, On some support sizes for BIB designs with $v = 9$ and $k = 4$, *J. Stat. Planning and Inference* **26**(1990), 83–92.
- 46.2. Th. Beth, D. Jungnickel, H. Lenz, Design Theory, Cambridge University Press, 1999.
- 46.3. G. B. Khosrovshahi, E. S. Mahmoodian, On BIB Designs with various support sizes for $v = 9$, $k = 3$, *Comm. in Statistics* **17**(3)(1989), 765–770.

- (47) **On near-MDS codes, Proc. of the IEEE Symposium on Information Theory, Trondheim, Norway, 1994, 427.** (with S. Dodunekov)
- 47.1. G. Visvanath, B. Sandor-Rajan, Matrix characterization of linear codes with arbitrary weight hierarchy, *Linear Algebra and Applications* 412(2006), 396–407.
 - 47.2. G. Visvanath, Elias upper bound for euclidean space codes and codes close to the Singleton bound, PhD Thesis, Indian Institute of science, Bangalore, 2004.
 - 47.3. D. Bartoli, S. Marcugini, F. Pambianco, On the completeness of plane cubic curves over finite fields, *Designs, Codes and Cryptography* 83(2)(2017), 233–267.
- (48) **On symmetric 2-(41,16,6) designs invariant under the Frobenius group of Order 10, Compt. Rend. Acad. Bulg. Sci., 40 No5, 1987, 29–31.** [MR 88k:05029]
- 48.1. Vl. Tonchev, Combinatorial structures and codes, Sofia University Publ. House, 1988.
 - 48.2. St. Zhelezova, Investigation and classification of resolvable designs, PhD Thesis, Sofia, 2009.
 - 48.3. S. Zhelezova, A method for classification for doubly resolvable designs, *Serdica J. Comp.* 5(3)(2011), 273–308.
- (49) **2-(25,10,6) designs invariant under the dihedral group of order 10, Annals of Discrete Mathematics, 34, 1987, 301–306.** (with S.Kapralov and V.Tonchev) [MR 89e:05031][Zbl 637.05005]
- 49.1. R. Mathon, A. Rosa, Tables of parameters of BIBD's with $v \leq 41$ including enumeration and resolvability results – an update, *Ars Combinatoria*, 30(1990), 65–96.
 - 49.2. I. Bouyukliev, V. Fack, J. Winne, 2-(31,15,7), 2-(35,17,8), and 2-(36,15,6)-designs with automorphisms of prime order and their relative Hadamard

matrices and codes, *Designs, Codes and Cryptography* **51**(2)(2009), 105–122.

- 49.3. J. Winne, Software tools for combinatorial algorithms, PhD Thesis, University of Ghent, 2007.

(50) **On maximal spherical codes, Lecture Notes in Computer Science 948, 1995, 158–168.** (with P. Boyvalenkov)

- 50.1. Eiichi Bannai, Etsuko Bannai, Algebraic Combinatorics on Spheres, Springer, 1999. (in Japanese)
- 50.2. D. Zinoviev, V. Zinoviev, On the spherical code $(4, \rho, 9)$ Proc. Eighth Intern. Workshop on Optimal Codes and Related Topics, 2017.
- 50.3. T. Ericson, V. Zinoviev, Codes on Euclidean Spheres, North Holland Mathematical Library, Vol. 63, 2001. ISBN 0 444 50329 3

(51) **New symmetric $(61, 16, 4)$ designs invariant under the dihedral group of order 10, *Serdica Math. J.*, **24**, 1998, 179–186.** (with Sv. Topalova)

- 51.1. R. Mathon, A. Rosa, $2-(v, k, \lambda)$ designs of small order, Handbook of Combinatorial designs, (eds. Ch. Colbourn and J. Dinitz) Chapman & Hall/CRC, Boca Raton-London-New York, 2007.
- 51.2. Th. Beth, D. Jungnickel, H. Lenz, Design Theory, Cambridge University Press, 1999.
- 51.3. D. Crnkovic, S. Rukavina, V.D. Tonchev, Algebraic Design Theory and Hadamard Matrices Proceedings in Mathematics and Statistics 133, (C. J. Colbourn ed.), 2015, 61-70.
DOI: 10.1007/978-3-319-17729-8-5.

(52) **On the Extendability of Quasidivisible Griesmer Arcs, *Designs, Codes and Cryptography* **79**(2016), 535–547.**

DOI:10.1007/s10623-015-0114-2 (with A. Rousseva and L. Storme)

IF:1.009

- 52.1. H. Kanda, T. Maruta, On the 3-extendability of quaternary linear codes, *Finite Fields and their Applications* **52**(2018), pp. 126-136, ISSN 1071-5797,
- 52.2. Zhonghua Sun, Cunsheng Ding, Tingfang Chen, The extended codes of some linear codes, *Finite Fields and Their Applications*, Volume 96, 2024, 102401, <https://doi.org/10.1016/j.ffa.2024.102401>.
- 52.3. Zhonghua Sun, Cunsheng Ding, Tingfang Chen, The extended codes of projective two-weight codes, *Discrete Mathematics*, Volume 347, Issue 9, 2024, 114080, <https://doi.org/10.1016/j.disc.2024.114080>.

(53) **Non-free extensions of the Simplex codes over a chain ring with four elements, *Designs, Codes and Cryptography* 66(2013), 27–38.** (with Th. Honold)

<https://doi.org/10.1007/s10623-012-9649-7>

IF:**0.771**

- 53.1. M. Kiermaier, Geometrische Konstruktionen linearer Codes über Galois-Ringen der Charakteristik 4 von hoher homogener Minimaldistanz, PhD Thesis, Universität Bayreuth, 2012.
- 53.2. Hall, J.L., Rao, A. (2015). An Algorithm for Constructing Hjelslev Planes. In: Colbourn, C. (eds) *Algebraic Design Theory and Hadamard Matrices*. Springer Proceedings in Mathematics & Statistics, vol 133. Springer, Cham. https://doi.org/10.1007/978-3-319-17729-8_11

(54) **Indecomposable block designs with $v=7$, $k=3$, *Mathematics and Education in Mathematics, Albena, 1989, 386–389, in bulgarian.* [MR 90f:05018]**

- 54.1. M. Grüttmüller, On the number of indecomposable block designs, *Australasian J. Comb.* **14**(1996), 181–186.
- 54.2. G. Ramsay, Trades and defining sets: theoretical and computational results, *Bull. Austral. Math. Soc.* **60**(1)(1999), 195–196.

(55) **A note on the MacWilliams identities, *Compt. Rend. Bulg. Acad. Sci.*, 50(9-10), 1997, 17–18.**

- 55.1. H. Gluesing-Luerssen, Fourier-reflexive partitions and MacWilliams identities for additive codes. *Designs, Codes and Cryptography* 75(3)(2015), 543-563. DOI: 1007/s10623-014-9940-x.
- 55.2. A. Kasparian, "Riemann-Roch Theorem and Mac Williams identities for an additive code with respect to a saturated lattice," 2020 Algebraic and Combinatorial Coding Theory (ACCT), IEEE Xplore, 2020, pp. 83-89, doi: 10.1109/ACCT51235.2020.9383243.

(56) **Linear codes over finite chain rings, Proc. of the International Workshop on Optimal Codes, Sozopol, 1998, 116-126.** (with Th. Honold)

- 56.1. P. Camion, Codes over \mathbb{Z}_{p^n} and association schemes, DIMACS Series in Discrete Mathematics and Theoretical Computer Science 56(2001), 59-86.
- 56.2. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* 10 No 3-4, (2016), 285-297.

(57) **All Reed-Muller codes are linearly representable over the ring of dual numbers over \mathbb{Z}_2 , IEEE Trans. on Information Theory, 45, 1999, 700-701.** (with Th. Honold) IF:2.009

- 57.1. P. Camion, Codes over \mathbb{Z}_{p^n} and association schemes, DIMACS Series in Discrete Mathematics and Theoretical Computer Science 56(2001), 59-86. (272)
- 57.2. Shi, M., Kiermaier, M., Kurz, S. et al. Three-Weight Codes over Rings and Strongly Walk Regular Graphs. *Graphs and Combinatorics* 38, 56 (2022). <https://doi.org/10.1007/s00373-021-02430-6>

(58) **On complete caps in the projective geometries over \mathbb{F}_3 , Journal of Geometry, 67, 2000, 127-144.** (with Ray Hill, Chris Jones, Leo Storme and János Barát)

- 58.1. A. Hallez, Linear Codes and Blocking structures in finite projective and polar spaces, PhD Thesis, Ghent University, 2010. (409)

- 58.2. Jeffrey Bryan Farr and Petr Lisonek, Large caps with free pairs in dimensions five and six, *Innovations in Incidence Geometry* **4**(2006)(1), 69–88.

DOI: 10.2140/iig.2006.4.69

(59) **Optimal linear codes over \mathbb{F}_5 , Proc. of the 7th International Workshop on ACCT, Bansko, 2000, 207-212.**(with A. Rousseva)

- 59.1. St. Kapralov, Bounds, constructions and classification of optimal codes, Thes, Doctor of Sciences, Sofia, 2004.

- 59.2. R. Daskalov, Optimal linear codes over small fields, Thesis, Doctor of Sciences, Sofia, 2006. (415)

(60) **On the nonexistence of some optimal arcs in $\text{PG}(4,4)$, Proc 6th International Workshop on Optimal codes, Varna, 2009, 139-144.** (with A. Rousseva)

- 60.1. Hitoshi Kanda, Tatsuya Maruta, Nonexistence of some linear codes over the field of order four, *Discrete Mathematics*, Volume 341, Issue 10, 2018, Pages 2676-2685,

<https://doi.org/10.1016/j.disc.2018.06.024>.

- 60.2. H. Kanda, The nonexistence of $[385,5,286]$ and $[447,5,334]$ quaternary linear codes, *Serdica J. Math* **46**(3)(2020), 207–220. (21)

(61) **The dual construction for arcs in projective Hjelmslev spaces, Advances in Mathematics of Communications, 5(2011), 11-21.** (with Th. Honold) - in the top ten of the downloaded articles of AMC.

IF:0.544

- 61.1. M. Kiermaier, J. Zwanzer, New ring-linear codes from dualization in projective Hjelmslev geometries, *Designs, Codes and Cryptography* 2012,

DOI: 10.1007/s10623-012-9650-1.

- 61.2. M. Kiermaier, Codes from translation schemes on Galois rings of characteristic 4, *Electronic Notes in Discrete Mathematics* **40**(2013), 175–180.

- (62) **Designs in projective Hjelmslev spaces, Contemporary Mathematics vol. 579, 2012, 111-122** (with M. Kiermaier)

62.1. M. Holzer, Finite chain Rings, Finitely Generated Modules over Finite Chain Rings and Projective Hjelmslev Geometries, PhD Thesis, University of Zurich, 2015) (Supervisors: J. Rosenthal, A.-L. Trautmann)

62.2. N. Georgieva, Basic Algorithms for Manipulation of Modules over Finite Chain Rings, *Serdica J. of Computing* **10** No 3-4, (2016), 285-297.

- (63) **On the sharpness of Bruen's bound for intersection sets in Desarguesian affine spaces, Designs, Codes and Cryptography 72(2014), 551–558, DOI 10.1007/s10623-012-9783-2.** (with A. Rousseva)

IF:0.730

63.1. S. Ball, A p-adic condition on the weight of a codeword of a linear code, *Designs, Codes and Cryptography*, 72(1)(2014), 177-183.

63.2. Anurag Bishnoi, Simona Boyadzhiyska, Shagnik Das, Tamás Mészáros, Subspace coverings with multiplicities, *Combinatorics Probability and Computing* 32(5):782-795 (2023); DOI: 10.1017/S0963548323000123

- (64) **On the automorphism group of BIB(22,33,12,8,4) designs, Proceedings of the Second International Workshop on ACCT, Leningrad, September 1990, 133–136.** (with K. Manev)

64.1. St. Kapralov, On the 2-(22,8,4) and 2-(10,4,4) designs with an automorphism of order 2, *Mathematics and Education in Mathematics* 1992, 298-303. (in Bulgarian)

- (65) **On block designs with repeated blocks, Discrete Mathematics, 106/107, 1992, 317–328.**

65.1. S. Mandal, D. K. Ghosh, R. K. Sharma, S. C. Bagui, A complete class of balanced incomplete block designs $\beta(7, 35, 15, 3, 50)$, *Statistics & Probability Letters* **78**(2008), 3338–3343.

- (66) **A family of codes derived from finite affine spaces**, *Atti del Seminario Matematico e Fisico dell'Universita di Modena*, **XLII**, 1994, 455–466.

66.1. J.W.P. Hirschfeld, Projective geometries over finite fields, Oxford Univ. Press, 1998.

- (67) **Caps in $PG(5, 3)$ and $PG(6, 3)$** , *Proc. of the 7th International Workshop on ACCT, Bansko, 2000*, **65–67**. (with J. Barát, Y. Edel, R. Hill, C. Jones and L. Storme).

67.1. A. Davidov, S. Marcugini, F. Pambianco, Complete caps in projective spaces, $PG(n, q)$, *Journal of Geometry* 80(1-2)(2004), 23-30,
DOI: 10.1007/s00022-004-1778-3.

- (68) **Spreads in projective Hjelmslev geometries**, *Lecture Notes in Computer Science* **5527(2009)**, 186–194.

68.1. S. Boev, Arcs and blocking sets in projective Hjelmslev geometries, PhD Thesis, NBU, Sofia, 2010.

- (69) **On multiple caps in finite projective spaces**, *Designs Codes and Cryptography* **56(2010)**, 163–175. (with Y. Edel) IF:0.771

69.1. I. Bouyukliev, Y. Kageyama, T. Maruta, On the minimum length of linear codes over \mathbb{F}_5 , *Discrete Mathematics* **338(6)** (2015), 938–953.

- (70) **Characterization of some optimal arcs**, *Advances in Mathematics of Communications*, **5(2011)**, 317–332. (with A. Rousseva)

IF:0.544

70.1. I. Bouklev, Y. Kageyama, T. Maruta, On the Minimum Length of Linear Codes over \mathbb{F}_5 , *Discrete Math.* **338**(2015), 938–953.

- (71) **The Nonexistence of $(104,22;3,5)$ -Arcs**, *Advances in Mathematics of Communications* **10(3)(2016)**, 601–611. (with A. Rousseva)
 DOI:10.3934/amc2016029 IF:0.8
 71.1. K. Kumegava, T. Maruta, The Nonexistence of Some 4-dimensional Griesmer Codes over Finite Fields, *J. Alg. Comb. Discrete Structures and Applications* **5**(2018), 101-116.
- (72) **Ivan Landjev, Assia Rousseva, Divisible Arcs, Divisible Codes and the Extension Problem for Arcs and Codes**, *Problems of Information Transmission*, vol:55, issue:3, 2019, pages:226-240
 doi:10.1134/S0032946019030037, IF:0.557
 72.1. Olga Polverino, Paolo Santonastaso, John Sheekey and Ferdinando Zullo; Divisible linear rank metric codes; IEEE Transactions on Information Theory; Volume: 69, Issue: 7, July 2023;
 DOI: 10.1109/TIT.2023.3241780
- (73) **A stability result and a spectrum result on constant dimension codes**, *Linear Algebra and its Applications* **621(2021)**, 193–213.
<https://doi.org/10.1016/j.laa.2021.03.019>
 (with L. H. Lucas, L. Storme and P. Vandendriessche) IF:1.19
 73.1. Crnkovic, D., Svob, A. LCD subspace codes. Des. Codes Cryptogr. 91, 3215–3226 (2023).
<https://doi.org/10.1007/s10623-023-01251-3>
- (74) **Ivan Landjev, Assia Rousseva, Konstantin Vorobev, Constructions of Binary Codes with Two Distances**, *Discrete Mathematics*, vol. 346(6), 2023, 13337,
 doi:10.1016/j.disc.2023.113337 IF:0.8
 74.1. P. Boyvalenkov, K. Delchev, V. A. Zinoviev and D. V. Zinoviev, On Codes with Distances d and n ; January 2023, Problems of Information Transmission volume 58, pages 352-371 (2022);

DOI: 10.1134/S0032946022040068