

**Забелязани цитати на трудовете на
проф. дхн Иво Грабчев
без автоцитати на всички автори**

№	Статия	Бр. цитати на статия
1	Staneva, D.; Atanasova, D.; Angelova, D.; Grozdanov, P.; Nikolova, I.; Grabchev, I. Antimicrobial Properties of Chitosan-Modified Cotton Fabric Treated with Aldehydes and Zinc Oxide Particles. Materials, 2023, 16, 5090.	2
	Balogová, A., Bizubová, B., Kleščík, M., Zatroch, T. Field Study of Activity of Antimicrobial Polypropylene Textiles. (2023) <i>Fibers</i> , 11 (11), 97. DOI:10.3390/fib11110097	1
	Szadkowski, B., Śliwka-Kaszyńska, M. & Marzec, A. Bioactive and biodegradable cotton fabrics produced via synergic effect of plant extracts and essential oils in chitosan coating system. (2024) <i>Scientific Reports</i> , 14 (1), 8530. DOI:10.1038/s41598-024-59105-4	2
2	Said, A.I.; Staneva, D.; Grabchev, I. New Water-Soluble Poly(propylene imine) Dendrimer Modified with 4-Sulfo-1,8-naphthalimide Units: Sensing Properties and Logic Gates Mimicking. Sensors, 2023, 23, 5268. https://doi.org/10.3390/s23115268	1
	Mugundhan, S.L., Mohan, M. Nanoscale strides: exploring innovative therapies for breast cancer treatment. (2024) <i>RSC Advances</i> , 14, 14017. DOI:10.1039/D4RA02639J	1
3	Pragti, N., Singh, S., Sonawane, A., Grabchev, I., Ganguly, R., Mukhopadhyay, S. Studies on anticancer properties with varying co-ligands in a Ru(II) arene benzimidazole system. (2023) Dalton Transactions (Cambridge, England : 2003), 52(21):7104-7118. https://doi.org/10.1039/d3dt00528c	2
	Ugwu, D.I., Conradie, J. Anticancer properties of complexes derived from bidentate ligands. (2023) <i>Journal of Inorganic Biochemistry</i> , 246, 112268.	1
	D'Amato, A., Mariconda, A., Iacopetta, D., Ceramella, J., Catalano, A., Sinicropi, M.S., Longo, P. Complexes of Ruthenium(II) as Promising Dual-Active Agents against Cancer and Viral Infections. (2023) <i>Pharmaceuticals</i> , 16(12), 1729.	2
4	Georgieva, S.; Todorov, P.; Staneva, D.; Grozdanov, P.; Nikolova, I.; Grabchev, I. Metal–Peptide Complexes with Antimicrobial Potential for Cotton Fiber Protection. Journal of Functional Biomaterials, 2023, 14, 106. https://doi.org/10.3390/jfb14020106	2
	Han, Q., Xu, Y., Zhao, Q., Wang, S., Zhang, C., Zhang, Q., Wang, F., Bai, Y., Chen, Y. Quat/malonylurea-based N-chloramine silane crosslinked on cotton for bactericidal synergism. (2024) <i>Cellulose</i> . DOI: 10.1007/s10570-024-05923-8	1
	Marinova, P.; Tamahkyarova, K. Synthesis and Biological Activities of Some Metal Complexes of Peptides: A Review. (2024) <i>BioTech</i> , 13, 9. DOI:10.3390/biotech13020009	2
5	Adam, A. A., Refat, M. S., Gaber, A., Grabchev, I. Complexation of alkaline earth metals Mg²⁺, Ca²⁺, Sr²⁺ and Ba²⁺ with adrenaline hormone: synthesis, spectroscopic and antimicrobial analysis. 2023 Bull. Chem. Soc. Ethiop., 37(2), 357-372. https://doi.org/10.4314/bcse.v37i2.9	3

	Althubeiti, K. EXPLORING NOVEL CORAL REEF-LIKE RuO ₂ OXIDES: SYNTHESIS AND PHYSICOCHEMICAL CHARACTERIZATIONS OF GATIFLOXACIN-BASED Ru(III) COMPLEXES. (2023) Bulletin of the Chemical Society of Ethiopia, 37(6), pp. 1443-1457.	1
	Alosaimi, E.H. SYNTHESIS, SPECTROSCOPIC, BIOLOGICAL AND STRUCTURAL CHARACTERIZATIONS FOR THE GOLD(III), PLATINUM(IV), AND RUTHENIUM(III) CEFTRIAXONE DRUG COMPLEXES. (2024) Bulletin of the Chemical Society of Ethiopia, 38(4), pp. 937-948.	2
	Khedr, A.M., Mandour, H.S.A., Wahdan, K.M., El-Ghamry, H.A. New nanometric metal complexes based on thiazole derivative as potential antitumor and antimicrobial agents: Full structural elucidation, docking simulation and biological activity studies. (2024) Journal of Molecular Liquids, 401, 124665.	3
6	Said, A.I.; Staneva, D.; Angelova, S.; Grabchev, I. Self-Associated 1,8-Naphthalimide as a Selective Fluorescent Chemosensor for Detection of High pH in Aqueous Solutions and Their Hg²⁺ Contamination. Sensors, 2023, 23, 399. https://doi.org/10.3390/s23010399	4
	Musikavanhu, B., Pan, T., Ma, Q., Liang, Y., Xue, Z., Feng, L., Zhao, L. Dual detection of Hg ²⁺ and Pb ²⁺ by a coumarin-functionalized Schiff base in environmental and biosystems. (2024) Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 313, 124101. DOI:10.1016/j.saa.2024.124101.	1
	Mutovska, M., Simeonova, N., Stoyanov, S., Zagranyski, Y., Stanchovska, S., Marinova, D. Naphthalene Monoimides with Peri-Annulated Disulfide Bridge—Synthesis and Electrochemical Redox Activity. (2023) Materials, 16(23), 7471. DOI:10.3390/ma16237471	2
	Li, H., Chen, Z., Chen, Z., Qiu, Q., Zhang, Y., Chen, S., Wang, Z. Research Progress in Mercury Ion Fluorescence Probes Based on Organic Small Molecules. (2023) Chinese Journal of Organic Chemistry, 43 (9), pp. 3067-3077. DOI: 10.6023/cjoc202303041	3
	Kumar, A., Recent Development in Fluorescent Probes for the Detection of Hg ²⁺ Ions. (2023) Critical Reviews in Analytical Chemistry, pp. 1-44. DOI: 10.1080/10408347.2023.2238066	4
7	Said, A.I.; Staneva, D.; Angelova, S.; Grabchev, I. A multi-channel rhodamine-pyrazole based chemosensor for sensing pH, Cu²⁺, CN⁻ and Ba²⁺ and its function as a digital comparator. Journal of Photochemistry and Photobiology A: Chemistry, 2022, Volume 433, 114218. https://doi.org/10.1016/j.jphotochem.2022.114218.	7
	Turhan, O., Yaman, M., Dikmen, G., Nural, Y., Sarıboyacı, A.E., Tasa, B.A., Soykan, M.N., Seferoğlu, Z. Novel fluorescent sensors based on coumarin-hydrazide-hydrazone hybrid for the detection of CN ⁻ , Co ²⁺ and Ni ²⁺ ions: DFT and bioimaging in living cells. (2023) Journal of Molecular Liquids, 392, art. no. 123440. DOI: 10.1016/j.molliq.2023.123440	1
	Sami, A.J., Bilal, S., Ahsan, N.-U.-A., Hameed, N., Saleem, S. Rhodamine B functionalized silver nanoparticles paper discs as turn-on fluorescence sensor, coupled with a smartphone for the detection of microbial contamination in drinking water. (2023) Environmental Monitoring and Assessment, 195 (12), art. no. 1442. DOI: 10.1007/s10661-023-12077-w	2
	Shepelenko, E.N., Podshibyakin, V.A., Dubonosova, I.V., Karlutova, O.Y., Dubonosov, A.D., Bren, V.A. Rhodamine 6G-Based Molecular Ion-Active Switches of Optical and Fluorescent Properties. (2023) Russian Journal of General Chemistry, 93 (8), pp. 1989-1997. DOI: 0.1134/S1070363223080078	3
	Li, S., Zhao, B., Kan, W., Song, T., Zheng, W., Qi, X., Wang, L., Song, B. A fluorescent covalent organic framework with a brick-wall topology for the detection of Cu ²⁺ promoted by the associated mechanism. (2023) Dyes and Pigments, 214, art. no. 111178. DOI: 10.1016/j.dyepig.2023.111178	4
	Gond, S., Yadav, P., Singh, A., Garai, S., Shekher, A., Gupta, S.C., Singh, V.P. A colorimetric and 'OFF-ON' fluorometric chemosensor based on a rhodamine-pyrazole derivative for the detection of Al ³⁺ , Fe ³⁺ and Cr ³⁺ metal ions, and its intracellular application. (2023) Organic and Biomolecular Chemistry, 21 (21), pp. 4482-4490. DOI: 10.1039/d3ob00434a	5

	Chan, W.C., Ng, M.P., Tan, C.H., Ang, C.W., Sim, K.S., Tiong, S.Y.X., Pungut, N.A.S., Ng, C.H., Tan, K.W. A new lipophilic cationic rhodamine-based chemosensor for detection of Al(III)/Cu(II) and intracellular pH change and its application as a smartphone-assisted sensor in water sample analysis. (2023) Journal of Photochemistry and Photobiology A: Chemistry, 436, art. no. 114382. DOI: 10.1016/j.jphotochem.2022.114382	6
	Liu, G.H., Chen, R., Yang, R.W., Li, X.X. Wen-Kui Dong, A novel naphthalimide-appended salamo-type fluorescent sensor for continuous “on-off-on” detection of Cu ²⁺ and CN ⁻ ions, sensing mechanisms and applications. Journal of Molecular Structure, Volume 1309, 2024, 138180, ISSN 0022-2860. DOI:10.1016/j.molstruc.2024.138180	7
8	Atanasova, D.; Irikova, M.; Staneva, D.; Grabchev, I. Design of a Composite Based on Polyamide Fabric-Hydrogel-Zinc Oxide Particles to Act as Adsorbent and Photocatalyst. Materials, 2022, 15, 6649. https://doi.org/10.3390/ma15196649	1
	Fu, J., Leo, C. P., & Chang, C. K. Nutrient recovery and pollutant removal using carboxymethyl cellulose/microfibrillated cellulose hydrogel: Templating effects of CaCO ₃ nanoparticles. (2024) Journal of Water Process Engineering, 58, 104869. DOI: 10.1016/j.jwpe.2024.104869	1
9	Staneva, D.; Manov, H.; Vasileva-Tonkova, E.; Kukeva, R.; Stoyanova, R.; Grabchev, I. Enhancing the antibacterial activity of PAMAM dendrimer modified with 1,8-naphthalimides and its copper complex via light illumination. Polymers for Advanced Technologies, 2022, (10) 3163-3172. https://doi.org/10.1002/pat.5768	4
	Hu, X., Shou, B., Yang, L., Li, L., Ren, H.-T., Lin, J.-H., Lou, C.-W., Li, T.-T. Antimicrobial photodynamic therapy encapsulation technology: Frontier exploration and application prospects of novel antimicrobial technology. (2023) Chemical Engineering Journal, 477, art. no. 146773. DOI: 10.1016/j.cej.2023.146773	1
	Lelouche, S.N.K., Albentosa-González, L., Clemente-Casares, P., Biglione, C., Rodríguez-Diéguez, A., Tolosa Barrilero, J., García-Martínez, J.C., Horcajada, P. Antibacterial Cu or Zn-MOFs Based on the 1,3,5-Tris-(styryl)benzene Tricarboxylate. (2023) Nanomaterials, 13 (16), art. no. 2294. DOI: 10.3390/nano13162294	2
	Luo, F., Luo, X., Wang, L., Qu, Y., Yin, X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms. (2023) Current Organic Chemistry, 27 (13), pp. 1164-1178. DOI: 10.2174/1385272827666230911115827	3
	Abd-El-Aziz A., Ahmed S.A., Zhang X., Ma N., Abd-El-Aziz A.S. Macromolecules incorporating transition metals in the treatment and detection of cancer and infectious diseases: Progress over the last decade (2024) Coordination Chemistry Reviews, 510, art. no. 215732, DOI: 10.1016/j.ccr.2024.215732	4
10	Staneva, D.; Said, A.I.; Vasileva-Tonkova, E.; Grabchev, I. Enhanced Photodynamic Efficacy Using 1,8-Naphthalimides: Potential Application in Antibacterial Photodynamic Therapy. Molecules, 2022, 27, 18, 5743. https://doi.org/10.3390/molecules27185743	2
	Bagherzadeh, N., Reza Sardarian, A. Green approach to new library of 1,8-naphthalimide fluorophores employing C-C and C-N cross coupling reactions by novel, durable, and reusable magnetic nanocatalyst bearing nickel (0) complex of 1,10-phenanthroline. (2024) Journal of Photochemistry and Photobiology A: Chemistry, 449, art. no. 115345, . DOI: 10.1016/j.jphotochem.2023.115345	1
	Shi, Y., Xu, H., He, Y., Tang, X., Tian, H., Liang, J. Antibacterial Mesoporous Silica Granules Containing a Stable N-Halamine Moiety. (2023) ACS Omega, 8 (24), pp. 21410-21417. DOI: 10.1021/acsomega.2c04079	2
11	Manov, H.; Staneva, D.; Vasileva-Tonkova, E.; Kukeva, R.; Stoyanov S.; Grabchev. I.; Alexandrova, R.; Stoyanova, R. A new Cu(II) complex of pamam dendrimer modified with 1,8-naphthalimide: Antibacterial and anticancer activity. Biointerface Research in Applied Chemistry, 2022, (4) 5534-5547. https://doi.org/10.33263/BRIAC124.55345547	3

	Arhouma, Z., Murakami, H.A., Koehn, J.T., Li, X., Roess, D.A., Crick, D.C., Crans, D.C. Exploring Growth of Mycobacterium smegmatis Treated with Anticarcinogenic Vanadium Compounds. (2022) Inorganics, 10, (4), art. no. 50. DOI: 10.3390/inorganics10040050	1
	Luo, F., Luo, X., Wang, L., Qu, Y., Yin, X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms. (2023) Current Organic Chemistry, 27 (13), pp. 1164-1178. DOI: 10.2174/1385272827666230911115827	2
	Sendh, J., Baruah, J.B. Naphthalimide decorated copper(II), cobalt(II) dicarboxylates and tricking turn-ON emission. (2024) Polyhedron, 249, 116792. DOI: 10.1016/j.poly.2023.116792	3
12	Todorov, P.; Georgieva, S.; Staneva, D.; Peneva, P.; Grozdanov, P.; Nikolova, I.; Vasileva-Tonkova, E.; Grabchev, I. Study of Novel Peptides for Antimicrobial Protection in Solution and on Cotton Fabric. Molecules, 2022, 27, (15), 4770. PMID: 35897948; PMCID: PMC9332204. https://doi.org/10.3390/molecules27154770	1
	Mouro, C., Palmeria-de-Oliveira, A., Gomes, A. P., & Cristina Gouveia, I. Anti-candidiasis functional material for women's cotton undergarments. (2024) Textile Research Journal, 00405175241243008. DOI: 10.1177/00405175241243008	1
13	Kundu, B.K.; Upadhyay, S.N.; Sinha, N.; Ganguly, R.; Grabchev, I.; Pakhira, S.; Mukhopadhyay, S. Pyrene-based fluorescent Ru (II)-arene complexes for significant biological applications: Catalytic potential, DNA/protein binding, two photon cell imaging and in vitro cytotoxicity. 2022 Dalton Transactions, 51, 3937–3953. https://doi.org/10.1039/d1dt04093f	14
	Arunachalam, A., Rengan, R., Umapathy, D., Arockiam, A.J.V. Impact of Biphenyl Benzhydrazone-Incorporated Arene Ru(II) Complexes on Cytotoxicity and the Cancer Cell Death Mechanism. (2022) Organometallics, 41(17), pp. 2474-2486.	1
	Abbas, A.M., Aboelmagd, A., Kishk, S.M., (...), Kalil, H., Orabi, A.S. A Novel Ibuprofen Derivative and Its Complexes: Physicochemical Characterization, DFT Modeling, Docking, In Vitro Anti-Inflammatory Studies, and DNA Interaction. (2022) Molecules, 27(21),7540.	2
	Ma, X.-Y., Zhao, J.-F., Ruan, Y., Zhang, W.-M., Zhang, L.-Q., Cai, Z.-D., Xu, H.-Q. ML216-Induced BLM Helicase Inhibition Sensitizes PCa Cells to the DNA-Crosslinking Agent Cisplatin. (2022) Molecules, 27(24),8790.	3
	Zhang, L., Humphrey, M.G. Multiphoton absorption at metal alkynyl complexes. (2022) Coordination Chemistry Reviews, 473, 214820.	4
	Wu, B., Gan, Z., Tao, S., (...), Zhong, H., Hu, F. Dextran-Cholesterol Carrier Encapsulated Efficient Photosensitizer for the Photodynamic Killing of Cancer Cells. (2023) Molecules, 28(11), 4404.	5
	Guan, X.-F., Zhao, C.-Y., Zhang, Y.-X., (...), Shi, Y., Wang, W.-M. Crystal structure, fluorescence, magnetic properties and DNA interaction of four novel binuclear LnIII2 compounds with Schiff ligand. (2023) Journal of Molecular Structure, 1282, 135207.	6
	Prasad, H.S.N., Gaonkar, N.P., Ananda, A.P., (...), Sridhar, M.A., Mallu, P. Antibacterial Property of Schiff-based Piperazine against MRSA: Design, Synthesis, Molecular Docking, and DFT Computational Studies. (2023) Letters in Applied NanoBioScience, 12(2), 54.	7
	Opačak, S., Pernar Kovač, M., Brozovic, A., Piantanida, I., Kirin, S.I. Turn-on fluorescence of ruthenium pyrene complexes in response to bovine serum albumin. (2023) Dalton Transactions, 52(33), pp. 11698-11704.	8

	Arabpour Shiraz, Z., Sohrabi, N., Eslami Moghadam, M., Oftadeh, M. Spectroscopic study and molecular simulation: Bovine serum albumin binding with anticancer Pt complex of amyl dithiocarbamate ligand. (2023) Heliyon, 9(9), e20090.	9
	Swaminathan, S., Deepak, R.J., Karvembu, R. Interweaving catalysis and cancer using Ru- and Os-arene complexes to alter cellular redox state: A structure-activity relationship (SAR) review. (2023) Coordination Chemistry Reviews, 491, 215230.	10
	Wang, Z.-F., Huang, X.-Q., Wu, R.-C., Xiao, Y., Zhang, S.-H. Antitumor studies evaluation of triphenylphosphine ruthenium complexes with 5,7-dihalo-substituted-8-quinolinoline targeting mitophagy pathways. (2023) Journal of Inorganic Biochemistry, 248, 112361.	11
	Sumithaa, C., Gajda-Morszewski, P., Ishaniya, W., (...), Mazuryk, O., Ganeshpandian, M. Design of an anticancer organoruthenium complex as the guest and polydiacetylene-coated fluorogenic nanocarrier as the host: engineering nanocarrier using ene-yne conjugation for sustained guest release, enhanced anticancer activity and reduced in vivo toxicity. (2023) Dalton Transactions, 53(3), pp. 966-985.	12
	Blázquez-Tapias, B., Halder, S., Mendiola, M.A., (...), Jana, K., López-Torres, E. New Tin (IV) and Organotin (IV) Complexes with a Hybrid Thiosemicarbazone/Hydrazone Ligand: Synthesis, Crystal Structure, and Antiproliferative Activity. (2024) Bioinorganic Chemistry and Applications, 2024, 1018375.	13
	Zheng, M., Lin, X., Xiong, K., (...), Ji, L., Chao, H. A hetero-bimetallic Ru(II)-Ir(III) photosensitizer for effective cancer photodynamic therapy under hypoxia. (2024) Chemical Communications, 60(20), pp. 2776-2779.	14
14	Canonico, B.; Cangiotti, M.; Montanari, M.; Papa, S.; Fusi, V.; Giorgi, L.; Ciacci, C.; Ottaviani, M.F.; Staneva, D.; Grabchev, I. Characterization of a fluorescent 1,8-naphthalimide-functionalized PAMAM dendrimer and its Cu(II) complexes as cytotoxic drugs: EPR and biological studies in myeloid tumor cells. Biological Chemistry, 2022, 403, 345–360. https://doi.org/10.1515/hsz-2021-0388	4
	Priel, S. The Spicy Science of Dendrimers in the Realm of Cancer Nanomedicine: A Report from the COST Action CA17140 Nano2Clinic (2023) Pharmaceutics, 15 (7), 2013, . DOI: 10.3390/pharmaceutics15072013	1
	Luo, F., Luo, X., Wang, L., Qu, Y., Yin, X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms. (2023) Current Organic Chemistry, 27 (13), pp. 1164-1178. DOI: 10.2174/1385272827666230911115827	2
	Sendh, J., Baruah, J.B. Naphthalimide decorated copper(II), cobalt(II) dicarboxylates and tricking turn-ON emission. (2024) Polyhedron, 249, 116792. DOI: 10.1016/j.poly.2023.116792	3
	Shcharbin, D., Zhogla, V., Abashkin, V., Gao, Y., Majoral, J.P., Mignani, S., Shen, M., Bryszewska, M., Shi, X. Recent advances in multifunctional dendrimer-based complexes for cancer treatment. (2024) Wiley Interdiscip Rev Nanomed Nanobiotechnol, 16(2):e1951. DOI: 10.1002/wnan.1951. PMID: 38456205	4
15	Staneva, D.; Atanasova, D.; Nenova, A.; Vasileva-Tonkova, E.; Grabchev, I. Cotton fabric modified with a pamam dendrimer with encapsulated copper nanoparticles: Antimicrobial activity. Materials, 2021, 14, 7832. https://doi.org/10.3390/ma14247832	8
	Mercier, G.M., Cheyns, K., Nkanda, R., Machiels, R., Dewinne, A., Waegeneers, N., Mast, J. Grijalva DM Acid digestion of nonwoven textiles for measuring their trace element content by ICP techniques. (2022) Research Square. DOI: 10.21203/rs.3.pex-1924/v1	1
	Prorokova, N.P., Odintsova, O.I., Rumyantseva, V.E., Rumyantsev, E.V., Konovalova, V.S. Giving Improved and New Properties to Fibrous Materials by Surface Modification. (2023) Coatings, 13, 139. DOI: 10.3390/coatings13010139	2

	Kharangate, K., Shende, P., Integration of Hybrid Dendrimers and Their Generations for Modulated Spatio-Temporal Action. (2023) Particle & Particle Systems Characterization, 40, 2200193. DOI: 10.1002/ppsc.202200193	3
	Saeed, S.E.-S., Alomari, B.A., Abd El-Hady, M.M., Al-Hakimi, A.N. Novel Pyrimidinethione Hydrazone Divalent and Trivalent Metal Complexes for Improved High-Performance Antimicrobial and Durable UV Blocking Cellulosic Fabric. (2023) Inorganics, 11 (6), 231. DOI: 10.3390/inorganics11060231	4
	Luo, F., Luo, X., Wang, L., Qu, Y., Yin, X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164-1178. DOI: 10.2174/138527282766623091115827	5
	Abd-El-Aziz, A.S., Youssef, A.M. and Abd-El-Aziz, A., Transition Metal-containing Dendrimers in Biomedicine: Current Trends. (2023) The Royal Society of Chemistry, pp. 1-29, Hardback ISBN: 978-1-83916-944-1. DOI: 10.1039/9781837671441	6
	Li, T., Shou, B., Yang, L., Ren, H., Hu, X., Lin, J., Cai, T., Lou, C. Modification of traditional composite nonwovens with stable storage of light absorption transients and photodynamic antibacterial effect. (2024) Photochemistry and Photobiology, php.13924. DOI: 10.1111/php.13924	7
	Nazri, N. N. I. M., Muhammad, Z. Z., Usoff, M. F. M., Rahim, N. H. Z. A., Abd Fatah, F., Jamhari, M. B., Razi, A., Yusuf, A. EFFICACY TESTING ANALYSIS OF ANTIMICROBIAL TREATMENTS ON DIFFERENT MILITARY FABRIC MATERIALS. (2024) OF MANUSCRIPT, 1. eISSN 3009-1896	8
16	Todorov P., Georgieva S., Staneva D., Peneva P., Grozdanov P., Nikolova I., Grabchev I. Synthesis of new modified with rhodamine b peptides for antiviral protection of textile materials. 2021, Molecules, 26, 6608. https://doi.org/10.3390/molecules26216608	3
	Darole, R.S., Bagad, P.K., Gonnade, R.G., Alagarasu, K., Puneekar, M., Shukla, S., Parashar, D., Senthikumar, B. Synthesis of novel rhodamine type Anthrone Spiro-lactam (ASL) analogues and evaluation of antiviral activity against dengue and chikungunya viruses. (2023) European Journal of Medicinal Chemistry, 261, 115849. DOI: 10.1016/j.ejmech.2023.115849	1
	Mammadova, N.O., Musaeva, V.G., Neimatova, Jafarova, Y.U.V. KNOWLEDGE-INTENSIVE TECHNOLOGIES TO IMPROVE THE PERFORMANCE OF TEXTILE MATERIALS IN OUTERWEAR [УЛУЧШЕНИЕ ЭФФЕКТИВНОСТИ ТЕКСТИЛЬНЫХ МАТЕРИАЛОВ В ВЕРХНЕЙ ОДЕЖДЕ С ИСПОЛЬЗОВАНИЕМ НАУКОЕМКИХ ТЕХНОЛОГИЙ]. (2023) Izvestiya Vysshikh Uchebnykh Zavedenii, Seriya Tekhnologiya Tekstil'noi Promyshlennosti, (1), pp. 5-11. DOI: 10.47367/0021-3497_2023_1_5	2
	Battula, H., Reddy Bollareddy, S., Vamsi Krishna Venuganti, V., Jayanty, S. Rhodamine B Amide Derivatives with Anticancer Activity and Fluorescence Properties for Potential Theranostic Applications. (2024) ChemistrySelect, 9 (1), e202302367, .DOI: 10.1002/slct.202302367	3
17	Manov, H., Staneva, D., Vasileva-Tonkova, E., Grozdanov, P., Nikolova, I., Stoyanov, S., Grabchev, I. Photosensitive dendrimers as a good alternative to antimicrobial photodynamic therapy of Gram-negative bacteria. 2021, Journal of Photochemistry and Photobiology A: Chemistry, 419, 113480. ISSN 1010-6030. https://doi.org/10.1016/j.jphotochem.2021.113480	3
	Skrzyniarz, K., Kuc-Ciepluch, D., Lasak, M., Arabski, M., Sanchez-Nieves, J., Ciepluch, K. Dendritic systems for bacterial outer membrane disruption as a method of overcoming bacterial multidrug resistance. (2023) Biomaterials Science, 11 (19), pp. 6421-6435. DOI: 10.1039/d3bm01255g	1
	Kolarikova, M., Hosikova, B., Dilenko, H., Barton-Tomankova, K., Valkova, L., Bajgar, R., Malina, L., Kolarova, H. Photodynamic therapy: Innovative approaches for antibacterial and anticancer treatments. (2023) Medicinal Research Reviews, 43 (4), pp. 717-774. DOI: 10.1002/med.21935	2

	Luo, F., Luo, X., Wang, L., Qu, Y., Yin, X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms. (2023) <i>Current Organic Chemistry</i> , 27 (13), pp. 1164-1178. DOI: 10.2174/1385272827666230911115827	3
18	Dodangeh M, Grabchev I, Staneva D, Gharanjig K. 1, 8-Naphthalimide Derivatives as Dyes for Textile and Polymeric Materials: A Review. <i>Fibers and Polymers</i>. 2021, 22(9), 2368-79.	3
	Gao R, Li L, Liu X, Kan C. Synthesis and characterization of novel reactive 1,8-naphthalimide-based fluorescent molecules. <i>Materials Letters</i> . 2022, 9:132041.	1
	Zhang, H., Shi, P., Lv, Y., Sun, H., Wang, G. Observable color change of Cu ₂ O-Mo-Zr composite films based on rapid oxidation at room temperature and thin film interference behavior. (2023) <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 41 (5), 053408. DOI: 10.1116/6.0002774	2
	Wu, H., Ma, X., Gao, A., Cao, X. Regulation of the supramolecular self-assembly process by the number of 1, 8-naphthalimide groups in the gelator. (2023) <i>ChemistrySelect</i> , 8 (31), e202301850. DOI: 10.1002/slct.202301850	3
19	Toteva, V., Staneva, D., Grabchev, I. Pollutants sorbent made of cotton fabric modified with chitosan-glutaraldehyde and zinc oxide particles. 2021, <i>Materials</i>, 14, 3242. https://doi.org/10.3390/ma14123242	3
	Tănase, M.A., Soare, A.C., Oancea, P., Răducan, A., Mihăescu, C.I., Alexandrescu, E., Petcu, C., Dițu, L.M., Ferbințeanu, M., Cojocaru, B., Cinteza, L.O. Facile in situ synthesis of zno flower-like hierarchical nanostructures by the microwave irradiation method for multifunctional textile coatings. (2021) <i>Nanomaterials</i> , 11 (10), art. no. 2574. DOI: 10.3390/nano11102574	1
	Ababneh, H., Hameed, B.H. Chitosan and chitosan composites for oil spills treatment: Review of recent literature. (2023) <i>Journal of Water Process Engineering</i> , 55, 104193. DOI: 10.1016/j.jwpe.2023.104193	2
	Zaarour, B., Liu, W. Recent advances of textile sorbents for oil spills cleanup: A review. (2023) <i>Journal of Industrial Textiles</i> , 53. DOI: 10.1177/1528083723118665	3
20	Atanasova, D., Staneva, D., Grabchev, I. Textile with a hydrogel and iron oxide nanoparticles for wastewater treatment after reactive dyeing. 2021, <i>Journal of Applied Polymer Science</i>, 138(10), 49954. https://doi.org/10.1002/app.49954	5
	Pars, A. (2021). <i>Tekstil Kültürel Mirasının Restorasyonunda Tahribatsız ve Mikro Yöntemlerin Kullanılması ve Yöntem Geliştirilmesi</i> (Doctoral dissertation, Marmara Üniversitesi (Turkey)). Дисертация	1
	Zhang, L., Sun, L., Su, T., Chen, T., Hu, L., He, F., Xu, H. Graphene-based hydrogel with embedded gold nanoparticles as a recyclable catalyst for the degradation of 4-nitrophenol. (2022) <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 640, 128410. DOI: 10.1016/j.colsurfa.2022.128410	2
	Tran Khac, K., Hoang Phu, H., Tran Thi, H., Dinh Thuy, V., Do Thi, H. Biosynthesis of silver nanoparticles using tea leaf extract (camellia sinensis) for photocatalyst and antibacterial effect. (2023) <i>Heliyon</i> , 9 (10), e20707. DOI: 10.1016/j.heliyon.2023.e20707	3
	Indrie, L., Gherghel, S., McNeil, S. <i>Nanomaterials in Textiles: Performance, Health, and Environmental Aspects</i> . (2023) <i>Handbook of: Nanofibers and Nanocomposites: Characteristics, Synthesis, and Applications in Textiles</i> , pp. 169 – 191. Jenny Stanford Publishing. DOI: 10.1201/9781003432746-6 глава от книга	4

	Yusuf, M., & Haji, A. (2023). Handbook of Nanofibers and Nanocomposites: Characteristics, Synthesis, and Applications in Textiles. ISBN 978-981-4968-77-5. DOI: 10.1201/9781003432746 нарѣчник	5
21	Atanasova D., Staneva D., Grabchev I., Textile materials modified with stimuli-responsive drug carrier for skin topical and transdermal delivery, 2021, Materials, (4) 1-18	19
	Yu, Z., Meng, X., Zhang, S., Chen, Y., Zhang, Z., Zhang, Y. Recent Progress in Transdermal Nanocarriers and Their Surface Modifications. (2021) Molecules, 26, 3093. DOI: 10.3390/molecules26113093	1
	Chatterjee, S., Hui, P.C.-L. Review of Applications and Future Prospects of Stimuli-Responsive Hydrogel Based on Thermo-Responsive Biopolymers in Drug Delivery Systems. (2021) Polymers, 13, 2086. DOI: 10.3390/polym13132086	2
	EL-Ghoul, Y., Alminderej, F.M., Alsubaie, F.M., Alrasheed, R., Almousa, N.H. Recent Advances in Functional Polymer Materials for Energy, Water, and Biomedical Applications: A Review. (2021) Polymers, 13, 4327. DOI: 10.3390/polym13244327	3
	Ahmed, F., Nuruzzaman, M., Mondal, M.I.H. Photo-responsive hydrogel-treated fabrics for smart drug delivery systems. (2022) Medical Textiles from Natural Resources, pp. 315-338. DOI: 10.1016/B978-0-323-90479-7.00024-5 глава от книга	4
	Mehata, A.K., Dehari, D., Vikas, Priya, V., Muthu, M.S. Drug-releasing textile materials: current developments and future perspectives. (2022) Fiber and Textile Engineering in Drug Delivery Systems, pp. 1-38. DOI: 10.1016/B978-0-323-96117-2.00001-7 глава от книга	5
	Rodríguez-Rodríguez, R., Espinosa-Andrews, H., García-Carvajal, Z.Y. (2022) Stimuli-Responsive Hydrogels in Drug Delivery. In: Jana, S., Jana, S. (eds) Functional Biomaterials. Springer, Singapore. DOI: 10.1007/978-981-16-7152-4_3 глава от книга	6
	Vasnev, V.A., Markova, G.D., Istratov, V.V., Baranov, O.V. Hydrophilic Modified Siloxane Coatings. (2022) Polymer Science - Series B, 64 (2), pp. 137-141. DOI: 10.1134/S1560090422020099	7
	Kondiah, P.P.D., Rants'o, T.A., Mdanda, S., Mohlomi, L.M., Choonara, Y.E. A Poly (Caprolactone)-Cellulose Nanocomposite Hydrogel for Transdermal Delivery of Hydrocortisone in Treating Psoriasis Vulgaris. (2022) Polymers, 14 (13), 2633. DOI: 10.3390/polym14132633	8
	Gulati, R., Sharma, S., Sharma, R.K. Antimicrobial textile: recent developments and functional perspective, (2022) Polymer Bulletin, 79 (8), pp. 5747-5771. DOI: 10.1007/s00289-021-03826-3	9
	Aegerter, N., Luijten, A., Massella, D., Ermanni, P. Production of highly concentrated commodity thermoplastic NP suspensions with 3D printed confined impinging jet mixers and efficient downstream operations. (2022) Powder Technology, 410, 117835. DOI: 10.1016/j.powtec.2022.117835	10
	Kumar, P., Ashawat, M.S., Pandit, V., Verma, C.P.S., Ankalgi, A.D., Kumar, M. Recent Trends in Nanocarriers for the Management of Atopic Dermatitis. (2023) Pharmaceutical Nanotechnology, 11 (5), pp. 397-409. DOI: 10.2174/2211738511666230330115229	11
	Basak, S., Laha, A. Stimuli-responsive smart and functional textiles. (2023) Smart and Functional Textiles, pp. 355-373. DOI: 10.1515/9783110759747-009 глава от книга	12

	Doser, M. Particles for medical textiles. (2023) Particle Technology and Textiles: Review of Applications, pp. 275-285. DOI: 10.1515/9783110670776-013 глава от книга	13
	Chakraborty, G., Meher, M., Dash, S., Rout, R.N., Pradhan, S., Sahoo, D. Strategies for Targeted Delivery via Structurally Variant Polymeric Nanocarriers. (2023) ChemistrySelect, 8 (29), e202301626. DOI: 10.1002/slct.202301626	14
	Peng, Y., Min, Y., Dang, W., Shi, H., Liu, Z. Multi-Parameter Analysis of Textile Materials. (2024) Textile & Leather Review, 7, 203–221. DOI: 10.31881/TLR.2023.146	15
	Sahay, S. S., Sharma, P., Dave, V., Nanotechnology and Biomaterials for Hygiene and Healthcare Textiles. (2024) Nanotechnology Based Advanced Medical Textiles and Biotextiles for Healthcare, pp. 43-72. DOI: 10.1201/9781003331612-4 глава от книга	16
	Cao, Z., Pang, Y., Pu, J. and Liu, J. Bacteria-based drug delivery for treating non-oncological diseases. (2024) Journal of Controlled Release, 366, pp.668-683. DOI: 10.1016/j.jconrel.2024.01.020	17
	Basak, S., Laha, A., Ghosh, S. Stimuli responsive textiles. (2024) Asian Dyer, 21(1), pp. 51-55.	18
	Röthlisberger, M., Dul, S., Meier, P., Giovannini, G., Hufenus, R., Perret, E. Drug delivery with melt-spun liquid-core fibers. (2024) Polymer, 298, 126885. DOI: 10.1016/j.polymer.2024.126885	19
22	M. Cangiotti, D. Staneva, M. F. Ottaviani, E. Vasileva-Tonkova, I. Grabchev, Synthesis and characterization of fluorescent PAMAM dendrimer modified with 1,8-naphthalimide units and its Cu(II) complex designed for specific biomedical application, Journal of Photochemistry and Photobiology A: Chemistry, 415, 2021, 113312	1
	Si-Hui Tan, Zhao-Hui Chen, Huan Luo, Ting Liu, Guo-Qing Zhong, Synthesis, crystal structure and photocatalytic properties of two bismuth(III) complexes with different N-containing heterocycles, Polyhedron, 2022, 218, 115768	1
23	Jaber, S.; Iliev, I.; Angelova, T.; Nemska, V.; Sulikovska, I.; Naydenova, E.; Georgieva, N.; Givechev, I.; Grabchev, I.; Danalev, D. Synthesis, Antitumor and Antibacterial Studies of New Shortened Analogues of (KLAKLAK)2-NH2 and Their Conjugates Containing Unnatural Amino Acids. Molecules 2021, 26, 898. https://doi.org/10.3390/molecules26040898	7
	Abd El-Meguid, E.A., Naglah, A.M., Moustafa, G.O., Awad, H.M., El Kerdawy, A.M. Novel benzothiazole-based dual VEGFR-2/EGFR inhibitors targeting breast and liver cancers: Synthesis, cytotoxic activity, QSAR and molecular docking studies. (2022) Bioorganic and Medicinal Chemistry Letters, 58, 128529.	1
	Babawale, F., Murugesan, K., Narobe, R., König, B. Synthesis of Unnatural α -Amino Acid Derivatives via Photoredox Activation of Inert C(sp ³)-H Bonds. (2022) Organic Letters, 24(26), pp. 4793-4797.	2
	Tripathi, A.K., Vishwanatha, J.K. Role of Anti-Cancer Peptides as Immunomodulatory Agents: Potential and Design Strategy. (2022) Pharmaceuticals, 14(12), 2686.	3
	Liao, F., Chen, Y., Shu, A., (...), Shaw, C., Wang, L. A Novel Strategy for the Design of Aurein 1.2 Analogs with Enhanced Bioactivities by Conjunction of Cell-Penetrating Regions. (2023) Antibiotics, 12(2), 412.	4

	Gattu, R., Ramesh, S.S., Nadigar, S., D, C.G., Ramesh, S. Conjugation as a Tool in Therapeutics: Role of Amino Acids/Peptides-Bioactive (Including Heterocycles) Hybrid Molecules in Treating Infectious Diseases. (2023) <i>Antibiotics</i> , 12(3), 532.	5
	Ye, J.-C., Li, W.-Q., Chen, M.-L., (...), Zeng, M.-S., Feng, G.-K. Targeted Therapy of Central Nervous System Acute Lymphoblastic Leukemia with an Integrin $\alpha 6$ -Targeted Self-Assembling Proapoptotic Nanopeptide. (2024) <i>Engineering</i> , Article in Press	6
	Ouyang, K., Chen, T., Sun, R., (...), Liu, Q., Wei, L. Effects of dietary cecropin on growth performance, diarrhea rate and intestinal health of nursery Hainan pigs. (2024) <i>Frontiers in Microbiology</i> , 15, 1298703.	7
24	Adam A.M.A., Altalhi T.A., El-Megharbel S.M., Saad H.A., Refat M.S., Grabchev I., Althobaiti R.A. Detection of environmental pollutants heavy metal ions based on the complexation with fluorescent dyes: Reaction of 2-(2'-hydroxyphenyl)-5-amino-benzotriazole with the Sn²⁺, Hg²⁺, and Pb²⁺ ions. 2021 <i>Inorganic Chemistry Communications</i>, 124, art. no. 108408. https://doi.org/10.1016/j.inoche.2020.108408	16
	Younis, A.M., El-Gamil, M.M., Rakha, T.H., Abu El-Reash, G.M. Iron(III), copper(II), cadmium(II), and mercury(II) complexes of isatin carbohydrazone Schiff base ligand (H3L): Synthesis, characterization, X-ray diffraction, cyclic voltammetry, fluorescence, density functional theory, biological activity, and molecular docking studies. (2021) <i>Applied Organometallic Chemistry</i> , 35(7), e6250.	1
	Keskin, B., Zeytuncu-Gökoğlu, B., Koyuncu, I. Polymer inclusion membrane applications for transport of metal ions: A critical review. (2021) <i>Chemosphere</i> , 279, 130604.	2
	Dib, M., Moutcine, A., Ouchetto, H., (...), Hafid, A., Khouili, M. Novel synthesis of α -Fe ₂ O ₃ @Mg/Al-CO ₃ -LDH nanocomposite for rapid electrochemical detection of p-nitrophenol. (2021) <i>Inorganic Chemistry Communications</i> , 131, 108788.	3
	Harvie, A.J., Yadav, S.K., de Mello, J.C. A sensitive and compact optical detector based on digital lock-in amplification. (2021) <i>HardwareX</i> , 10, e00228.	4
	Singh, G., Sushma, Singh, A., (...), Espinosa-Ruíz, C., González-Silvera, D. Designing of chalcone functionalized 1,2,3-triazole allied bis-organosilanes as potent antioxidants and optical sensor for recognition of Sn ²⁺ and Hg ²⁺ ions. (2021) <i>Journal of Organometallic Chemistry</i> , 953, 122049.	5
	Bilgic, A., Cimen, A., Kursunlu, A.N., Karapinar, H.S. Novel fluorescent microcapsules based on sporopollenin for removal and detection of Cu (II) ions in aqueous solutions: Eco-friendly design, fully characterized, photophysical & physicochemical data, (2022) <i>Microporous and Mesoporous Materials</i> , 330, 111600.	6
	Zhao, H., Wu, Y., Lan, X., (...), Wu, X., Du, L. Comprehensive assessment of harmful heavy metals in contaminated soil in order to score pollution level. (2022) <i>Scientific Reports</i> , 12(1), 3552.	7
	Truong, Q.-M., Nguyen, T.-B., Chen, W.-H., (...), Singhanian, R.R., Dong, C.-D. Removal of heavy metals from aqueous solutions by high performance capacitive deionization process using biochar derived from <i>Sargassum hemiphyllum</i> . (2023) <i>Bioresource Technology</i> , 370, 128524.	8
	An, B.-H., Lee, T.-G., Khan, T.T., (...), Hwang, H.J., Jun, Y.-S. Optical and quantitative detection of cobalt ion using graphitic carbon nitride-based chemosensor for hydrometallurgy of waste lithium-ion batteries. (2023) <i>Chemosphere</i> , 315, 137789.	9
	Azriouil, M., Ettadili, F.E., Ouattmane, F.Z., (...), Lahrich, S., EL Mhammedi, M.A. Effect of current flow applied for graphene synthesis and its application for the detection of ciprofloxacin in fish, urine and drugs. (2023) <i>Materials Today Communications</i> , 35, 105496.	10

	Wang, X., Shan, Y., Mao, H., (...), Lv, X., Zhou, L. Selective N-N or N-S bond cleavage of 1-trifluoromethyl benzotriazoles enables divergent synthesis of 1,2,4-benzotriazines and benzotriazoles. (2023) Organic Chemistry Frontiers, 10(20), pp. 5138-5143.	11
	Abouzayed, F.I., Masoud, M.S., Hussien, S.G. Synthesis, spectral elucidation, thermal study, DFT calculations and biological application of new nano sized coordination compounds of a barbiturate based ligand. (2023) Inorganic Chemistry Communications, 155, 110713.	12
	Kumara, K.S.M., Shivakumar, P., Ganesh, V., (...), Hareesh, K., Nagaraju, D.H. Hydrogels of PANI doped with Fe ₃ O ₄ and GO for highly stable sensor for sensitive and selective determination of heavy metal ions. (2023) Inorganic Chemistry Communications, 158, 111553.	13
	Darbanian, M., Nezhadali, A. Highly selective transport of Ag ⁺ from a mixture of some bivalent cations using polymer inclusion membrane by 2,2'-dithio-bis-benzothiazole as a carrier. (2024) Chemical Papers, 78(5), pp. 3125-3136	14
	Singh, S., Bhatt, D., Deep, A., Tiwari, U.K. An antibody conjugated NH ₂ -MIL-101(Fe) metal-organic framework based optical biosensor for sensitive detection of lead ions. (2024) Microchemical Journal, 199, 110122.	15
	Sairaj, V., Poovethamkandiyil, A.S., Anas, S., (...), Pillai, S.C., Vijayan, B.K. One pot synthesis of multi-functional B doped g-C ₃ N ₄ -praseodymium oxide nanocomposites for colorimetric detection of Hg ²⁺ ion and solar photocatalytic removal of toxic water pollutants. (2024) Journal of Water Process Engineering, 62, 105341.	16
25	Staneva D. and Grabchev I., Chapter 20, Dendrimer as antimicrobial agents, book: Dendrimer-Based Nanotherapeutics, (ed. P. Kesharwani), Elsevier Inc., 2021, 363-384.	4
	Abd-El-Aziz A., Ahmed S.A., Zhang X., Ma N., Abd-El-Aziz A.S. Macromolecules incorporating transition metals in the treatment and detection of cancer and infectious diseases: Progress over the last decade (2024) Coordination Chemistry Reviews, 510, art. no. 215732 DOI: 10.1016/j.ccr.2024.215732	1
	Sharma P., Kumar S., Walia A., Marok S.S., Vanita V., Singh P. A naphthalimide-tyrosine-based dicationic amphiphile for intracellular 'turn-on' simultaneous detection of ATP and CTP (2022) Analytical Methods, 15 (2), pp. 203 – 211, DOI: 10.1039/d2ay01550a	2
	Borah N., Gogoi A., Saikia J. Dendrimeric Entities as Chemical Alternatives Toward Antimicrobial Therapy (2022) Alternatives to Antibiotics: Recent Trends and Future Prospects, pp. 379 – 400, DOI: 10.1007/978-981-19-1854-4_15 DOCUMENT TYPE: Book chapter	3
	Perli G., Bertuzzi D.L., Souto D.E.P., Ramos M.D., Braga C.B., Aguiar S.B., Ornelas C. Synthesis and Characterization of Dendronized Gold Nanoparticles Bearing Charged Peripheral Groups with Antimicrobial Potential (2022) Nanomaterials, 12 (15), art. no. 2610 DOI: 10.3390/nano12152610	4
26	Adam A.M.A., Altalhi T.A., El-Megharbel S.M., Saad H.A., Refat M.S., Grabchev I., Althobaiti R.A., Capturing of Environment Polluting Metal Ions Co²⁺, Ni²⁺, Cu²⁺, and Zn²⁺ Using a 3-Azomethine Benzanthrone-Based Fluorescent Dye: Its Synthesis, Structural, and Spectroscopic Characterizations, Russian Journal of General Chemistry, 2020, (12) 2394-2399.	5
	Orlova, N., Nikolajeva, I., Pučkins, A., Belyakov, S., Kirilova, E., Heterocyclic schiff bases of 3-aminobenzanthrone and their reduced analogues: Synthesis, properties and spectroscopy (2021) Molecules, 26 (9), art. no. 2570.	1

	Younis, A.M., El-Gamil, M.M., Rakha, T.H., Abu El-Reash, G.M. Iron(III), copper(II), cadmium(II), and mercury(II) complexes of isatin carbohydrazone Schiff base ligand (H3L): Synthesis, characterization, X-ray diffraction, cyclic voltammetry, fluorescence, density functional theory, biological activity, and molecular docking studies (2021) Applied Organometallic Chemistry, 35 (7), art. no. e6250, .	2
	Maļeckis, A., Cvetinska, M., Puckins, A., (...), Belyakov, S., Kirilova, E. Synthesis and Properties of New 3-Heterylamino-Substituted 9-Nitrobenzanthrone Derivatives. (2023) Molecules, 28(13), 5171.	3
	Maļeckis, A., Cvetinska, M., Kirjušina, M., (...), Belyakov, S., Kirilova, E. A Comparative Study of New Fluorescent Anthraquinone and Benzanthrone α -Aminophosphonates: Synthesis, Spectroscopy, Toxicology, X-ray Crystallography, and Microscopy of <i>Opisthorchis felineus</i> . (2024) Molecules, 29(5), 1143.	4
	Nageeb, A.S., Morsi, M.A., Gomaa, E.A., Hammouda, M.M., Zaky, R.R. Comparison on biological inspection, optimization, cyclic voltammetry, and molecular docking evaluation of novel bivalent transition metal chelates of Schiff Base pincer ligand. (2024) Journal of Molecular Structure, 1300, 137281.	5
27	Staneva, D.; Angelova, S.; Vasileva-Tonkova, E.; Grozdanov, P.; Nikolova, I.; Grabchev, I.; Synthesis, photophysical characterisation and antimicrobial activity of a new anionic PAMAM dendrimer, Journal of Photochemistry and Photobiology A: Chemistry, 2020, 403, 112878.	3
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms, Current Organic Chemistry, (2023) 27 (13), 1164 - 1178DOI: 10.2174/1385272827666230911115827DOCUMENT TYPE: Review SOURCE: Scopus	1
	Skrzyniarz K., Kuc-Ciepluch D., Lasak M., Arabski M., Sanchez-Nieves J., Ciepluch K. Dendritic systems for bacterial outer membrane disruption as a method of overcoming bacterial multidrug resistance, Biomaterials Science, (2023) 11 (19), pp. 6421 - 6435DOI: 10.1039/d3bm01255gDOCUMENT TYPE: Review	2
	İbili H., Daşdemir M. AgCl-TiO ₂ /dendrimer-based nanoparticles for superhydrophobic and antibacterial multifunctional textiles, Journal of the Textile Institute, (2023) 114 (5), 861 - 873 DOI: 10.1080/00405000.2022.2089836	3
28	Dodangeh M., Grabchev I., Gharanjig K., Staneva D., Tang R.-C., Sheridan M. Modified PAMAM dendrimers as a matrix for the photostabilization of curcumin 2020, New Journal of Chemistry, (39) 17112-17121	5
	Karimi, S., Namazi, H. A photoluminescent folic acid-derived carbon dot functionalized magnetic dendrimer as a pH-responsive carrier for targeted doxorubicin delivery (2021) New Journal of Chemistry, 45 (14), pp. 6397-6405.	1
	Busa, P., Kankala, R.K., Deng, J.-P., Liu, C.-L., Lee, C.-H. Conquering Cancer Multi-Drug Resistance Using Curcumin and Cisplatin Prodrug-Encapsulated Mesoporous Silica Nanoparticles for Synergistic Chemo- and Photodynamic Therapies. (2022) Nanomaterials, 12 (20), art. no. 3693. DOI: 10.3390/nano12203693	2
	Anuradha, D.S. & Jaganathan, B. Physiochemical Properties of Benzophenone and Curcumin-conjugated PAMAM Dendrimers Using Topological Indices. (2023) Polycyclic Aromatic Compounds. DOI: 10.1080/10406638.2023.2234542	3

	Wojtyłko, M., Kunstman, P., Bartylak, H., Raszewski, L., Osmalek, T., Froelich, A. A Well-Known Plant and New Therapeutic Strategies: Turmeric and Its Components in Oral Inflammatory Diseases Treatment. (2023) Applied Sciences (Switzerland), 13 (13), art. no. 7809. DOI: 10.3390/app13137809	4
	Anuradha, D.S., Julietraja, K., Jaganathan, B., Alsinai, A. Curcumin-Conjugated PAMAM Dendrimers of Two Generations: Comparative Analysis of Physiochemical Properties Using Adriatic Topological Indices. (2024), ACS Omega, 9 (12), pp. 14558 – 14579. DOI: 10.1021/acsomega.4c00686	5
29	Bosch P., Staneva D., Vasileva-Tonkova E., Grozdanov P., Nikolova I., Kukeva R., Stoyanova R., Grabchev I. Hyperbranched polymers modified with Dansyl units and their Cu(II) complexes. bioactivity studies 2020, Materials, (20) 1-11	2
	Zalevskaya, O.A., Gur'eva, Y.A. Recent Studies on the Antimicrobial Activity of Copper Complexes (2021) Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 47 (12), pp. 861-880.	1
	Iwan, D., Kamińska, K., Denel-Bobrowska, M., Olejniczak, A.B., Wojaczyńska, E. Chiral sulfonamides with various N-heterocyclic and aromatic units – Synthesis and antiviral activity evaluation. (2022) Biomedicine and Pharmacotherapy, 153, art. no. 113473. DOI: 10.1016/j.biopha.2022.113473	2
30	Staneva D., Vasileva-Tonkova E., Grozdanov P., Vilhelmova-Ilieva N., Nikolova I., Grabchev I. Synthesis and photophysical characterisation of 3-bromo-4-dimethylamino-1,8-naphthalimides and their evaluation as agents for antibacterial photodynamic therapy 2020, Journal of Photochemistry and Photobiology A: Chemistry,	9
	Tigoianu, R., Airinei, A., Georgescu, E., Nicolescu, A., Georgescu, F., Isac, D.L., Deleanu, C., Oancea, F. Synthesis and Solvent Dependent Fluorescence of Some Piperidine-Substituted Naphthalimide Derivatives and Consequences for Water Sensing (2022) International Journal of Molecular Sciences, 23 (5), art. no. 2760, .	1
	Pablos, J.L., Hernández, E., Catalina, F., Corrales, T. Solid Fluorescence pH Sensors Based on 1,8-Naphthalimide Copolymers Synthesized by UV Curing (2022) Chemosensors, 10 (2), art. no. 73, .	2
	Thakur, R., Singh, I., Paul, K. Ruthenium(II)-catalyzed C–H Alkenylation of 1,8-Naphthalimide with Cyclic Imide as a Weakly Coordinating Directing Group (2022) Asian Journal of Organic Chemistry.	3
	Chen, T., Yang, D., Lei, S., Liu, J., Song, Y., Zhao, H., Zeng, X., Dan, H., Chen, Q. Photodynamic therapy-a promising treatment of oral mucosal infections. (2022) Photodiagnosis and Photodynamic Therapy, 39, art. no. 103010. DOI: 10.1016/j.pdpdt.2022.103010 Review	4
	Shaikh, S. A., Bhat, S. S., Revankar, V. K., S., N., Mahesha, Loknath, N. K., & Kumbar, V. Co(II), Ni(II), Cu(II) and Zn(II) complexes of 1,8-naphthalimide-based ligand: syntheses, characterizations and evaluation of antibacterial activities. (2023) Journal of Coordination Chemistry, 76(13–15), 1586–1603. DOI: 10.1080/00958972.2023.2265037	5
	Luo, F., Luo, X., Wang, L., Qu, Y., Yin, X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms. (2023) Current Organic Chemistry, 27 (13), pp. 1164-1178. DOI: 10.2174/1385272827666230911115827	6
	Fu, J., Liu, T., Binte Touhid, S.S., Fu, F., Liu, X. Functional Textile Materials for Blocking COVID-19 Transmission. (2023) ACS Nano, 17, 3, 1739-1763. DOI: 10.1021/acsnano.2c08894	7

	Nie, W., Wu, J., Yang, J., Hu, L. Fabrication of sustainable hydrophobic cotton fabrics with fluorescence-emitting performance using novel 1,8-naphthalimide functional molecules. (2023) ACS Sustainable Chemistry & Engineering, 11, 3873–3881. DOI: 10.1021/acssuschemeng.2c07155	8
	Nouman, Rana, M., Ahmedi, S., Arif, R., Manzoor, N., Rahisuddin. 4-Bromo-1,8-Naphthalimide derivatives as Antifungal Agents: Synthesis, Characterization, DNA Binding, Molecular docking, Antioxidant and ADMET studies. (2024) Polycyclic Aromatic Compounds, 44, 2, 748-772. DOI: 10.1080/10406638.2023.2180523	9
31	Staneva, D., Manov, H., Yordanova, S., Vasileva-Tonkova, E., Stoyanov, S., Grabchev, I. Synthesis, spectral properties and antimicrobial activity of a new cationic water-soluble pH-dependent poly(propylene imine) dendrimer modified with 1,8-naphthalimides. 2020 Luminescence, (6), 947-954. https://doi.org/10.1002/bio.3809	1
	Shiabiev, I., Pysin, D., Akhmedov, A., Babaeva, O., Babaev, V., Lyubina, A., Voloshina, A., Petrov, K., Padnya, P., Stoikov, I. Towards Antibacterial Agents: Synthesis and Biological Activity of Multivalent Amide Derivatives of Thiocalix[4]arene with Hydroxyl and Amine Groups (2023) Pharmaceutics, 15 (12), art. no. 2731. DOI: 10.3390/pharmaceutics15122731	1
32	Staneva, D., Vasileva-Tonkova, E., Yordanova, S., Kukeva, R., Stoyanova, R., Grabchev, I. Spectral characterization, antimicrobial and antibiofilm activity of poly(propylene imine) metallodendrimers in solution and applied onto cotton fabric. 2020 International Journal of Polymer Analysis and Characterization, (5), 374-384. https://doi.org/10.1080/1023666X.2020.1796105	3
	Gulati, R., Sharma, S., Sharma, R.K. Antimicrobial textile: recent developments and functional perspective (2022) Polymer Bulletin, 79, (8), 5747-5771. DOI: 10.1007/s00289-021-03826-3	1
	Skrzyniarz, K., Kuc-Ciepluch, D., Lasak, M., Arabski, M., Sanchez-Nieves, J., Ciepluch, K. Dendritic systems for bacterial outer membrane disruption as a method of overcoming bacterial multidrug resistance. (2023) Biomaterials Science, 11 (19), 6421-6435. DOI: 10.1039/d3bm01255g	2
	Abd-El-Aziz, A., Ahmed, S.A., Zhang, X., Ma, N., & Abd-El-Aziz, A.S. Macromolecules incorporating transition metals in the treatment and detection of cancer and infectious diseases: Progress over the last decade. (2024) Coordination Chemistry Reviews, 510, 215732. DOI: 10.1016/j.ccr.2024.215732	3
33	Yordanova-Tomova, S.; Cheshmedzhieva, D.; Stoyanov, S.; Dudev, T.; Grabchev, I. Synthesis, Photophysical Characterization, and Sensor Activity of New 1,8-Naphthalimide Derivatives. Sensors 2020, 20, 3892. https://doi.org/10.3390/s20143892	4
	Murugaperumal P., Rajendran P., Subburaj K., Nallathambi S., Ayyanar S. A novel di-(benzoyloxalohydrazide) and N1,N2-bis(2-piperazine-1-yl)ethyl)oxalamide based fluorescent sensors for Sn ²⁺ /Fe ³⁺ ions, gelation properties and their utility in cell imaging (2024) Journal of Molecular Liquids, 398, art. no. 124335 DOI: 10.1016/j.molliq.2024.124335	1
	Pršir K., Matić M., Grbić M., Mohr G.J., Krištafor S., Steinberg I.M. Naphthalimide-Piperazine Derivatives as Multifunctional “On” and “Off” Fluorescent Switches for pH, Hg ²⁺ and Cu ²⁺ Ions (2023) Molecules, 28 (3), art. no. 1275 DOI: 10.3390/molecules28031275	2
	Bagherzadeh N., Reza Sardarian A. Green approach to new library of 1,8-naphthalimide fluorophores employing C-C and C-N cross coupling reactions by novel, durable, and reusable magnetic nanocatalyst bearing nickel (0) complex of 1,10-phenanthroline (2024) Journal of Photochemistry and Photobiology A: Chemistry, 449, art. no. 115345 DOI: 10.1016/j.jphotochem.2023.115345	3
	Jeong C.-H., Ahmad A., Schmitz H.C., Cao H. Synthesis and Investigation of Derivatives of 1,8-Naphthalimide with a Red Emission via an Aromatic Nucleophilic Substitution Reaction (2022) Journal of Fluorescence, 32 (2), pp. 427 - 433 DOI: 10.1007/s10895-021-02853-7	4

34	Staneva, D., Angelova, S., Grabchev, I. Spectral characteristics and sensor ability of a new 1,8-naphthalimide and its copolymer with styrene. (2020) Sensors (Switzerland), 20 (12), art. no. 3501, pp. 1-18. https://doi.org/10.3390/s20123501	3
	Wang, Y.-Q., Li, Q.-Y., Jiang, M., Yang, X., Wu, X., Yu, X., Xu, L. A palmatine-based fluorescent sensor for sensitive fluorometric and smartphone-assisted on-site fluorescent colorimetric detection of water in organic solvents. (2022) Microchemical Journal, 179, art. no. 107598. DOI: 10.1016/j.microc.2022.107598	1
	Ayedah Tariq, Développement de capteurs à fibre optique dédiés à la mesure in situ du pH du béton, January 2022	2
	P. A. Panchenko, Y. V. Fedorov, A. S. Polyakova, O. A. Fedorova, Fluorimetric detection of Ag ⁺ cations in aqueous solutions using a polyvinyl chloride sensor film doped with crown-containing 1,8-naphthalimide, Mendelev Communications, 31(4), 2021, 517-519,	3
35	Tsanova, A., Stoyanova, V., Jordanova, A. et al. Study of the Mechanism of the Antimicrobial Activity of Novel Water Soluble Ammonium Quaternary Benzanthrone on Model Membranes. J Membrane Biol 253, 247–256 (2020). https://doi.org/10.1007/s00232-020-00121-6	2
	An X., Ma H., Cui G., Zhang T., Xu L., Wang M. Novel and rapid approach for benzanthrone synthesis: BBr ₃ -promoted annulation of 8-aryl-1-naphthoic acid derivatives (2023) New Journal of Chemistry, 48 (4), pp. 1741 - 1756 DOI: 10.1039/d3nj03905f	1
	Deng S., Shen S., Liu K., El-Ashram S., Alouffi A., Cenci-Goga B.T., Ye G., Cao C., Luo T., Zhang H., Li W., Li S., Zhang W., Wu J., Chen C. Integrated bioinformatic analyses investigate macrophage-M1-related biomarkers and tuberculosis therapeutic drugs (2023) Frontiers in Genetics, 14, art. no. 1041892 DOI: 10.3389/fgene.2023.1041892	2
36	Staneva D., Yordanova S., Vasileva-Tonkova E., Stoyanov S., Grabchev I. Synthesis of a new fluorescent poly(propylene imine) dendrimer modified with 4-nitrobenzofurazan. Sensor and antimicrobial activity 2020, Journal of Photochemistry and Photobiology A: Chemistry,	4
	Mlynarczyk, D.T., Dlugaszewska, J., Kaluzna-Mlynarczyk, A., Goslinski, T. Dendrimers against fungi – A state of the art review (2021) Journal of Controlled Release, 330, pp. 599-617.	1
	Ang, W.L., Lau, W.J., Tan, Y.H., Mahmoudi, E., Mohammad, A.W. An Overview on Development of Membranes Incorporating Branched Macromolecules for Water Treatment (2021) Separation and Purification Reviews, .	2
	Alizada, M., Gul, A., Oguz, M., Kursunlu, A.N., Yilmaz, M. Ion sensing of sister sensors based-on calix[4]arene in aqueous medium and their bioimaging applications (2021) Dyes and Pigments, 184, art. no. 108741, .	3
	Bayat, F., Mehryab, F., Akhlaghi, S., Haeri, A. Chapter 6 - Nanostructured drug delivery approaches for fungal infections, Editor(s): Muthupandian Saravanan, Hamed Barabadi, Ebrahim Mostafavi, Thomas Webster, In Micro and Nano Technologies, Emerging Nanomaterials and Nano-Based Drug Delivery Approaches to Combat Antimicrobial Resistance, (2022) Elsevier, 179-232, ISBN 9780323907927. DOI: 10.1016/B978-0-323-90792-7.00006-3 глава от книга	4

37	Dodangeh M., Staneva D., Grabchev I., Tang R.-C., Gharanjig K. Synthesis, spectral characteristics and sensor ability of new polyamidoamine dendrimers, modified with curcumin 2020, Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy,	12
	Gawande, V., Choudhury, H., Kesharwani, P. Dendrimer nomenclature and synthesis methods. (2021) Dendrimer-Based Nanotherapeutics, pp. 75-94. DOI: 10.1016/B978-0-12-821250-9.00009-3	1
	Pishgar, M., Gharanjig, K., Yazdanshenas, M. E., Farizadeh, K., Rashidi, A. 'Photophysical Properties of a Novel Xanthene Dye'. (2022) Progress in Color, Colorants and Coatings, 15(2), pp. 87-96. DOI: 10.30509/pccc.2021.166774.1104	2
	Guo, R., Xu, K., Yan, Y., Ma, L., Zhang, X. Preparation and demulsification performance of novel dendrimer. (2021) Huagong Jinzhan/Chemical Industry and Engineering Progress, 40 (6), pp. 3363-3373. DOI: 10.16085/j.issn.1000-6613.2020-1447	3
	Viltres, H., López, Y.C., Leyva, C., Gupta, N.K., Naranjo, A.G., Acevedo-Peña, P., Sanchez-Diaz, A., Bae, J., Kim, K.S. Polyamidoamine dendrimer-based materials for environmental applications: A review. (2021) Journal of Molecular Liquids, 334, art. no. 116017. DOI: 10.1016/j.molliq.2021.116017	4
	Sanyal, M., Sharma, U. PAMAM (poly-amido amine) dendrimer supported copper nanoparticles for chemoselective nitro reduction. (2021) Journal of the Indian Chemical Society, 98 (10), art. no. 100149. DOI: 10.1016/j.jics.2021.100149	5
	Pishgar, M.; Gharanjig, K.; Yazdanshenas, M.E.; Farizadeh, K.; Rashidi, A.S. Synthesis and characterization of novel fluorescent reactive dyes for dyeing of cotton fabrics. (2022) The Journal of The Textile Institute, 11, 595–605. DOI: 10.1080/00405000.2021.1924476.	6
	Mardani, H., Roghani-Mamaqani, H., Salami-Kalajahi, M. Smart block copolymers as fluorescence chemosensors of copper ions with high detection limit. (2022) Journal of Molecular Liquids, 345, art. no. 117786. DOI: 10.1016/j.molliq.2021.117786	7
	Hussain, I., Muhammad, N., Subhani, Q., Shou, D., Jin, M., Yu, L., Lu, G., Wen, X., Intisar, A., Yan, Z. A review on structural aspects and applications of PAMAM dendrimers in analytical chemistry: Frontiers from separation sciences to chemical sensor technologies. (2022) TrAC - Trends in Analytical Chemistry, 157, art. no. 116810. DOI: 10.1016/j.trac.2022.116810	8
	Xiao, L., Xue, B., Lyu, P., Song, X., Xia, H. Synthesis and Application of a Dendritic Multi-branched Demulsifier. (2022) Oilfield Chemistry, 39 (4), pp. 699-702 and 710. DOI: 10.19346/j.cnki.1000-4092.2022.04.021	9
	Souhangir, M., Bidoki, S. M., Gharanjig, K. 'Synthesis and Application of a Novel Fluorescent Reactive Dye Based on Fused Iminocoumarin on Cotton Fabric' (2023), Progress in Color, Colorants and Coatings, 16(1), pp. 71-81. DOI: 10.30509/pccc.2022.166910.1139	10
	Satavalli, P., Latha, P., Nakka, M. AN OVERVIEW OF DENDRIMERS AS CONDUCTING NANOMATERIALS IN SUPER CAPACITORS. (2023) ARPN Journal of Engineering and Applied Sciences, 18 (11), pp. 1309-1316. DOI: 10.59018/0623169	11
	Mardani, H., Roghani-Mamaqani, H., Shahi, S., Roustanavi, D. Anti-Counterfeiting Inks Based on Förster Resonance Energy Transfer in Microcrystalline Cellulose-Grafted Poly(amidoamine) for Artificial Industries. (2023) ACS Applied Polymer Materials, 5 (2), pp. 1092-1102. DOI: 10.1021/acsapm.2c01251	12
38	Dodangeh M., Gharanjig K., Tang R.-C., Grabchev I., Functionalization of PAMAM dendrimers with curcumin: Synthesis, characterization, fluorescent improvement and application on PET polymer, Dyes and Pigments, 174 (2020)108081.	10

	Hernández-Fernández, E., Ortega-Villarreal, A.S., García-López, M.C., Chan-Navarro, R., Garrard, S., Valdivia-Berroeta, G.A., Smith, S.J., Christensen, K.A., Michaelis, D.J., Synthesis and characterization of benzotriazolyl acrylonitrile analogs-based donor-acceptor molecules: Optical properties, in vitro cytotoxicity, and cellular imaging, <i>Dyes and Pigments</i> , 2021, 189, art. no. 109251.	1
	De Leo, V., Casiello, M., Deluca, G., Cotugno, P., Catucci, L., Nacci, A., Fusco, C., D'Accolti, L., Concerning synthesis of new biobased polycarbonates with curcumin in replacement of bisphenol a and recycled diphenyl carbonate as example of circular economy, <i>Polymers</i> , 2021, 13 (3), art. no. 361, pp. 1-13.	2
	Sanyal, M., Sharma, U. PAMAM (poly-amido amine) dendrimer supported copper nanoparticles for chemoselective nitro reduction (2021) <i>Journal of the Indian Chemical Society</i> , 98 (10), art. no. 100149, .	3
	Tamayo-Belda, M., Vargas-Guerrero, J.J., Martín-Betancor, K., Pulido-Reyes, G., González-Pleiter, M., Leganés, F., Rosal, R., Fernández-Piñas, F. Understanding nanoplastic toxicity and their interaction with engineered cationic nanopolymers in microalgae by physiological and proteomic approaches (2021) <i>Environmental Science: Nano</i> , 8 (8), pp. 2277-2296.	4
	Sanyal M., Sharma U. PAMAM (poly-amido amine) dendrimer supported copper nanoparticles for chemoselective nitro reduction (2021) <i>Journal of the Indian Chemical Society</i> , 98 (10), art. no. 100149 DOI: 10.1016/j.jics.2021.100149	5
	Mardani H., Roghani-Mamaqani H., Shahi S., Roustanavi D. Anti-Counterfeiting Inks Based on Förster Resonance Energy Transfer in Microcrystalline Cellulose-Grafted Poly(amidoamine) for Artificial Industries (2023) <i>ACS Applied Polymer Materials</i> , 5 (2), pp. 1092 - 1102 DOI: 10.1021/acsapm.2c01251	6
	D.S, Anuradha; B. Jaganathan Physiochemical Properties of Benzophenone and Curcumin-conjugated PAMAM Dendrimers Using Topological Indices (2023) <i>Polycyclic Aromatic Compounds</i> DOI: 10.1080/10406638.2023.2234542	7
	Verbeke R., Nulens I., Thijs M., Lenaerts M., Bastin M., Van Goethem C., Koeckelberghs G., Vankelecom I.F.J. Solutes in solvent resistant and solvent tolerant nanofiltration: How molecular interactions impact membrane rejection (2023) <i>Journal of Membrane Science</i> , 677, art. no. 121595 DOI: 10.1016/j.memsci.2023.121595 DOCUMENT TYPE: Review	8
	Anuradha D.S., Julietraja K., Jaganathan B., Alsinai A. Curcumin-Conjugated PAMAM Dendrimers of Two Generations: Comparative Analysis of Physiochemical Properties Using Adriatic Topological Indices (2024) <i>ACS Omega</i> , 9 (12), pp. 14558 - 14579 DOI: 10.1021/acsomega.4c00686	9
	Hussain I., Muhammad N., Subhani Q., Shou D., Jin M., Yu L., Lu G., Wen X., Intisar A., Yan Z. A review on structural aspects and applications of PAMAM dendrimers in analytical chemistry: Frontiers from separation sciences to chemical sensor technologies (2022) <i>TrAC - Trends in Analytical Chemistry</i> , 157, art. no. 116810 DOI: 10.1016/j.trac.2022.116810 DOCUMENT TYPE: Review	10
39	Staneva, D., Vasileva-Tonkova, E., Kukeva, R., Stoyanova, R., Grabchev, I., Synthesis, spectral characteristics and microbiological activity of benzanthrone derivatives and their Cu(II) complexes. (2019) <i>Journal of Molecular Structure</i>, 1197, 576-582. https://doi.org/10.1016/j.molstruc.2019.07.087	9
	Kirilova, E.M., Nikolaeva, I.D., Romanovska, E., Pučkins, A.I., Belyakov, S.V., The synthesis of novel heterocyclic 3-acetamide derivatives of benzanthrone. (2020) <i>Chemistry of Heterocyclic Compounds</i> , 56, 2, 192-198. DOI: 10.1007/s10593-020-02644-1	1

	Eremina, J.A., Lider, E.V., Sukhikh, T.S., Klyushova, L.S., Perepechaeva, M.L., Sheven', D.G., Berezin, A.S., Grishanova, A.Y., Potkin, V.I., Water-soluble copper(II) complexes with 4,5-dichloro-isothiazole-3-carboxylic acid and heterocyclic N-donor ligands: Synthesis, crystal structures, cytotoxicity, and DNA binding study. (2020) <i>Inorganica Chimica Acta</i> , 510, art. no. 119778. DOI: 10.1016/j.ica.2020.119778	2
	Xue, C., Wang, L., Han, J., Palladium-Catalyzed Site-Selective Benzocyclization of Naphthoic Acids with Diaryliodonium Salts: Efficient Access to Benzantrones. (2020) <i>Journal of Organic Chemistry</i> , 85, 23, 15406-15414. DOI: 10.1021/acs.joc.0c02192	3
	Güller, P., Dağalan, Z., Güller, U., Çalışır, U., Nişancı, B., Enzymes inhibition profiles and antibacterial activities of benzylidenemalononitrile derivatives. (2021) <i>Journal of Molecular Structure</i> , 1239, art. no. 130498. DOI: 10.4155/fmc-2020-0387	4
	Güller, P., Atmaca, U., Güller, U., Çalışır, U., Dursun, F. Antibacterial properties and carbonic anhydrase inhibition profiles of azido sulfonyl carbamate derivatives. (2021) <i>Future Medicinal Chemistry</i> , 13, 15, 1285-1299. DOI: 10.4155/fmc-2020-0387	5
	Ltaief, H., Ali, S.B., Mahroug, A., Ferretti, V., Graça, M.P.F., Belhouchet, M. A new copper hybrid compound based on 3,3'-diaminodiphenylsulfone as ligand: Growth, crystal structure, spectroscopic analysis, and thermal behavior. (2023) <i>Journal of Molecular Structure</i> , 1273, art. no. 134334, DOI: 10.1016/j.molstruc.2022.134334	6
	Maļeckis, A., Griškāns, E., Cvetinska, M., Savicka, M., Belyakov, S., Kirilova, E. Synthesis, characterization, spectroscopic studies and evaluation of toxicological effect on growth of wheat sprouts (<i>Triticum aestivum</i>) of new benzantrone α -aryl- α -aminophosphonates. (2023) <i>Journal of Molecular Structure</i> , 1277, art. no. 134838. DOI: 10.1016/j.molstruc.2022.134838	7
	An, X., Ma, H., Cui, G., Zhang, T., Xu, L., Wang, M. Novel and rapid approach for benzantrone synthesis: BBr ₃ -promoted annulation of 8-aryl-1-naphthoic acid derivatives. (2023) <i>New Journal of Chemistry</i> , 48, 4, 1741-1756 .DOI: 10.1039/d3nj03905f	8
	Maļeckis, A., Cvetinska, M., Griškāns, E. et al. Exploring Dual Solvatochromic Traits in Novel Fluorescent Benzantrone Ethynyl Derivatives. (2024) <i>Journal of Solution Chemistry</i> . https://doi.org/10.1007/s10953-024-01363-x In press	9
40	Staneva, D., Vasileva-Tonkova, E., Grabchev, I. A new bioactive complex between Zn(II) and a fluorescent symmetrical benzantrone tripod for an antibacterial textile. <i>Materials</i>, 2019, 12 (21) 3473. https://doi.org/10.3390/ma12213473	7
	Zhao, Z., Cai, W., Song, L., Mu, X., Hu, Y., Comprehensive property investigation of mold inhibitor treated raw cotton and ramie fabric, <i>Materials</i> , 2020, 13 (5), art. no. 1105. DOI: 10.3390/ma13051105	1
	Sovari, S.N., Zobi, F. "Recent studies on the antimicrobial activity of transition metal complexes of groups 6–12." (2020) <i>Chemistry (Switzerland)</i> , 2, 2, 418-452. DOI: 10.3390/chemistry2020026	2
	Schneider, G., Bim, F.L., de Sousa, Á.F.L., Watanabe, E., de Andrade, D., Fronteira, I., The use of antimicrobial-impregnated fabrics in health services: an integrative review. (2021) <i>Revista Latino-Americana de Enfermagem</i> , 29, art. no. e3416. DOI: 10.1590/1518-8345.4668.3416	3
	Belkhir, K., Pillon, C., Cayla, A., Campagne, C., Antibacterial textile based on hydrolyzed milk casein. (2021) <i>Materials</i> , 14 (2), art. no. 251,1-14. DOI: 10.3390/ma14020251	4

	Lopes, T. J., Rosa, G. R., Fernandes, G. A., Scheeren, C., W., Afonso Henrique da Silva Júnior, Martins, M. L. 21 - Chemical and biological protective textiles, Editor(s): Md. Ibrahim H. Mondal, In The Textile Institute Book Series, Protective Textiles from Natural Resources, (2022) Woodhead Publishing, 649-687. ISBN 9780323904773. DOI:10.1016/B978-0-323-90477-3.00018-3 глава от книга	5
	Maļeckis, A., Cvetinska, M., Puckins, A., Osipovs, S., Sirokova, J., Belyakov, S., Kirilova, E. Synthesis and Properties of New 3-Heterylamino-Substituted 9-Nitrobenzanthrone Derivatives, (2023) Molecules, 28 (13), art. no. 5171. DOI: 10.3390/molecules28135171	6
	Garg, P., Kaur, G., Chaudhary, G.R. Metal- Embedded Complexes: Accelerated Antimicrobial Activity Against Microorganisms. (2023) Biomedical Research, Medicine, and Disease, pp. 483-500. ISBN 978-100081119-3, 978-100322040-4 DOI: 10.1201/9781003220404-34 глава от книга	7
41	Bosch P., Staneva D., Vasileva-Tonkova E., Grozdanov P., Nikolova I., Kukeva R., Stoyanova R., Grabchev I., New Poly(Propylene Imine) dendrimer modified with acridine and its Cu(II) complex: Synthesis, characterization and antimicrobial activity, Materials, 2019, (18).	9
	Folliero, V., Zannella, C., Chianese, A., Stelitano, D., Ambrosino, A., De Filippis, A., Galdiero, M., Franci, G., Galdiero, M., Application of dendrimers for treating parasitic diseases, Pharmaceutics, ,2021, 13 (3), art. no. 343, pp. 1-22.	1
	Sanz del Olmo, N., Carloni, R., Ortega, P., García-Gallego, S., de la Mata, F.J., Metallodendrimers as a promising tool in the biomedical field: An overview, Advances in Organometallic Chemistry, 2020, 74, pp. 1-52.	2
	Olar, R., Badea, M., Chifiriuc, M.C. Metal Complexes—A Promising Approach to Target Biofilm Associated Infections (2022) Molecules, 27 (3), art. no. 758, .	3
	Llamazares, C., Sanz Del Olmo, N., Soliveri, J., de la Mata, F.J., Copa-Patiño, J.L., García-Gallego, S. Insight on the structure-to-activity of carbosilane metallodendrimers in the fight against staphylococcus aureus biofilms (2021) Antibiotics, 10 (5), art. no. 589, .	4
	Badea M, Uivarosi V, Olar R. Improvement in the pharmacological profile of copper biological active complexes by their incorporation into organic or inorganic matrix. Molecules. 2020;25(24):5830.	5
	Bindhu, S., Raj, V., Nanjundaswamy, S., Hemavathi, M., Sandeep, S., Renganathan, R.R.A., Kumaraswamy, S.R., Karthik, C.S., Mallu, P., Rai, V., R. Insight into the conformational analysis of 3-phenyl-N-(3-(trimethoxysilyl) propyl)prop-2-en-1-imine (PTP) as a biocidal candidate: In-silico and quantum computational approach. (2023) Results in Chemistry, 5, 100685. DOI: 10.1016/j.rechem.2022.100685.	6
	Sunita, C., Akruti, K., Ankit, C., Patel, J.K. Dendrimers in Malaria. In: Shegokar, R., Pathak, Y. (eds) Malarial Drug Delivery Systems. (2023) Springer, Cham. DOI: 10.1007/978-3-031-15848-3_7 глава от книга	7
	Soni, N., Maheshwari, R., Sharma, M., Chidrawar, Vijay R. Engineered dendritic architecture loaded with proton pump inhibitor for antibacterial therapy: Newer solution for gastric upset. (2023) Journal of Drug Delivery Science and Technology, 89, 105109, DOI: 10.1016/j.jddst.2023.105109	8
	Abd-El-Aziz, A., Ahmed, A. S., Zhang, X., Ma, Ning A., Abd-El-Aziz, S. Macromolecules incorporating transition metals in the treatment and detection of cancer and infectious diseases: Progress over the last decade. (2024) Coordination Chemistry Reviews, 510, 215732. DOI: 10.1016/j.ccr.2024.215732.	9

42	Staneva D., Vasileva-Tonkova E., Grabchev I., Chemical modification of cotton fabric with 1,8-naphthalimide for use as heterogeneous sensor and antibacterial textile, Journal of Photochemistry and Photobiology A: Chemistry, 2019, 382, 111924.	12
	Zhang, Y.-H., Zhang, S., Liu, J., Hao, J.-F., He, B.-J., Bai, Z.-W. Further insight for the synthesis of 6-amino-6-deoxy amylose. (2020) Journal of Applied Polymer Science, 138 (1), art. no. 49623. DOI: 10.1002/app.49623	1
	Shaki, H. Color, Fastness, Antibacterial, and Skin Sensitivity Properties of High Lightfastness Azo Disperse Dyes Incorporating Sulfamide Groups. (2020) Fibers and Polymers, 21 (11), pp. 2530-2538. DOI: 10.1007/s12221-020-1148-2	2
	Lin, L., Haiying, C., Abdel-Samie, M.A.-S., Abdulla, G. Common, existing and future applications of antimicrobial textile materials. (2021) In book: Antimicrobial Textiles from Natural Resources, pp. 119-163. DOI: 10.1016/B978-0-12-821485-5.00005-6 глава от книга	3
	Peng, P., Zhang, Z., Yang, J., Wu, M., Wu, Q., Liu, J., Zhang, J. Grafted antimicrobial cotton fabrics with N-halamine groups via atom transfer radical polymerization. (2021) Cellulose, 28 (13), pp. 8855-8866. DOI: 10.1007/s10570-021-04085-1	4
	Xiao, R., Yu, G., Xu, B.B., Wang, N., Liu, X. Fiber Surface/Interfacial Engineering on Wearable Electronics. (2021) Small, 17 (52), art. no. 2102903. DOI: 10.1002/sml.202102903	5
	Nagy, M., Fiser, B., Szőri, M., Vanyorek, L., Viskolcz, B. Optical Study of Solvatochromic Isocyanaminoanthracene Dyes and 1,5-Diaminoanthracene. (2022) International Journal of Molecular Sciences, 23 (3), art. no. 1315. DOI: 10.3390/ijms23031315	6
	Gao, R., Li, L., Liu, X., Kan, C. Synthesis and characterization of novel reactive 1,8-naphthalimide-based fluorescent molecules. (2022) Materials Letters, 316(9), 132041. DOI: 10.1016/j.matlet.2022.132041	7
	Snari, R. M., Alshag, M., Alisaac, A., Bayazeed, A., Alsoliemy, A., Khalifa, M. E., El-Metwaly, N. M. Smart Textiles Immobilized with Hydrazone Probe for Colorimetric Recognition of Bacteria. (2022) Journal of Molecular Liquids, 366, 120149. DOI: 10.1016/j.molliq.2022.120149	8
	Kangazi, M.K., Merati, A.A. 2 - Biomedical applications of healthcare textiles, Editor(s): Shahid ul-Islam, Abhijit Majumdar, Bhupendra Butola, (2023) In The Textile Institute Book Series, Advances in Healthcare and Protective Textiles, Woodhead Publishing, pp. 23-56. ISBN 9780323911887. DOI: 10.1016/B978-0-323-91188-7.00014-5 глава от книга	9
	Nie, W., Wu, J., Yang, J., Hu, L. Fabrication of Sustainable Hydrophobic Cotton Fabrics with Fluorescence-Emitting Performance Using Novel 1,8-Naphthalimide Functional Molecules. (2023) ACS Sustainable Chemistry and Engineering 11(9), pp. 3873-3881. DOI: 10.1021/acssuschemeng.2c07155	10
	Mateus, D.B.G. , Paula de Lima Batista, A. , da Silva Souza, S. Solvatochromism and solution π -stacking of N-(4-pyridyl)-1,8-naphthalimide and its corresponding triruthenium coordination complex. (2023) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 292,122420. DOI: 10.1016/j.saa.2023.122420	11
	Patrick, S. Barber, Ana de Bettencourt-Dias, Katherine, R. Johnson, Jorge, H.S.K. Monteiro. Ligand design in lanthanide complexes for luminescence, therapy, and sensing. Handbook on the Physics and Chemistry of Rare Earths, (2024) Elsevier, ISSN 0168-1273. DOI: 10.1016/bs.hpcr.2024.04.002 наръчник	12
43	Grabchev I., Staneva D., Vasileva-Tonkova E., Alexandrova R. Surface functionalization of cotton fabric with fluorescent dendrimers, spectral characterization, cytotoxicity, antimicrobial and antitumor activity 2019, Chemosensors, (2)	11
	Nawaz, R., Naqvi, S.T.R., Fatima, B., Zulfiqar, N., Farooq, M.U., Haq, M.N., Hussain, D., Javeed, A., Rasul, A., Jafri, L., Majeed, S., Khan, W.Q. Cost-effective fabrication, antibacterial application and cell viability studies of modified nonwoven cotton fabric (2022) Scientific Reports, 12 (1), art. no. 2493, .	1

	Aysha, T., Zain, M., Arief, M., Youssef, Y. Alkali-stable solid state fluorescent pyrazolo/pyrrolinone disperse dyes: Synthesis and application for dyeing polyester fabric (2022) Journal of Molecular Structure, 1249, art. no. 131623.	2
	Roy, A., Mandal, S.K., Ramadan, M.A. Prevention and treatment of cancer with alternative anticancer approach: Current scenario (2020) Egyptian Journal of Chemistry, 63 (9), pp. 3229-3245.	3
	Williams, C., Chellan, P., Govender, P., Smith, G.S. CHAPTER 8: Metallo dendrimers: synthetic strategies and current structural trends (2020) Monographs in Supramolecular Chemistry, 2020-January (29), pp. 230-260.	4
	Zolriasatein, A.A. A review on the application of poly(Amidoamine) dendritic nano-polymers for modification of cellulosic fabrics (2020) Recent Innovations in Chemical Engineering, 13 (2), pp. 110-122.	5
	Tavares, T.D., Antunes, J.C., Ferreira, F., Felgueiras, H.P. Biofunctionalization of natural fiber-reinforced biocomposites for biomedical applications (2020) Biomolecules, 10 (1), art. no. 148, .	6
	Abd-El-Aziz, A.S., Abdelghani, A.A., Mishra, A.K. Optical and Biological Properties of Metal-Containing Macromolecules (2020) Journal of Inorganic and Organometallic Polymers and Materials, 30 (1), pp. 3-41.	7
	Islam, G.M.N., Ali, M.A. & Collie, S. Polydopamine Treated and PEDOT:PSS Coated Wash Durable Conductive Textiles for Wearable Applications. (2022) Fibers and Polymers, 23, 914–924. DOI: 10.1007/s12221-022-3080-0	8
	Nie, W.; Wu, J.; Yang, J.; Hu, L. Fabrication of Sustainable Hydrophobic Cotton Fabrics with Fluorescence-Emitting Performance Using Novel 1,8-Naphthalimide Functional Molecules. (2023) ACS Sustainable Chemistry & Engineering, 11, 3873. DOI: 10.1021/acssuschemeng.2c07155	9
	Kharangate, K.; Shende, P. Integration of Hybrid Dendrimers and Their Generations for Modulated Spatio-Temporal Action. (2023) Particle & Particle Systems Characterization, 40, 2200193. DOI: doi.org/10.1002/ppsc.202200193	10
	Patti, A., Acierno, D. Fluorescence in Smart Textiles. (2023) Encyclopedia, 3(2):665-676. DOI: 10.3390/encyclopedia3020047	11
44	Staneva D., Vasileva-Tonkova E., Grabchev I., pH sensor potential and antimicrobial activity of a new PPA dendrimer modified with benzanthrone fluorophores in solution and on viscose fabric, Journal of Photochemistry and Photobiology A: Chemistry, 375, 2019, 24-29.	15
	Gavarane, I., Kirilova, E., Rubeniņa, I., Mežaraupē, L., Osipovs, S., Dekšne, G., Pučkins, A., Kokina, I., Bulanovs, A., Kirjušina, M. A Simple and Rapid Staining Technique for Sex Determination of Trichinella Larvae Parasites by Confocal Laser Scanning Microscopy. (2019) Microscopy and Microanalysis, 25 (6), pp. 1491-1497. DOI: 10.1017/S1431927619015046	1
	Dodangeh, M., Tang, R.-C., Gharanjig, K. Improving the photostability of curcumin using functional star-shaped polyamidoamine dendrimer: Application on PET. (2019) Materials Today Communications, 21, art. no. 100620. DOI: 10.1016/j.mtcomm.2019.100620	2
	Garrec, J., Cordier, M., Frison, G., Prévost, S. Palladium-Catalyzed C8-Arylation of Naphthalenes through C–H Activation: A Combined Experimental and Computational Study. (2019) Chemistry - A European Journal, 25 (63), pp. 14441-14446. DOI: 10.1002/chem.201903500	3
	Diana, R., Panunzi, B., Concilio, S., Marrafino, F., Shikler, R., Caruso, T., Caruso, U. The Effect of Bulky Substituents on Two π -Conjugated Mesogenic Fluorophores. Their Organic Polymers and Zinc-Bridged Luminescent Networks. (2019) Polymers, 11, 1379. DOI: 10.3390/polym11091379	4

	Zhytniakivska, O. Molecular dynamics simulation of the interaction between benzanthrone dye and model lipid membranes. (2020) East European Journal of Physics, 2020 (3), pp. 134-140. DOI: 10.26565/2312-4334-2020-3-17	5
	Boukhriss, A., El Messoudi, M., Roblin, J.-P., Aaboub, T., Boyer, D., Gmouh, S. Luminescent hybrid coatings prepared by a sol-gel process for a textile-based pH sensor. (2020) Materials Advances, 1 (4), pp. 918-925. DOI: 10.1039/D0MA00211A	6
	Xue, C., Wang, L., Han, J. Palladium-Catalyzed Site-Selective Benzocyclization of Naphthoic Acids with Diaryliodonium Salts: Efficient Access to Benzantrones. (2020) Journal of Organic Chemistry, 85 (23), pp. 15406-15414. DOI: 10.1021/acs.joc.0c02192	7
	Kiseļeva, V., Avotiņa, L., Zariņš, A., Petjukevičs, A., Pučkins, A., Škute, N., Kirilova, E. Thermal And Spectroscopic Study Of Chromium Complex With Benzanthrone Amidine Derivative. (2021) Journal of Chemical Technology and Metallurgy, 56 (3), pp. 595-602.	8
	Gawande, V., Choudhury, V., Kesharwani, P. Chapter 6 - Dendrimer nomenclature and synthesis methods, Editor(s): Prashant Kesharwani, Dendrimer-Based Nanotherapeutics, Academic Press, 2021, pp. 75-94, ISBN 9780128212509. DOI: 10.1016/b978-0-12-821250-9.00009-3 глава от книга	9
	Konstantinova, A., Avotiņa, L., Kizāne, G., Pučkins, A., Osipovs, S. and Kirilova, E., Amino acid functionalized benzanthrone dyes: Synthesis and photophysical study. (2022) Dyes and Pigments, 204, p.110363. DOI: 10.1016/j.dyepig.2022.110363	10
	Diana, R., Caruso, U., Di Costanzo, L., Concilio, S., Piotto, S., Sessa, L. and Panunzi, B., A Water Soluble 2-Phenyl-5-(pyridin-3-yl)-1, 3, 4-oxadiazole Based Probe: Antimicrobial Activity and Colorimetric/Fluorescence pH Response. (2022) Molecules, 27(6), p.1824. DOI: 10.3390/molecules27061824	11
	Fridmans, R., Puckins, A., Osipovs, S., Belyakov, S., Kirilova, E. 3-[4-(2-Phenylethyl)piperazin-1-yl]-7H-benzo[de]anthracen-7-one. (2023) Molbank, (1), M1607. DOI: 10.3390/M1607	12
	Maļeckis, A., Cvetinska, M., Puckins, A., Osipovs, S., Sirokova, J., Belyakov, S., Kirilova, E. Synthesis and Properties of New 3-Heterylamino-Substituted 9-Nitrobenzanthrone Derivatives. (2023) Molecules, 28, 5171. DOI: 10.3390/molecules28135171	13
	Du, X., Zhang, Y., & Xu, D. A 1, 8-naphthimide-based Fluorescent Probe for Analyzing DMF/H ₂ O Composition. (2024) Journal of Fluorescence, 34(1), 169-178. DOI: 10.1007/s10895-023-03251-x	14
	An, X., Ma, H., Cui, G., Zhang, T., Xu, L., & Wang, M. Novel and rapid approach for benzanthrone synthesis: BBr ₃ -promoted annulation of 8-aryl-1-naphthoic acid derivatives. (2024) New Journal of Chemistry, 48(4), 1741-1756. DOI: 10.1039/D3NJ03905F	15
45	Staneva D., Yordanova S., Vasileva-Tonkova E., Stoyanov S., Grabchev I., Photophysical and antibacterial activity of light-activated quaternary eosin Y, Open Chemistry, 2019 (1) 1244-1251.	7
	Oliver, S., Lei, L., Fan, K.W., Wang, C., Baena, J.-C., Pham, P., Lin, Q., Kabir, I.I., Wong, E.H.H., Yuen, A.C.Y., Boyer, C., Yeoh, G.H. Wet or dry multifunctional coating prepared by visible light polymerisation with fire retardant, thermal protective, and antimicrobial properties. (2021) Cellulose, 28 (13), pp. 8821-8840. DOI: 10.1007/s10570-021-04095-z	1
	Garg, P., Kaur, B., Kaur, G., Saini, S., Chaudhary, G.R., A study of the spectral behaviour of Eosin dye in three states of metallosurfactants: Monomeric, micelles and metallosomes, (2021) Colloids and Surfaces A: Physicochemical and Engineering Aspects, 610, art. no. 125697. DOI: 10.1016/j.colsurfa.2020.125697	2
	Blázquez-Moraleja, A., Bosio, A., Gamba, S., Bosca, F., & Marin, M. L. Covalent or ionic bonding of Eosin Y to silica: New visible-light photocatalysts for redox wastewater remediation. (2023) Journal of Environmental Chemical Engineering, 11(5), 111024. DOI: 10.1016/j.jece.2023.111024	3

	Flores, J., Blázquez-Moraleja, A., Bonet-Aracil, M., Moya, P., Bosca, F., & Marin, M. L. What is the most effective percentage of Rose Bengal on polyamide fabrics for the visible-light photoinactivation of Gram-positive bacteria?. (2023) <i>Journal of Environmental Chemical Engineering</i> , 11(5), 110639. DOI: 10.1016/j.jece.2023.110639	4
	Blázquez-Moraleja, A., Moya, P., Marin, M. L., & Bosca, F. Synthesis of novel heterogeneous photocatalysts based on Rose Bengal for effective wastewater disinfection and decontamination. (2023) <i>Catalysis Today</i> , 413, 113948. DOI: 10.1016/j.cattod.2022.11.009	5
	Sobika, M., Karunanithi, S., & Dash, S. Studies on anionic dye Eosin Y in mixed anionic micellar medium. (2024) <i>Results in Chemistry</i> , 7, 101220. DOI: 10.1016/j.rechem.2023.101220	6
	Chakraborty, A., Rajana, V. K., Saritha, C., Srivastava, A., Mandal, D., & Das, N. A new Eosin Y-based 'turnon' fluorescent sensor for ratiometric sensing of toxic mercury ion (Hg ²⁺) offering unaided eye detection and its antibacterial activity. (2024) <i>Journal of Hazardous Materials</i> , 470, 134207. DOI: 10.1016/j.jhazmat.2024.134207	7
46	Vasileva-Tonkova E., Staneva D., Medel S., Bosch P., Grozdanov P., Nikolova I., Grabchev I., Antimicrobial, Antibiofilm and Cytotoxicity Activity of a New Acridine Hyperbranched Polymer in Solution and on Cotton Fabric, Fibers and Polymers, 2019, (1) 19-24.	8
	Rabia, S., Muhammad, M., Naveed, R., Waqas, A.S., Qutab, H.G. Development of free fluorine and formaldehyde oil and water repellent finishes for cotton fabrics through polymerization of bio-based stearic acid with carboxylic acids. (2020) <i>Industria Textila</i> , 71 (2), pp. 145-155. DOI:10.35530/IT.071.02.1731	1
	Kabel, K.I., Labena, A., Keshawy, M., Hozzein, W.N. Progressive applications of hyperbranched polymer based on diarylamine: Antimicrobial, anti-biofilm and anti-aerobic corrosion. (2020) <i>Materials</i> , 13 (9), art. no. 2076. DOI: 10.3390/ma13092076	2
	Peng, X., Liu, G., Zhu, L., Yu, K., Qian, K., Zhan, X. In vitro and in vivo study of novel antimicrobial gellan-polylysine polyion complex fibers as suture materials. (2020) <i>Carbohydrate Research</i> , 496, art. no. 108115. DOI: 10.1016/j.carres.2020.108115	3
	Cuneo, T., Gao, H. Recent advances on synthesis and biomaterials applications of hyperbranched polymers. (2020) <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 12 (6), art. no. e1640. DOI: 10.1002/wnan.1640	4
	Saadati, A., Hasanazadeh, M., Seidi, F. Biomedical application of hyperbranched polymers: Recent Advances and challenges. (2021) <i>TrAC - Trends in Analytical Chemistry</i> , 142, art. no. 116308. DOI: 10.1016/j.trac.2021.116308	5
	Gulati, R., Sharma, S., Sharma, R.K. Antimicrobial textile: recent developments and functional perspective. (2021) <i>Polymer Bulletin</i> , 79, 5747–5771. DOI: 10.1007/s00289-021-03826-3	6
	Ranjit, S., Deblais, L., Rotondo, F., Shannon, B., Johnson, R., Miller, S. A., & Rajashekara, G. Discovery of Novel Small Molecule Growth Inhibitors to Manage Pseudomonas Leaf Spot Disease on Peppers (<i>Capsicum</i> sp.). (2023) <i>Plant Disease</i> , 107(11), 3560-3574. DOI: 10.1094/PDIS-12-22-2976-RE	7
	Sharif, R., Mohsin, M., Qutab, H. G., Saleem, F., Bano, S., Nasir, R., & Wahlah, A. Durable water and oil repellents along with green chemistries: an overview. (2023) <i>Chemical Papers</i> , 77(7), 3547-3560. DOI: 10.1007/s11696-023-02763-x	8
47	Yordanova S., Vasileva-Tonkova E., Staneva D., Stoyanov S., Grabchev I., Synthesis and characterization of new water soluble 9,10-anthraquinone and evaluation of its antimicrobial activity, Journal of Molecular Structure, 1168, 2018, 22-27.	7
	Güller, P., Dağalan, Z., Güller, U., Çalışır, U., Nişancı, B., Enzymes inhibition profiles and antibacterial activities of benzylidenemalononitrile derivatives, <i>Journal of Molecular Structure</i> , 2021, 1239, art. no. 130498.	1

	Güller, Pınar, Ufuk Atmaca, Uğur Güller, Ulaş Çalışır, and Feray Dursun. "Antibacterial properties and carbonic anhydrase inhibition profiles of azido sulfonyl carbamate derivatives." <i>Future Medicinal Chemistry</i> 0 (2021).	2
	Stasevych, M., Zvarych, V., Barus, M., Bratenko, M., Amino-and diamino-9,10-anthracenedione derivatives: Biofocus and applied advantages-a mini-review, <i>Biointerface Research in Applied Chemistry</i> , 2021, 11 (6), pp. 14103-14114.	3
	Aelami, Z., Maghsoodlou, M.T., Heydari, R., Yazdani-Elah-Abadi, A., Utilizing an Old Idea for the Three-Component Synthesis of Anthraquinone-Scaffold-Based Enaminodiones (2,2-Diacylethenamines), <i>Polycyclic Aromatic Compounds</i> , 2020.	4
	Стасевич, Марина Володимирівна. "Функціоналізовані похідні 1 (2)-аміно-9, 10-антрацендіону: синтез та біологічна активність." (2020), PhD thesis.	5
	Puakpong, S., Punsri, T., & Phadpin, A. การ ยับยั้ง เชื้อ STAPHYLOCOCCUS AUREUS บน ผ้าฝ้าย ที่ ย้อม ด้วย สาร สกัด จาก ฝรั่ง. (2023) <i>Life Sciences and Environment Journal</i> , 24(1), 149-160.	6
	Raghuveer, D., Pai, V. V., Murali, T. S., & Nayak, R. Exploring anthraquinones as antibacterial and antifungal agents. (2023) <i>ChemistrySelect</i> , 8(6), e202204537. DOI: 10.1002/slct.202204537	7
48	Staneva D., Grabchev I., Heterogeneous sensors for ammonia, amines and metal ions based on a dendrimer modified fluorescent viscose fabric, <i>Dyes and Pigments</i>, 155, 2018, 164-170.	11
	Fernandes, T., Daniel-da-Silva, A.L., Trindade, T. Metal-dendrimer hybrid nanomaterials for sensing applications (2022) <i>Coordination Chemistry Reviews</i> , 460, art. no. 214483.	1
	Aysha, T., Zain, M., Arief, M., Youssef, Y. Alkali-stable solid state fluorescent pyrazolo/pyrrolinone disperse dyes: Synthesis and application for dyeing polyester fabric (2022) <i>Journal of Molecular Structure</i> , 1249, art. no. 131623, .	2
	Liu, H., Yin, Y., Zhou, J., Yang, H., Guo, L., Peng, F., Qi, H. Fabrication of durable fluorescent and hydrophobic cotton fabrics by multiple surface modifications (2022) <i>Industrial Crops and Products</i> , 175, art. no. 114238, .	3
	Quan, Z., He, H., Zhou, H., Liang, Y., Wang, L., Tian, S., Zhu, H., Wang, S. Designing an intelligent nanofiber ratiometric fluorescent sensor sensitive to biogenic amines for detecting the freshness of shrimp and pork (2021) <i>Sensors and Actuators, B: Chemical</i> , 333, art. no. 129535, .	4
	Ramlow, H., Andrade, K.L., Immich, A.P.S. Smart textiles: an overview of recent progress on chromic textiles (2021) <i>Journal of the Textile Institute</i> , 112 (1), pp. 152-171.	5
	Tang, S., Zhao, C., Chen, G., Sun, G. A study on computerized selection of fluorescent dyes for environmentally friendly textile applications (2019) <i>Dyes and Pigments</i> , 165, pp. 256-263.	6
	Akbari, S., Kozłowski, R.M. A review of application of amine-terminated dendritic materials in textile engineering (2019) <i>Journal of the Textile Institute</i> , 110 (3), pp. 460-467.	7
	Abd-El-Aziz, A.S., Abdelghani, A.A., Wagner, B.D., Bissessur, R. Advances in Light-Emitting Dendrimers (2019) <i>Macromolecular Rapid Communications</i> , 40 (1), art. no. 1800711, .	8

	Shehu H. Synthesis and characterization of branched polymers via anionic polymerization based on “strathelyde approach”/Shehu Habibu (Doctoral dissertation, University of Malaya). (2019)	9
	Hashemi, E., Sadeghi-Kiakhani, M. Using a Dendritic Sensor as a Feasible Method for Detection of Copper in Water Samples. (2023) Journal of Fluorescence, 33,(3), pp. 1139-1146. DOI: 10.1007/s10895-022-03123-w	10
	Maļeckis, A., Cvetinska, M., Griškāns, E., Dmitrijevs, K., Traskovskis, K., Belyakov, S., Kirilova, E. Benzanthrone Sulfides: Synthesis, Solvatochromism Characterization and Analysis of Experimental Photophysical Parameters and Theoretical Calculations. (2023) Dye. Pigment, 219, 111599. DOI: 10.1016/j.dyepig.2023.111599	11
49	Staneva D., Grabchev I., Bosch P., Vasileva-Tonkova E., Kukeva R., Stoyanova R., Synthesis, characterisaion and antimicrobial activity of polypropylenamine metallodendrimers modified with 1,8-naphthalimides, Journal of Molecular Structure, 1164, 2018, 363-369.	8
	Moffett, S., Shiao, T.C., Mousavifar, L., Mignani, S., Roy, R., Aberrant glycosylation patterns on cancer cells: Therapeutic opportunities for glycodendrimers/metallodendrimers oncology, Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2021, 13 (1), art. no. e1659.	1
	Şenkuytu, E., Öztürk, E., Aydınoğlu, F., Tanrıverdi Eçik, E., Okutan, E., Cyclotriphosphazene cored naphthalimide-BODIPY dendrimeric systems: Synthesis, photophysical and antimicrobial properties, Inorganica Chimica Acta, 2020, 502, art. no. 119386.	2
	Li, X., Wu, Z., Xu, L., Chi, C.-L., Chen, B.-Q., Design, synthesis, and antitumor evaluation of novel naphthalimide derivatives, Medicinal Chemistry Research, 2020, 29 (2), pp. 180-188.	3
	Sanz del Olmo, N., Carloni, R., Ortega, P., García-Gallego, S., de la Mata, F.J., Metallodendrimers as a promising tool in the biomedical field: An overview, Advances in Organometallic Chemistry, 2020, 74, pp. 1-52.	4
	Williams, C., Chellan, P., Govender, P., Smith, G.S., CHAPTER 8: Metallodendrimers: synthetic strategies and current structural trends, Monographs in Supramolecular Chemistry, 2020-January (29), pp. 230-260.	5
	Al-Khuzai, M.G.A., Al-Majidi, S.M.H., Synthesis and characterization of some new pyrazolin, triazolin and tetrazolin derivatives of 1,8-naphthal imide and evaluate their anti-microbial activity, International Journal of Pharmaceutical Research, 2019, 11 (4), pp. 1216-1225.	6
	Jeevanandam, J., Pan, S., Danquah, M.K., Rodrigues, J. Dendrimers and dendrimersomes as a novel tool for effective drug delivery applications. (2022) Systems of Nanovesicular Drug Delivery, pp. 311 – 322. DOI: 10.1016/B978-0-323-91864-0.00016-4 глава от книга	7
	Luo, F., Luo, X., Wang, L., Qu, Y., Yin, X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms. (2023) Current Organic Chemistry, 27 (13), pp. 1164-1178. DOI: 10.2174/1385272827666230911115827	8
50	Almalki A.S.A., Alhadhrami A., Obaid R.J., Alsharif M.A., Adam A.M.A., Grabchev I., Refat M.S., Preparation of some compounds and study their thermal stability for use in dye sensitized solar cells, Journal of Molecular Liquids, 261, 2018, 565-582.	8
	Darwish, I.A., Khalil, N.Y., Alsaif, N.A., Herqash, R.N., Sayed, A.Y.A., Abdel-Rahman, H.M., Charge-transfer complex of linifanib with 2,3-dichloro-3,5-dicyano-1,4-benzoquinone: Synthesis, spectroscopic characterization, computational molecular modelling and application in the development of novel 96-microwell spectrophotometric assay, Drug Design, Development and Therapy, 2021, 15, pp. 1167-1180.	1
	Altalhi, T.A., Utilization of tannic acid into spherical structured carbons based on charge-transfer complexation with tetracyanoethylene acceptor: Liquid-liquid and solid-solid interactions, Journal of Molecular Liquids, 2020, 300, art. no. 112325.	2

	Darwish I.A., Khalil N.Y., Darwish H.W., Alzoman N.Z., Al-Hossaini A.M. Synthesis, spectroscopic and computational characterization of charge transfer complex of remdesivir with chloranilic acid: Application to development of novel 96-microwell spectrophotometric assay (2022) Journal of Molecular Structure, 1263, art. no. 133104 DOI: 10.1016/j.molstruc.2022.133104	3
	Darwish I.A., Almehezia A.A., Sayed A.Y., Khalil N.Y., Alzoman N.Z., Darwish H.W. Synthesis, spectroscopic and computational studies on hydrogen bonded charge transfer complex of duvelisib with chloranilic acid: Application to development of novel 96-microwell spectrophotometric assay (2022) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 264, art. no. 120287 DOI: 10.1016/j.saa.2021.120287	4
	Darwish H.W., Darwish I.A., Ali A.M., Almutairi H.S. Charge Transfer Complex of Lorlatinib with Chloranilic Acid: Characterization and Application to the Development of a Novel 96-Microwell Spectrophotometric Assay with High Throughput (2023) Molecules, 28 (9), art. no. 3852 DOI: 10.3390/molecules28093852	5
	Khan I.M., Khan A., Shakya S., Osama M., Islam M., Naaz F., Ahmad M. Investigating the binding of organic charge transfer co-crystals to human serum albumin by experimental and theoretical methods: spectroscopy, molecular docking and DFT/TD-DFT studies (2023) New Journal of Chemistry, 48 (6), pp. 2527 - 2546 DOI: 10.1039/d3nj05194c	6
	Al-Wasidi A.S., Al-Jafshar N.M., Al-Anazi A.M., Alosaimi E.H., Refat M.S., El-Zayat L., Al-Omar M.A., Naglah A.M., Abou El-Nour K.M. Electron-transfer complexation of morpholine donor molecule with some π -acceptors: Synthesis and spectroscopic characterizations (2020) Polish Journal of Chemical Technology, 21 (4), pp. 82 - 88 DOI: 10.2478/pjct-2019-0043	7
	Ali M.M., Ali M., Gaballa A.S., El-korashy S.A., Teleb S.M. Preparation, spectroscopic, characterizations and biological studies of new charge transfer complexes formed between fluconazole drug with various acceptors (2021) Bioorganic Chemistry, 115, art. no. 105190 DOI: 10.1016/j.bioorg.2021.105190	8
51	Almalki A.S.A., Alhadhrami A., Adam A.M.A., Grabchev I., Almeataq M., Al-Humaidi J.Y., Sharshar T., Refat M.S., Preparation of elastic polymer slices have the semiconductors properties for use in solar cells as a source of new and renewable energy, Journal of Photochemistry and Photobiology A: Chemistry, 361, 2018, 76-85.	11
	Darwish I.A., Khalil N.Y., Darwish H.W., Alzoman N.Z., Al-Hossaini A.M. Synthesis, spectroscopic and computational characterization of charge transfer complex of remdesivir with chloranilic acid: Application to development of novel 96-microwell spectrophotometric assay (2022) Journal of Molecular Structure, 1263, art. no. 133104 DOI: 10.1016/j.molstruc.2022.133104	1
	Abdelsalam S.A., Hemeda O.M., Sharshar T., Henaish A.M.A., Ali M.M. Defect probing using positron annihilation and dielectric spectroscopy of PVA/Al thin films (2022) Journal of Molecular Structure, 1259, art. no. 132738 , DOI: 10.1016/j.molstruc.2022.132738	2
	Darwish I.A., Almehezia A.A., Sayed A.Y., Khalil N.Y., Alzoman N.Z., Darwish H.W. Synthesis, spectroscopic and computational studies on hydrogen bonded charge transfer complex of duvelisib with chloranilic acid: Application to development of novel 96-microwell spectrophotometric assay (2022) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 264, art. no. 120287 DOI: 10.1016/j.saa.2021.120287	3

	Altalhi T.A. Utilization of tannic acid into spherical structured carbons based on charge-transfer complexation with tetracyanoethylene acceptor: Liquid-liquid and solid-solid interactions(2020) Journal of Molecular Liquids, 300, art. no. 112325 DOI: 10.1016/j.molliq.2019.112325	4
	Darwish H.W., Darwish I.A., Ali A.M., Almutairi H.S. Charge Transfer Complex of Lorlatinib with Chloranilic Acid: Characterization and Application to the Development of a Novel 96-Microwell Spectrophotometric Assay with High Throughput(2023) Molecules, 28 (9), art. no. 3852 DOI: 10.3390/molecules28093852	5
	Khan I.M., Khan A., Shakya S., Osama M., Islam M., Naaz F., Ahmad M. Investigating the binding of organic charge transfer co-crystals to human serum albumin by experimental and theoretical methods: spectroscopy, molecular docking and DFT/TD-DFT studies(2023) New Journal of Chemistry, 48 (6), pp. 2527 - 2546 DOI: 10.1039/d3nj05194c	6
	Al-Wasidi A.S., Al-Jafshar N.M., Al-Anazi A.M., Alosaimi E.H., Refat M.S., El-Zayat L., Al-Omar M.A., Naglah A.M., Abou El-Nour K.M. Electron-transfer complexation of morpholine donor molecule with some π -acceptors: Synthesis and spectroscopic characterizations(2020) Polish Journal of Chemical Technology, 21 (4), pp. 82 - 88 DOI: 10.2478/pjct-2019-0043	7
	Chaudhary S., Rai R. Solid-state green synthesis of blue light emitting fluorescent novel organic charge transfer complex; its optical, physicochemical and thermal studies (2023) Materials Chemistry and Physics, 308, art. no. 128279 DOI: 10.1016/j.matchemphys.2023.128279	8
	Ali M.M., Ali M., Gaballa A.S., El-korashy S.A., Teleb S.M. Preparation, spectroscopic, characterizations and biological studies of new charge transfer complexes formed between fluconazole drug with various acceptors (2021) Bioorganic Chemistry, 115, art. no. 105190 DOI: 10.1016/j.bioorg.2021.105190	9
	Darwish I.A., Khalil N.Y., Alsaif N.A., Herqash R.N., Sayed A.Y.A., Abdel-Rahman H.M. Charge-transfer complex of linifanib with 2,3-dichloro-3,5-dicyano-1,4-benzoquinone: Synthesis, spectroscopic characterization, computational molecular modelling and application in the development of novel 96-microwell spectrophotometric assay (2021) Drug Design, Development and Therapy, 15, pp. 1167 - 1180 DOI: 10.2147/DDDT.S296502	10
	Al-Saif F.A., El-Habeeb A.A., Refat M.S., Eldaroti H.H., Adam A.M.A., Fetooh H., Saad H.A. Chemical and physical properties of the charge transfer complexes of domperidone antiemetic agent with π -acceptors (2019) Journal of Molecular Liquids, 293, art. no. 111517 DOI: 10.1016/j.molliq.2019.111517	11
52	Medel S., Martinez-Campos E., Acitores D., Vassileva-Tonkova E., Grabchev I., Bosch P., Synthesis and spectroscopic properties of a new fluorescent acridine hyperbranched polymer: Applications to acid sensing and as antimicrobial agent, European Polymer Journal, 102, 2018, 19-29.	7
	Wang, Y., Ji, W., Xu, Y., Zou, L., Lu, H., Sun, C., Dispersion and fluorescence properties of multiwalled carbon nanotubes modified with hyperbranched poly(phenylalanine-lysine), Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 608, art. no. 125557.	1
	Cuneo, T., Gao, H., Recent advances on synthesis and biomaterials applications of hyperbranched polymers, Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2020, 12 (6), art. no. e1640.	2

	Wang, X., Zhu, J., Liu, X., Zhang, H.J., Zhu, X., Novel Gelatin-based Eco-friendly Adhesive with a Hyperbranched Cross-linked Structure, Industrial and Engineering Chemistry Research, 2020, 59 (13), pp. 5500-5511.	3
	Zhang, L., Xue, W., Gu, L., Biopeptide Hyperbranched Polyether Assembled from Lactic Acid, Glutamic Acid and Polyethylene Glycol Block Chains for Drug Loading, Macromolecular Research, 2019, 27 (11), pp. 1095-1103.	4
	Wang Y, He J, Ji W, Zou L, Lu H, Li YV. Fluorescence and structural properties of polyvinyl alcohol fibers modified with multiwalled carbon nanotubes-hyperbranched poly (phenylalanine-lysine). Polymer Bulletin. 2021 Aug 11:1-9.	5
	Dirauf M., Muljajew I., Weber C., Schubert U.S. Recent advances in degradable synthetic polymers for biomedical applications - Beyond polyesters (2022) Progress in Polymer Science, 129, art. no. 101547 DOI: 10.1016/j.progpolymsci.2022.101547 DOCUMENT TYPE: Review	6
	Patra S.K., Mahato M.K., Prasad E. Aggregation induced emission and volatile acid vapour sensing in acridine appended poly (aryl ether) based low molecular weight organogelator (2024) Organic and Biomolecular Chemistry DOI: 10.1039/d3ob01945d	7
53	Staneva D., Vasileva-Tonkova E., Bosch P., Grozdanov P., Grabchev I., Synthesis and Characterization of a New PAMAM Metallodendrimer for Antimicrobial Modification of Cotton Fabric, Macromolecular Research, 2018, (4) 332-340.	5
	Wang, L., Wang, L., Shen, Y., Xu, L., Qiu, Y., Liu, Y., Preparation of modified hyperbranched polyamide HBPAMAM-EP and application of composite on cotton fabric, Gongneng Cailiao/Journal of Functional Materials, 2020, 51 (3), pp. 03208-03213.	1
	Abd-El-Aziz, A.S., Abdelghani, A.A., Mishra, A.K., Optical and Biological Properties of Metal-Containing Macromolecules, Journal of Inorganic and Organometallic Polymers and Materials, 2020, 30 (1), pp. 3-41.	2
	Williams, C., Chellan, P., Govender, P., Smith, G.S., CHAPTER 8: Metallodendrimers: synthetic strategies and current structural trends, Monographs in Supramolecular Chemistry, 2020 (29), 230-260.	3
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	4
	Lin Z., Jiang S., Ye X., Dai M., Yang G., Liu L. Antimicrobial curcumin nanoparticles downregulate joint inflammation and improve osteoarthritis (2023) Macromolecular Research, 31 (12), pp. 1179 - 1187 DOI: 10.1007/s13233-023-00196-9	5
54	Grabchev I., Vasileva-Tonkova E., Staneva D., Bosch P., Kukeva R., Stoyanova R., Synthesis, spectral characterization, and in vitro antimicrobial activity in liquid medium and applied on cotton fabric of a new PAMAM metallodendrimer, International Journal of Polymer Analysis and Characterization, 2018, (1) 45-57.	6
	Badea, M., V. Uivarosi, and R. Olar. "Improvement in the Pharmacological Profile of Copper Biological Active Complexes by Their Incorporation into Organic or Inorganic Matrix." Molecules 25, no. 24 (2020): 5830.	1
	Iravani, Siavash, and Ghazaleh Jamalipour Soufi. "Electron paramagnetic resonance (EPR) spectroscopy: Food, biomedical and pharmaceutical analysis." Biomedical Spectroscopy and Imaging Preprint: 1-18.	2

	Williams, C., Chellan, P., Govender, P., Smith, G.S., CHAPTER 8: Metallodendrimers: synthetic strategies and current structural trends, Monographs in Supramolecular Chemistry, 2020-January (29), pp. 230-260.	3
	Zechel, S., Hager, M.D., Schubert, S., Manners, I., Schubert, U.S., From Dendrimers to Macrocycles: 80 Years George R. Newkome—Milestones of a Gentleman Scientist, Macromolecular Chemistry and Physics, 2018, 219 (22), art. no. 1800269.	4
	Olar R, Badea M, Chifiriuc MC. Metal Complexes—A Promising Approach to Target Biofilm Associated Infections. Molecules. 2022 Jan;27(3):758.	5
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	6
55	Vasileva-Tonkova E., Grozdanov P., Nikolova I., Staneva D., Bosch P., Medel S., Grabchev I., Evaluation of antimicrobial, biofilm inhibitory and cytotoxic activities of a new hiperbranched polymer modified with 1,8-naphthalimide units, Biointerface Research in Applied Chemistry, 2018, (1) 3053-3059.	5
	Thomsen, H., Agnes, M., Uwangue, O., Persson, L., Mattsson, M., Graf, F.E., Kasimati, E.-M., Yannakopoulou, K., Ericson, M.B., Farewell, A., Increased antibiotic efficacy and noninvasive monitoring of Staphylococcus epidermidis biofilms using per-cysteamine-substituted γ -cyclodextrin – A delivery effect validated by fluorescence microscopy, International Journal of Pharmaceutics, 2020, 587, art. no. 119646.	1
	Balaure, P.C., Grumezescu, A.M., Recent advances in surface nanoengineering for biofilm prevention and control. Part i: Molecular basis of biofilm recalcitrance. passive anti-biofouling nanocoatings, Nanomaterials, 2020, 10 (6), art. no. 1230, pp. 1-30.	2
	Florea, D.A., Chircov, C., Grumezescu, A.M., Hydroxyapatite particles-directing the cellular activity in bone regeneration processes: An up-to-date review, Applied Sciences (Switzerland), 2020, 10 (10), art. no. 3483.	3
	Vereshchahina T, Boychuk A, Sopel V, Behosh B, Onyskiv B. The Effectiveness of Antiviral Therapy in Patients with Hyperplastic Processes of the Endometrium of Childbearing Age. Letters in Applied NanoBioScience 9(4), 2020, 1494 - 1501	4
	Tarabal V.S., Silva F.G., Sinisterra R.D., Gonçalves D., Silva J., Granjeiro J.M., Speziali M., Granjeiro P.A. Impact of DMPEI on biofilm adhesion on latex urinary catheter (2021) Recent Patents on Biotechnology, 15 (1), pp. 51 – 66 DOI: 10.2174/1872208315666210215084127	5
56	Grabchev I., Vasileva-Tonkova E., Staneva D., Bosch P., Kukeva R., Stoyanova R., Impact of Cu(ii) and Zn(ii) ions on the functional properties of new PAMAM metallodendrimers, New Journal of Chemistry, 2018, (10) 7853-7862.	13
	Moffett, S., Shiao, T.C., Mousavifar, L., Mignani, S., Roy, R., Aberrant glycosylation patterns on cancer cells: Therapeutic opportunities for glycodendrimers/metallodendrimers oncology, Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2021, 13 (1), art. no. e1659.	1
	Badea, M., Uivarosi, V. and Olar, R., 2020. Improvement in the Pharmacological Profile of Copper Biological Active Complexes by Their Incorporation into Organic or Inorganic Matrix. Molecules, 25(24), p.5830.	2
	Wang, T., Chen, W., Dong, T., Lv, Z., Zheng, S., Cao, X., Wei, Q., Ghiladi, R.A., Wang, Q., Color-variable photodynamic antimicrobial wool/acrylic blended fabrics, Materials, 2020, 13 (18), art. no. 4141.	3
	Sanz del Olmo, N., Carloni, R., Ortega, P., García-Gallego, S., de la Mata, F.J., Metallodendrimers as a promising tool in the biomedical field: An overview, Advances in Organometallic Chemistry, 2020, 74, pp. 1-52.	4

	Abd-El-Aziz, A.S., Abdelghani, A.A., Mishra, A.K., Optical and Biological Properties of Metal-Containing Macromolecules, Journal of Inorganic and Organometallic Polymers and Materials, 2020, 30 (1), pp. 3-41.	5
	Williams, C., Chellan, P., Govender, P., Smith, G.S., CHAPTER 8: Metallodendrimers: synthetic strategies and current structural trends, Monographs in Supramolecular Chemistry, 2020-January (29), pp. 230-260.	6
	Maroto-Díaz, M., Sanz del Olmo, N., García-Gallego, S., Gómez, R., Ortega, P., de la Mata, F.J., Synthesis and structural characterization of carbosilane ruthenium(II) metallodendrons containing cymene units, Journal of Organometallic Chemistry, 2019, 901, art. no. 120942.	7
	Llamazares, C., Del Olmo, N.S., Ortega, P., Gómez, R., Soliveri, J., Javier De La Mata, F., García-Gallego, S., Copa-Patiño, J.L., Antibacterial effect of carbosilane metallodendrimers in planktonic cells of gram-positive and gram-negative bacteria and staphylococcus aureus biofilm, Biomolecules, 2019, 9 (9), art. no. 405.	8
	Mignani S, Shi X, Guidolin K, Zheng G, Karpus A, Majoral JP. Clinical diagonal translation of nanoparticles: Case studies in dendrimer nanomedicine. Journal of Controlled Release. 2021 Sep 10;337:356-70.	9
	Olar R, Badea M, Chifiriuc MC. Metal Complexes—A Promising Approach to Target Biofilm Associated Infections. Molecules. 2022 Jan;27(3):758.	10
	Olar R., Badea M., Chifiriuc M.C. Metal Complexes—A Promising Approach to Target Biofilm Associated Infections (2022) Molecules, 27 (3), art. no. 758 DOI: 10.3390/molecules27030758 DOCUMENT TYPE: Review	11
	Mignani S., Shi X., Guidolin K., Zheng G., Karpus A., Majoral J.-P. Clinical diagonal translation of nanoparticles: Case studies in dendrimer nanomedicine (2021) Journal of Controlled Release, 337, pp. 356 - 370 DOI: 10.1016/j.jconrel.2021.07.036 DOCUMENT TYPE: Review	12
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	13
57	Grabchev I., Staneva D., Vasileva-Tonkova E., Alexandrova R., Cangioti M., Fattori A., Ottaviani M.F., Antimicrobial and anticancer activity of new poly(propyleneamine) metallodendrimers, Journal of Polymer Research, 24, 2017, 210.	7
	Sanz del Olmo, N., Carloni, R., Ortega, P., García-Gallego, S., de la Mata, F.J., Metallodendrimers as a promising tool in the biomedical field: An overview, Advances in Organometallic Chemistry, 2020, 74, pp. 1-52.	1
	Williams, C., Chellan, P., Govender, P., Smith, G.S., CHAPTER 8: Metallodendrimers: synthetic strategies and current structural trends, Monographs in Supramolecular Chemistry, 2020-January (29), pp. 230-260.	2
	Nguyen, D.T.D., Bach, L.G., Nguyen, T.H., Ho, M.H., Ho, M.N., Nguyen, D.H., Nguyen, C.K., Hoang Thi, T.T., Preparation and characterization of oxaliplatin drug delivery vehicle based on PEGylated half-generation PAMAM dendrimer, Journal of Polymer Research, 2019, 26 (5), art. no. 116.	3
	Nguyen TT, Nguyen BP, Nguyen DT, Nguyen NH, Nguyen DH, Nguyen CK. Retrovirus Drugs-Loaded PEGylated PAMAM for Prolonging Drug Release and Enhancing Efficiency in HIV Treatment. Polymers. 2021 Dec 29;14(1):114.	4
	Jeevanandam J., Pan S., Danquah M.K., Rodrigues J. Dendrimers and dendrimersomes as a novel tool for effective drug delivery applications (2022) Systems of Nanovesicular Drug Delivery, pp. 311 – 322 DOI: 10.1016/B978-0-323-91864-0.00016-4 DOCUMENT TYPE: Book chapter	5

	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 - 1178 DOI: 10.2174/138527282766623091115827 DOCUMENT TYPE: Review	6
	Maciel D., Nunes N., Santos F., Fan Y., Li G., Shen M., Tomás H., Shi X., Rodrigues J. New insights into ruthenium(ii) metallodendrimers as anticancer drug nanocarriers: from synthesis to preclinic behaviour (2022) Journal of Materials Chemistry B, 10 (43), pp. 8945 - 8959 DOI: 10.1039/d2tb01280d	7
58	Staneva D., Vasileva-Tonkova E., Bosch P., Grabchev I., A new green fluorescent tripod based on 1,8-naphthalimide. Detection ability for metal cations and protons and antimicrobial activity, Journal of Photochemistry and Photobiology A: Chemistry, 344, 2017, 143-148.	7
	Ding, Y., Zhao, C., Zhang, P., Chen, Y., Song, W., Liu, G., Liu, Z., Yun, L., Han, R., A novel quinoline derivative as dual chemosensor for selective sensing of Al ³⁺ by fluorescent and Fe ²⁺ by colorimetric methods, Journal of Molecular Structure, 2021, 1231, art. no. 129965.	1
	Liang, S., Tong, Q., Qin, X., Liao, X., Li, Q., Yan, G., A hydrophilic naphthalimide-based fluorescence chemosensor for Cu ²⁺ ion: Sensing properties, cell imaging and molecular logic behavior, Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 230, art. no. 118029.	2
	Udhayakumari, D., Various sensing mechanisms for the design of naphthalimide based chemosensors emerging in recent years, Recent Innovations in Chemical Engineering, 2020, 13 (4), pp. 262-289.	3
	Rzycka-Korzec, Roksana. "Projektowanie i synteza pochodnych imidów aromatycznych o potencjalnych zastosowaniach w farmacji lub optoelektronice." Katowice : Uniwersytet Śląski (2020), PhD thesis.	4
	Jain N, Kaur N. A comprehensive compendium of literature of 1, 8-Naphthalimide based chemosensors from 2017 to 2021. Coordination Chemistry Reviews. 2022 May 15;459:214454.	5
	M. Dodangeh, M. Mohammadian, Aryabadie, S A Novel Fluorescent Disperse Dye based on N-Polyamidoamine Dendrimer-1,8 Naphthalimide: Synthesis, Characterization and Dyeing Properties on Polyester Fibres, Journal of Textile Science & Engineering 2018, 08(03), DOI: 10.4172/2165-8064.1000363	6
	Jain N., Kaur N. A comprehensive compendium of literature of 1,8-Naphthalimide based chemosensors from 2017 to 2021 (2022) Coordination Chemistry Reviews, 459, art. no. 214454 DOI: 10.1016/j.ccr.2022.214454 DOCUMENT TYPE: Review	7
59	Staneva D., Vasileva-Tonkova E., Grabchev I., Preparation, characterization, and antibacterial activity of composite material: Cotton fabric/hydrogel/silver nanoparticles, International Journal of Polymer Analysis and Characterization, 2017, 22(2), 104-111.	10
	Norali, Z., Gashti, M.P., Moghaddam, M.R., Tayyeb, H., Erfanian, I., Ultrasonically developed silver/iota-carrageenan/cotton bionanocomposite as an efficient material for biomedical applications, International Journal of Biological Macromolecules, 2021, 180, pp. 439-457.	1
	Abid, Sharjeel, Tanveer Hussain, and Ahsan Nazir. "Antimicrobial textiles for skin and wound infection management." In Antimicrobial Textiles from Natural Resources, pp. 313-347. Woodhead Publishing, 2021.	2
	Romero-Fierro, David, Moisés Bustamante-Torres, Sandra Hidalgo-Bonilla, and Emilio Bucio. "Silver Composites as Antimicrobial Materials." In Advanced Antimicrobial Materials and Applications, pp. 127-147. Springer, Singapore, 2021.	3
	Sivaranjana, P., Nagarajan, E.R., Rajini, N., Ayrilmis, N., Rajulu, A.V., Siengchin, S., Preparation and characterization studies of modified cellulosic textile fabric composite with in situ-generated AgNPs coating, Journal of Industrial Textiles, 2021, 50 (7), pp. 1111-1126.	4

	Lee, J., Yoo, J., Kim, J., Jang, Y., Shin, K., Ha, E., Ryu, S., Kim, B.-G., Wooh, S., Char, K., Development of Multimodal Antibacterial Surfaces Using Porous Amine-Reactive Films Incorporating Lubricant and Silver Nanoparticles, ACS Applied Materials and Interfaces, (2019).	5
	Cui, Y., Xing, Z., Yan, J., Lu, Y., Xiong, X., Zheng, L., Thermosensitive behavior and super-antibacterial properties of cotton fabrics modified with a sercin-NIPAAm-AgNPs interpenetrating polymer network hydrogel, Polymers, 2018, 10 (8), art. no. 818.	6
	Pinho, E., Soares, G., Functionalization of cotton cellulose for improved wound healing Journal of Materials Chemistry B, 2018, 6 (13), pp. 1887-1898.	7
	Breloy L, Yavuz O, Yilmaz I, Yagci Y, Versace DL. Design, synthesis and use of phthalocyanines as a new class of visible-light photoinitiators for free-radical and cationic polymerizations. Polymer Chemistry. 2021;12(30):4291-316.	8
	Głąb M, Kudłacik-Kramarczyk S, Drabczyk A, Grabowska B, Tylińczak B. Physicochemical Investigations of Hydrogels Containing Gold Nanoparticles Designed for Biomedical Use. Journal of Casting & Materials Engineering. 2021;5(2).	9
	Liu J., Jiang W., Xu Q., Zheng Y. Progress in Antibacterial Hydrogel Dressing (2022) Gels, 8 (8), art. no. 503 DOI: 10.3390/gels8080503 DOCUMENT TYPE: Review	10
60	Grabchev I., Yordanova S., Bosch P., Vasileva-Tonkova E., Kukeva R., Stoyanov S., Stoyanova R., Structural characterization of 1,8-naphthalimides and in vitro microbiological activity of their Cu(II) and Zn(II) complexes, Journal of Molecular Structure, 1130, 2017, 974-983.	13
	Dangalov, M., Petrov, P., Vassilev, N.G., N-heterocyclic bis-carbene palladium complexes derived from functionalized naphthalimides – Synthesis, Structure elucidation and DFT study (2021) Journal of Molecular Structure, 1230, art. no. 129944, .	1
	de Sousa, T.M., Penha, D.P.S., Pontes, D.D.L., de B. Pontes, A.C.F., da Silva, F.O.N., Synthesis and characterization of nitrosyl complexes with antibacterial action against Pseudomonas aeruginosa [SÍNTESE E CARACTERIZAÇÃO DE NITROSIL COMPLEXOS COM AÇÃO ANTIBACTERIANA FRENTE A Pseudomonas aeruginosa] Quimica Nova, 2020, 43 (2), pp. 194-200.	2
	Azam, M., Wabaidur, S.M., Alam, M.J., Trzesowska-Kruszynska, A., Kruszynski, R., Alam, M., Al-Resayes, S.I., Dwivedi, S., Khan, M.R., Islam, M.S., Ibaqami, N.T.M., Synthesis, structural investigations and pharmacological properties of a new zinc complex with a N4-donor Schiff base incorporating 2-pyridyl ring, Inorganica Chimica Acta, 2019, 487, pp. 97-106.	3
	Fernández Alonso, Sabela. "Sensores sólidos fluorescentes obtenidos por funcionalización con derivados de 1, 8-naftalimida de copolímeros de etileno-acrilato de butilo y de membranas acrílicas fotoentrecruzadas." PhD thesis Departamento de Química Macromolecular Aplicada del Instituto de Ciencia y Tecnología de Polímeros del Consejo Superior de Investigaciones Científicas (CSIC), Spain (2019).	4
	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F., A Switchable fluorescence solid sensor for Hg ²⁺ detection in aqueous media based on a photocrosslinked membrane functionalized with (benzimidazolyl)methyl-piperazine derivative of 1,8-naphthalimide, Sensors and Actuators, B: Chemical, 2018, 270, pp. 256-262.	5
	Oliveira, Verônica da Silva. "Estudo do sistema Fe-cyclam com ligantes carboxilatos e avaliação do efeito spin crossover e atividade antibacteriana do complexo (Fe (cyclam) ox) PF6." Universidade Federal do Rio Grande do Norte, Natal, PhD thesis (2018).	6
	Ostrowska, K., Stadnicka, K., Gryl, M., Musielak, B., Witek, Ł.J., Bocheńska, O., Synthesis, structure, and photophysical properties of luminescent zinc and cadmium complexes containing 2-pyridyl-substituted pyrrolo[2,3-b]quinoxaline, Polyhedron, 2017, 133, pp. 294-301.	7
	Meng, Q., Wang, L., Wang, D., Yang, J., Yue, C., Lu, J., Synthesis, crystal structure, photoluminescence properties and antibacterial activity of a Zn(II) coordination polymer based on a paddle-wheel cluster, Crystals, 2017, 7 (4), art. no. 112.	8

	Dangalov, M., Petrov, P., Vassilev, N.G., Naphthalimide-based platinum(II) and palladium(II) N-heterocyclic carbene complexes: Synthesis and structural elucidation, Bulgarian Chemical Communications, 2017, 49 (SpecialEditionB), pp. 42-49.	9
	Ji X, Zhu X, Chen S, Song D, Wu S, Zhang Y, Gao E, Xu J, Zhu M. Two Cu (II) and Zn (II) complexes derived from 5-(Pyrazol-1-yl) nicotinic acid: Crystal structure, DNA binding and anticancer studies. Journal of Solid State Chemistry. 2022 Jan 1;305:122707.	10
	dos Santos, Marfran Claudino Domingos. "CENTRO DE CIÊNCIAS EXATAS E DA TERRA INSTITUTO DE QUÍMICA PROGRAMA DE PÓS-GRADUAÇÃO EM QUÍMICA." PhD diss., Universidade Federal do Rio Grande do Norte, 2018.	11
	Polo A.B., Lemos A.S.O., Da Mata C.P.S.M., Oliveira V.S., Pontes A.C.F.B., Pontes D.L., Tavares G.D., Fabri R.L., Apolônio A.C.M. In vitro activity of the novel Fe-cyclam complex against clinical multidrug-resistant bacterial isolates from Brazil (2023) Future Microbiology, 18 (13), pp. 897 - 909 DOI: 10.2217/fmb-2023-0058	12
	Ji X., Zhu X., Chen S., Song D., Wu S., Zhang Y., Gao E., Xu J., Zhu M. Two Cu(II) and Zn(II) complexes derived from 5-(Pyrazol-1-yl)nicotinic acid: Crystal structure, DNA binding and anticancer studies (2022) Journal of Solid State Chemistry, 305, art. no. 122707 DOI: 10.1016/j.jssc.2021.122707	13
61	Staneva D., Koutzarova T., Vertruyen B., Vasileva-Tonkova E., Grabchev I., Synthesis, structural characterization and antibacterial activity of cotton fabric modified with a hydrogel containing barium hexaferrite nanoparticles, Journal of Molecular Structure, 1127, 2017, 74-80.	32
	Hamarawf R.F., Tofiq D.I., Omer K.M. Green synthesis of M-type manganese-substituted strontium hexaferrite $\text{SrMn}_x\text{Fe}_{12-x}\text{O}_{19}$ nanoparticles with intrinsic antibacterial activity against human pathogenic bacteria (2023) New Journal of Chemistry, 47 (32), pp. 15236 - 15249 DOI: 10.1039/d3nj03218c	1
	Barman J., Tirkey A., Batra S., Paul A.A., Panda K., Deka R., Babu P.J. The role of nanotechnology based wearable electronic textiles in biomedical and healthcare applications (2022) Materials Today Communications, 32, art. no. 104055 DOI: 10.1016/j.mtcomm.2022.104055 DOCUMENT TYPE: Review	2
	Bhandari V, Jose S, Badanayak P, Sankaran A, Anandan V. Antimicrobial finishing of metals, metal oxides, and metal composites on textiles: a systematic review. Industrial & Engineering Chemistry Research. 2022 Jan 2;61(1):86-101.	3
	Ghorbani A, Khalaji AD. $\beta\text{-NaFeO}_2@ \text{SrFe}_{12}\text{O}_{19}$ magnetic nanocomposite: synthesis, characterization, magnetic properties and antibacterial activity. Journal of Materials Science: Materials in Electronics. 2022 Feb 22:1-7.	4
	Nematollahi MR, Montazer M, Mianehro A. Multifunctional Cotton Fabric Composite Based on Starch-Copper Ferrite Hydrogel through Facile Room Temperature Preparation Approach. Starch-Stärke (2022) Starch/Staerke, 74 (3-4), art. no. 2100222 DOI: 10.1002/star.202100222	5
	Pugazhendhi A, Vasantharaj S, Sathiyavimal S, Raja RK, Karuppusamy I, Narayanan M, Kandasamy S, Brindhadevi K. Organic and inorganic nanomaterial coatings for the prevention of microbial growth and infections on biotic and abiotic surfaces. Surface and Coatings Technology. 2021 Nov 15;425:127739.	6
	Ismail AA, Al-Hajji LA, Albukhari SM, Mahmoud MH. Promoting the solar-light-driven mesoporous $\text{BaFe}_{12}\text{O}_{19}/\text{g-C}_3\text{N}_4$ photocatalysts for photoreduction and removal of Hg (II) ions. Surfaces and Interfaces. 2021 Oct 1;26:101387.	7
	Makhdoom AR, Ranjha QA, Raza MA, Raza B, Mazhar ME, Rao KA, Ahmed F, Asif SU, Khan MW, Nisa M. Structural and magnetic variations in $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Fe}_9\text{Ce}_1\text{Al}_{12}\text{O}_{19}$ hexaferrites at different sintering temperatures. Physica Scripta. 2021 Dec 8;96(12):125865.	8

Shahidi, S., Magnetic nanoparticles application in the textile industry—A review, <i>Journal of Industrial Textiles</i> , 2021, 50 (7), pp. 970-989.	9
Hashemi, N., Alijani, H.Q., Mousazadeh, F., Rahi, S., Darijani, S., Sharifi, F., Khalili, H., Irvani, S., Borhani, F., Zafarnia, N., Khatami, M., Leishmanicidal activities of biosynthesized BaCO ₃ (witherite) nanoparticles and their biocompatibility with macrophages, <i>Bioprocess and Biosystems Engineering</i> , (2021) 44 (9), pp. 1957 – 1964 DOI: 10.1007/s00449-021-02576-w	10
Cai, J., Wang, W., Pan, D., Young, D.P., Gu, H., Guo, Z., Electrical Transport in Polyaniline-Barium Ferrite Nanocomposites with Negative Giant Magnetoresistance, <i>Journal of Physical Chemistry C</i> , 2020, 124 (41), pp. 22646-22655.	11
Basante-Delgado, S.F., González-Vidal, D., Morales-Morales, J.A., Aperador-Chaparro, W.A., Gómez-Cuaspud, J.A., A preliminary study of oxides of Fe doped with Ba, Co, Cu and synthesized by the citrate sol-gel combustion route, <i>Journal of Physics: Conference Series</i> , 2020, 1541 (1), art. no. 012013.	12
Bosena, Denber. "NEW COBALT (II) MIXED LIGAND COMPLEXES OF, 1, 10-PHENANTHROLINE, ADENINE AND OXALATE: SYNTHESIS, CHARACTERIZATION AND ANTIBACTERIAL ACTIVITY INVESTIGATIONS." PhD diss., 2020.	13
Alimoradi, M., Yousefi, M., Sadeghi, B., Amini, M.M., Abbasi, A., Structural and Magnetic Behavior of BaAl _x CryFe ₁₁ O ₁₉ (x + y = 1) Hexagonal Ferrites, <i>Journal of Superconductivity and Novel Magnetism</i> , 2019, 32 (8), pp. 2533-2538.	14
Manafi, S.A., Joughehdoust, S., Kiahosseini, S.R., Farahbakhsh, I., Optimization of mechanical alloying parameters for synthesis of nanostructure hexagonal BaFe ₁₂ O ₁₉ , <i>Journal of the Australian Ceramic Society</i> , 2019, 55 (2), pp. 371-379.	15
Davarpanah, A.M., Rahdar, A., Dastnae, M.A., Zeybek, O., Beyzaei, H., (1-x)BaFe ₁₂ O ₁₉ /xCoFe ₂ O ₄ hard/soft magnetic nanocomposites: Synthesis, physical characterization, and antibacterial activities study, <i>Journal of Molecular Structure</i> , 2019, 1175, pp. 445-449.	16
Almessiere, M.A., Slimani, Y., Baykal, A., Impact of Nd-Zn co-substitution on microstructure and magnetic properties of SrFe ₁₂ O ₁₉ nanohexaferrite, <i>Ceramics International</i> , 2019, 45 (1), pp. 963-969.	17
Xia, M., Chen, Z., Li, Y., Li, C., Ahmad, N.M., Cheema, W.A., Zhu, S., Removal of Hg(II) in aqueous solutions through physical and chemical adsorption principles, <i>RSC Advances</i> , 2019, 9 (36), pp. 20941-20953.	18
Zhao, X., Cavaco-Paulo, A., Silva, C., Biosynthesis of polyesters and their application on cellulosic fibers, <i>Advances in Textile Biotechnology</i> , 2019, pp. 49-75.	19
SURIYARAJ, SP, DEEPAK KUMAR VERMA, H. BAVA BAKRUDEEN, Y. ANTONY PRABHU, S. VAIDEVI, B. RAMIYA, V. MONIKA, J. PRASANA MANIKANDA KARTIK, K. CHANDRARAJ. "Characterization techniques for nanomaterials: research and opportunities for potential biomedical applications" <i>Nanotechnology and Nanomaterial Applications in Food, Health, and Biomedical Sciences</i> (2019): 195.	20
Ali, A., Gul, A., Mannan, A., Zia, M., Efficient metal adsorption and microbial reduction from Rawal Lake wastewater using metal nanoparticle coated cotton, <i>Science of the Total Environment</i> , 2018, 639, pp. 26-39.	21
Paramasivan, S., Nagarajan, E.R., Nagarajan, R., Anumakonda, V.R., Hariram, N., Characterization of cotton fabric nanocomposites with in situ generated copper nanoparticles for antimicrobial applications, <i>Preparative Biochemistry and Biotechnology</i> , 2018, 48 (7), pp. 574-581.	22
Vinnik, D.A., Klygach, D.S., Zhivulin, V.E., Malkin, A.I., Vakhitov, M.G., Gudkova, S.A., Galimov, D.M., Zhrebtsov, D.A., Trofimov, E.A., Knyazev, N.S., Atuchin, V.V., Trukhanov, S.V., Trukhanov, A.V., Electromagnetic properties of BaFe ₁₂ O ₁₉ :Ti at centimeter wavelengths, <i>Journal of Alloys and Compounds</i> , 2018, 755, pp. 177-183.	23

	Sharma, V., Kumari, S., Kuanr, B.K., Rare earth doped M-Type hexaferrites; Ferromagnetic resonance and magnetization dynamics, AIP Advances, 2018, 8 (5), art. no. 056232, .	24
	Ali, A., Mannan, A., Hussain, I., Hussain, I., Zia, M., Effective removal of metal ions from aqueous solution by silver and zinc nanoparticles functionalized cellulose: Isotherm, kinetics and statistical supposition of process, Environmental Nanotechnology, Monitoring and Management, 2018, 9, pp. 1-11.	25
	Mohammadian, R., Rahmani, S., Seyed Dorraji, M.S., Hajimiri, I., Microwave absorption properties of GO nanosheets-BaFe12O19-NiO nanocomposites based on epoxy resin: optimization using Taguchi methodology, Journal of Materials Science: Materials in Electronics, 2018, 29 (6), pp. 4583-4595.	26
	Kombaiah, K., Vijaya, J.J., Kennedy, L.J., Bououdina, M., Ramalingam, R.J., Al-Lohedan, H.A., Okra extract-assisted green synthesis of CoFe2O4 nanoparticles and their optical, magnetic, and antimicrobial properties, Materials Chemistry and Physics, 2018, 204, pp. 410-419.	27
	Milán Cuevas, José Manuel. "Evaluación del comportamiento al uso y mantenimiento de microcápsulas aplicadas en tejidos de poliéster con diferente gramaje y vellosidad." Universitat Politècnica de València, degree: Máster Universitario en Ingeniería Textil-Máster Universitario en Enginyeria Tèxtil (2018).	28
	Syed Omar, Syed Muhammad Zulfazli, and Ana Najwa Mustapa. "Silver nanoparticle synthesis using pineapple waste/Syafiza Abd. Hashib, Syed Muhammad Zulfazli Syed Omar and Ana Najwa Mustapa." Malaysian Journal of Chemical Engineering and Technology (MJCET) 1 (2018): 68-74.	29
	Ibrahim, N.A., Eid, B.M., Abdellatif, F.H.H., Advanced materials and technologies for antimicrobial finishing of cellulosic textiles, Handbook of Renewable Materials for Coloration and Finishing, 2018, pp. 303-356.	30
	Pinho, E., Soares, G., Functionalization of cotton cellulose for improved wound healing, Journal of Materials Chemistry B, 2018, 6 (13), pp. 1887-1898.	31
	Anwar, Z., Khurshid, A., Khursid, A., Zuberi, S.A., Noor Baig, Q.E., Ahmad, I., Nanoparticles: Physicochemical properties, characterization, methods of preparation and applications, Advances in Nanotechnology, 2017, 18, pp. 1-176.	32
62	Grabchev I., Yordanova S., Vasileva-Tonkova E., Cangiotti M., Fattori A., Alexandrova R., Stoyanov S., Ottaviani M.F., A novel benzofurazan-cyclam conjugate and its Cu(II) complex: Synthesis, characterization and in vitro cytotoxicity and antimicrobial activity, Dyes and Pigments, 129, 2016, 71-79.	14
	Costa I., Lopes I., Morais M., Silva R., Remião F., Medeiros R., Alves L.G., Pinto E., Cerqueira F. Disclosing the Antifungal Mechanisms of the Cyclam Salt H4[H2(4-CF3PhCH2)2Cyclam]Cl4 against Candida albicans and Candida krusei (2024) International Journal of Molecular Sciences, 25 (10), art. no. 5209 DOI: 10.3390/ijms25105209	1
	Harmalkar N.N., Gaonkar S., Barretto D.A., Dhuri S.N. Structural characterization of benzoate anion-supported supramolecular assemblages of Co(III) and Ni(II) cyclam compounds with catecholase-like and antibacterial activities (2024) Inorganica Chimica Acta, 569, art. no. 122139 DOI: 10.1016/j.ica.2024.122139	2
	Cerqueira F., Medeiros R., Lopes I., Campos C., Ferraz M.P., Silva F., Alves L.G., Pinto E. A Cyclam Salt as an Antifungal Agent: Interference with Candida spp. and Cryptococcus neoformans Mechanisms of Virulence (2024) Antibiotics, 13 (3), art. no. 222 DOI: 10.3390/antibiotics13030222	3
	Saied R., Alves P.C., Rijo P., André V., Alves L.G. Novel cyclam multicomponent crystal forms: synthesis, characterization and antimicrobial activity (2023) CrystEngComm, 25 (41), pp. 5787 - 5795 DOI: 10.1039/d3ce00354j	4
	Polo A.B., Lemos A.S.O., Da Mata C.P.S.M., Oliveira V.S., Pontes A.C.F.B., Pontes D.L., Tavares G.D., Fabri R.L., Apolônio A.C.M. In vitro activity of the novel Fe-cyclam complex against clinical multidrug-resistant bacterial isolates from Brazil (2023) Future Microbiology, 18 (13), pp. 897 - 909 DOI: 10.2217/fmb-2023-0058	5

	Almada S., Maia L.B., Waerenborgh J.C., Vieira B.J.C., Mira N.P., R. Silva E., Cerqueira F., Pinto E., Alves L.G. Cyclam-based iron(iii) and copper(ii) complexes: synthesis, characterization and application as antifungal agents (2022) New Journal of Chemistry, 46 (35), pp. 16764 - 16770 DOI: 10.1039/d2nj03161b	6
	Ahmadpour Kermani, S., Salari, S., Ghasemi Nejad Almani, P., Comparison of antifungal and cytotoxicity activities of titanium dioxide and zinc oxide nanoparticles with amphotericin B against different Candida species: In vitro evaluation, Journal of Clinical Laboratory Analysis, 2021, 35 (1), art. no. e23577.	7
	Alizada, M., Gul, A., Oguz, M., Kursunlu, A.N., Yilmaz, M., Ion sensing of sister sensors based-on calix[4]arene in aqueous medium and their bioimaging applications, Dyes and Pigments, 2021, 184, art. no. 108741.	8
	Pilon, A., Lorenzo, J., Rodriguez-Calado, S., Adão, P., Martins, A.M., Valente, A., Alves, L.G., New Cyclams and Their Copper(II) and Iron(III) Complexes: Synthesis and Potential Application as Anticancer Agents, ChemMedChem, 2019, 14 (7), pp. 770-778.	9
	Krstić, M.P., Petković, B.B., Milčić, M., Mišić, D., Santibanez, J.F., Synthesis, characterization and biological study of new dinuclear zinc(II) and nickel(II) octaaza macrocyclic complexes, Macedonian Journal of Chemistry and Chemical Engineering, 2019, 38 (1), pp. 1-11.	10
	Shahabadi, N., Bazvandi, B., Taherpour, A., Synthesis, structural determination and HSA interaction studies of a new water-soluble Cu(II) complex derived from 1,10-phenanthroline and ranitidine drug, Journal of Coordination Chemistry, 2017, 70 (18), pp. 3186-3198.	11
	Alizada, Malak. "Kaliks [4] aren 1, 3-dibenzooksodiazol türervlerinin sentezi, seçimli anyon taşıma özelliklerinin incelenmesi ve canlı hücre görüntülenmesinde kullanılması." Master's thesis, Fen Bilimleri Enstitüsü, 2020.	12
	dos Santos, Marfran Claudino Domingos. "CENTRO DE CIÊNCIAS EXATAS E DA TERRA INSTITUTO DE QUÍMICA PROGRAMA DE PÓS-GRADUAÇÃO EM QUÍMICA." PhD diss., Universidade Federal do Rio Grande do Norte, 2018.	13
	Oliveira, Verônica da Silva. "Estudo do sistema Fe-cyclam com ligantes carboxilatos e avaliação do efeito spin crossover e atividade antibacteriana do complexo (Fe (cyclam) ox) PF6." (2018). PhD thesis	14
63	Staneva, D., Grabchev, I., Vasileva-Tonkova, E., Kukeva, R., Stoyanova, R. Synthesis, characterization and in vitro antimicrobial activity of a new fluorescent tris-benzo[de]anthracen-7-one and its Cu(II) complex, Tetrahedron, 2016, 72 (19), pp. 2440-2446.	8
	Ali, O.A.M., Abd El -Wahab, Z.H., Ismail, B.A., Synthesis, structural characterization and evaluation of catalytic and antimicrobial properties of new mononuclear Ag(I), Mn(II), Cu(II) and Pt(IV) complexes (2017) Journal of Molecular Structure, 1139, pp. 175-195.	1
	Kuang, M.-Q., Yuan, H.-K., Kuang, A.-L., Chen, H., Wang, L.-D., Duan, S.-K., Study on the local structure and EPR spectroscopy of compressed CUX4 (X = N, S, Cl and Br) tetrahedral cluster (2017) Molecular Physics, 115 (20), pp. 2558-2564.	2
	Kiseleva, V., Avotiņa, L., Zariņš, A., Petjukevičs, A., Pučkins, A., Škute, N., Kirilova, E., Thermal And Spectroscopic Study Of Chromium Complex With Benzanthrone Amidine Derivative, (2021) Journal of Chemical Technology and Metallurgy, 56 (3), pp. 595-602.	3
	Ramlow, H., Andrade, K.L., Immich, A.P.S., Smart textiles: an overview of recent progress on chromic textiles (2021) Journal of the Textile Institute, 112 (1), pp. 152-171.	4
	Elserwy, W.S.G., Mohammed, N., Kassem, E., Mounier, M., Elserwy, W.S.G., Novel anthracene-9-sulfonyl derivatives as anticancer agents: Synthesis and in vitro biological evaluation (2020) Egyptian Journal of Chemistry, 63 (11), pp. 4217-4225.	5

	Ali A, Andriyana A. Properties of multifunctional composite materials based on nanomaterials: a review. RSC Advances. 2020;10(28):16390-403.	6
	Salah Goda Elserwy W, Kassem E, Mounier M, Salah Goda Elserwy W. Novel anthracene-9-sulfonyl derivatives as anticancer agents: synthesis and in vitro biological evaluation. Egyptian Journal of Chemistry. 2020 Nov 1;63(11):4217-25.	7
	An X., Ma H., Cui G., Zhang T., Xu L., Wang M. Novel and rapid approach for benzanthrone synthesis: BBr ₃ -promoted annulation of 8-aryl-1-naphthoic acid derivatives (2023) New Journal of Chemistry, 48 (4), pp. 1741 - 1756 DOI: 10.1039/d3nj03905f	8
64	Ottaviani, M.F., Yordanova, S., Cangiotti, M., Vasileva-Tonkova, E., Coppola, C., Stoyanov, S., Grabchev, I., Spectral characterization and in vitro microbiological activity of new bis-1,8-naphthalimides and their Cu(II) complexes, Journal of Molecular Structure, 2016, 1110, pp. 72-82.	6
	Guo, X., Zhu, N., Lou, Y., Ren, S., Pang, S., He, Y., Chen, X.-B., Shi, Z., Feng, S., A stable nanoscaled Zr-MOF for the detection of toxic mycotoxin through a pH-modulated ratiometric luminescent switch (2020) Chemical Communications, 56 (40), pp. 5389-5392.	1
	Fernández de Ullivarri, M., Arbulu, S., Garcia-Gutierrez, E., Cotter, P.D., Antifungal Peptides as Therapeutic Agents (2020) Frontiers in Cellular and Infection Microbiology, 10, art. no. 105, .	2
	Ren, B., Yang, Y., Qu, Y., Cao, J., Wu, Y., Two fluorophore compounds based on 1, 8-naphthalimide: Synthesis, crystal structure, and optical properties(2019) Journal of Molecular Structure, 1193, pp. 131-140.	3
	Bharti, S., Choudhary, M., Mohan, B., Syntheses, characterizations, crystal structures, antibacterial and SOD-like activities of nickel(II) and copper(II) complexes with 2-((Z)-(4-methoxyphenylimino)methyl)-4,6-dichlorophenol (2018) Journal of Coordination Chemistry, 71 (2), pp. 284-310.	4
	Sidhu, J.S., Mayank, Pandiyan, T., Kaur, N., Singh, N., The Photochemical Degradation of Bacterial Cell Wall Using Penicillin-Based Carbon Dots: Weapons Against Multi-Drug Resistant (MDR) Strains (2017) ChemistrySelect, 2 (29), pp. 9277-9283.	5
	Bondaryk, M., Staniszewska, M., Zielińska, P., Urbańczyk-Lipkowska, Z., Natural antimicrobial peptides as inspiration for design of a new generation antifungal compounds (2017) Journal of Fungi, 3 (3), art. no. 46, .	6
65	Medel, S., Bosch, P., Grabchev, I., Shah, P.K., Liu, J., Aguirre-Soto, A., Stansbury, J.W. Simultaneous measurement of fluorescence, conversion and physical/mechanical properties for monitoring bulk and localized photopolymerization reactions in heterogeneous systems, RSC Advances, 2016, 6 (47), pp. 41275-41286.	8
	Sun, G., Wu, X., Liu, R., A comprehensive investigation of acrylates photopolymerization shrinkage stress from micro and macro perspectives by real time MIR-photo-rheology (2021) Progress in Organic Coatings, 155, art. no. 106229, .	1
	Topa, M., Petko, F., Galek, M., Machowski, K., Pilch, M., Szymaszek, P., Ortyl, J., Applicability of 1,6-Diphenylquinolin-2-one derivatives as fluorescent sensors for monitoring the progress of photopolymerisation processes and as photosensitisers for bimolecular photoinitiating systems (2019) Polymers, 11 (11), art. no. 1756, .	2
	Shah PK, Stansbury JW, Bowman CN. Application of an addition–fragmentation-chain transfer monomer in di (meth) acrylate network formation to reduce polymerization shrinkage stress. Polymer chemistry. 2017;8(30):4339-51.	3
	Topa M, Petko F, Galek M, Jankowska M, Popielarz R, Ortyl J. Difunctional 1H-quinolin-2-ones as spectroscopic fluorescent probes for real-time monitoring of photopolymerisation process and photosensitizers of fluorescent photopolymer resin in 3D printing. European Polymer Journal. 2021 Aug 5;156:110612.	4

	Smallwood AM. Depth of Cure Effects on Structure-Property Relationships of 3D Printed Polymer Materials Using Stereolithography. Rensselaer Polytechnic Institute; 2020. PhD thesis	5
	Yin, M., Yang, M., Yan, D., Yang, L., Wan, X., Xiao, J., Yao, Y., Luo, J. Surface-Charge-Switchable and Size-Transformable Thermosensitive Nanocomposites for Chemo-Photothermal Eradication of Bacterial Biofilms in Vitro and in Vivo (2022) ACS Applied Materials and Interfaces, 14 (7), pp. 8847 – 8864 DOI: 10.1021/acsami.1c24229	6
	Sun G., Mao X., Luo J., Liu R. Mitigating Shrinkage Stress in UV-Curable Resin: Shape Memory Microcapsules Enable Shrinkage Stress Reduction via Photopolymerization-Induced Shape Recovery (2024) ACS Applied Polymer Materials, 6 (1), pp. 977 – 985 DOI: 10.1021/acsapm.3c02548	7
	Sun G., Cheng L., Wu X., Luo J., Liu R. Efficient reduction of photopolymerization shrinkage stress through microporous particles templated from Pickering emulsion droplets (2024) Progress in Organic Coatings, 187, art. no. 108148 DOI: 10.1016/j.porgcoat.2023.108148	8
66	Medel, S., Bosch, P., Grabchev, I., De La Torre, M.C., Ramírez, P., Click chemistry to fluorescent hyperbranched polymeric sensors. 2. Synthesis, spectroscopic and cation-sensing properties of new green fluorescent 1,8-naphthalimides, European Polymer Journal, 2016, 74, 241-255.	13
	Oshchepkov, A.S., Oshchepkov, M.S., Oshchepkova, M.V., Al-Hamry, A., Kanoun, O., Kataev, E.A., Naphthalimide-Based Fluorescent Polymers for Molecular Detection (2021) Advanced Optical Materials, 9 (6), art. no. 2001913, .	1
	Oshchepkov, A., Oshchepkov, M., Kamagurov, S., Redchuk, A., Oshchepkova, M., Popov, K., Kataev, E., Fluorescence detection of phosphonates in water by a naphthalimide-based receptor and its derived cryopolymers (2020) New Journal of Chemistry, 44 (28), pp. 12113-12121.	2
	Zhang, L., Xue, W., Gu, L., Biopeptide Hyperbranched Polyether Assembled from Lactic Acid, Glutamic Acid and Polyethylene Glycol Block Chains for Drug Loading (2019) Macromolecular Research, 27 (11), pp. 1095-1103.	3
	Bhat, S.I., Ahmadi, Y., Ahmad, S., Recent Advances in Structural Modifications of Hyperbranched Polymers and Their Applications (2018) Industrial and Engineering Chemistry Research, 57 (32), pp. 10754-10785.	4
	Zamani, E., Shaki, H., Rafizadeh, M., Khosravi, A., Pilehkouhi, M., Synthesis and characterization of novel self-colored PET (polyethylene terephthalate) by step-growth polymerization containing dye based on 1,8-naphthalimide group (2017) Fibers and Polymers, 18 (8), pp. 1431-1437.	5
	Georgiev, N.I., Dimitrova, M.D., Krasteva, P.V., Bojinov, V.B., A novel water-soluble 1,8-naphthalimide as a fluorescent pH-probe and a molecular logic circuit (2017) Journal of Luminescence, 187, pp. 383-391.	6
	Zhang, Y.-T., Li, Z.-Y., Chen, Y., Click chemistry of natural polymers (2017) Click Chemistry: Approaches, Applications and Challenges, pp. 69-105. Book Chapter	7
	Huo, J., Hu, H., Zhang, M., Hu, X., Chen, M., Chen, D., Liu, J., Xiao, G., Wang, Y., Wen, Z. A mini review of the synthesis of poly-1,2,3-triazole-based functional materials (2017) RSC Advances, 7 (4), pp. 2281-2287.	8
	Georgiev N.I., Dimitrova M.D., Todorova Y.D., Bojinov V.B. Synthesis, chemosensing properties and logic behaviour of a novel ratiometric 1,8-naphthalimide probe based on ICT and PET (2016) Dyes and Pigments, 131, pp. 9 – 17 DOI: 10.1016/j.dyepig.2016.03.051	9
	Sk. M. Ali, S. Santra, A. Mondal, S. Kolay, L. Roy, M. R. Molla, Luminescence property switching in 1D supramolecular polymerization of organic donor- π -acceptor chromophores, Polym. Chem., 2022,13, 558-568	10

	Ali S.M., Sk S., Sengupta A., Santra S., Barman S., Sepay N., Molla M.R. Anion-assisted supramolecular polymerization of luminescent organic π -conjugated chromophores in a moderately polar solvent: tunable nanostructures and their corresponding effects on electronic properties (2023) <i>Nanoscale</i> , 15 (36), pp. 14866 – 14876 DOI: 10.1039/d3nr04090a	11
	Bala I.-A., Nicolescu A., Georgescu F., Dumitrascu F., Airinei A., Tigoianu R., Georgescu E., Constantinescu-Aruxandei D., Oancea F., Deleanu C. Synthesis and Biological Properties of Fluorescent Strigolactone Mimics Derived from 1,8-Naphthalimide (2024) <i>Molecules</i> , 29 (10), art. no. 2283 DOI: 10.3390/molecules29102283	12
	Ali S.M., Sk S., Sepay N., Molla M.R. Entropy-Enthalpy Compensation in Solvent Geometry Regulated Supramolecular Polymerization of Luminescent Naphthalimide via a Non-Cooperative, Isodesmic Mechanism (2024) <i>Chemistry - A European Journal</i> , 30 (13), art. no. e202303587 DOI: 10.1002/chem.202303587	13
67	Yordanova, S., Temiz, H.T., Boyaci, I.H., Stoyanov, S., Vasileva-Tonkova, E., Asiri, A., Grabchev, I. Synthesis, characterization and in vitro antimicrobial activity of a new blue fluorescent Cu(II) metal complex of bis-1,8-naphthalimide, <i>Journal of Molecular Structure</i>, 2015, 1101, art. no. 21744, pp. 50-56.	11
	Mutovska M., Skabeev A., Konstantinov K., Cabanetos C., Stoyanov S., Zaganyarski Y. One-pot synthesis of fused-rings heterocyclic systems based on symmetrically benzofuran annulated 1,8-naphthalimides (2023) <i>Dyes and Pigments</i> , 220, art. no. 111701 DOI: 10.1016/j.dyepig.2023.111701	1
	Zhang P., Tangadanchu V.K.R., Zhou C. Identification of Novel Antifungal Skeleton of Hydroxyethyl Naphthalimides with Synergistic Potential for Chemical and Dynamic Treatments (2022) <i>Molecules</i> , 27 (23), art. no. 8453 DOI: 10.3390/molecules27238453	2
	Turk P., Singh K., Dhanda A. Synthesis, spectroscopic, electrochemical, thermal and antimicrobial studies of Ni(II), Zn(II), Cu(II) and Co(II) metal complexes of novel bidentate schiff base ligand (2022) <i>Journal of the Iranian Chemical Society</i> , 19 (9), pp. 3797 – 3813 DOI: 10.1007/s13738-022-02567-y	3
	Qi, H., Huang, X., Wu, J., Zhang, J., Wang, F., Qu, H., Zheng, L. A disposable aptasensor based on a gold-plated coplanar electrode array for on-site and real-time determination of Cu ²⁺ (2021) <i>Analytica Chimica Acta</i> , 1183, art. no. 338991, .	4
	N., Forrest, J. E. Lu, R. Mercado, M. D. Rojas-Andrade, S. Ning, Z. Azhar, J. Sandhu, R. Cazares, Ch. Saltikov, Sh Chen. Antibacterial Activity of Nitrogen-Doped Carbon Dots Enhanced by Atomic Dispersion of Copper. <i>Langmuir</i> 36, no. 39 (2020): 11629-11636.	5
	Chen, S., Saltikov, C., Nichols, F., Lu, J.E., Mercado, R., Rojas-Andrade, M.D., Ning, S., Azhar, Z., Sandhu, J., Cazares, R., Antibacterial activity of nitrogen-doped carbon dots enhanced by atomic dispersion of copper (2020) <i>Langmuir</i> , 36 (39), pp. 11629-11636.	6
	Yang, Y.Z., Xiao, N., Cen, Y.Y., Chen, J.R., Liu, S.G., Shi, Y., Fan, Y.Z., Li, N.B., Luo, H.Q., Dual-emission ratiometric nanoprobe for visual detection of Cu(II) and intracellular fluorescence imaging (2019) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 223, art. no. 117300.	7
	Chen, Y., Mao, S., Shi, X., Shen, K., Wu, H., Synthesis, Crystal Structure, DNA-binding Properties and Antioxidant Activity of a Copper(II) Complex with Naphthalimide Schiff Base (2017) <i>Zeitschrift fur Anorganische und Allgemeine Chemie</i> , 643 (18), pp. 1182-1190.	8
	Wang, Y., Jia, N.-F., Qi, S.-L., Tian, G.-F., Wu, D.-Z., Synthesis, characterization and memory performance of naphthalimides containing various electron-withdrawing moieties (2017) <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 33 (11), pp. 2227-2236.	9
	Zhang, G., Zhang, H., Zhang, J., Ding, W., Xu, J., Wen, Y., Highly selective fluorescent sensor based on electrosynthesized oligo(1-pyreneboronic acid) enables ultra-trace analysis of Cu ²⁺ in environment and agro-product samples (2017) <i>Sensors and Actuators, B: Chemical</i> , 253, pp. 224-230.	10

	Gong H.-H., Addla D., Lv J.-S., Zhou C.-H. Heterocyclic Naphthalimides as new Skeleton structure of compounds with increasingly expanding relational medicinal applications (2016) Current Topics in Medicinal Chemistry, 16 (28), pp. 3303 – 3364 DOI: 10.2174/1568026616666160506145943 DOCUMENT TYPE: Review	11
68	Staneva, D., Grabchev, I., Bosch, P. Fluorescent Hydrogel-Textile Composite Material Synthesized by Photopolymerization, International Journal of Polymeric Materials and Polymeric Biomaterials, 2015, 64 (16), pp. 838-847.	12
	Pragya A., Chatterjee K., Ghosh T.K. Sensors and actuators for textiles: From materials to applications (2023) Smart and Functional Textiles, pp. 469 - 531 DOI: 10.1515/9783110759747-012 DOCUMENT TYPE: Book chapter	1
	Senol S. EVALUATION OF PHOTOPOLYMERIZABLE HEMA-BASED HYDROGELS FOR RELEASE OF ANTI-DIABETIC DRUG METFORMIN HCL (2023) Studia Universitatis Babes-Bolyai Chemia, 2023 (2), pp. 115 – 130 DOI: 10.24193/subbchem.2023.2.08	2
	Atav, R., U. Ergünay, E. Akkuş. "Producing garment based multichromic smart sensors through dyeing cotton fabrics with chromic dyes." Cellulose 29.1 (2022): 571-604.	3
	Mueller M, Bandl C, Kern W. Surface-Immobilized Photoinitiators for Light Induced Polymerization and Coupling Reactions. Polymers. 2022, 4;14(3):608.	4
	Oliver S, Lei L, Fan KW, Wang C, Baena JC, Pham P, Lin Q, Kabir II, Wong EH, Yuen AC, Boyer C. Wet or dry multifunctional coating prepared by visible light polymerisation with fire retardant, thermal protective, and antimicrobial properties. Cellulose. 2021 Sep;28(13):8821-40.	5
	Ramlow, H., Andrade, K.L., Immich, A.P.S., Smart textiles: an overview of recent progress on chromic textiles (2021) Journal of the Textile Institute, 112 (1), pp. 152-171. (Review)	6
	Topa, M., Ortyl, J., Moving towards a finer way of light-cured resin-based restorative dental materials: Recent advances in photoinitiating systems based on iodonium salts (2020) Materials, 13 (18), art. no. 4093, .	7
	Tomal, W., Ortyl, J., Water-soluble photoinitiators in biomedical applications (2020) Polymers, 12 (5), art. no. 1073, Review.	8
	Su, W., Wang, R., Qian, C., Li, X., Tong, Q., Jiao, T., Research progress review of preparation and applications of fluorescent hydrogels (2020) Journal of Chemistry, 2020, art. no. 8246429, . Review	9
	Mohr, G.J., Synthesis of naphthalimide-based indicator dyes with a 2-hydroxyethylsulfonyl function for covalent immobilisation to cellulose (2018) Sensors and Actuators, B: Chemical, 275, pp. 439-445.	10
	Yin, Y., Huang, R., Bu, G., Wang, C., Investigation of disperse fluorescent ink formulation via thermal transfer printing for polyester substrate (2017) Textile Research Journal, 87 (17), pp. 2146-2153.	11
	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F., Solid fluorescence sensors obtained by functionalization of photocrosslinked water-swollen acrylic membranes with 4-piperazine naphthalimide derivatives (2017) Polymer (United Kingdom), 124, pp. 139-150.	12
69	Grabchev, I., Yordanova, S., Vasileva-Tonkova, E., Bosch, P., Stoyanov, S. Poly(propylenamine) dendrimers modified with 4-amino-1,8-naphthalimide: Synthesis, characterization and in vitro microbiological tests of their Cu(II) and Zn(II) complexes, Inorganica Chimica Acta, 2015, 438, 179-188.	8

	Abd-El-Aziz A., Ahmed S.A., Zhang X., Ma N., Abd-El-Aziz A.S. Macromolecules incorporating transition metals in the treatment and detection of cancer and infectious diseases: Progress over the last decade (2024) Coordination Chemistry Reviews, 510, art. no. 215732 DOI: 10.1016/j.ccr.2024.215732 DOCUMENT TYPE: Review	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	2
	Młynarczyk, D.T., Długaszewska, J., Kaluzna-Młynarczyk, A., Goslinski, T., Dendrimers against fungi – A state of the art review (2021) Journal of Controlled Release, 330, pp. 599-617.	3
	Zerrouki, A., Abridgach, F., Taleb, M., El Kadiri, S., Design, synthesis, characterization and catechol oxidase activity of novel class of multi-tripodal pyrazole and triazole-based derivatives (2020) Research on Chemical Intermediates, 46 (2), pp. 1453-1467.	4
	Sanz del Olmo, N., Carloni, R., Ortega, P., García-Gallego, S., de la Mata, F.J., Metallodendrimers as a promising tool in the biomedical field: An overview (2020) Advances in Organometallic Chemistry, 74, pp. 1-52.	5
	Abd-El-Aziz, A.S., Abdelghani, A.A., Mishra, A.K., Optical and Biological Properties of Metal-Containing Macromolecules (2020) Journal of Inorganic and Organometallic Polymers and Materials, 30 (1), pp. 3-41.	6
	Balewski, Ł., Gdaniec, M., Sączewski, J., Wichor, B., Sączewski, F., Copper(II)-assisted hydrolysis of cyclic ureas: Transformation of 1-(pyridin-2-yl)-2,3,7,8-tetrahydro-1H-imidazo[2,1-b][1,3,5]triazepin-5(6H)-ones into N1-[1-(pyridin-2-yl)imidazolidin-2-ylidene]-ethane-1,2-diamine ligands (2017) Inorganica Chimica Acta, 467, pp. 287-296.	7
	Jain K. Dendrimers: Emerging anti-infective nanomedicines. CRC Press; 2018 (pp. 121-138).	8
70	Staneva, D., Vasileva-Tonkova, E., Makki, M.S.I., Sobahi, T.R., Abdel-Rahman, R.M., Boyaci, I.H., Asiri, A.M., Grabchev, I. Synthesis and spectral characterization of a new PPA dendrimer modified with 4-bromo-1,8-naphthalimide and in vitro antimicrobial activity of its Cu(II) and Zn(II) metal complexes, Tetrahedron, 2015, 71 (7), 1080-1087.	10
	Türkmen G. Pd catalyzed synthesis of 4-aryl 1,8-naphthalimide dyes: Determining photophysical parameters and antimicrobial properties (2022) Journal of Molecular Structure, 1266, art. no. 133448 DOI: 10.1016/j.molstruc.2022.133448	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	2
	Młynarczyk, D.T., Długaszewska, J., Kaluzna-Młynarczyk, A., Goslinski, T., Dendrimers against fungi – A state of the art review (2021) Journal of Controlled Release, 330, pp. 599-617.	3
	Zerrouki, A., Abridgach, F., Taleb, M., El Kadiri, S., Design, synthesis, characterization and catechol oxidase activity of novel class of multi-tripodal pyrazole and triazole-based derivatives (2020) Research on Chemical Intermediates, 46 (2), pp. 1453-1467.	4
	Sanz del Olmo, N., Carloni, R., Ortega, P., García-Gallego, S., de la Mata, F.J., Metallodendrimers as a promising tool in the biomedical field: An overview (2020) Advances in Organometallic Chemistry, 74, pp. 1-52.	5
	Jitareanu A, Tataringa G, Zbancioc AM, Trifan A. Bromination-A versatile tool for drugs optimization. The Medical-Surgical Journal. 2018 Oct 4;122(3):614-26.	6

	Bondaryk, M., Staniszewska, M., Zielińska, P., Urbańczyk-Lipkowska, Z., Natural antimicrobial peptides as inspiration for design of a new generation antifungal compounds (2017) Journal of Fungi, 3 (3), art. no. 46, .	7
	Mlynarczyk DT, Kocki T, Goslinski T. Dendrimer structure diversity and tailorability as a way to fight infectious diseases. Nanostructured Materials-Fabrication to Applications.(ed) InTech. 2017 Jul 12:111-34.	8
	Gong H.-H., Addla D., Lv J.-S., Zhou C.-H. Heterocyclic Naphthalimides as new Skeleton structure of compounds with increasingly expanding relational medicinal applications (2016) Current Topics in Medicinal Chemistry, 16 (28), pp. 3303 – 3364 DOI: 10.2174/1568026616666160506145943 DOCUMENT TYPE: Review	9
	Zhang H., Zhao L., Sun D., Cai Z., Zhang J., Han X., Guo X., Cui M., Xie D. A study on fluorescence properties of carboxymethyl-quaternary ammonium oligochitosan and its performances as a tracing agent, Water Science and Technology, (2016) 74 (10), pp. 2427 – 2436, DOI: 10.2166/wst.2016.422	10
71	Staneva, D., Atanasova, D., Vasileva-Tonkova, E., Lukanova, V., Grabchev, I. A cotton fabric modified with a hydrogel containing ZnO nanoparticles. Preparation and properties study, Applied Surface Science, 2015, 345, pp. 72-80. https://doi.org/10.1016/j.apsusc.2015.03.141	37
	Zhao, F.; Yao, D.; Guo, R.; Deng, L.; Dong, A.; Zhang, J. Composites of Polymer Hydrogels and Nanoparticulate Systems for Biomedical and Pharmaceutical Applications. (2015) Nanomaterials, 5, 2054-2130.	1
	Shaheen, T., El-Naggar, M.E., Abdelgawad, A.M., Hebeish, A. Durable antibacterial and UV protections of in situ synthesized zinc oxide nanoparticles onto cotton fabrics. (2016) International Journal of Biological Macromolecules, 83, pp. 426-432.	2
	Svetlichnyi, V., Shabalina, A., Lapin, I., Goncharova, D., & Nemoykina, A. ZnO nanoparticles obtained by pulsed laser ablation and their composite with cotton fabric: Preparation and study of antibacterial activity. (2016) Applied Surface Science, 372, 20-29.	3
	Pollini, M., Paladini, F., Sannino, A., Maffezzoli, A. Development of hybrid cotton/hydrogel yarns with improved absorption properties for biomedical applications. (2016) Materials Science and Engineering C, 63, pp. 563-569.	4
	Montazer, M., Keshvari, A., Kahali, P. Tragacanth gum/nano silver hydrogel on cotton fabric: In-situ synthesis and antibacterial properties. (2016) Carbohydrate Polymers, 154, pp. 257-266.	5
	Milovanovic, S., Radetic, M., Misic, D., Asanin, J., Leontijevic, V., Ivanovic, J., Zizovic, I., High pressure modified cotton in wound dressing applications. (2017) Cotton Fibres: Characteristics, Uses and Performance, pp. 177-205. глава от книга	6
	Štular, D., Simončič, B., Tomšič, B. Stimuli-responsive hydrogels for textile functionalisation: A review [Hidrogeli, občutljivi na dražljaje, za funkcionalizacijo tekstilij]. (2017) Tekstilec, 60(2), pp. 76-96.	7
	Li, X., Jiang, Y., Wang, F., Fan, Z., Wang, H., Tao, C., Wang, Z., Preparation of polyurethane/polyvinyl alcohol hydrogel and its performance enhancement via compositing with silver particles. (2017) RSC Advances, 7 (73), pp. 46480-46485.	8
	Matos, J.C., Avelar, I., Martins, M.B.F., Gonçalves, M.C. Greensilica® vectors for smart textiles. (2017) Carbohydrate Polymers, 156, pp. 268-275.	9
	Štular, D., Jerman, I., Naglič, I., Simončič, B., Tomšič, B. Embedment of silver into temperature- and pH-responsive microgel for the development of smart textiles with simultaneous moisture management and controlled antimicrobial activities. (2017) Carbohydrate Polymers, 159, pp. 161-170.	10
	Simončič, B., Tomšič, B. "Recent concepts of antimicrobial textile finishes." Textile finishing: recent developments and future trends. (2017) Textile Finishing: Recent Developments and Future Trends, pp. 3-68. глава от книга	11

	Štular, D., Jerman, I., Simončič, B., Tomšič, B., Tailoring of temperature- and pH-responsive cotton fabric with antimicrobial activity: Effect of the concentration of a bio-barrier-forming agent. (2017) Carbohydrate Polymers, 174, pp. 677-687.	12
	Mao, N., Du, M., Sol-gel-based treatments of textiles for water repellence. (2018) Waterproof and Water Repellent Textiles and Clothing, pp. 233-265. глава от книга	13
	Pinho, E., Soares, G., Functionalization of cotton cellulose for improved wound healing. (2018) Journal of Materials Chemistry B, 6 (13), pp. 1887-1898.	14
	Verbič, A., Stojkoski, V., Tomšič, B., Špička, N., Štular, D., Gorjanc, M., Kert, M., Simončič, B., Preparation of functional stimuli-responsive polyamide 6 fabric with ZnO incorporated microgel. (2018) Tekstilec, 61 (1), pp. 15-26.	15
	Štular, D., Tomšič, B., Jerman, I., Simončič, B., Mihelčič, M., Noč, L., German Ilić, I., Comparison of responsive behaviour of smart PLA fabrics applied with temperature and pH responsive microgel and nanogel. (2018) Progress in Organic Coatings, 124, pp. 213-223.	16
	Lee-Yae Tan, Lee Tin Sin , Soo-Tueen Bee ,1 Chantara T. Ratnam, Kwan-Kit Woo, Tiam-Ting Tee, Abdul Razak Rahmat, A Review of Antimicrobial Fabric Containing Nanostructures Metal-Based Compound. (2019) Journal of Vinyl and Additive Technology, 25, pp. E3-E27.	17
	Yang, X., Sha, D., Xu, J., Niu, N., Shi, K., Pan, Y., Yu, C., Wei, H., Wang, B., Ji, X., Preparation of cationic polyelectrolyte grafted polyvinyl alcohol-formaldehyde macroporous hydrogels and their antibacterial properties. (2019) New Journal of Chemistry, 43 (37), pp. 14961-14971.	18
	Lumbreras-Aguayo, A., Meléndez-Ortiz, H.I., Puente-Urbina, B., Alvarado-Canché, C., Ledezma, A., Romero-García, J., Betancourt-Galindo, R., Poly(methacrylic acid)-modified medical cotton gauzes with antimicrobial and drug delivery properties for their use as wound dressings. (2019) Carbohydrate Polymers, 205, pp. 203-210.	19
	Leone, F., Cataldo, R., Mohamed, S.S.Y., Manna, L., Banchero, M., Ronchetti, S., Mandras, N., Tullio, V., Cavalli, R., Onida, B., Nanostructured zno as multifunctional carrier for a green antibacterial drug delivery system—a feasibility study (2019) Nanomaterials, 9 (3), art. no. 407.	20
	Xu, J., Jiang, S.X., Peng, L., Wang, Y., Shang, S., Miao, D., Guo, R., AgNps-PVA-coated woven cotton fabric: Preparation, water repellency, shielding properties and antibacterial activity. (2019) Journal of Industrial Textiles, 48 (10), pp. 1545-1565.	21
	Li, Y., Chen, L.-L., Lian, X.-X., Zhu, J.-W., Preparation and characterisation of ZnO/HAP bioceramics with excellent antibacterial property. (2019) Materials Technology, 34 (7), pp. 415-422.	22
	Fan, X., Yan, Y., Poly(amino acid)/ZnO nanoparticles nanocomposites with enhanced thermal, mechanical, and antibacterial properties. (2020) Polymer Bulletin, 77 (5), pp. 2325-2343.	23
	Sonamuthu, J., Cai, Y., Liu, H., Kasim, M.S.M., Vasanthakumar, V.R., Pandi, B., Wang, H., Yao, J., MMP-9 responsive dipeptide-tempted natural protein hydrogel-based wound dressings for accelerated healing action of infected diabetic wound. (2020) International Journal of Biological Macromolecules, 153, pp. 1058-1069.	24
	Eskalen, H., Kavun, Y., Kerli, S., Eken, S., An investigation of radiation shielding properties of boron doped ZnO thin films. (2020) Optical Materials, 105, art. no. 109871.	25
	Li, M., Farooq, A., Jiang, S., Zhang, M., Mussana, H., Liu, L., Functionalization of cotton fabric with ZnO nanoparticles and cellulose nanofibrils for ultraviolet protection. (2021) Textile Research Journal, 91(19-20), pp. 2303-2314.	26

	Parham, S., Zargar Kharazi, A., Nur, H. The limitations of natural resources in the use of medical and protective textiles. (2022) Protective Textiles from Natural Resources, pp. 175-196.	27
	Nematollahi, M.R., Montazer, M., Mianehro, A. Multifunctional Composite Based on Cotton Fabric and Starch-Copper Ferrite Hydrogel Prepared through Facile Room Temperature Preparation Approach. (2022) Starch/Staerke, 74 (3-4), art. no. 2100222.	28
	Hutchinson, Brannan E. "Feasibility of Using Nanocomposite Polyethylene Glycol Hydrogels Containing Zinc Oxide and/or Carbon Nanotubes as Neural Substrates." PhD diss., Saint Louis University, 2020.	29
	Arya, S.K., Chhina, M.K., Choudhary, R., Dua, V., Singh, K. Growth of different nanocrystalline phases in ZnO–Li ₂ O–B ₂ O ₃ –TiO ₂ –V ₂ O ₅ glass and their effect on photoluminescence and photocatalytic activity. (2022) Ceramics International, 48(14), pp. 20619-20626.	30
	Barman, J., Tirkey, A., Batra, S., Paul, A., A., Panda, K., Deka, R., Babu, P.J. The role of nanotechnology based wearable electronic textiles in biomedical and healthcare applications. (2022) Materials Today Communications, 32,104055.	31
	Pal, S.; Mondal, ; Pal, P. ; Das, A.; Mondal, D.; Chaudhuri, A.; Panda, B.; Maity, J.; Applications of Nanotechnology for Antibacterial Finishing Textiles: A Review, 2020, Sensor Letters 18:1-12	32
	Nuruzzaman, N. O. O. R., and Suhas Mutalik. "Method for Sonochemical Deposition of Metals on Textile Substrates." U.S. Patent Application 16/574,132, filed March 19, 2020.	33
	Tan, L.-Y., Sin, L.T., Bee, S.-T., Ratnam, C.T., Woo, K.-K., Tee, T.-T., Rahmat, A.R., A review of antimicrobial fabric containing nanostructures metal-based compound (2019) Journal of Vinyl and Additive Technology, 25, pp. E3-E27.	34
	Eglītis, Raivis, Gundars Mežinskis, and Ieva Buiķe. "Pašattīroši audumi: kas tie ir un kāpēc tādi nepieciešami?" Materials Science and Applied Chemistry 35 (2018): 216-232.	35
	Aminu, N. A., U. Saidu, I. S. Yakubu, and A. A. Halilu. "Preparation and Properties of Cotton Fabric Modified With a Hydrogel Containing ZnO Nanoparticles." International Journal Of Science for Global Sustainability 4, no. 1 (2017).	36
	Cui, X., Wang, L., Dong, Q., Liang, W., Zhao, S. Synthesis and characterization of a UV-resistant ZnO/pyrophyllite nanocomposite prepared by solid-state reaction method. (2022) Ceramics International, 48(22), pp. 34084-34091.	37
72	Staneva, D., Makki, M.S.I., Sobahi, T.R., Bosch, P., Abdel-Rahman, R.M., Asiri, A., Grabchev, I. Synthesis and spectral characterization of a new blue fluorescent tripod for detecting metal cations and protons, Journal of Luminescence, 2015, 162, art. no. 13205, pp. 149-154.	12
	Yildirim, Ayse, Serdar Karakurt, and Mustafa Yilmaz. "Synthesized Two New Water-soluble Fluorescents Calix [4] arene 4-sulfo-1, 8-naphthalimide Derivatives Inhibit Proliferation of Human Colorectal Carcinoma Cells.", RESEARCH SQUARE, Research Article, (2021). DOI: https://doi.org/10.21203/rs.3.rs-507211/v1	1
	Yadav, A., Trivedi, S., Haridas, V., Essner, J.B., Baker, G.A., Pandey, S., Effect of ionic liquid on the fluorescence of an intramolecular exciplex forming probe (2020) Photochemical and Photobiological Sciences, 19 (2), pp. 251-260.	2
	Santana, C.G., da Silva, O.A., Filho, H.J.I., Barbosa, J.C.S., Politi, M.J., Triboni, E.R., Microwave irradiation synthesis of 4-sulfo-1,8-naphthalimide in Zn(OAc) ₂ /EtOH-H ₂ O (2019) Journal of Chemical Technology and Metallurgy, 54 (2), pp. 260-265.	3

	Farhi, A., Firdaus, F., Saeed, H., Mujeeb, A., Shakir, M., Owais, M., A quinoline-based fluorescent probe for selective detection and real-time monitoring of copper ions-a differential colorimetric approach (2019) Photochemical and Photobiological Sciences, 18 (12), pp. 3008-3015.	4
	Amirthalingam, Ezhil. "Multi-functionalization of micro-and nanoparticles for cancer theranostics." (2018). PhD thesis	5
	Krasteva, P.V., Dimitrova, M.D., Georgiev, N.I., Bojinov, V.B., A novel 1,8-naphthalimide probe for selective determination of Hg ²⁺ in a wide pH window (2018) Journal of Chemical Technology and Metallurgy, 53 (2), pp. 150-158.	6
	Georgiev, N.I., Dimitrova, M.D., Krasteva, P.V., Bojinov, V.B., A novel water-soluble 1,8-naphthalimide as a fluorescent pH-probe and a molecular logic circuit (2017) Journal of Luminescence, 187, pp. 383-391.	7
	Gong H.-H., Addla D., Lv J.-S., Zhou C.-H. Heterocyclic Naphthalimides as new Skeleton structure of compounds with increasingly expanding relational medicinal applications (2016) Current Topics in Medicinal Chemistry, 16 (28), pp. 3303 – 3364 DOI: 10.2174/1568026616666160506145943 DOCUMENT TYPE: Review	8
	Wang P., Zhao L., Shou H., Wang J., Pan L., Jia K., Liu X. Chain conformation dependent fluorescence of blue-emitting poly(arylene ether nitrile) (2016) Journal of Luminescence, 179, pp. 622 – 628 DOI: 10.1016/j.jlumin.2016.07.063	9
	Dimitrova M.D., Georgiev N.I., Bojinov V.B. Novel PAMAM Dendron as a Bichromophoric Probe Based on Rhodamine 6G and 1,8-Naphthalimide (2016) Journal of Fluorescence, 26 (3), pp. 1091 - 1100 DOI: 10.1007/s10895-016-1799-y	10
	Haridas V., Yadav A., Sharma S., Pandey S. A tryptophan-containing fluorescent intramolecular complex as a designer peptidic proton sensor (2016) Physical Chemistry Chemical Physics, 18 (22), pp. 15046 - 15053 DOI: 10.1039/c6cp01912a	11
	Georgiev N.I., Sakr A.R., Bojinov V.B. Design and synthesis of a novel PET and ICT based 1,8-naphthalimide FRET bichromophore as a four-input Disabled-Enabled-OR logic gate (2015) Sensors and Actuators, B: Chemical, 221, pp. 625 – 634 DOI: 10.1016/j.snb.2015.07.009	12
73	Staneva, D., Vasileva-Tonkova, E., Makki, M.S.I., Sobahi, T.R., Abdel-Rahman, R.M., Asiri, A.M., Grabchev, I. Synthesis, photophysical and antimicrobial activity of new water soluble ammonium quaternary benzanthrone in solution and in polylactide film, Journal of Photochemistry and Photobiology B: Biology, 2015, 143, pp. 44-51.	19
	Małeckis A., Cvetinska M., Puckins A., Osipovs S., Sirokova J., Belyakov S., Kirilova E. Synthesis and Properties of New 3-Heterylamino-Substituted 9-Nitrobenzanthrone Derivatives (2023) Molecules, 28 (13), art. no. 5171 DOI: 10.3390/molecules28135171	1
	Sun T., Zhao H., Hu L., Shao X., Lu Z., Wang Y., Ling P., Li Y., Zeng K., Chen Q. Enhanced optical imaging and fluorescent labeling for visualizing drug molecules within living organisms (2024) Acta Pharmaceutica Sinica B, 14 (6), pp. 2428 – 2446 DOI: 10.1016/j.apsb.2024.01.018 DOCUMENT TYPE: Review	2
	An X., Ma H., Cui G., Zhang T., Xu L., Wang M. Novel and rapid approach for benzanthrone synthesis: BBr ₃ -promoted annulation of 8-aryl-1-naphthoic acid derivatives (2023) New Journal of Chemistry, 48 (4), pp. 1741 - 1756 DOI: 10.1039/d3nj03905f	3
	Altaf Y, Ullah S, Khan FA, Maalik A, Rubab SL, Hashmi MA. Finding New Precursors for Light Harvesting Materials: A Computational Study of the Fluorescence Potential of Benzanthrone Dyes. ACS omega. 2021, 17;6(47):32334-41.	4
	Bharathi D, Siddlingeshwar B, Krishna RH, Kirilova EM, Divakar DD, Alkheraif AA. Interaction of CuO and ZnO nanoparticles with 3-N-(N'-methylacetamidino) benzanthrone: A temperature dependent fluorescence quenching study. Inorganic Chemistry Communications. 2021, 1;134:109069.	5

	Grigoras AG. Natural and synthetic polymeric antimicrobials with quaternary ammonium moieties: a review. <i>Environmental Chemistry Letters</i> . 2021 Aug;19(4):3009-22.	6
	Grigoras AG. Polymeric antimicrobials with quaternary ammonium moieties. In <i>Sustainable Agriculture Reviews</i> 49, 2021 (pp. 123-170). Springer, Cham.	7
	Zhang, Min, Zhangyi Fu, Anping Luo, Xingwen Pu, Menglei Wang, Ying Huang, Yudong Yang, and Jingsong You. Palladium-catalyzed C8–H arylation and annulation of 1-naphthalene carboxylic acid derivatives with aryl iodides. <i>Organic Chemistry Frontiers</i> (2021).	8
	Xue, C., Wang, L., Han, J., Palladium-Catalyzed Site-Selective Benzocyclization of Naphthoic Acids with Diaryliodonium Salts: Efficient Access to Benzantrones (2020) <i>Journal of Organic Chemistry</i> , 85 (23), pp. 15406-15414.	9
	Zhytniakivska, O., Molecular dynamics simulation of the interaction between benzanthrone dye and model lipid membranes (2020) <i>East European Journal of Physics</i> , 2020 (3), pp. 134-140.	10
	Garrec, J., Cordier, M., Frison, G., Prévost, S., Palladium-Catalyzed C8-Arylation of Naphthalenes through C–H Activation: A Combined Experimental and Computational Study (2019) <i>Chemistry - A European Journal</i> , 25 (63), pp. 14441-14446.	11
	Altaf, Y. "Computational Chemistry of Compounds with Donor-Acceptor Interactions." Victoria University of Wellington (2019), PhD thesis.	12
	Sh., Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A., Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) <i>Photochemical and Photobiological Sciences</i> , 17 (4), pp. 453-464.	13
	Cuervo-Rodríguez, R., López-Fabal, F., Gómez-Garcés, J.L., Muñoz-Bonilla, A., Fernández-García, M., Contact Active Antimicrobial Coatings Prepared by Polymer Blending (2017) <i>Macromolecular Bioscience</i> , 17 (11), art. no. 1700258. .	14
	Maleki, A., Shahmoradi, B., Hayati, B., Jebelli, M.A., Daraei, H., Joo, S.W., Synthesis of halogenated nanodendrimer as novel antimicrobial agents in water treatment (2017) <i>Desalination and Water Treatment</i> , 64, pp. 101-108.	15
	Bazina, Linda. "Kvaterni amonijevi spojevi–antimikrobni potencijal i bakterijska rezistencija." In <i>Kemijski seminar I</i> , Zagreb. 2017.	16
	Gelber, Chen, Sarit Cohen, Safra Rudnick-Glick, and Shlomo Margel. "Synthesis and Characterization of Functional Nano/Micro-Particles for Antibacterial & Antibiofouling Applications.", <i>Biomaterials</i> (http://creativecommons.org/licenses/by/4.0/) (2017).	17
	Gelber C., Cohen S., Natan M., Banin E., Kolitz-Domb M., Margel S. Engineering of new methylstyrene farmin vinylic monomer and crosslinked poly(methylstyrene farmin) nanoparticles of narrow size distribution for antibacterial and antibiofilm applications (2016) <i>Polymer</i> , 100, pp. 95 - 101 DOI: 10.1016/j.polymer.2016.08.008	18
	Jennings M.C., Minbiole K.P.C., Wuest W.M. Quaternary Ammonium Compounds: An Antimicrobial Mainstay and Platform for Innovation to Address Bacterial Resistance, <i>ACS Infectious Diseases</i> (2016), 1 (7), pp. 288 – 303 DOI: 10.1021/acsinfecdis.5b00047 DOCUMENT TYPE: Review	19
74	Makki, M.S.I., Staneva, D., Sobahi, T.R., Bosch, P., Abdel-Rahman, R.M., Grabchev, I. Design and synthesis of a new fluorescent tripod for chemosensor applications, <i>Tetrahedron</i>, 2014, 70 (49), pp. 9366-9372.	6

	Yoon, S.A., Chun, J., Kang, C., Lee, M.H., Self-Calibrating Bipartite Fluorescent Sensor for Nitroreductase Activity and Its Application to Cancer and Hypoxic Cells (2021) ACS Applied Bio Materials, 4 (3), pp. 2052-2057. Review	1
	Fedorova, O.A., Arkhipova, A.N., Panchenko, P.A., Berthet, J., Delbaere, S., Minkovska, S., Fedorov, Y.V., Fluorescent photochromic complex of 1,8-naphthalimide derivative and benzopyrane containing benzo-18-crown-6 ether (2021) Journal of Photochemistry and Photobiology A: Chemistry, 405, art. no. 112975, .	2
	Fernández-Alonso, S. "Sensores sólidos fluorescentes obtenidos por funcionalización con derivados de 1, 8-naftalimida de copolímeros de etileno-acrilato de butilo y de membranas acrílicas fotoentrecruzadas." PhD thesis Departamento de Química Macromolecular Aplicada del Instituto de Ciencia y Tecnología de Polímeros del Consejo Superior de Investigaciones Científicas (CSIC), Spain (2019)..	3
	S. Fernández-Alonso, T. Corrales, J.L. Pablos, F. Catalina, A Switchable fluorescence solid sensor for Hg ²⁺ detection in aqueous media based on a photocrosslinked membrane functionalized with (benzimidazolyl)methyl-piperazine derivative of 1,8-naphthalimide, Sensors and Actuators B, Chemical, 2018, 270, 256-262	4
	Mahmoodi, N.O., Zeydi, M.M., Recent synthetic routes for the synthesis of symmetrical tris-compound (2018) Journal of the Iranian Chemical Society, 15 (2), pp. 311-336.	5
	Chen, H., Jia, H., Tham, H.P., Qu, Q., Xing, P., Zhao, J., Phua, S.Z.F., Chen, G., Zhao, Y., Theranostic Prodrug Vesicles for Imaging Guided Codelivery of Camptothecin and siRNA in Synergetic Cancer Therapy (2017) ACS Applied Materials and Interfaces, 9 (28), pp. 23536-23543.	6
75	D. Staneva, E. Vasileva-Tonkova, M.S.I. Makki, A.M. Asiri, I. Grabchev, Combination of sensor potential and antimicrobial activity of a new 4-(2-dimethylaminoethoxy)-N-buthyl-1,8-naphthalimide, Journal of Molecular Structure, 2014,1071,88-94.	1
	Gong H.-H., Addla D., Lv J.-S., Zhou C.-H. Heterocyclic Naphthalimides as new Skeleton structure of compounds with increasingly expanding relational medicinal applications (2016) Current Topics in Medicinal Chemistry, 16 (28), pp. 3303 – 3364 DOI: 10.2174/1568026616666160506145943 DOCUMENT TYPE: Review	1
76	Yordanova, S., Grabchev, I., Stoyanov, S., Petkov, I. New detectors for metal cations and protons based on PAMAM dendrimers modified with 1,8-naphthalimide units (2014) Journal of Photochemistry and Photobiology A: Chemistry, 283, pp. 1-7.	23
	Viltres, H., López, Y.C., Leyva, C., Gupta, N.K., Naranjo, A.G., Acevedo-Peña, P., Sanchez-Diaz, A., Bae, J., Kim, K.S., Polyamidoamine dendrimer-based materials for environmental applications: A review (2021) Journal of Molecular Liquids, 334, art. no. 116017, .	1
	Dangalov, M., Petrov, P., Vassilev, N.G., N-heterocyclic bis-carbene palladium complexes derived from functionalized naphthalimides – Synthesis, Structure elucidation and DFT study (2021) Journal of Molecular Structure, 1230, art. no. 129944, .	2
	Wenxun, G., Yaqing, Z., Botian, L., Liming, T., Fluorescent sensor of copper(II) ions based on PMBA microtubes with 4-methoxy-1,8-naphthalimide groups (2020) Reactive and Functional Polymers, 146, art. no. 104400, .	3
	Shehu, Habibu. "Synthesis and characterization of branched polymers via anionic polymerization based on "strathclyde approach"/Shehu Habibu." PhD diss., University of Malaya, 2019.	4
	Li, C., Han, X., Mao, S., Aderinto, S.O., Shi, X., Shen, K., Wu, H.. A new, highly potent 1,8-naphthalimide-based fluorescence turn-off chemosensor capable of detecting Cu(II) ions in real-world water samples (2018) Coloration Technology, 134 (3), pp. 230-239.	5
	Dodangeh, M., Gharanjig, K., Hosseinneshad, M., The synthesis of poly(amidoamine) dendrimer: Dyeing and fluorescence properties (2018) Progress in Color, Colorants and Coatings, 11 (3), pp. 173-178.	6

	Aderinto, S.O., A New, Highly Potent 1,8-Naphthalimide-based Fluorescence “Turn off” Chemosensor Capable of Cu ²⁺ Detection in China's Yellow River Water Samples (2017) Journal of the Chinese Chemical Society, 64 (12), pp. 1432-1445.	7
	Ş. Ün, Ş., Zehra Topal, S., Zorlu, Y., Naphthalimide-cyclophosphazene combination: Synthesis, crystal structure, photophysics and solid-state fluorescence (2017) Journal of Luminescence, 190, pp. 23-28.	8
	Wu, H.-L., Peng, H.-P., Wang, F., Zhang, H., Chen, C.-G., Zhang, J.-W., Yang, Z.-H., Two 1,8- Naphthalimides as Proton-Receptor Fluorescent Sensors for Detecting PH (2017) Journal of Applied Spectroscopy, 83 (6), pp. 931-937.	9
	Zheng, Y., Wang, X., Xu, L., Autofluorescent Hyperbranched poly(amide amine) as effective fluorescent probe for label-free detection of copper(II) ions (2017) Analytical Sciences, 33 (12), pp. 1345-1350.	10
	Dangalov, M., Petrov, P., Vassilev, N.G., Naphthalimide-based platinum(II) and palladium(II) N-heterocyclic carbene complexes: Synthesis and structural elucidation (2017) Bulgarian Chemical Communications, 49 (SpecialEditionB), pp. 42-49.	11
	Miladinova, P.M., Zhekov, D.D., Georgiev, N.I., Synthesis of a new pet based benzanthrone probe for determination of pH and cuprum (II) ION (2017) Journal of Chemical Technology and Metallurgy, 52 (5), pp. 892-901.	12
	Aderinto, S.O., Zhang, H., Wu, H., Chen, C., Zhang, J., Peng, H., Yang, Z., Wang, F., Synthesis and studies of two proton–receptor fluorescent probes based on 1,8-naphthalimide (2017) Coloration Technology, 133 (1), pp. 40-49.	13
	Vunain E., Mishra A.K., Mamba B.B. Dendrimers, mesoporous silicas and chitosan-based nanosorbents for the removal of heavy-metal ions: A review (2016) International Journal of Biological Macromolecules, 86, pp. 570 - 586 DOI: 10.1016/j.ijbiomac.2016.02.005 DOCUMENT TYPE: Review	14
	Said A.I., Georgiev N.I., Bojinov V.B. Sensor activity and logic behavior of dihydroxyphenyl hydrazone derivative as a chemosensor for Cu ²⁺ determination in alkaline aqueous solutions (2015) Journal of Photochemistry and Photobiology A: Chemistry, 311, pp. 16 – 24 DOI: 10.1016/j.jphotochem.2015.05.035	15
	Mardani H., Roghani-Mamaqani H., Shahi S., Roustanavi D. Anti-Counterfeiting Inks Based on Förster Resonance Energy Transfer in Microcrystalline Cellulose-Grafted Poly(amidoamine) for Artificial Industries (2023) ACS Applied Polymer Materials, 5 (2), pp. 1092 - 1102 DOI: 10.1021/acsapm.2c01251	16
	Qin W., Han X., Wang J., Wang X., Zhang J. Selectivity of novel PAMAM dendrimers modified with salicylaldehyde and their extraction/separation performance on Zr(IV) and Hf(IV) (2023) Journal of Molecular Structure, 1276, art. no. 134817 DOI: 10.1016/j.molstruc.2022.134817	17
	Zagranyarski Y., Cheshmedzhieva D.V., Mutovska M., Ahmedova A., Stoyanov S. Dioxepine-Peri-Annulated PMIs—Synthesis and Spectral and Sensing Properties (2023) Sensors, 23 (6), art. no. 2902 DOI: 10.3390/s23062902	18
	Alamry K.A., Georgiev N.I., El-Daly S.A., Taib L.A., Bojinov V.B. A ratiometric rhodamine-naphthalimide pH selective probe built on the basis of a PAMAM light-harvesting architecture (2015) Journal of Luminescence, 158, pp. 50 – 59 DOI: 10.1016/j.jlumin.2014.09.014	19
	Alamry K.A., Georgiev N.I., El-Daly S.A., Taib L.A., Bojinov V.B. A highly selective ratiometric fluorescent pH probe based on a PAMAM wavelength-shifting bichromophoric system (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 135, pp. 792 - 800 DOI: 10.1016/j.saa.2014.07.076	20
	Georgiev N.I., Dimitrova M.D., Todorova Y.D., Bojinov V.B. Synthesis, chemosensing properties and logic behaviour of a novel ratiometric 1,8-naphthalimide probe based on ICT and PET (2016) Dyes and Pigments, 131, pp. 9 – 17 DOI: 10.1016/j.dyepig.2016.03.051	21

	Wu H.-L., Chen C.-Y., Zhang H., Peng H.-P., Wang F., Yang Z.-H., Zhang J.-W. Two 1,8-naphthalimide-based proton-receptor fluorescent probes for pH determination (2016) Chemical Papers, 70 (4), pp. i – x DOI: 10.1515/chempap-2016-0006	22
	Niu Y., Qian Y., Hu X. Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) Chinese Journal of Organic Chemistry, 36 (3), pp. 555 – 561 DOI: 10.6023/cjoc201509045	23
77	Staneva, D., Bosch, P., Asiri, A.M., Taib, L.A., Grabchev, I. Studying pH dependence of the photophysical properties of a blue emitting fluorescent PAMAM dendrimer and evaluation of its sensor potential, Dyes and Pigments, 2014, 105, 114-120.	22
	Viltres, H., López, Y.C., Leyva, C., Gupta, N.K., Naranjo, A.G., Acevedo-Peña, P., Sanchez-Diaz, A., Bae, J., Kim, K.S., Polyamidoamine dendrimer-based materials for environmental applications: A review (2021) Journal of Molecular Liquids, 334, art. no. 116017, . Review	1
	Abd-El-Aziz, A.S., Abdelghani, A.A., Mishra, A.K., Optical and Biological Properties of Metal-Containing Macromolecules (2020) Journal of Inorganic and Organometallic Polymers and Materials, 30 (1), pp. 3-41. Review	2
	Bergamonti, L., Graiff, C., Tegoni, M., Predieri, G., Elviri, L., Palanti, S., Paris, C., Cappelletto, E., di Maggio, R., Lottici, P.P., Facile preparation of functionalized poly(amidoamine)s with biocidal activity on wood substrates (2019) European Polymer Journal, 116, pp. 232-241.	3
	Abd-El-Aziz, A.S., Abdelghani, A.A., Wagner, B.D., Bissessur, R., Advances in Light-Emitting Dendrimers (2019) Macromolecular Rapid Communications, 40 (1), art. no. 1800711, . Review	4
	Neupane, U., Rai, R.N., Solid state synthesis of novel charge transfer complex and studies of its crystal structure and optical properties (2018) Journal of Solid State Chemistry, 268, pp. 67-74.	5
	Satija, J., Chauhan, S.K., Punjabi, N., Mukherji, S. Dendrimer Sensors (2017) Comprehensive Supramolecular Chemistry II, 8, pp. 237-259. DOCUMENT TYPE: Book Chapter	6
	Aderinto, S.O., Zhang, H., Wu, H., Chen, C., Zhang, J., Peng, H., Yang, Z., Wang, F. Synthesis and studies of two proton-receptor fluorescent probes based on 1,8-naphthalimide (2017) Coloration Technology, 133 (1), pp. 40-49.	7
	Kacmaz S., Ertekin K., Oter O., Hizliates C.G., Ergun Y., Celik E. Manipulation of pH induced sensitivity of a fluorescent probe in presence of silver nanoparticles (2015) Journal of Luminescence, 168, pp. 228 - 235 DOI: 10.1016/j.jlumin.2015.07.056	8
	Mardani H., Roghani-Mamaqani H., Shahi S., Roustanavi D. Anti-Counterfeiting Inks Based on Förster Resonance Energy Transfer in Microcrystalline Cellulose-Grafted Poly(amidoamine) for Artificial Industries (2023) ACS Applied Polymer Materials, 5 (2), pp. 1092 – 1102 DOI: 10.1021/acsapm.2c01251	9
	Lu H., Zhang J., Feng S. Controllable photophysical properties and self-assembly of siloxane-poly(amidoamine) dendrimers (2015) Physical Chemistry Chemical Physics, 17 (40), pp. 26783 – 26789 DOI: 10.1039/c5cp03658e	10
	Hashemi E., Sadeghi-Kiakhani M. Using a Dendritic Sensor as a Feasible Method for Detection of Copper in Water Samples (2023) Journal of Fluorescence, 33 (3), pp. 1139 – 1146 DOI: 10.1007/s10895-022-03123-w	11
	Zhang C., Li L., Wu Y., Chen S., Lu L., Zhang K. Kinetic and particle size for emulsion polymerization by using polyamidoamine dendrimer as seed (2016) Gaofenzi Cailiao Kexue Yu Gongcheng/Polymeric Materials Science and Engineering, 32 (11), pp. 18 – 22 DOI: 10.16865/j.cnki.1000-7555.2016.11.004	12

	Georgiev N.I., Dimitrova M.D., Todorova Y.D., Bojinov V.B. Synthesis, chemosensing properties and logic behaviour of a novel ratiometric 1,8-naphthalimide probe based on ICT and PET (2016) <i>Dyes and Pigments</i> , 131, pp. 9 – 17 DOI: 10.1016/j.dyepig.2016.03.051	13
	Refat M.S., Adam A.A., Saad H.A., Naglah A.M., Al-Omar M.A. Charge-transfer complexation and photostability characteristics of iodine with bis-1,8-naphthalimide as a photosensitive biologically active units in solution and in the solid state: Linear correlation of photostability and dissociation energy (2015) <i>International Journal of Electrochemical Science</i> , 10 (8), 6405 - 6421	14
	Cheng H.-R., Qian Y. Two novel rhodamine-perylenediimide fluorescent probes: Synthesis, photophysical properties, and cell imaging (2016) <i>Chinese Chemical Letters</i> , 27 (6), pp. 879 – 886 DOI: 10.1016/j.ccllet.2016.01.039	15
	Zheng J., Huang F., Li Y., Xu T., Xu H., Jia J., Ye Q., Gao J. The aggregation-induced emission enhancement properties of BF ₂ complex isatin-phenylhydrazone: Synthesis and fluorescence characteristics (2015) <i>Dyes and Pigments</i> , 113, pp. 502 – 509 DOI: 10.1016/j.dyepig.2014.09.025	16
	Wang B., Lu Z.-R., Tan M. Development of dendrimer-based nanomaterials for diagnostic and therapeutic applications (2016) <i>Methods in Pharmacology and Toxicology</i> , 39, pp. 47 – 63 DOI: 10.1007/978-1-4939-3121-7_3 DOCUMENT TYPE: Book chapter	17
	Heydari R., Hosseini M., Amraei A., Mohammadzadeh A. Preparation of a novel pH optical sensor using orange (II) based on agarose membrane as support (2016) <i>Materials Science and Engineering C</i> , 61, pp. 333 – 337 DOI: 10.1016/j.msec.2015.12.051	18
	Ji Y., Yang X., Qian Y. Poly-amidoamine structure characterization: Amide resonance structure of imidic acid (HO-CN) and tertiary ammonium (2014) <i>RSC Advances</i> , 4 (90), pp. 49535 – 49540 DOI: 10.1039/c4ra09081k	19
	Dimitrova M.D., Georgiev N.I., Bojinov V.B. Novel PAMAM Dendron as a Bichromophoric Probe Based on Rhodamine 6G and 1,8-Naphthalimide (2016) <i>Journal of Fluorescence</i> , 26 (3), pp. 1091 – 1100 DOI: 10.1007/s10895-016-1799-y	20
	Niu Y., Qian Y., Hu X. Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) <i>Chinese Journal of Organic Chemistry</i> , 36 (3), pp. 555 - 561 DOI: 10.6023/cjoc201509045	21
	Cheng H.-R., Qian Y. Synthesis and intramolecular FRET of perylenediimide-naphthalimide dendrons (2015) <i>Dyes and Pigments</i> , 112, pp. 317 – 326 DOI: 10.1016/j.dyepig.2014.07.005	22
78	Grabchev, I., Yordanova, S., Stoyanov, S., Petkov, I. Synthesis of new blue fluorescent polymerizable 1,8-naphthalimides and their copolymers with styrene as sensors for Fe(III) cations (2014) <i>Journal of Chemistry</i>, 2014, art. no. 793721, .	5
	Oshchepkov, A.S., Oshchepkov, M.S., Oshchepkova, M.V., Al-Hamry, A., Kanoun, O., Kataev, E.A., Naphthalimide-Based Fluorescent Polymers for Molecular Detection (2021) <i>Advanced Optical Materials</i> , 9 (6), art. no. 2001913, . Review	1
	Zamani, E., Yahyaei, H., Khosravi, A., Mohseni, M., Shaki, H., Synthesis and Characterization of a Novel Self-colored Fluorescent Polycarbonate Urethane based on the 1,8-Naphthalimide Group (2019) <i>Journal of Macromolecular Science, Part B: Physics</i> , 58 (9), pp. 772-781.	2
	Hollauf, M., Cajlaković, M., Tscherner, M., Köstler, S., Knall, A.-C., Trimmel, G., Synthesis and characterization of naphthalimide-functionalized polynorbornenes (2017) <i>Monatshefte für Chemie</i> , 148 (1), pp. 121-129.	3
	Manuel Hollauf, PhD thesis, Dye-Functionalized Polymers via Ring Opening Metathesis Polymerization for Photophysical Applications, Technischen Universität Graz, 2017	4

	Tachapermpon, Y., Piyanuch, P., Prapawattanapol, N., Sukrat, K., Suwatpipat, K., Wanichacheva, N., Synthesis of novel fluorescent sensors based on naphthalimide fluorophores for the highly selective Hg ²⁺ -sensing (2015) Journal of Chemistry, 2015, art. no. 165295, .	5
79	Yordanova, S., Grabchev, I., Stoyanov, S., Milusheva, V., Petkov, I. Synthesis and functional characteristics of two new yellow-green fluorescent PAMAM dendrimers periphery modified with 1,8-naphthalimides Metallo dendrimers Special Issue (2014) Inorganica Chimica Acta, 409 (PART A), pp. 89-95.	10
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	1
	Kolarikova M., Hosikova B., Dilenko H., Barton-Tomankova K., Valkova L., Bajgar R., Malina L., Kolarova H. Photodynamic therapy: Innovative approaches for antibacterial and anticancer treatments (2023) Medicinal Research Reviews, 43 (4), pp. 717 – 774 DOI: 10.1002/med.21935 DOCUMENT TYPE: Review	2
	Qin W., Han X., Wang J., Wang X., Zhang J. Selectivity of novel PAMAM dendrimers modified with salicylaldehyde and their extraction/separation performance on Zr(IV) and Hf(IV) (2023) Journal of Molecular Structure, 1276, art. no. 134817 DOI: 10.1016/j.molstruc.2022.134817	3
	Hussain I., Muhammad N., Subhani Q., Shou D., Jin M., Yu L., Lu G., Wen X., Intisar A., Yan Z. A review on structural aspects and applications of PAMAM dendrimers in analytical chemistry: Frontiers from separation sciences to chemical sensor technologies (2022) TrAC - Trends in Analytical Chemistry, 157, art. no. 116810 DOI: 10.1016/j.trac.2022.116810 DOCUMENT TYPE: Review	4
	Ju, G., Chen, G., Xu, S., Wang, M., Xu, L. Synthesis and bioactivity of N-(1,3-dioxo-1H-benzo[de]isoquinolin-2(3H)-yl)-amide derivatives (2016) Chemical Engineering Transactions, 55, pp. 115-120.	5
	Shaki, H., Khosravi, A., Gharanjig, K., Mahboubi, A. Investigation of synthesis, characterization, photophysical and biological properties of novel antimicrobial fluorescent naphthalimide derivatives (2016) Materials Technology, 31 (6), pp. 322-331.	6
	Wang F, Yan S, Li Y, Xu T, Ma R. Enhanced luminescent performance of 1, 8-naphthalic anhydride-loaded bimodal mesoporous silicas modified by europium nitrate. Journal of Porous Materials. 2021 Dec;28(6):1779-85.	7
	Kotowicz, S., Korzec, M., Pająk, A.K., Golba, S., Małeck, J.G., Siwy, M., Grzelak, J., Maćkowski, S., Schab-Balcerzak, E., New acceptor–donor–acceptor systems based on bis-(Imino-1,8-naphthalimide) (2021) Materials, 14 (11), art. no. 2714, .	8
	Kotowicz, Sonia. "Otrzymanie i badania fizykochemiczne związków z układami wiązań π-sprzężonych projektowanych do potencjalnych zastosowań w organicznej elektronice." (2019), Katowice : Uniwersytet Śląski, PhD thesis.	9
	Dzhardimalieva, G.I., Uflyand, I.E., Metal chelate dendrimers (2018) Springer Series in Materials Science, 257, pp. 503-631.	10
80	Staneva, D., Grabchev, I., Yotova, L., Betcheva, R. New glucose oxidase - pamam conjugate as fluorescent biosensor matrix in acetylcellulose membrane (2013) Journal of the University of Chemical Technology and Metallurgy, 48 (3), pp. 228-233.	3
	Jouad K, Eliseeva SV, Collet G, Colas C, Da Silva D, Hiebel MA, El Brahmi N, Akssira M, Petoud S, El Kazzouli S, Suzenet F. Near-Infrared Emitting Poly (amidoamine) Dendrimers with an Anthraquinone Core toward Versatile Non-Invasive Biological Imaging. Biomacromolecules. 2022, 23, 3, 1392–1402.	1

	M. Sadeghi-Kiakhani, S. Safapour, Improvement of the dyeing and fastness properties of a naphthalimide fluorescent dye using poly(amidoamine) dendrimer, <i>Color. Technol.</i> , 131, 142–148.	2
	P. Verma, Sharad Srivastava, M. Tripathi, Modern approach of nanotech and fluorescent technology to glucose biosensor: A review, 2014, <i>Asian Journal of Microbiology, Biotechnology and Environmental Sciences</i> 16(3):665-668	3
81	Staneva, D., & Grabchev, I. (2013). Spectral Analysis of Poly(propyleneamine) Dendrimers Peripherally Modified with 1,8-Naphthalimides. International Journal of Polymer Analysis and Characterization, 18(5), 390–397. https://doi.org/10.1080/1023666X.2013.785284	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) <i>Current Organic Chemistry</i> , 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	1
82	Grabchev, I., Mokreva, P., Gancheva, V., Terlemezyan, L. Synthesis and structural dependence of the functional properties of new green fluorescent poly(propyleneamine) dendrimers (2013) Journal of Molecular Structure, 1038, pp. 101-105.	6
	Vonnie J.M., Ting B.J., Rovina K., Aqilah N.M.N., Yin K.W., Huda N. Natural and Engineered Nanomaterials for the Identification of Heavy Metal Ions—A Review (2022) <i>Nanomaterials</i> , 12 (15), art. no. 2665 DOI: 10.3390/nano12152665 DOCUMENT TYPE: Review	1
	Adam, A.M.A., Altalhi, T.A., El-Megharbel, S.M., Saad, H.A., Refat, M.S., Using a modified polyamidoamine fluorescent dendrimer for capturing environment polluting metal ions zn ²⁺ , cd ²⁺ , and hg ²⁺ : Synthesis and characterizations (2021) <i>Crystals</i> , 11 (2), art. no. 92, pp. 1-20.	2
	Gudeika, D., A review of investigation on 4-substituted 1,8-naphthalimide derivatives (2020) <i>Synthetic Metals</i> , 262, art. no. 116328, . Review	3
	Gong, H.-H., Addla, D., Lv, J.-S., Zhou, C.-H. Heterocyclic Naphthalimides as new Skeleton structure of compounds with increasingly expanding relational medicinal applications (2016) <i>Current Topics in Medicinal Chemistry</i> , 16 (28), pp. 3303-3364.	4
	Zhang, Q., Zhu, W., Fang, M., Yin, F., Li, C. Synthesis, photophysical and electrochemical properties of two novel carbazole-based dye molecules (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 135, pp. 379-385.	5
	Refat, M.S., Gobouri, A.A., Adam, A.M.A., Saad, H.A. Novel charge-transfer complexes of 4-hexylamino-1,8-naphthalimide-labelled PAMAM dendrimer with some acceptors: A spectrophotometric study (2014) <i>Physics and Chemistry of Liquids</i> , 52 (5), pp. 680-696.	6
83	Salman, M., Refat, M.S., Grabchev, I., Adam, A.M.A. Spectroscopic, electrical conductivity measurements with polystyrene composites and thermal studies on charge-transfer interactions between bis(4-Amino-N-ethyl-1,8-Naphthalimide) amine with some phenolic acceptors (2013) International Journal of Electrochemical Science, 8 (2), pp. 2863-2879.	1
	Xia, J., Wang, Z., Guo, X., Xia, Y., Zhang, F., Tang, J., Li, Y., Han, G., Xia, L. Recognition and electrochemical determination of environmental contaminants nitrophenol by cyclodextrin homologous functionalized graphene modified electrodes (2013) <i>International Journal of Electrochemical Science</i> , 8 (6), pp. 8774-8785.	1
84	Temiz, H.T., Boyaci, I.H., Grabchev, I., Tamer, U. Surface enhanced Raman spectroscopy as a new spectral technique for quantitative detection of metal ions, Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, (2013) 116, pp. 339-347	32
	EMIN A. Progress in the applications of raman spectroscopy in microbial identification (2021) <i>Asian Journal of Chemistry</i> , 33 (6), pp. 1183 - 1190 DOI: 10.14233/ajchem.2021.22998 DOCUMENT TYPE: Review	1

	Liang Y., Li H., Xu N., Zhu J., Wu X., Wang Y. Preparation of arsenic(iii) monoclonal antibodies and preliminary evaluation of a novel silver-coated gold nanorod SERS immunoassay strip construction (2023) Analytical Methods, 15 (43), pp. 5823 – 5836 DOI: 10.1039/d3ay01205k	2
	Ayodhya D. A review on recent advances in selective and sensitive detection of heavy toxic metal ions in water using g-C3N4-based heterostructured composites (2022) Materials Chemistry Frontiers, 6 (18), pp. 2610 - 2650 DOI: 10.1039/d2qm00431c DOCUMENT TYPE: Review	3
	Kayalik A., Sacmaci A novel dopamine platform based on CeO2@TiO2 nanocomposite modified AuNPs/AgNPs nanoparticle and SERS application (2024) Journal of Molecular Structure, 1304, art. no. 137644 DOI: 10.1016/j.molstruc.2024.137644	4
	Kaplan M., Yavuz O., Ozdemir E., Alcay Y., Kaya K., Yilmaz I. Architecture of Easy-to-Synthesize and Superior Probe Based on Aminoquinoline Appended Naphthoquinone: Instant and On-Site Cu2+ Ion Quantification in Real Samples and Unusual Crystal Structure and Logic Gate Operations (2024) Inorganic Chemistry, 63 (4), pp. 2257 - 2267 DOI: 10.1021/acs.inorgchem.3c04229	5
	Zhang Y.-J., Kang C.-L., Liu Y.-Q., Fu X.-H., Zhang J.-X., Wang M.-X., Yang L.-Z. Rapidly Detection of Total Nitrogen and Phosphorus Content in Water by Surface Enhanced Raman Spectroscopy and GWO-SVR Algorithm (2021) Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis, 41 (10), pp. 3147 – 3152 DOI: 10.3964/j.issn.1000-0593(2021)10-3147-06	6
	Shen Y., Nie C., Wei Y., Zheng Z., Xu Z.-L., Xiang P. FRET-based innovative assays for precise detection of the residual heavy metals in food and agriculture-related matrices (2022) Coordination Chemistry Reviews, 469, art. no. 214676 DOI: 10.1016/j.ccr.2022.214676	7
	Cheng H., Huang H.-C., Yang M.-F., Yang M.-H., Yan H., Panezai S., Zheng Z.-Y., Zhang Z., Zhang Z.-L. Characterization of the remediation of chromium ion contamination with bentonite by terahertz time-domain spectroscopy (2022) Scientific Reports, 12 (1), art. no. 11149 DOI: 10.1038/s41598-022-15182-x	8
	Hashemi SA, Bahrani S, Mousavi SM, Omidifar N, Arjmand M, Lankarani KB, Ramakrishna S. Simultaneous electrochemical detection of Cd and Pb in aquatic samples via coupled graphene with brominated white polyaniline flakes. European Polymer Journal. 2022 Jan 5;162:110926.	9
	Patle RY, Meshram JS. The advanced synthetic modifications and applications of multifunctional PAMAM dendritic composites. Reaction Chemistry & Engineering. 2022;7(1):9-40.	10
	A. L. Cook, F. Xue, T. D. Giorgio, Toxic Metals Chelation by 18-Crown-6 Ethers in Multiple Solutions and Quantification by Spectroscopic Techniques, Proceedings of the 6 th World Congress on Recent Advances in Nanotechnology (RAN'21) Lisbon, Portugal Virtual Conference – June 14 – 16, 2021 Paper No. NDDTE 202 DOI: 10.11159/nddte21.lx.202	11
	Shvalya, V., Filipič, G., Zavašnik, J., Abdulhalim, I., Cvelbar, U., Surface-enhanced Raman spectroscopy for chemical and biological sensing using nanoplasmonics: The relevance of interparticle spacing and surface morphology (2020) Applied Physics Reviews, 7 (3), art. no. 031307, . Review	12
	Yang, D. "Surface Enhanced Raman Spectroscopy for Environmental Analysis: Metal Sensing and Solvent Effect." Master's thesis, University of Waterloo, 2021.	13
	Sun, M., Li, Z., Wu, S., Gu, Y., Li, Y., Simultaneous detection of Pb2+, Cu2+ and Hg2+ by differential pulse voltammetry at an indium tin oxide glass electrode modified by hydroxyapatite (2018) Electrochimica Acta, 283, pp. 1223-1230.	14

	Kongor, A., Panchal, M., Athar, M., Makwana, B., Sindhav, G., Jha, P.C., Jain, V., Synthesis and modeling of calix[4]pyrrole wrapped Au nanoprobe for specific detection of Pb(II): Antioxidant and radical scavenging efficiencies (2018) Journal of Photochemistry and Photobiology A: Chemistry, 364, pp. 801-810.	15
	Chanaka Udayanga, W.D., Veksha, A., Giannis, A., Lisak, G., Chang, V.W.-C., Lim, T.-T., Fate and distribution of heavy metals during thermal processing of sewage sludge (2018) Fuel, 226, pp. 721-744. Review	16
	Pinheiro, P.C., Daniel-da-Silva, A.L., Nogueira, H.I.S., Trindade, T., Functionalized Inorganic Nanoparticles for Magnetic Separation and SERS Detection of Water Pollutants, European Journal of Inorganic Chemistry, 2018 (30), pp. 3443-3461. Review	17
	Viswanath, V., Santhakumar, K., Perspectives on dendritic architectures and their biological applications: From core to cell (2017) Journal of Photochemistry and Photobiology B: Biology, 173, pp. 61-83.	18
	Yang, D., Liu, X., Zhou, Y., Luo, L., Zhang, J., Huang, A., Mao, Q., Chen, X., Tang, L., Aptamer-based biosensors for detection of lead(ii) ion: a review (2017) Analytical Methods, 9 (13), pp. 1976-1990.	19
	Guo, Z., Li, D.-D., Luo, X.-K., Li, Y.-H., Zhao, Q.-N., Li, M.-M., Zhao, Y.-T., Sun, T.-S., Ma, C., Simultaneous determination of trace Cd(II), Pb(II) and Cu(II) by differential pulse anodic stripping voltammetry using a reduced graphene oxide-chitosan/poly-L-lysine nanocomposite modified glassy carbon electrode (2017) Journal of Colloid and Interface Science, 490, pp. 11-22.	20
	Guselnikova, O., Postnikov, P., Erzina, M., Kalachyova, Y., Švorčík, V., Lyutakov, O., Pretreatment-free selective and reproducible SERS-based detection of heavy metal ions on DTPA functionalized plasmonic platform (2017) Sensors and Actuators, B: Chemical, 253, pp. 830-838.	21
	El Alami, Amal. "Mise en oeuvre de biocapteurs en vue de la détection de pesticides dans l'eau par diffusion Raman exaltée." PhD diss., Le Mans, 2017. l'Université Sidi Mohamed ben Abdellah (Fès, Maroc)	22
	Shaban, M., Galaly, A.R., Highly Sensitive and Selective In-Situ SERS Detection of Pb ²⁺ , Hg ²⁺ , and Cd ²⁺ Using Nanoporous Membrane Functionalized with CNTs (2016) Scientific Reports, 6, art. no. 25307, .	23
	Satija, Jitendra, and Soumyo Mukherji. "Function-Oriented Molecular Design: Dendrimer." Encyclopedia of Physical Organic Chemistry (2016): 1-56.	24
	Arduzlar-Kağan, Dilek, Sibel Özilgen, and Mustafa Özilgen. "Quality assurance in vegetable processing: state of the science in practice in the 2010s." Handbook of Vegetable Preservation and Processing, Edition 2nd Edition, Imprint CRC Press (2015).	25
	Liu, Y., Zhang, Y., Jiang, L., Detection of heavy metal copper in vetiver grass roots based on Raman spectroscopy and resin adsorption technology (2015) Nongye Gongcheng Xuebao/Transactions of the Chinese Society of Agricultural Engineering, 31 (24), pp. 174-178.	26
	Solovyeva, E.V., Myund, L.A., Denisova, A.S., Surface enhanced Raman scattering of new acridine based fluorophore adsorbed on silver electrode (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 149, pp. 196-200.	27
	Hao, Y., Chen, B., Research on quantitative analytical model for determination of phosmet by using surface enhanced Raman spectroscopy (2015) Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis, 35 (9), pp. 2563-2566.	28
	Jia, X., Li, J., Qin, T., Deng, A., Liu, W., Current views on surface enhanced Raman spectroscopy in microbiology (2015) Shengwu Gongcheng Xuebao/Chinese Journal of Biotechnology, 31 (5), pp. 611-620. Review	29

	Zhang, B.-H., Jiang, Y.-C., Sha, W., Zhang, X.-Y., Cui, Z.-F., Quantitative analysis of thiram by surface-enhanced raman spectroscopy combined with feature extraction algorithms (2015) <i>Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis</i> , 35 (2), pp. 390-393.	30
	Szabó, L., Herman, K., Mircescu, N.E., Tódor, I.S., Simon, B.L., Boitor, R.A., Leopold, N., Chiş, V., Surface-enhanced Raman scattering and DFT investigation of 1,5-diphenylcarbazine and its metal complexes with Ca(II), Mn(II), Fe(III) and Cu(II) (2014) <i>Journal of Molecular Structure</i> , 1073 (C), pp. 10-17.	31
	С. Турманова, Е. Иванова, К. Василев, В. Трифонова, Изследване на комплексобразуването на третични амини с йони на преходни метали, Научни Трудове На Русенския Университет - 2015, том 54, серия 10.1, 195-200	32
85	Staneva, D., Grabchev, I., Betcheva, R. Sensor potential of 1,8-naphthalimide and its dyeing ability of cotton fabric, <i>Dyes and Pigments</i>, (2013) 98 (1), pp. 64-70.	14
	Nie W., Wu J., Yang J., Hu L. Fabrication of Sustainable Hydrophobic Cotton Fabrics with Fluorescence-Emitting Performance Using Novel 1,8-Naphthalimide Functional Molecules (2023) <i>ACS Sustainable Chemistry and Engineering</i> , 11 (9), pp. 3873 – 3881 DOI: 10.1021/acssuschemeng.2c07155	1
	Mohr, G.J., Synthesis of naphthalimide-based indicator dyes with a 2-hydroxyethylsulfonyl function for covalent immobilisation to cellulose (2018) <i>Sensors and Actuators, B: Chemical</i> , 275, pp. 439-445.	2
	Qin, C., Bao, Z., Dai, L., Mei, F., Synthesis and dyeing properties of novel fluorescent dyes based on naphthalimide, (2018) <i>Fangzhi Xuebao/Journal of Textile Research</i> , 39 (7), pp. 74-81 and 88.	3
	Dodangeh, M., M. Mohammadian, and S. Aryabadie. "A Novel Fluorescent Disperse Dye based on N-Polyamidoamine Dendrimer-1, 8-Naphthalimide: Synthesis, Characterization and Dyeing Properties on Polyester Fibres." <i>J Textile Sci Eng</i> 8, no. 363 (2018): 2.	4
	C. Li, X. Han, S. Mao, S. O. Aderinto, X. Shi, K. Shen, H. Wu, A new, highly potent 1,8-naphthalimidebased fluorescence turn-off chemosensor capable of detecting Cu(II) ions in real-world water samples, <i>Color. Technol.</i> , 2018, 134, 230–239	5
	Aderinto, S.O., A New, Highly Potent 1,8-Naphthalimide-based Fluorescence “Turn off” Chemosensor Capable of Cu ²⁺ Detection in China's Yellow River Water Samples (2017) <i>Journal of the Chinese Chemical Society</i> , 64 (12), pp. 1432-1445.	6
	Ye, F., Wang, Z.-Q., Li, P., Li, G.-Y., Fu, Y., Synthesis, crystal structure and fluorescence property of N-n-butyl-4-[di(bromoethyl)]amino-1,8-naphthalimide (2017) <i>Jiegou Huaxue</i> , 36 (5), pp. 738-744.	7
	Fu, Y.; Pang, X.; Wang, K.; Wang, Z.; Li, G.; Ye, F. Synthesis and Fluorescent Properties of Novel Mono- and Di-Substituted 1,8-Naphthalimide Derivatives at the C-4 Position. Preprints 2017, 2017050167 (doi: 10.20944/preprints201705.0167.v1).	8
	Liu, J., Zhou, J., Tang, B., Zeng, T., Li, Y., Li, J., Ye, Y., Wang, X. Surface enhanced Raman scattering (SERS) fabrics for trace analysis (2016) <i>Applied Surface Science</i> , 386, pp. 296-302.	9
	Shaki, H., Khosravi, A., Gharanjig, K., Mahboubi, A. Investigation of synthesis, characterization, photophysical and biological properties of novel antimicrobial fluorescent naphthalimide derivatives (2016) <i>Materials Technology</i> , 31 (6), pp. 322-331.	10
	Saini, A., Bhasin, A.K.K., Singh, N., Kaur, N. Development of a Cr(III) ion selective fluorescence probe using organic nanoparticles and its real time applicability (2016) <i>New Journal of Chemistry</i> , 40 (1), pp. 278-284.	11

	Shams-Nateri, A., Piri, N. Predicting emission spectra of fluorescent materials from their absorbance spectra using the artificial neural network (2015) <i>Optica Applicata</i> , 45 (4), pp. 545-557.	12
	Robinson, A.M., Zhao, L., Shah Alam, M.Y., Bhandari, P., Harroun, S.G., Dendukuri, D., Blackburn, J., Brosseau, C.L. The development of "fab-chips" as low-cost, sensitive surface-enhanced Raman spectroscopy (SERS) substrates for analytical applications (2015) <i>Analyst</i> , 140 (3), pp. 779-785.	13
	Luo, X., Qian, Y. Synthesis and fluorescent properties of peripherally 1,8-naphthalimide-labeled dendron (2013) <i>Chinese Journal of Organic Chemistry</i> , 33 (11), pp. 2423-2429.	14
86	Grabchev, I., Staneva, D., Betcheva, R. Fluorescent dendrimers as sensors for biologically important metal cations <i>Current Medicinal Chemistry</i>, (2012) 19(29), pp. 4976-4983.	30
	He J., Yun L., Cheng X. Organic-soluble chitosan-g-PHMA (PEMA/PBMA)-bodipy fluorescent probes and film by RAFT method for selective detection of Hg ²⁺ /Hg ⁺ ions (2023) <i>International Journal of Biological Macromolecules</i> , 237, art. no. 124255 DOI: 10.1016/j.ijbiomac.2023.124255	1
	Poudel D.P., Taylor R.T. Low-generation fluorescent polyurethane dendrimers via late-stage modification using azide-alkyne click chemistry (2022) <i>RSC Advances</i> , 12 (43), pp. 28043 – 28051 DOI: 10.1039/d2ra04937f	2
	Fernandes T, Daniel-da-Silva AL, Trindade T. Metal-dendrimer hybrid nanomaterials for sensing applications. <i>Coordination Chemistry Reviews</i> . 2022 Jun 1;460:214483.	3
	Batra S, Sharma S. Biomedical Applications of Dendrimers. <i>Dendrimers in Nanomedicine: Concept, Theory and Regulatory Perspectives</i> . 2021 Mar 24:277-85.	4
	Freixa Z, Rivilla I, Monrabal F, Gómez-Cadenas JJ, Cossío FP. Bicolour fluorescent molecular sensors for cations: design and experimental validation. <i>Physical Chemistry Chemical Physics</i> . 2021;23(29):15440-57.	5
	Viltres, H., López, Y.C., Leyva, C., Gupta, N.K., Naranjo, A.G., Acevedo-Peña, P., Sanchez-Diaz, A., Bae, J., Kim, K.S., Polyamidoamine dendrimer-based materials for environmental applications: A review (2021) <i>Journal of Molecular Liquids</i> , 334, art. no. 116017, .	6
	Silvestrini Fernandes, D., do Carmo, D.R., Silsesquioxane, Modified with PAMAM Dendrimer and a Bimetallic Complex for Electrochemical Detection of Ascorbic Acid (2021) <i>Electroanalysis</i> , 33 (2), pp. 365-374.	7
	Fantozzi, N., Pétuya, R., Insuasty, A., Long, A., Lefevre, S., Schmitt, A., Robert, V., Dutasta, J.-P., Baraille, I., Guy, L., Genin, E., Bégué, D., Martinez, A., Pinet, S., Gosse, I., A new fluorescent hemicyptophane for acetylcholine recognition with an unusual recognition mode (2020) <i>New Journal of Chemistry</i> , 44 (27), pp. 11853-11860.	8
	Orfãos LN. <i>Dendrimers: the fluorination approach</i> (Doctoral dissertation). University of Madeira, 2020	9
	Vidal, L., Ben Aissa, A., Salabert, J., Jara, J.J., Vallribera, A., Pividori, M.I., Sebastián, R.M., Biotinylated Phosphorus Dendrimers as Control Line in Nucleic Acid Lateral Flow Tests (2020) <i>Biomacromolecules</i> , 21 (3), pp. 1315-1323.	10
	Militello, M.P., Hernández Ramírez, R.E., Lijanová, I.V., Previtali, C.M., Bertolotti, S.G., Arbeloa, E.M., PAMAM dendrimers with a porphyrin core as highly selective binders of Li ⁺ in an alkaline mixture. A spectroscopic study (2019) <i>New Journal of Chemistry</i> , 43 (41), pp. 16246-16254.	11

	Xia, C., Zhang, S., Tan, Y., Sun, D., Sun, P., Cheng, X., Xin, X., Self-Assembly of Europium-Containing Polyoxometalates/Tetra- n-alkyl Ammonium with Enhanced Emission for Cu ²⁺ Detection (2018) ACS Omega, 3 (11), pp. 14953-14961.	12
	Feng, M., Fang, L., Guan, F., Huang, S., Cheng, Y., Liang, Y., Zhang, H., A facile approach towards fluorescent nanogels with AIE-active spacers (2018) Polymers, 10 (7), art. no. 722, .	13
	Shaki, H., Novel monoazo disperse and cationic dyes: preparation, structure investigation, study of spectroscopic, antibacterial and antifungal potential (2018) Monatshefte für Chemie, 149 (6), pp. 1149-1160.	14
	Bonizzoni, M., Fluorescent Sensors Based on Indicator Displacement, (2017) Comprehensive Supramolecular Chemistry II, 8, pp. 21-36.: Book Chapter	15
	Gong, H.-H., Addla, D., Lv, J.-S., Zhou, C.-H. Heterocyclic Naphthalimides as new Skeleton structure of compounds with increasingly expanding relational medicinal applications (2016) Current Topics in Medicinal Chemistry, 16 (28), pp. 3303-3364	16
	Feng, R., Deng, P., Teng, F., Song, Z. Recent development of copolymeric delivery system for anticancer agents based on cyclodextrin derivatives (2016) Anti-Cancer Agents in Medicinal Chemistry, 16 (3), pp. 299-308.	17
	Dodangeh, M., Gharanjig, K., Arami, M. A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 154, pp. 207-214.	18
	Costero, A.M., Gil, S., Parra, M., Mancini, P.M.E., Kneeteman, M.N., Quindt, M.I. 5,5'-bis-vanillin derivatives as discriminating sensors for trivalent cations (2015) Tetrahedron Letters, 56 (26), art. no. 46260, pp. 3988-3991.	19
	Refat, M.S., Ismail, L.A., Adam, A.M.A. Shedding light on the photostability of two intermolecular charge-transfer complexes between highly fluorescent bis-1,8-naphthalimide dyes and some π -acceptors: A spectroscopic study in solution and solid states (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 134, pp. 288-301.	20
	Refat, M.S., Adam, A.A., Saad, H.A., Naglah, A.M., Al-Omar, M.A. Charge-transfer complexation and photostability characteristics of iodine with bis-1,8-naphthalimide as a photosensitive biologically active units in solution and in the solid state: Linear correlation of photostability and dissociation energy (2015) International Journal of Electrochemical Science, 10 (8), pp. 6405-6421.	21
	Bhasker Radaram, PhD thesis, Design, synthesis of a new class of dissymmetric macrocycles for carcinogenic benzo[a]pyrene detection University of Rhode, Island, 2015	22
	D. Gajjar, D. Wadia, R.M. Patel, P M. Patel, Development, characterization of hydroxyl terminated dendritic macromolecules as prospective drug carriers, American Journal of Polymer Science & Engineering 2014, 3:73-89	23
	Yu, M., Ast, S., Yu, Q., Lo, A.T.S., Flehr, R., Todd, M.H., Rutledge, P.J. Incorporating a piperidinyl group in the fluorophore extends the fluorescence lifetime of click-derived cyclam-naphthalimide conjugates (2014) PLoS ONE, 9 (7), art. N 100761	24
	Song, P., Xiang, Y., Wei, R.R., Tong, A. A fluorescent chemosensor for Cu ²⁺ detection in solution based on aggregation-induced emission and its application in fabricating Cu ²⁺ test papers (2014) Journal of Luminescence, 153, pp. 215-220.	25
	Lv, J.-S., Peng, X.-M., Kishore, B., Zhou, C.-H. 1,2,3-Triazole-derived naphthalimides as a novel type of potential antimicrobial agents: Synthesis, antimicrobial activity, interaction with calf thymus DNA and human serum albumin (2014) Bioorganic and Medicinal Chemistry	26
	Ellis, Samantha. "Identification and characterisation of new compounds to treat chronic bacterial lung infections." (2014).	27

	Radaram, B., Mako, T., Levine, M. Sensitive and selective detection of cesium via fluorescence quenching (2013) Dalton Transactions, 42 (46), pp. 16276-16278. Vinš, P., Vermachová, M., Drašar, P., Del Barrio, M., Jarne, C., Cebolla, V.L., De Cózar, A., Zangi, R., Cossío, F.P. Size and branching effects on the fluorescence of benzylic dendrimers possessing one apigenin fluorophore at the core (2013) Tetrahedron, 69 (48), pp. 10361-10368.	28
	Sato, K., Anzai, J.-I. Dendrimers in layer-by-layer assemblies: Synthesis and applications (2013) Molecules, 18 (7), pp. 8440-8460.	29
	Vinš, P., Vermachová, M., Drašar, P., Del Barrio, M., Jarne, C., Cebolla, V.L., De Cózar, A., Zangi, R., Cossío, F.P., Size and branching effects on the fluorescence of benzylic dendrimers possessing one apigenin fluorophore at the core (2013) Tetrahedron, 69 (48), pp. 10361-10368.	30
87	Staneva, D., Bosch, P., Grabchev, I. Ultrasonic synthesis and spectral characterization of a new blue fluorescent dendrimer as highly selective chemosensor for Fe³⁺ cations (2012) Journal of Molecular Structure, 1015, pp. 1-5.	19
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/138527282766623091115827	1
	Zhang L., Jiao X., Zhang H., He S., Cheng X. Novel chitosan–naphthalimide–amino acid fluorescent powder for selective detection and removal of Hg ²⁺ /Hg ⁺ and Fe ²⁺ in aqueous solution (2022) Chemical Papers, 76 (11), pp. 7037 – 7049 DOI: 10.1007/s11696-022-02385-9	2
	Aghili S.A., Hajiaghababaei L., Aberoomand Azar P., Badiei A., Saber-Tehrani M. Preparation of optical nano sensor for rapid detection of Fe(III) using phenyl isothiocyanate functionalized SBA-15 (2024) Chemical Papers DOI: 10.1007/s11696-024-03477-4	3
	Salahshoor, Z., Ghasemi, J.B., Shahbazi, A., Badiei, A., Highly selective silica-based fluorescent nanosensor for ferric ion (Fe ³⁺) detection in aqueous media, (2019) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 218, pp. 293-298.	4
	Santana, C.G., da Silva, O.A., Filho, H.J.I., Barbosa, J.C.S., Politi, M.J., Triboni, E.R., Microwave irradiation synthesis of 4-sulfo-1,8-naphthalimide in Zn(OAc) ₂ /EtOH-H ₂ O (2019) Journal of Chemical Technology and Metallurgy, 54 (2), pp. 260-265.	5
	Yasarapudi, V.B., Frazer, L., Webb, J.E.A., Gallaher, J.K., MacMillan, A., Falber, A., Thordarson, P., Schmidt, T.W., Competing Energy Transfer Pathways in a Five-Chromophore Perylene Array (2018) Journal of Physical Chemistry C, 122 (25), pp. 13937-13943.	6
	Satija, J., Chauhan, S.K., Punjabi, N., Mukherji, S., Dendrimer Sensors (2017) Comprehensive Supramolecular Chemistry II, 8, pp. 237-259.: Book Chapter	7
	S. O. Aderinto, S. Imhanria, Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017, Chemical Papers, 2018, https://doi.org/10.1007/s11696-018-0411-0	8
	Nandhini, T., Kaleeswaran, P., Pitchumani, K. A highly selective, sensitive and "turn-on" fluorescent sensor for the paramagnetic Fe ³⁺ ion (2016) Sensors and Actuators, B: Chemical, 230, pp. 199-205.	9
	Karimi, M., Badiei, A., Ziarani, G.M. A Novel Naphthalene-Immobilized Nanoporous SBA-15 as a Highly Selective Optical Sensor for Detection of Fe ³⁺ in Water (2015) Journal of Fluorescence, 25 (5), pp. 1297-1302.	10
	Sharma, R., Chhibber, M., Mittal, S.K. Diphenylether based derivatives as Fe(III) chemosensors: Spectrofluorimetry, electrochemical and theoretical studies (2015) RSC Advances, 5 (28), pp. 21831-21842.	11

	Sareen, D., Kaur, P., Singh, K. Strategies in detection of metal ions using dyes (2014) Coordination Chemistry Reviews, 265 (1), pp. 125-154.	12
	Kesharwani, P., Jain, K., Jain, N.K. Dendrimer as nanocarrier for drug delivery (2014) Progress in Polymer Science, 39 (2), pp. 268-307.	13
	Cong, F., Jian-Ping, L. Application of dendrimers in analytical chemistry (2013) Fenxi Huaxue/ Chinese Journal of Analytical Chemistry, 41 (11), pp. 1762-1772.	14
	Xu, J.-H., Hou, Y.-M., Ma, Q.-J., Wu, X.-F., Wei, X.-J. A highly selective fluorescent sensor for Fe ³⁺ based on covalently immobilized derivative of naphthalimide (2013) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 112, pp. 116-124.	15
	Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) Dyes and Pigments, 97 (1), pp. 168-174.	16
	Ma, N., Ma, C., Deng, Y., Wang, T., He, N. Advances in applications of dendritic compounds (2013) Journal of Nanoscience and Nanotechnology, 13 (1), pp. 33-39	17
	Stoyanov, S., Petrov, P., Stoyanova, M., Dangalov, M., Shivachev, B., Nikolova, R., Petkov, I. 4-Amino-3-nitro naphthalimides-structures and spectral properties (2012) Journal of Photochemistry and Photobiology A: Chemistry, 250, pp. 92-98.	18
	Sahoo, S.K., Sharma, D., Bera, R.K., Crisponi, G., Callan, J.F. Iron(III) selective molecular and supramolecular fluorescent probes (2012) Chemical Society Reviews, 41 (21), pp. 7195-7227.	19
88	Grabchev, I., Staneva, D., Dumas, S., Chovelon, J.-M. Metal ions and protons sensing properties of new fluorescent 4-N-methylpiperazine-1,8-naphthalimide terminated poly(propyleneamine) dendrimer (2011) Journal of Molecular Structure, 999 (1-3), pp. 16-21.	26
	Lace, A., Cleary, J., A review of microfluidic detection strategies for heavy metals in water (2021) Chemosensors, 9 (4), art. no. 60, . Review	1
	Gudeika, D., A review of investigation on 4-substituted 1,8-naphthalimide derivatives (2020) Synthetic Metals, 262, art. no. 116328, . Review	2
	Yang, H., Wu, Y., Tian, F., A Fluorescent Sensor for Cu ²⁺ Ion with High Selectivity and Sensitivity Based on ICT and PET (2019) Journal of Fluorescence, 29 (5), pp. 1153-1159.	3
	Abd-El-Aziz, A.S., Abdelghani, A.A., Wagner, B.D., Bissessur, R., Advances in Light-Emitting Dendrimers (2019) Macromolecular Rapid Communications, 40 (1), art. no. 1800711, . Review	4
	Piedra-Marín, G.; González-Solís, L.; Herrera Núñez, J.; Soto Fallas, R. & Borbón-Alpizar, H., Síntesis de precursores tipo 1,8-naftilimida: propiedades y usos potenciales para la detección selectiva de metales en agua. En Y. Morales-López (Ed.), Memorias del I Congreso Internacional de Ciencias Exactas y Naturales de la Universidad Nacional, Costa Rica, 2019, (e169, pp. 1-9). Heredia: Universidad Nacional. doi http://dx.doi.org/10.15359/cicen.1.46 , ISBN: 978-9968-9661-6-0	5
	Wang, Y., Meng, Q., Han, Q., He, G., Hu, Y., Feng, H., Jia, H., Zhang, R., Zhang, Z., Selective and sensitive detection of cysteine in water and live cells using a coumarin-Cu ²⁺ fluorescent ensemble (2018) New Journal of Chemistry, 42 (19), pp. 15839-15846.	6
	Ke, B., Ma, L., Kang, T., He, W., Gou, X., Gong, D., Du, L., Li, M., In Vivo Bioluminescence Imaging of Cobalt Accumulation in a Mouse Model (2018) Analytical Chemistry, 90 (8), pp. 4946-4950.	7

	Wang, S.H., Shen, C.Y., Lin, Y.M., Du, J.C. Piezoelectric sensor for sensitive determination of metal ions based on the phosphate-modified dendrimer (2016) <i>Smart Materials and Structures</i> , 25 (8), art. no. 085018,	8
	Chi-Yen Shen, Roan Yeh, Mei-Hui Chung, Rey-Chue Hwang. Analytical Performance and Characterization of a Quartz Crystal Microbalance for the Detection of Cu(II) Ions in Water. <i>Journal of Electrical and Electronic Engineering</i> . Vol. 4, No. 5, 2016, pp. 103-108	9
	Wang, Y., Zhang, R., Song, R., Guo, K., Meng, Q., Feng, H., Duan, C., Zhang, Z. Fluoride-specific fluorescence/MRI bimodal probe based on a gadolinium(iii)-flavone complex: synthesis, mechanism and bioimaging application in vivo (2016) <i>Journal of Materials Chemistry B</i> , 4 (46), pp. 7379-7386.	10
	Xu, Z., Mei, Q., Hua, Q., Tian, R., Weng, J., Shi, Y., Huang, W. Synthesis, characterization, energy transfer and photophysical properties of ethynyl bridge linked porphyrin-naphthalimide pentamer and its metal complexes (2015) <i>Journal of Molecular Structure</i> , 1094, pp. 1-8.	11
	Song, E.J., Park, G.J., Lee, J.J., Lee, S., Noh, I., Kim, Y., Kim, S.-J., Kim, C., Harrison, R.G. A fluorescence sensor for Zn ²⁺ that also acts as a visible sensor for Co ²⁺ and Cu ²⁺ (2015) <i>Sensors and Actuators, B: Chemical</i> , 213, pp. 268-275.	12
	Zhang, S., Zhao, M., Zhu, W., Xu, Y., Qian, X. A highly sensitive, selective ratiometric fluorescent probe for cobalt(ii) and its applications for biological imaging (2015) <i>Dalton Transactions</i> , 44 (21), pp. 9740-9743.	13
	Xu, Z., Mei, Q., Weng, J., Huang, W. Synthesis, characterization and properties of covalently linked porphyrin-naphthalimide pentamer and its metal complexes (2014) <i>Journal of Molecular Structure</i> , 1074, pp. 687-694.	14
	Sareen, D., Kaur, P., Singh, K. Strategies in detection of metal ions using dyes (2014) <i>Coordination Chemistry Reviews</i> , 265 (1), pp. 125-154.	15
	Xu, Z.-J., Wei, A., Mei, Q.-B., Xiong, L., Weng, J.-N., Huang, W. Photocatalytic activity of novel naphthalimide functionalized porphyrin/ZnO composites in degradation of methyl orange (2014) <i>Nanjing Youdian Daxue Xuebao (Ziran Kexue Ban)/Journal of Nanjing University of Posts and Telecommunications (Natural Science)</i> , 34 (1), pp. 123-127.	16
	Song, E.J., Kang, J., You, G.R., Park, G.J., Kim, Y., Kim, S.-J., Kim, C., Harrison, R.G. A single molecule that acts as a fluorescence sensor for zinc and cadmium and a colorimetric sensor for cobalt (2013) <i>Dalton Transactions</i> , 42 (43), pp. 15514-15520.	17
	Cong, F., Jian-Ping, L. Application of dendrimers in analytical chemistry (2013) <i>Fenxi Huaxue/Chinese Journal of Analytical Chemistry</i> , 41 (11), pp. 1762-1772.	18
	Maity, D., Raj, A., Karthigeyan, D., Kundu, T.K., Govindaraju, T. Reaction-based probes for Co(ii) and Cu(i) with dual output modes: Fluorescence live cell imaging (2013) <i>RSC Advances</i> , 3 (37), pp. 16788-16794.	19
	Georgiev, N.I., Yaneva, I.S., Surleva, A.R., Asiri, A.M., Bojinov, V.B. Synthesis, sensor activity and logic behavior of a highly water-soluble naphthalimide derivative (2013) <i>Sensors and Actuators, B: Chemical</i> , 184, pp. 54-63.	20
	Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) <i>Dyes and Pigments</i> , 97 (1), pp. 168-174.	21
	Wang, Q., Zhao, H., Chen, C.-H., Xu, J.-C., Yang, D.-Y., Qiu, F.-X. Preparation, characterization and thermal property of novel dendritic liquid crystal macromolecule (2013) <i>Key Engineering Materials</i> , 538, pp. 117-120.	22

	Bagul, R.S., Rajesh, Y.B.R.D., Jayamurugan, G., Bera, A., Sood, A.K., Jayaraman, N. Photophysical behavior of poly(propyl ether imine) dendrimer in the presence of nitroaromatic compounds (2013) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 253, pp. 1-6.	23
	Ma, N., Ma, C., Deng, Y., Wang, T., He, N. Advances in applications of dendritic compounds (2013) <i>Journal of Nanoscience and Nanotechnology</i> , 13 (1), pp. 33-39.	24
	Maity, D., Kumar, V., Govindaraju, T. Reactive probes for ratiometric detection of Co ²⁺ and Cu ⁺ based on excited-state intramolecular proton transfer mechanism (2012) <i>Organic Letters</i> , 14 (23), pp. 6008-6011.	25
	Au-Yeung, H.Y., New, E.J., Chang, C.J. A selective reaction-based fluorescent probe for detecting cobalt in living cells (2012) <i>Chemical Communications</i> , 48 (43), pp. 5268-5270.	26
89	Grabchev, I., Bosch, P., Staneva, D. A new detector for metal cations based on the combined effect of photoinduced electron transfer and a light harvesting system (2011) <i>Journal of Photochemistry and Photobiology A: Chemistry</i>, 222 (1), pp. 288-292.	9
	Doganci E., Uygun M., Tasdelen M.A. Synthesis of cinacalcet containing acrylamide hydrogels by photopolymerization and studying their sensing properties (2023) <i>Iranian Polymer Journal (English Edition)</i> , 32 (11), pp. 1359 – 1366 DOI: 10.1007/s13726-023-01200-w	1
	Uygun, M., Doganci, E., Tasdelen, M.A., Gurek, A.G., One-pot photoinduced synthesis of dansyl containing acrylamide hydrogels and their chemosensing properties, (2019) <i>Journal of Applied Polymer Science</i> , 136 (8), art. no. 47096.	2
	Cheng, H.-R., Lu, X.-J., Zhang, Y., Deng, X.-Y., Synthesis and Fluorescence Property of a New Dendritic Perylenediimide-Naphthalimide Derivative (2018) <i>ChemistrySelect</i> , 3 (13), pp. 3596-3602.	3
	Niu, Y., Qian, Y., Hu, X. Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) <i>Chinese Journal of Organic Chemistry</i> , 36 (3), pp. 555-561.	4
	Alamry, K.A., Georgiev, N.I., El-Daly, S.A., Taib, L.A., Bojinov, V.B. A ratiometric rhodamine-naphthalimide pH selective probe built on the basis of a PAMAM light-harvesting architecture (2015) <i>Journal of Luminescence</i> , 158, pp. 50-59.	5
	Сергеева Антонина Николаевна, диссертация кхн, (2015), Синтез и исследование флуоресцентных гибридных систем на основе 1,8-нафталимида, Институт Элементоорганических Соединений им. А.Н.Несмеянова Российской Академии Наук, Москва, Россия.	6
	Cheng, H.-R., Qian, Y. Synthesis and intramolecular FRET of perylenediimide-naphthalimide dendrons (2015) <i>Dyes and Pigments</i> , 112, pp. 317-326.	7
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) <i>Russian Chemical Reviews</i> , 83 (2), pp. 155-182.	8
	Selektor, S.L., Bogdanova, L.B., Shokurov, A.V., Panchenko, P.A., Fedorova, O.A., Arslanov, V.V. Intra- and interlayer energy transfer in planar systems based on amphiphilic naphthalimide derivatives (2014) <i>Macrocyclics</i> , 7 (3), pp. 311-320.	9
90	Refat, M.S., Megahed, A.S., El-Deen, I.M., Grabchev, I., El-Ghol, S. Spectroscopic, thermal and biological studies on newly synthesized Cu(II), Ni(II) and Co(II) complexes with 3-N-2-hydroxyethylamine benzantrone and 3-N-2-aminoethylamine benzantrone (2011) <i>Journal of the Korean Chemical Society</i>, 55 (1), pp. 28-37.	2

	Kiseleva, V., Avotiņa, L., Zariņš, A., Petjukevičs, A., Pučkins, A., Škute, N., Kirilova, E. Thermal And Spectroscopic Study Of Chromium Complex With Benzanthrone Amidine Derivative, (2021) Journal of Chemical Technology and Metallurgy, 56 (3), pp. 595-602.	1
	Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) Bulgarian Chemical Communications, 49, pp. 67-73.	2
91	Refat, M.S., Didamony, H.A., El-Nour, K.M.A., Grabchev, I., El-Zayat, L., Adam, A.M.A. Spectroscopic characterizations on the N,N'-bis-alkyl derivatives of 1,4,6,8-naphthalenediimide charge-transfer complexes (2011) Arabian Journal of Chemistry, 4 (1), pp. 83-97.	1
	Sáfar, G.A.M., Malachias, A., Magalhães-Paniago, R., Martins, D.C.S., Idemori, Y.M., Unravelling the molecular structure and packing of a planar molecule by combining nuclear magnetic resonance and scanning tunneling microscopy (2013) Physical Chemistry Chemical Physics, 15 (47), pp. 20691-20697	1
92	Refat, M.S., Al Didamony, H.A., Abou El-Nour, Kh.M., Grabchev, I., El-Zayat, L., Synthesis and characterizations of Charge-Transfer complexes of 1,8-naphthalimides with different acceptors (2010) Bulgarian Chemical Communications, 42 (4), pp. 279-299.	9
	Kotowicz, S., Korzec, M., Pająk, A.K., Golba, S., Małecki, J.G., Siwy, M., Grzelak, J., Maćkowski, S., Schab-Balcerzak, E., New acceptor–donor–acceptor systems based on bis-(Imino-1,8-naphthalimide) (2021) Materials, 14 (11), art. no. 2714, .	1
	Kotowicz, S. Otrzymanie i badania fizykochemiczne związków z układami wiązań π -sprzężonych projektowanych do potencjalnych zastosowań w organicznej elektronice, (2019) PhD thesis.	2
93	Staneva, D., McKena, M., Bosch, P., Grabchev, I. Synthesis and spectroscopic studies of a new 1,8-naphthalimide dyad as detector for metal cations and protons (2010) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 76 (2), pp. 150-154.	9
	Yarullin D.N., Zavalishin M.N., Gamov G.A., Lukanov M.M., Ksenofontov A.A., Bumagina N.A., Antina E.V. Prediction of Sensor Ability Based on Chemical Formula: Possible Approaches and Pitfalls (2023) Inorganics, 11 (4), art. no. 158 DOI: 10.3390/inorganics11040158 DOCUMENT TYPE: Review	1
	Sakr A.R., Georgiev N.I., Bojinov V.B. Design, synthesis, and biological activity of perylene tetracarboxydiimide dendrimer (2022) Synthetic Communications, 52 (22), pp. 2171 – 2177 DOI: 10.1080/00397911.2022.2134798	2
	Sakr, A.R., Georgiev, N.I., Bojinov, V.B., Design, photochemistry and antibacterial evaluation of novel light-harvesting antenna (2020) Synthetic Communications, pp. 2988-2996.	3
	Miladinova, P.M. Synthesis of a new benzanthrone probe for Ph determination based on PET and ICT (2016) Journal of Chemical Technology and Metallurgy, 51 (6), pp. 667-676.	4
	Sahin, O., Yilmaz, M. Synthesis and fluorescence sensing properties of a new naphthalimide derivative of calix[4]arene (2012) Tetrahedron Letters, 53 (18), pp. 2319-2324.	5
	Zhou, Y., Zhou, H., Ma, T., Zhang, J., Niu, J., A new Schiff base based on vanillin and naphthalimide as a fluorescent probe for Ag ⁺ in aqueous solution (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 88, pp. 56-59.	6
	Georgiev, N.I., Sakr, A.R., Bojinov, V.B. Design and synthesis of novel fluorescence sensing perylene diimides based on photoinduced electron transfer (2011) Dyes and Pigments, 91 (3), pp. 332-339.	7

	Touzani, R. Dendrons, dendrimers new materials for environmental and science applications (2011) Journal of Materials and Environmental Science, 2 (3), pp. 201-214.	8
	Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging (2011) Journal of Photochemistry and Photobiology A: Chemistry, 223 (2-3), pp. 111-118.	9
94	Grabchev, I., Staneva, D., Chovelon, J.-M. Photophysical investigations on the sensor potential of novel, poly(propylenamine) dendrimers modified with 1,8-naphthalimide units (2010) Dyes and Pigments, 85 (3), pp. 189-193.	31
	Shaji L.K., Selva Kumar R., Jose J., Bhaskar R., Vetriarasu V., Bhat S.G., Ashok Kumar S.K. Selective chromogenic and fluorogenic signalling of Hg ²⁺ ions using a benzothiazole-quinolinyl acrylate conjugate and its applications in the environmental water samples and living cells (2023) Journal of Photochemistry and Photobiology A: Chemistry, 434, art. no. 114220 DOI: 10.1016/j.jphotochem.2022.114220	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827	2
	Bora, K. S. (2016). Pharmacognostic evaluation and physico-chemical analysis of Ulmus wallichiana Planch. Journal of Applied Pharmaceutical Research, 4(3), 01-07.	3
	Chaudhari, H. S., R. R. Popat, V. S. Adhao, and V. N. Shrikhande. "Dendrimers: novel carriers for drug delivery." Journal of Applied Pharmaceutical Research 4, no. 1 (2016): 01-19.	4
	Uahengo, V., Xiong, B., Cai, P., Daniel, L.S., Rhyman, L., Ramasami, P. Chromogenic signaling of water traces by 1,8-naphthalohydrazone-anion complex in organic solvents (2016) Analytical Chemistry Research, 8, pp. 1-8.	5
	Dodangeh, M., Gharanjig, K., Arami, M. A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 154, pp. 207-214.	6
	Sunil Kumar, M. Sheo Datta, D. Manas Kumar, T. Vijay Kumar, V.Krishna, D. Ram, Dendrimers in drug delivery, diagnosis and therapy: basics and, potential applications, Journal of Drug Delivery and Therapeutics, 2016, 6, 67-92.	7
	Сологубов Семен Сергеевич, Термодинамические свойства дендримеров, с различной природой поверхностного слоя „Диссертация на соискание ученой степени кандидата химических наук, Нижегородский государственный университет им. Н.И. Лобачевского, 2016.	8
	Gudeika, Dalius. "Synthesis and properties of organic semiconductors containing 1, 8-naphthalimide, triphenylamide and fluorene moieties." (2015): 164., Kaunas, Lithuania, PhD thesis.	9
	Sreeperumbuduru, Raghavendra Swamy. "synthesis and assessment of polycationic triazine dendrimers as antimicrobial agents." PhD diss., Texas Christian University, 2015.	10
	Sivkova, R., Trhlíková, O., Zedník, J., Sedláček, J. Copolymerization of N-(prop-1-yne-3-yl)-4-(piperidine-1-yl)-1,8-naphthalimide with Arylacetylenes into Fluorescent Polyacetylene-Type Conjugated Polymers (2015) Macromolecular Chemistry and Physics, 216 (21), pp. 2115-2128.	11
	El-Sayed, M.Y., Refat, M.S. Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 137, pp. 1270-1279.	12

Gor, R.M., Sonvane, B.B., Shah, V.H. Dendrimer - An emerging approach for drug delivery (2014) International Journal of Pharmaceutical Sciences Review and Research, 26 (1), pp. 264-270.	13
El-Sayed, M.Y., Refat, M.S. The intermolecular charge-transfer complexes of the first generation of poly(propylene amine) dendrimers with σ and π acceptors (2014) International Journal of Electrochemical Science, 9 (11), pp. 6608-6626.	14
Mathieu Bédard, MSc thesis, Designing Ligands for Conjugation to Gold Nanoshells for Multitasking, McGill University, Montréal, 2014.	15
Vashist, S.K. Dendrimers: Prospects for bioanalytical sciences (2013) Journal of Nanomedicine and Nanotechnology, 4 (5), art. no. 1000-131.	16
Ratna Kumari, A., Sobha, K. Nanobiotechnology as a prospective approach for safe environmental remediation - a review (2013) International Journal of Pharma and Bio Sciences, 4 (4), 241	17
Alshahrani, T., El-Betany, A., Mabrook, M., Tai, H., McKeown, N. High open-circuit voltage bulk-heterojunction solar cells by using new dendritic acceptor material (2013) Technical Proceedings of the 2013 NSTI Nanotechnology Conference and Expo, NSTI-Nanotech 2013, 3, pp. 572-575.	18
Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) Dyes and Pigments, 97 (1), pp. 168-174.	19
Algarra, M., Campos, B.B., Alonso, B., Casado, C.M., Esteves Da Silva, J.C.G., Benavente, J. Inclusion of thiol DAB dendrimer/CdSe quantum dots based in a membrane structure: Surface and bulk membrane modification (2013) Electrochimica Acta, 89, pp. 652-659.	20
Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J. Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) Macromolecular Chemistry and Physics, 213 (4), pp. 411-424	21
Petya K. Ivanova-Mitseva, PhD thesis, Development of advanced nanosized molecularly imprinted polymers via surface-initiated "living" radical polymerisation Cranfield University, 2012.	22
El-Betany, A.M.M., McKeown, N.B. The synthesis and fluorescence properties of macromolecular components based on 1,8-naphthalimide derivatives and dimers (2012) Tetrahedron Letters, 53 (7), pp. 808-810.	23
Fatima Tahura –E Jannat, PhD thesis, Synthesis of dendrimer molecules based on triazine, Bangladesh University of Engineering and Technology, Dhaka, Bangladesh, 2012.	24
Davies, Katherine. "An Iterative synthesis of oligo-vinyl ethers and applications thereof." University of Victoria, PhD diss., 2012.	25
Cheshmedzhieva, D., Ivanova, P., Stoyanov, S., Tasheva, D., Dimitrova, M., Ivanov, I., Ilieva, S. Experimental and theoretical study on the absorption and fluorescence properties of substituted aryl hydrazones of 1,8-naphthalimide (2011) Physical Chemistry Chemical Physics, 13 (41), pp. 18530-18538.	26
Satija, J., Sai, V.V.R., Mukherji, S. Dendrimers in biosensors: Concept and applications (2011) Journal of Materials Chemistry, 21 (38), pp. 14367-14386.	27

	Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging (2011) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 223 (2-3), pp. 111-118.	28
	Mitra, A., Hinge, V.K., Mittal, A., Bhakta, S., Guionneau, P., Rao, C.P. A zinc-sensing glucose-based naphthyl imino conjugate as a detecting agent for inorganic and organic phosphates, including DNA (2011) <i>Chemistry - A European Journal</i> , 17 (29), pp. 8044-8047.	29
	Mitra, A., Mittal, A.K., Rao, C.P. Carbohydrate assisted fluorescence turn-on gluco-imino-anthracenyl conjugate as a Hg(II) sensor in milk and blood serum milieu (2011) <i>Chemical Communications</i> , 47 (9), pp. 2565-2567.	30
	Mitra, Atanu. "C 1-And C 2-Based Glyco-Conjugates: Synthesis, Characterization, Ion and Molecular Recognition Studies." PhD diss., Indian Institute of Technology, Bombay (India), 2010.	31
95	Yotova, L., Grabchev, I., Betcheva, R., Marinkova, D. Smart biosensors for determination of mycotoxins (2010) NATO Science for Peace and Security Series A: Chemistry and Biology, pp. 389-414.	1
	Wang, C., Dong, X., Liu, Q., Wang, K., Label-free colorimetric aptasensor for sensitive detection of ochratoxin A utilizing hybridization chain reaction (2015) <i>Analytica Chimica Acta</i> , 860, pp. 83-88.	1
96	McKenna, M.D., Grabchev, I., Bosch, P. The synthesis of a novel 1,8-naphthalimide based PAMAM-type dendron and its potential for light-harvesting (2009) Dyes and Pigments, 81 (3), pp. 180-186.	26
	Georgiev, N.I., Marinova, N.V., Bojinov, V.B., Design and synthesis of light-harvesting rotor based on 1,8-naphthalimide units (2020) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 401, art. no. 112733, .	1
	Li, Chuang, Xintong Han, Shanshan Mao, Stephen Opeyemi Aderinto, Xinkui Shi, Kesheng Shen, and Huilu Wu. "A new, highly potent 1, 8-naphthalimide-based fluorescence turn-off chemosensor capable of detecting Cu (II) ions in real-world water samples." <i>Coloration Technology</i> 134, no. 3 (2018): 230-239.	2
	Yao, S., Qian, Y., Aggregation-induced emission, functionalized fluorescent nanoparticles and cells imaging of a water-soluble pyridyl-naphthalimide dendron (2018) <i>Chemistry Select</i> , 3 (1), pp. 308-313.	3
	Aderinto, S.O., A New, Highly Potent 1,8-Naphthalimide-based Fluorescence "Turn off" Chemosensor Capable of Cu ²⁺ Detection in China's Yellow River Water Samples (2017) <i>Journal of the Chinese Chemical Society</i> , 64 (12), pp. 1432-1445.	4
	Mesa-Antunez, P., Collado, D., Vida, Y., Najera, F., Fernandez, T., Torres, M.J., Perez-Inestrosa, E. Fluorescent BAPAD dendrimeric antigens are efficiently internalized by human dendritic cells (2016) <i>Polymers</i> , 8 (4), art. no. 111 .	5
	Cheng, H.-R., Qian, Y. Intramolecular fluorescence resonance energy transfer in a novel PDI-BODIPY dendritic structure: Synthesis, Hg ²⁺ sensor and living cell imaging (2015) <i>Sensors and Actuators, B: Chemical</i> , 219, pp. 57-64.	6
	Gudeika, Dalius. "Synthesis and properties of organic semiconductors containing 1, 8-naphthalimide, triphenylamide and fluorene moieties." (2015): 164., Kaunas, Lithuania, PhD thesis.	7
	Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) <i>Analyst</i> , 140 (4), pp. 976-989.	8
	Cheng, H.-R., Qian, Y. Synthesis and intramolecular FRET of perylenediimide-naphthalimide dendrons (2015) <i>Dyes and Pigments</i> , 112, pp. 317-326.	9

	Woo, Alva Yuen Yiu. "Structure-property studies of conjugated 1, 8-naphthalic anhydrides." Master's thesis, Graduate Studies, 2014.	10
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	11
	Alva Yuen Yiu Wo, MMS thesis, Structure-Property Studies of Conjugated 1,8-Naphthalic Anhydrides, University of Calgary, Canada, 2014	12
	Luo, X., Qian, Y. Synthesis and fluorescent properties of peripherally 1,8-naphthalimide-labeled dendron (2013) Chinese Journal of Organic Chemistry, 33 (11), pp. 2423-2429.	13
	Alshahrani, T., El-Betany, A., Mabrook, M., Tai, H., McKeown, N. High open-circuit voltage bulk-heterojunction solar cells by using new dendritic acceptor material (2013) Technical Proceedings of the 2013 NSTI Nanotechnology Conference and Expo, NSTI-Nanotech 2013, 3, pp. 572-575.	14
	Kohlhaas, Christoph. "CHEMISCH-MOLEKULARBIOLOGISCHE STUDIEN ZUR SUBSTRATSPEZIFITÄT VON KETOSYNTASE.", Dissertation zur Erlangung des Doktorgrades (Dr. rer. nat.) der Mathematisch-Naturwissenschaftlichen Fakultät der Rheinischen Friedrich-Wilhelms-Universität Bonn (2013).	15
	Safabakhsh, B., Khosravi, A., Gharanjig, K., Kowsari, E., Khorassani, M., Tafaghodi, S. Synthesis of a novel fluorescent coloured copolymer based on 4-butylthio-1,8-naphthalimide (2012) Coloration Technology, 128 (3), pp. 218-222.	16
	Etienne, M.A., Kostochka, M., Fuselier, J.A., Coy, D.H. Synthesis of camptothecin-amino acid carbamate linkers (2012) Amino Acids, 42 (5), pp. 1727-1733.	17
	El-Betany, A.M.M., McKeown, N.B. The synthesis and fluorescence properties of macromolecular components based on 1,8-naphthalimide derivatives and dimers (2012) Tetrahedron Letters, 53 (7), pp. 808-810.	18
	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) Chinese Journal of Organic Chemistry, 32 (2), pp. 304-317.	19
	Zhang, G.-H., Liu, L.-J., Sun, W.-L. Preparation and properties of 1,8-naphthalimide derivatives grafted onto Chitosan (2012) Advanced Materials Research, 393-395, pp. 1359-1362.	20
	Marinova, N.V., Georgiev, N.I., Bojinov, V.B. Design, synthesis and pH sensing properties of novel 1,8-naphthalimide-based bichromophoric system (2011) Journal of Photochemistry and Photobiology A: Chemistry, 222 (1), pp. 132-140.	21
	Qian, L., Wang, A., Yan, H., Xu, D., Zhang, K. Synthesis of a novel fluorescent molecule and its energy transfer to eosin Y (2011) Shiyong Huagong/Petrochemical Technology, 40 (3), pp. 317-321.	22
	Georgiev, N.I., Bojinov, V.B., Nikolov, P.S. The design, synthesis and photophysical properties of two novel 1,8-naphthalimide fluorescent pH sensors based on PET and ICT (2011) Dyes and Pigments, 88 (3), pp. 350-357.	23
	Georgiev, N.I., Bojinov, V.B. Design, synthesis and photostability of novel 1,8-naphthalimide PAMAM light-harvesting dendrons (2011) Journal of Fluorescence, 21 (1), pp. 51-63.	24

	Georgiev, N.I., Bojinov, V.B., Marinova, N. Novel PAMAM light-harvesting antennae based on 1,8-naphthalimide: Synthesis, energy transfer, photophysical and pH sensing properties (2010) Sensors and Actuators, B: Chemical, 150 (2), pp. 655-666.	25
	Panah, H.S., Khosravi, A., Gharanjig, K., Khorassani, M., Zadeh, M.K., Taromi, F.A. Synthesis and characterization of new fluorescent polymerizable dyes based on naphthalimide (2010) Iranian Polymer Journal (English Edition), 19 (7), pp. 491-500.	26
97	Refat, M.S., El-Deen, I.M., Grabchev, I., Anwer, Z.M., El-Ghol, S. Spectroscopic characterizations and biological studies on newly synthesized Cu²⁺ and Zn²⁺ complexes of first and second generation dendrimers (2009) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 72 (4), pp. 772-782.	16
	Sanz del Olmo, N., Carloni, R., Ortega, P., García-Gallego, S., de la Mata, F.J., Metallo dendrimers as a promising tool in the biomedical field: An overview (2020) Advances in Organometallic Chemistry, 74, pp. 1-52.	1
	Abdel-Monem, Y.K., Abouel-Enein, S.A., Structural, spectral, magnetic and thermal studies of 5-(thiophene-2-ylmethine azo) uracil metal complexes: A comparative DFT study (2017) Journal of Thermal Analysis and Calorimetry, 130 (3), pp. 2257-2275.	2
	Sadeek, S.A., Abd El-Hamid, S.M., El-Shwiniy, W.H. Synthesis, spectroscopic characterization, thermal stability and biological studies of mixed ligand complexes of gemifloxacin drug and 2,2'-bipyridine with some transition metals (2016) Research on Chemical Intermediates, 42 (4), pp. 3183-3208.	3
	Dodangeh, M., K. Gharanjig, M. Arami. "A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1, 8-naphthalimide derivatives." Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy 154 (2016): 207-214.	4
	Kalhapure, R.S., Kathiravan, M.K., Akamanchi, K.G., Govender, T. Dendrimers - From organic synthesis to pharmaceutical applications: An update (2015) Pharmaceutical Development and Technology, 20 (1), pp. 22-40.	5
	Martin, C., Low, W.L., Gupta, A., Mohd, M.C.I., Radecka, I., Britland, S.T., Raj, P., Kenward, K. Strategies for antimicrobial drug delivery to biofilm (2015) Current Pharmaceutical Design, 21 (1), pp. 43-66.	6
	Khaled, K.F., Atta, A.A., Abdel-Shafi, N.S. A structure/function study of polyamidoamine dendrimer as a steel corrosion inhibitor (2014) Journal of Materials and Environmental Science, 5 (3), pp. 831-840.	7
	Bhogale, A., Patel, N., Mariam, J., Dongre, P.M., Miotello, A., Kothari, D.C. Comprehensive studies on the interaction of copper nanoparticles with bovine serum albumin using various spectroscopies (2014) Colloids and Surfaces B: Biointerfaces, 113, pp. 276-284.	8
	Kalhapure, R.S., Akamanchi, K.G. Oleodendrimers: A novel class of multicephalous heterolipids as chemical penetration enhancers for transdermal drug delivery (2013) International Journal of Pharmaceutics, 454 (1), pp. 158-166.	9
	García-Gallego, S., Cangiotti, M., Fiorani, L., Fattori, A., Muñoz-Fernández, M.A., Gomez, R., Ottaviani, M.F., Javier De La Mata, F. Anionic sulfonated and carboxylated PPI dendrimers with the EDA core: Synthesis and characterization of selective metal complexing agents (2013) Dalton Transactions, 42 (16), pp. 5874-5889.	10
	Gaber, M., El-Sayed, Y.S., El-Baradie, K.Y., Fahmy, R.M. Complex formation, thermal behavior and stability competition between Cu(II) ion and Cu ⁰ nanoparticles with some new azo dyes. Antioxidant and in vitro cytotoxic activity (2013) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 107, pp. 359-370.	11
	Szymański, P., Fraczek, T., Markowicz, M., Mikiciuk-Olasik, E. Development of copper based drugs, radiopharmaceuticals and medical materials (2012) BioMetals, 25 (6), pp. 1089-1112	12

	Ahamad, T., Mapolie, S.F., Alshehri, S.M. Synthesis and characterization of polyamide metallodendrimers and their anti-bacterial and anti-tumor activities (2012) <i>Medicinal Chemistry Research</i> , 21 (8), pp. 2023-2031.	13
	Amin, R.R., Yamany, Y.B. Spectroscopic, thermogravimetric and antibacterial studies for some bivalent metal complexes of oxalyl-, malonyl- and succinyl-bis(4-p-chlorophenylthiosemicarbazide) (2012) <i>Journal of Molecular Structure</i> , 1008, pp. 54-62.	14
	Sadeek, S.A., El-Shwiniy, W.H., El-Attar, M.S. Synthesis, characterization and antimicrobial investigation of some moxifloxacin metal complexes (2011) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 84 (1), pp. 99-110	15
	Fang, C.-L., Zhou, J., Liu, X.-J., Cao, Z.-H., Shangguan, D.-H. Mercury(ii)-mediated formation of imide-Hg-imide complexes (2011) <i>Dalton Transactions</i> , 40 (4), pp. 899-903.	16
98	Dumas, S., Grabchev, I., Stoikova, P., Chauvin, J., Chovelon, J.-M. Synthesis of benzanthrone derivatives for selective detection by fluorescence of copper ions (2009) <i>Journal of Photochemistry and Photobiology A: Chemistry</i>, 201 (2-3), pp. 237-242.	14
	Yarullin D.N., Zavalishin M.N., Gamov G.A., Lukanov M.M., Ksenofontov A.A., Bumagina N.A., Antina E.V. Prediction of Sensor Ability Based on Chemical Formula: Possible Approaches and Pitfalls(2023) <i>Inorganics</i> , 11 (4), art. no. 158 DOI: 10.3390/inorganics11040158 DOCUMENT TYPE: Review	1
	An X., Ma H., Cui G., Zhang T., Xu L., Wang M. Novel and rapid approach for benzanthrone synthesis: BBr ₃ -promoted annulation of 8-aryl-1-naphthoic acid derivatives (2023) <i>New Journal of Chemistry</i> , 48 (4), pp. 1741 - 1756 DOI: 10.1039/d3nj03905f	2
	Thomas A., Patil P.S., Siddlingeshwar B., Manohara S.R., Gummagol N.B., Krishna Chaitanya G., M.Kirilova E. Nonlinear optical properties of benzanthrone derivatives with N'-methylpiperazin-1-yl and N'-phenylpiperazin-1-yl substituents: Experimental and quantum chemical study (2022) <i>Optics and Laser Technology</i> , 156, art. no. 108616 DOI: 10.1016/j.optlastec.2022.108616	3
	Konstantinova A., Avotiņa L., Ķizāne G., Pučkins A., Osipovs S., Kirilova E. Amino acid functionalized benzanthrone dyes: Synthesis and photophysical study (2022) <i>Dyes and Pigments</i> , 204, art. no. 110363 DOI: 10.1016/j.dyepig.2022.110363	4
	Kiseļeva, V., Avotiņa, L., Zariņš, A., Petjukevičs, A., Pučkins, A., Škute, N., Kirilova, E., Thermal And Spectroscopic Study Of Chromium Complex With Benzanthrone Amidine Derivative (2021) <i>Journal of Chemical Technology and Metallurgy</i> , 56 (3), pp. 595-602.	5
	Bharathi, D., Siddlingeshwar, B., Krishna, R. H., Kirilova, E. M., Divakar, D. D., & Alkheraif, A. A. (2021). Interaction of CuO and ZnO nanoparticles with 3-N-(N'-methylacetamidino) benzanthrone: A temperature dependent fluorescence quenching study. <i>Inorganic Chemistry Communications</i> , 134, 109069.	6
	Shivraj, Siddlingeshwar, B., Thomas, A., Kirilova, E.M., Divakar, D.D., Alkheraif, A.A., Experimental and theoretical insights on the effect of solvent polarity on the photophysical properties of a benzanthrone dye (2019) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 218, pp. 221-228.	7
	Kirilova, E., Mickevica, I., Mezaraupē, L., Puckins, A., Rubenina, I., Osipovs, S., Kokina, I., Bulanovs, A., Kirjusina, M., Gavarane, I., Novel dye for detection of callus embryo by confocal laser scanning fluorescence microscopy (2019) <i>Luminescence</i> , 34 (3), pp. 353-359.	8
	Shivraj, Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A., Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) <i>Photochemical and Photobiological Sciences</i> , 17 (4), pp. 453-464.	9
	Miladinova, P.M., Zhekov, D.D., Georgiev, N.I., Synthesis of a new pet based benzanthrone probe for determination of pH and cuprum (II) ION (2017) <i>Journal of Chemical Technology and Metallurgy</i> , 52 (5), pp. 892-901.	10

	Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) Bulgarian Chemical Communications, 49, pp. 67-73.	11
	Miladinova, P.M. Synthesis of a new benzanthrone probe for Ph determination based on PET and ICT (2016) Journal of Chemical Technology and Metallurgy, 51 (6), pp. 667-676.	12
	Zhang, G., Wen, Y., Guo, C., Xu, J., Lu, B., Duan, X., He, H., Yang, J. A cost-effective and practical polybenzanthrone-based fluorescent sensor for efficient determination of palladium (II) ion and its application in agricultural crops and environment (2013) Analytica Chimica Acta, 805, pp. 87-94.	13
	Refat, M.S., Killa, H.M.A., Fetooh, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) Journal of Molecular Structure, 983 (1-3), pp. 122-132.	14
99	Grabchev, I., Dumas, S., Chovelon, J.-M. A polyamidoamine dendrimer as a selective colorimetric and ratiometric fluorescent sensor for Li cations in alkali media (2009) Dyes and Pigments, 82 (3), pp. 336-340.	31
	Rajpurohit D., Sharma P., Bathvar H., Syed S., Shrivastav P.S. Lithium selective receptors (2024) Coordination Chemistry Reviews, 515, art. no. 215968 DOI: 10.1016/j.ccr.2024.215968 DOCUMENT TYPE: Review	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	2
	Shayesteh O.H., Mahjub R., Ranjbar A., Derakhshandeh K., Jamshidi M. Nano optical and electrochemical sensors and biosensors for detection of narrow therapeutic index drugs (2021) Microchimica Acta, 188 (12), art. no. 411 DOI: 10.1007/s00604-021-05003-9 DOCUMENT TYPE: Review	3
	Javanbakht F., Najafi H., Jalili K., Salami-Kalajahi M. A review on photochemical sensors for lithium ion detection: relationship between the structure and performance (2023) Journal of Materials Chemistry A, 11 (48), pp. 26371 – 26392 DOI: 10.1039/d3ta06113b DOCUMENT TYPE: Review	4
	Villemin, E., Raccurt, O., Optical lithium sensors, (2021) Coordination Chemistry Reviews, 435, art. no. 213801, Review.	5
	Yazdani Nyaki, H., Mahmoodi, N. O., & Pasandideh Nadamani, M. (2021). Design and synthesis of a new tripod-chromogenic sensor based on as-triazine and thiazolidine-2, 4-dione ring (TCST) for naked-eye detection of Li ⁺ . <i>Canadian Journal of Chemistry</i> , 99(5), 482-490	6
	Yazdani Nyaki, H., Mahmoodi, N.O., Pasandideh Nadamani, M., Design and synthesis of a new tripod-chromogenic sensor based on a s-triazine and thiazolidine-2,4-dione ring (TCST) for naked-eye detection of Li ⁺ (2021) Canadian Journal of Chemistry, 99 (5), pp. 482-490.	7
	Zhang, K., Chen, T.-T., Zhang, L.-F., Ma, S., Shen, Y.-J., Feng, C.-C., Nie, P.-P., Yang, Z.-R., Zhu, C., The selective colorimetric probe based on a macrocyclic Sm(III) complex for detecting lithium ion and its performance in the psychiatric drug, (2020) Dyes and Pigments, 174, art. no. 108027, .	8
	Mahmoodi, N., Nyaki, H. Y., & Pasandideh Nadamani, M. Design and Synthesis of New Tripod-Chromogenic Sensor Based on S-Triazine and Thiazolidine-2, 4-Dione Ring (TCST) for Naked-Eye Detection of Li-Ions. <i>Available at SSRN 3671583</i> (2020).	9
	Afrin, A., Akhter, T., & Ahmed, M. J. A highly sensitive and selective spectrofluorimetric method for the determination of lithium at pico-trace levels in some real, pharmaceutical formulations, biological fluids, soil and food samples using 5, 7-dibromo-8-hydroxyquinoline, <i>European Journal of Pharmaceutical and Medical Research</i> , 2019,6(6), 784-799	10

	Militello, M.P., Hernández Ramírez, R.E., Lijanová, I.V., Previtali, C.M., Bertolotti, S.G., Arbeloa, E.M., PAMAM dendrimers with a porphyrin core as highly selective binders of Li ⁺ in an alkaline mixture. A spectroscopic study, (2019) New Journal of Chemistry, 43 (41), pp. 16246-16254.	11
	Goldsmith, Randall Howard. "Fluorescent indicator of lithium ions and related methods." U.S. Patent 9,954,257, issued April 24, 2018.	12
	จันทร์ศรี ป., แก้วทอง ช., Polymeric sensor for metal ion. Prog Appl Sci Tech. [Internet]. 2018 Dec. 30 [cited 2022 Mar. 16];8(2):18-30. https://ph02.tcithaijo.org/index.php/past/article/view/243021	13
	Padilla, N.A., Rea, M.T., Foy, M., Upadhyay, S.P., Desrochers, K.A., Derus, T., Knapper, K.A., Hunter, N.H., Wood, S., Hinton, D.A., Cavell, A.C., Masias, A.G., Goldsmith, R.H., Tracking lithium ions via widefield fluorescence microscopy for battery diagnostics (2017) ACS Sensors, 2 (7), pp. 903-908.	14
	Haidekker, M.A., Theodorakis, E.A. Ratiometric mechanosensitive fluorescent dyes: Design and applications (2016) Journal of Materials Chemistry C, 4 (14), pp. 2707-2718.	15
	Kaur, G., Singh, A., Venugopalan, P., Kaur, N., Singh, N. Selective recognition of lithium(i) ions using Biginelli based fluorescent organic nanoparticles in an aqueous medium (2016) RSC Advances, 6 (3), pp. 1792-1799.	16
	M. Keramatnia, F. Najafi, M. Reza Saeb, A review on applications of polyamidoamine dendrimers in field of paints and related industries, Journal of Studies in Color World, Vol. 5, No. 2, (2015) 35-48	17
	Hamilton, G.R.C., Sahoo, S.K., Kamila, S., Singh, N., Kaur, N., Hyland, B.W., Callan, J.F., Optical probes for the detection of protons, and alkali and alkaline earth metal cations (2015) Chemical Society Reviews, 44 (13), pp. 4415-4432.	18
	Fernandes, Daniela Silvestrini. "Quantificação eletroquímica de analitos de interesse ambiental e biológico, empregando novos materiais preparados a partir de silsesquioxanos funcionalizados." (2015): 158-f., PhD thesis	19
	Gudeika, Dalius. "Synthesis and properties of organic semiconductors containing 1, 8-naphthalimide, triphenylamide and fluorene moieties." (2015): 164., Kaunas, Lithuania, PhD thesis.	20
	Sahana, S., Bharadwaj, P.K. Detection of alkali and alkaline earth metal ions by fluorescence spectroscopy (2014) Inorganica Chimica Acta, 417, pp. 109-141.	21
	Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J. Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) Macromolecular Chemistry and Physics, 213 (4), pp. 411-424.	22
	El-Betany, A.M.M., McKeown, N.B. The synthesis and fluorescence properties of macromolecular components based on 1,8-naphthalimide derivatives and dimmers (2012) Tetrahedron Letters, 53 (7), pp. 808-810.	23
	do Carmo, D. R., S. Gabriel, D. R. Silvestrini, U. O. Bicalho, and L. R. Cumba. "Voltammetric study of the copper pentacyanonitrosylferrate adsorbed on the silica modified with a poly (propylene) imine hexadecylamine dendrimer for determination of nitrite." International Journal of Electrochemistry 2012 (2012).	24
	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) Chinese Journal of Organic Chemistry, 32 (2), pp. 304-317.	25
	Kaur, N., Kumar, S. Colorimetric metal ion sensors (2011) Tetrahedron, 67 (48), pp. 9233-9264.	26

	Lei, Y., Su, Y., Huo, J. A novel fluorescent sensor for Cr ³⁺ based on rhodamine-cored poly (amidoamine) dendrimer (2011) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 83 (1), pp. 149-154.	27
	Lei, Y., Su, Y., Huo, J. Photophysical property of rhodamine-cored poly(amidoamine) dendrimers: Simultaneous effect of spirolactam ring-opening and PET process on sensing trivalent chromium ion (2011) <i>Journal of Luminescence</i> , 131 (12), pp. 2521-2527.	28
	Cheng, F., Tang, N., Chen, J., Wang, F., Chen, L. Preparation, photophysical, electrochemical, and ion-binding properties of Ru(II) polypyridyl complexes containing a crown ether unit (2011) <i>Zeitschrift fur Naturforschung - Section B Journal of Chemical Sciences</i> , 66 (9), pp. 923-929.	29
	Veale, E.B., Gunnlaugsson, T. Fluorescent sensors for ions based on organic structures (2010) <i>Annual Reports on the Progress of Chemistry - Section B</i> , 106, pp. 376-406.	30
	Stojanovic, N., Murphy, L.D., Wagner, B.D. Fluorescence-based comparative binding studies of the supramolecular host properties of PAMAM dendrimers using anilinoanthracene sulfonates: Unusual host-dependent fluorescence titration behavior (2010) <i>Sensors</i> , 10 (4), pp. 4053-4070.	31
100	Grabchev, I., Bosch, P., McKenna, M., Staneva, D. A new colorimetric and fluorimetric sensor for metal cations based on poly(propylene amine) dendrimer modified with 1,8-naphthalimide (2009) <i>Journal of Photochemistry and Photobiology A: Chemistry</i>, 201 (1), pp. 75-80.	21
	Chen, Y.-Y., Jiang, W.-P., Chen, H.-L., Huang, H.-C., Huang, G.-J., Chiang, H.-M., Chang, C.-C., Huang, C.-L., Juang, T.-Y., Cytotoxicity and cell imaging of six types of carbon nanodots prepared through carbonization and hydrothermal processing of natural plant materials (2021) <i>RSC Advances</i> , 11 (27), pp. 16661-16674.	1
	McShane M. Photoluminescent nanosensors (2016) <i>Optochemical Nanosensors</i> , pp. 99 - 118DOCUMENT TYPE: Book chapter	2
	Thavornpradit, S., Sirirak, J., Wanichacheva, N. Turn-on naphthalimide fluorescent sensor with high quantum yield and large Stokes shift for the determination of Cu(II) (2016) <i>Journal of Photochemistry and Photobiology A</i> : 330,55-63	3
	Miao, X., Liu, T., Zhang, C., Geng, X., Meng, Y., Li, X. Fluorescent aliphatic hyperbranched polyether: Chromophore-free and without any N and P atoms (2016) <i>Physical Chemistry Chemical Physics</i> , 18 (6), pp. 4295-4299.	4
	Saini, A., Bhasin, A.K.K., Singh, N., Kaur, N. Development of a Cr(III) ion selective fluorescence probe using organic nanoparticles and its real time applicability (2016) <i>New Journal of Chemistry</i> , 40 (1), pp. 278-284.	5
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) <i>Russian Chemical Reviews</i> , 83 (2), pp. 155-182.	6
	Yang, L., Hu, Y., Lu, C. Photophysical properties of a newly synthesized bichromophoric polymer for Fe(III) sensing (2014) <i>Advances in Polymer Technology</i> , 33 (1), art. no. 21382, .	7
	Wang, M., Meng, G., Huang, Q. Iodeosin-based fluorescent and colorimetric sensing for Ag ⁺ , Hg ²⁺ , Fe ³⁺ , and further for halide ions in aqueous solution (2014) <i>RSC Advances</i> , 4 (16), pp. 8055-8058.	8
	Alshahrani, T., El-Betany, A., Mabrook, M., Tai, H., McKeown, N. High open-circuit voltage bulk-heterojunction solar cells by using new dendritic acceptor material (2013) <i>Technical Proceedings of the 2013 NSTI Nanotechnology Conference and Expo, NSTI-Nanotech 2013</i> , 3, pp. 572-575.	9

	Bagul, R.S., Rajesh, Y.B.R.D., Jayamurugan, G., Bera, A., Sood, A.K., Jayaraman, N. Photophysical behavior of poly(propyl ether imine) dendrimer in the presence of nitroaromatic compounds (2013) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 253, pp. 1-6.	10
	Shiau, S.-F., Juang, T.-Y., Chou, H.-W., Liang, M. Synthesis and properties of new water-soluble aliphatic hyperbranched poly(amido acids) with high pH-dependent photoluminescence (2013) <i>Polymer (United Kingdom)</i> , 54 (2), pp. 623-630.	11
	D. Ribeiro do Carmo, T. Fernanda Serantoni da Silveira, R Silva de Laurentiz, L. Lataro Paim Synthesis and a Preliminary Characterization of Poly(Propylene) Imine Hexadecylamine Dendrimer (DAB-Am-16) Modified with Methyl Acrylate <i>American Chemical Science Journal</i> , 2013, 3(3) 314-324.	12
	D. Rahmi, Dendrimer: synthesis and application potential, <i>J. Kimia Kemasan</i> , 2013, 35 (2) 137-144	13
	El-Betany, A.M.M., McKeown, N.B. The synthesis and fluorescence properties of macromolecular components based on 1,8-naphthalimide derivatives and dimers (2012) <i>Tetrahedron Letters</i> , 53 (7), pp. 808-810.	14
	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) <i>Chinese Journal of Organic Chemistry</i> , 32 (2), pp. 304-317.	15
	Kaur, N., Kumar, S. Colorimetric metal ion sensors (2011) <i>Tetrahedron</i> , 67 (48), pp. 9233-9264.	16
	Pu, L. Dendrimer-Based Sensors (2011) <i>Chemosensors: Principles, Strategies, and Applications</i> , pp. 121-162.	17
	Marinova, N.V., Georgiev, N.I., Bojinov, V.B. Design, synthesis and pH sensing properties of novel 1,8-naphthalimide-based bichromophoric system (2011) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 222 (1), pp. 132-140.	18
	Veale, E.B., Gunnlaugsson, T. Fluorescent sensors for ions based on organic structures (2010) <i>Annual Reports on the Progress of Chemistry - Section B</i> , 106, pp. 376-406.	19
	Refat, M.S., Killa, H.M.A., Fetoo, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	20
	Lohani, C.R., Lee, K.-H. The effect of absorbance of Fe ³⁺ on the detection of Fe ³⁺ by fluorescent chemical sensors (2010) <i>Sensors and Actuators, B: Chemical</i> , 143 (2), pp. 649-654.	21
101	Refat, M.S., Ahmed, H.A., Grabchev, I., El-Zayat, L.A. Spectroscopic and structural characterization of the charge-transfer interaction of N,N'-bis-alkyl derivatives of 1,4,6,8-naphthalenediimide with chloranilic and picric acids (2008) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i>, 70 (4), pp. 907-915.	5
	Singh, N., Ahmad, A. Synthesis and spectrophotometric studies of charge transfer complexes of p-nitroaniline with benzoic acid in different polar solvents (2014) <i>Journal of Molecular Structure</i> , 1074, pp. 408-415.	1
	Adegoke, O.A. Chemical derivatization methodologies for UV-visible spectrophotometric determination of pharmaceuticals (2012) <i>International Journal of Pharmaceutical Sciences Review and Research</i> , 14 (2), pp. 6-24.	2

	Neelgund, G.M., Magadum, S.R., Budni, M.L. Electron donor-acceptor interaction of 3,4-dimethylaniline with 2,3-dicyano-1,4-naphthoquinone (2011) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 78 (1), pp. 480-487.	3
	Baniyaghoob, S., Najafpour, M.M., Boghaei, D.M. Charge-transfer complexes of 4-nitrocatechol with some amino alcohols (2010) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 75 (3), pp. 970-977.	4
	Oliveros-Bastidas, A.J., Carrera, C.A., Marín, D. UV-VIS spectrophotometry study of the reaction between cyanide ions and picrate. A practical example of analytical applications and kinetic studies (2009) Revista Colombiana de Química, 38 (1), pp. 61-82.	5
102	Grabchev, I., Staneva, D., Bojinov, V., Betcheva, R., Gregoriou, V. Spectral investigation of coordination of cuprum cations and protons at PAMAM dendrimer peripherally modified with 1,8-naphthalimide units (2008) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 70 (3), pp. 532-536.	11
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	1
	Dwivedi, S.K., Ali, R., Singh, M., Gupta, T., Kar, A.K., Prakash, V., Sadasivam, A., Patnaik, S., Misra, A., A simple naphthalimide based PET probe for Fe ³⁺ and selective detection of pyrophosphate through displacement approach: Cell imaging studies and logic interpretation, (2020) Journal of Photochemistry and Photobiology A: Chemistry, 403, art. no. 112854, .	2
	Steinegger, A., Wolfbeis, O.S., Borisov, S.M., Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications, (2020) Chemical Reviews, 120 (22), pp. 12357-12489.	3
	Yao, S., Qian, Y., Aggregation-induced emission, functionalized fluorescent nanoparticles and cells imaging of a water-soluble pyridyl-naphthalimide dendron, (2018) ChemistrySelect, 3 (1), pp. 308-313.	4
	Dzhardimalieva, G.I., Uflyand, I.E., Metal chelate dendrimers (2018) Springer Series in Materials Science, 257, pp. 503-631. DOCUMENT TYPE: Book Chapter	5
	Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) Analyst, 140 (4), pp. 976-989.	6
	Sheshashena Reddy, T., Ram Reddy, A. 2-Hexylaminoethylamidonaphthalimide as Cu ²⁺ sensor (2014) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 128, pp. 880-886.	7
	Zhao, P.-S., Jing, L., Li, Y.-F., Zhu, Y., Wang, J., Jian, F.-F. Comparative studies on two 1,8-naphthalimide derivatives with experimental and theoretical methods (2014) Jiegou Huaxue, 33 (5), pp. 676-686.	8
	Lei, Y., Su, Y., Huo, J. A novel fluorescent sensor for Cr ³⁺ based on rhodamine-cored poly(amidoamine) dendrimer (2011) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 83 (1), pp. 149-154	9
	Lei, Y., Su, Y., Huo, J. Photophysical property of rhodamine-cored poly(amidoamine) dendrimers: Simultaneous effect of spirolactam ring-opening and PET process on sensing trivalent chromium ion (2011) Journal of Luminescence, 131 (12), pp. 2521-2527.	10
	Refat, M.S., Killa, H.M.A., Fetooh, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) Journal of Molecular Structure, 983 (1-3), pp. 122-132.	11

103	Grabchev, I., Dumas, S., Chovelon, J.-M. Studying the photophysical properties of a polymerizable 1,8-naphthalimide dye and its copolymer with styrene as potential fluorescent sensors for metal cations (2008) <i>Polymers for Advanced Technologies</i>, 19 (4), pp. 316-321.	24
	Oshchepkov, A.S., Oshchepkov, M.S., Oshchepkova, M.V., Al-Hamry, A., Kanoun, O., Kataev, E.A., Naphthalimide-Based Fluorescent Polymers for Molecular Detection (2021) <i>Advanced Optical Materials</i> , 9 (6), art. no. 2001913, .	1
	Le, X., Shang, H., Yan, H., Zhang, J., Lu, W., Liu, M., Wang, L., Lu, G., Xue, Q., Chen, T., A Urease-Containing Fluorescent Hydrogel for Transient Information Storage (2021) <i>Angewandte Chemie - International Edition</i> , 60 (7), pp. 3640-3646.	2
	Oshchepkov, A., Oshchepkov, M., Kamagurov, S., Redchuk, A., Oshchepkova, M., Popov, K., Kataev, E., Fluorescence detection of phosphonates in water by a naphthalimide-based receptor and its derived cryopolymers (2020) <i>New Journal of Chemistry</i> , 44 (28), pp. 12113-12121.	3
	Ghosh, S., Manna, R., Dey, S., Epoxy-based polymer incorporating 1-naphthylamine and sebacic acid moieties: A selective fluorescent sensor for ferric ions (2019) <i>Journal of Molecular Structure</i> , 1180, pp. 406-410.	4
	Geng, T. M., Wang, X., Zhu, F., Jiang, H., & Wang, Y. (2017). Sensing of polymeric sensor-based rhodamine B derivative for metal cations in complete aqueous solution. <i>Bulletin of Materials Science</i> , 40(1), 187-193.	5
	Geng, T.-M., Wang, X., Jiang, H., Song, W., Ni, R.-F., Chen, J., Wang, Y. Fluorescent Polyamide-Based Rhodamine Hydrazide Moieties with Oxethyl as Spacer for Detection of Cr ³⁺ , Fe ³⁺ , and Hg ²⁺ Ions in Water (2016) <i>Journal of Fluorescence</i> , 26 (3), pp. 977-985.	6
	Geng, T.-M., Guo, C., Dong, Y.-J., Chen, M., Wang, Y. Turn-on fluorogenic and chromogenic detection of cations in complete water media with poly(N-vinyl pyrrolidone) bearing rhodamine B derivatives as polymeric chemosensor (2016) <i>Polymers for Advanced Technologies</i> , 27 (1), pp. 90-97.	7
	Geng, T.-M., Wu, D.-Y., Huang, W. Dual turn-on fluorescent chemosensor for Cu and Hg in aqueous medium based on a water-soluble polyacrylamide containing rhodamine (2015) <i>Journal of Polymer Research</i> , 22 (3), art. no. 40, 8 p.	8
	Gudeika, Dalius. "Synthesis and properties of organic semiconductors containing 1, 8-naphthalimide, triphenylamide and fluorene moieties." (2015): 164., Kaunas, Lithuania, PhD thesis.	9
	Zhao, P.-S., Jing, L., Li, Y.-F., Zhu, Y., Wang, J., Jian, F.-F. Comparative studies on two 1,8-naphthalimide derivatives with experimental and theoretical methods (2014) <i>Jiegou Huaxue</i> , 33 (5), pp. 676-686.	10
	Jonas D. Kölsch, PhD thesis, Entwicklung neuer farbstoffmarkierter Polymere zur Visualisierung des LCST-Phasenübergangs in wässriger Lösung, Institut für Chemie Arbeitskreis Angewandte Polymerchemie, März, Germany, 2014.	11
	Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014.	12
	Huang, J., Xu, Y., Qian, X. Rhodamine-based fluorescent off-on sensor for Fe ³⁺ -in aqueous solution and in living cells: 8-aminoquinoline receptor and 2:1 binding (2014) <i>Dalton Transactions</i> , 43 (16), pp. 5983-5989.	13
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) <i>Russian Chemical Reviews</i> , 83 (2), pp. 155-182.	14

	Hu, X., Liu, J., Li, Y., Cao, F. Preparation and fluorescence behaviour of violet waterborne polyurethane using disperse violet 28 as extender (2014) Asian Journal of Chemistry, 26 (5), pp. 1464-1466.	15
	Geng, T.-M., Wu, D.-Y., Huang, W., Huang, R.-Y., Wu, G.-H. Fluorogenic detection of Hg ²⁺ , Cd ²⁺ , Fe ²⁺ , Pb ²⁺ cations in aqueous media by means of an acrylamide-acrylic acid copolymer chemosensor with pendant rhodamine-based dyes (2014) Journal of Polymer Research, 21 (3), art. no. 354, .	16
	Geng, TongMou, RongYi Huang, and DaYu Wu. "Turn-on fluorogenic and chromogenic detection of Fe ³⁺ and Cr ³⁺ in a completely water medium with polyacrylamide covalently bonding to rhodamine B using diethylenetriamine as a linker." RSC Advances 4, no. 86 (2014): 46332-46339.	17
	Alshahrani, T., El-Betany, A., Mabrook, M., Tai, H., McKeown, N. High open-circuit voltage bulk-heterojunction solar cells by using new dendritic acceptor material (2013) Technical Proceedings of the 2013 NSTI Nanotechnology Conference and Expo, NSTI-Nanotech 2013, 3, pp. 572-575.	18
	Hu, X., Zhang, X., Liu, J., Dai, J. A polymeric dye of aqueous disperse violet 17-based polyurethane dispersion (2013) Asian Journal of Chemistry, 25 (10), pp. 5503-5505.	19
	Breul, A.M., Hager, M.D., Schubert, U.S. Fluorescent monomers as building blocks for dye labeled polymers: Synthesis and application in energy conversion, biolabeling and sensors (2013) Chemical Society Reviews, 42 (12), pp. 5366-5407.	20
	Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J. A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 85-92.	21
	El-Betany, A.M.M., McKeown, N.B. The synthesis and fluorescence properties of macromolecular components based on 1,8-naphthalimide derivatives and dimers (2012) Tetrahedron Letters, 53 (7), pp. 808-810.	22
	Refat, M.S., Killa, H.M.A., Fetooh, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8- naphthalimide (4DMEAN) (2010) Journal of Molecular Structure, 983 (1-3), pp. 122-132.	23
	Zhao, P., Jiang, J., Leng, B., Tian, H. Polymer fluoride sensors synthesized by RAFT polymerization (2009) Macromolecular Rapid Communications, 30 (20), pp. 1715-1718.	24
104	Grabchev, I., Dumas, S., Chovelon, J.-M., Nedelcheva, A. First generation poly(propyleneimine) dendrimers functionalised with 1,8-naphthalimide units as fluorescence sensors for metal cations and protons (2008) Tetrahedron, 64 (9), pp. 2113-2119.	34
	Hashemi E., Sadeghi-Kiakhani M. Using a Dendritic Sensor as a Feasible Method for Detection of Copper in Water Samples (2023) Journal of Fluorescence, 33 (3), pp. 1139 – 1146 DOI: 10.1007/s10895-022-03123-w	1
	Das P.P., Mohanty P., Barick A.K., Mohapatra P., Jali B.R. A Versatile Molecular Probe of Naphthalimide-Derivative for Zn(II) Sensor: A Mini-Review (2023) Trends in Sciences, 20 (7), art. no. 5005 DOI: 10.48048/tis.2023.5005	2
	Fernandes, T., Daniel-da-Silva, A. L., & Trindade, T. (2022). Metal-dendrimer hybrid nanomaterials for sensing applications. <i>Coordination Chemistry Reviews</i> , 460, 214483.	3
	Le, X., Shang, H., Yan, H., Zhang, J., Lu, W., Liu, M., Wang, L., Lu, G., Xue, Q., Chen, T., A Urease-Containing Fluorescent Hydrogel for Transient Information Storage, (2021) Angewandte Chemie - International Edition, 60 (7), pp. 3640-3646.	4

	Abd-El-Aziz, A.S., Abdelghani, A.A., Wagner, B.D., Bissessur, R., Advances in Light-Emitting Dendrimers (2019) Macromolecular Rapid Communications, 40 (1), art. no. 1800711, . Review	5
	Dodangeh, M., Gharanjig, K., Hosseinneshad, M., The synthesis of poly(amidoamine) dendrimer: Dyeing and fluorescence properties (2018) Progress in Color, Colorants and Coatings, 11 (3), pp. 173-178.	6
	Dzhardimalieva, G.I., Uflyand, I.E., Metal chelate dendrimers (2018) Springer Series in Materials Science, 257, pp. 503-631. DOCUMENT TYPE: Book Chapter	7
	Satija, J., Chauhan, S.K., Punjabi, N., Mukherji, S., Dendrimer Sensors (2017) Comprehensive Supramolecular Chemistry II, 8, pp. 237-259.	8
	Rahman, F.-U., Ali, A., Khalil, S.K., Guo, R., Zhang, P., Wang, H., Li, Z.-T., Zhang, D.-W. Tuning sensitivity of a simple hydrazone for selective fluorescent “turn on” chemo-sensing of Al ³⁺ and its application in living cells imaging (2017) Talanta, 164, pp. 307-313.	9
	Uahengo, V., Xiong, B., Cai, P., Daniel, L.S., Rhyman, L., Ramasami, P. Chromogenic signaling of water traces by 1,8-naphthalohydrazone-anion complex in organic solvents (2016) Analytical Chemistry Research, 8, pp. 1-8.	10
	Dodangeh, M., Gharanjig, K., Arami, M. A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 154, pp. 207-214.	11
	Miladinova, P.M. Synthesis of a new benzanthrone probe for Ph determination based on PET and ICT (2016) Journal of Chemical Technology and Metallurgy, 51 (6), pp. 667-676.	12
	Xi, F.-U.-R., Ali, A., Guo, R., Tian, J., Wang, H., Li, Z.-T., Zhang, D.-W. Methionine-derived Schiff base as selective fluorescent "turn-on" chemosensor for Zn ²⁺ in aqueous medium and its application in living cells imaging (2015) Sensors and Actuators, B: Chemical, 211, pp. 544-550.	13
	Laurent, A.D., Adamo, C., Jacquemin, D. Dye chemistry with time-dependent density functional theory (2014) Physical Chemistry Chemical Physics, 16 (28), pp. 14334-14356.	14
	Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014.	15
	Sareen, D., Kaur, P., Singh, K. Strategies in detection of metal ions using dyes (2014) Coordination Chemistry Reviews, 265 (1), pp. 125-154.	16
	Medel, S., Bosch, P., Sangermano, M. Modification of UV-cured epoxy resins with fluorescent sensors through photopolymerization and click chemistry reactions and preparation of polarity-sensitive films (2014) Polymer International, 63 (6), pp. 1018-1024.	17
	Luo, X., Qian, Y. Synthesis and fluorescent properties of peripherally 1,8-naphthalimide-labeled dendron (2013) Chinese Journal of Organic Chemistry, 33 (11), pp. 2423-2429.	18
	Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) Dyes and Pigments, 97 (1), pp. 168-174.	19
	Shellaiah, M., Rajan, Y.C., Lin, H.-C. Synthesis of novel triarylamine-based dendrimers with N 4,N 6-dibutyl-1,3,5-triazine-4,6-diamine probe for electron/energy transfers in H-bonded donor-acceptor-donor triads and as efficient Cu ²⁺ sensors (2012) Journal of Materials Chemistry, 22 (18), pp. 8976-8987.	20

	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) Chinese Journal of Organic Chemistry, 32 (2), pp. 304-317.	21
	Lei, Y., Su, Y., Huo, J. A novel fluorescent sensor for Cr ³⁺ based on rhodamine-cored poly (amidoamine) dendrimer (2011) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 83 (1), pp. 149-154.	22
	Krisztina Nagy, PhD thesis, Fluoreszcens szenzor-és jelzőmolekulák szintézise és vizsgálata, Budapest, 2011	23
	Lei, Y., Su, Y., Huo, J. Photophysical property of rhodamine-cored poly(amidoamine) dendrimers: Simultaneous effect of spirolactam ring-opening and PET process on sensing trivalent chromium ion (2011) Journal of Luminescence, 131 (12), pp. 2521-2527.	24
	Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging (2011) Journal of Photochemistry and Photobiology A: Chemistry, 223 (2-3), pp. 111-118.	25
	Refat, M.S., Killa, H.M.A., Fetoh, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine N-allyl-1,8-naphthalimide (4DMEAN) (2010) Journal of Molecular Structure, 983 (1-3),	26
	Patent CN101786985A, Naphthalimide derivative and use thereof as fluorescent probe, 2010	27
	Jacquemin, D., Perpète, E.A., Scalmani, G., Ciofini, I., Peltier, C., Adamo, C. Absorption and emission spectra of 1,8-naphthalimide fluorophores: A PCM-TD-DFT investigation (2010) Chemical Physics, 372 (1-3), pp. 61-66.	28
	Astruc, D., Boisselier, E., Ornelas, C. Dendrimers designed for functions: From physical, photophysical, and supramolecular properties to applications in sensing, catalysis, molecular electronics, photonics, and nanomedicine (2010) Chemical Reviews, 110 (4), pp. 1857-1959.	29
	Chen, H., Zhao, Z., Qian, L., Xu, D., Zhang, K. Synthesis of N-butyl-4-(6'-Aminohexyl) amino-1, 8-naphthaimide and its energy transfer with eosin Y (2009) Shiyu Huagong/Petrochemical Technology, 38 (12), pp. 1312-1316.	30
	Qiao, C., Li, J., Xu, Y., Guo, S., Qi, X., Fan, Y. Synthesis, structural characterization and electrochemical recognition of metal ions of two new ferrocenylhydrazones-based receptors (2009) Applied Organometallic Chemistry, 23 (10), pp. 421-424.	31
	Huang, J., Xu, Y., Qian, X. A red-shift colorimetric and fluorescent sensor for Cu ²⁺ in aqueous solution: Unsymmetrical 4,5-diaminonaphthalimide with N-H deprotonation induced by metal ions (2009) Organic and Biomolecular Chemistry, 7 (7), pp. 1299-1303.	32
	Huang, J., Xu, Y., Qian, X. A colorimetric sensor for Cu ²⁺ in aqueous solution based on metal ion-induced deprotonation: Deprotonation/protonation mediated by Cu ²⁺ -ligand interactions (2009) Dalton Transactions, (10), pp. 1761-1766.	33
	Bao, D., Millare, B., Xia, W., Steyer, B.G., Gerasimenko, A.A., Ferreira, A., Contreras, A., Vullev, V.I. Electrochemical oxidation of ferrocene: A strong dependence on the concentration of the supporting electrolyte for nonpolar solvents (2009) Journal of Physical Chemistry A, 113 (7), pp. 1259-1267.	34
105	Grabchev, I., Chovelon, J.-M., Petkov, C. An iron(III) selective dendrite chelator based on polyamidoamine dendrimer modified with 4-bromo-1,8-naphthalimide, Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, (2008) 69 (1), 100-104.	34
	Sehrawat S., Mahajan A., Sandhu N., Anand V., Rana V.S., Singh A.P., Yadav R.K., Singh A.P. Novel Schiff base as Fe ³⁺ sensor as well as an antioxidant and its theoretical studies (2023) Main Group Chemistry, 22 (3), pp. 389 – 401 DOI: 10.3233/MGC-220076	1

	Huang, G., Li, C., Han, X., Aderinto, S.O., Shen, K., Mao, S., Wu, H., Sensitive and selective detection of Cu(II) ion: A new effective 1,8-naphthalimide-based fluorescence 'turn off' sensor (2018) <i>Luminescence</i> , 33 (4), pp. 660-669.	2
	Li, B., Tian, J., Zhang, D., Tian, F., A novel colorimetric fluorescence sensor for Fe ³⁺ based on quinoline Schiff base (2017) <i>Luminescence</i> , 32 (8), pp. 1567-1573.	3
	Thavornpradit, S., Sirirak, J., Wanichacheva, N. Turn-on naphthalimide fluorescent sensor with high quantum yield and large Stokes shift for the determination of Cu(II) (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 330, pp. 55-63.	4
	Niu, Y., Qian, Y., Hu, X. Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) <i>Chinese Journal of Organic Chemistry</i> , 36 (3), pp. 555-561.	5
	Dodangeh, M., Gharanjig, K., Arami, M. A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 154, pp. 207-214.	6
	Diwaker, Chidan Kumar, C.S., Kumar, A., Chandraru, S. Spectroscopic (FT-IR, ¹ H, ¹³ C NMR and UV-vis) characterization and DFT studies of novel 8-((4-(methylthio)-2,5-diphenylfuran-3-yl)methoxy)quinoline (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 150, art. no. 13769, pp. 602-613.	7
	Tachapermpon, Y., Piyanuch, P., Prapawattanapol, N., Sukrat, K., Suwatpipat, K., Wanichacheva, N. Synthesis of novel fluorescent sensors based on naphthalimide fluorophores for the highly selective Hg ²⁺ -sensing (2015) <i>Journal of Chemistry</i> , 2015, art. no. 165295, .	8
	Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) <i>Analyst</i> , 140 (4), pp. 976-989.	9
	Sheshashena Reddy, T., Ram Reddy, A. 2-Hexylaminoethylamidonaphthalimide as Cu ²⁺ sensor (2014) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 128, pp. 880-886.	10
	Huang, J., Xu, Y., Qian, X. Rhodamine-based fluorescent off-on sensor for Fe ³⁺ -in aqueous solution and in living cells: 8-aminoquinoline receptor and 2:1 binding (2014) <i>Dalton Transactions</i> , 43 (16), pp. 5983-5989.	11
	Xiang, Y., Lu, Y. DNA as sensors and imaging agents for metal ions (2014) <i>Inorganic Chemistry</i> , 53 (4), pp. 1925-1942.	12
	Dodangeh, M., Gharanjig, K., Arami, M. Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) <i>IEEE Sensors Journal</i> , 14 (8), art. no. 6803856, pp. 2889-2896.	13
	Hu, S., Zhang, S., Gao, C., Xu, C., Gao, Q. A new selective fluorescent sensor for Fe ³⁺ based on a pyrazoline derivative (2013) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 113, pp. 325-331.	14
	Hu, S., Wu, G., Xu, C., Dong, J., Gao, Q. A new fluorescent chemosensor for Fe ³⁺ based upon 2,5-diphenylfuran and 8-hydroxyquinoline (2013) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 270, pp. 37-42.	15
	Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) <i>Dyes and Pigments</i> , 97 (1), pp. 168-174.	16

Wanichacheva, N., Prapawattanapol, N., Sanghiran Lee, V., Grudpan, K., Petsom, A. Hg ₂ ⁺ -induced self-assembly of a naphthalimide derivative by selective turn-on monomer/excimer emissions (2013) <i>Journal of Luminescence</i> , 134, pp. 686-690.	17
Pina-Luis, G., Martínez-Quiroz, M., Ochoa-Terán, A., Santacruz-Ortega, H., Mendez-Valenzuela, E. New dual emission fluorescent sensor for pH and Pb(II) based on bis(naphthalimide) derivative (2013) <i>Journal of Luminescence</i> , 134, pp. 729-738.	18
Liu, J. A study of the optical properties of triazene-cinnamic acid polymeric fluorescent brighteners (2012) <i>Applied Mechanics and Materials</i> , 184-185, pp. 868-871.	19
Sahoo, S.K., Sharma, D., Bera, R.K., Crisponi, G., Callan, J.F. Iron(III) selective molecular and supramolecular fluorescent probes (2012) <i>Chemical Society Reviews</i> , 41 (21), pp. 7195-7227.	20
Sun, Y., Wei, S., Zhao, Y., Hu, X., Fan, J. Characterization of the interaction between 4-(tetrahydro-2-furanmethoxy)- N-octadecyl-1,8-naphthalimide and human serum albumin by molecular spectroscopy and its analytical application (2012) <i>Applied Spectroscopy</i> , 66 (4), pp. 464-469.	21
Mankbadi, M.R., Barakat, M.A., Ramadan, M.H., Woodcock, H.L., Kuhn, J.N. Iron chelation by polyamidoamine dendrimers: A second-order kinetic model for metal - Amine complexation (2011) <i>Journal of Physical Chemistry B</i> , 115 (46), pp. 13534-13540.	22
Liu, J., Zhang, G.-H. Synthesis and photoproperties of fluorescent brighteners modified by polyaminamide (2011) <i>Advanced Materials Research</i> , 233-235, pp. 3064-3067.	23
Sun, Y., Wei, S., Yin, C., Liu, L., Hu, C., Zhao, Y., Ye, Y., Hu, X., Fan, J. Synthesis and spectroscopic characterization of 4-butoxyethoxy-N-octadecyl- 1,8-naphthalimide as a new fluorescent probe for the determination of proteins (2011) <i>Bioorganic and Medicinal Chemistry Letters</i> , 21 (12), pp. 3798-3804.	24
Liu, J., Zhang, G.-H. The synthesis and study on optical characteristics of the asymmetrical polymerizable fluorescent brighteners (2011) <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 60 (2), pp. 199-211.	25
Refat, M.S., Killa, H.M.A., Fetoh, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine N-allyl-1,8- naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	26
Gu, P.-Y., Xu, Q.-F., Ge, J.-F., Liang, Z., Lu, J.-M., Wang, L.-H. ATRP of MMA initiated by 2-bromoisobutyric acid 4-(2- benzothiazole-2-yl- vinyl)-phenyl ester (BPBVE) and its fluorescent property in the presence of metal ions (2010) <i>E-Polymers</i> , art. no. 080, .	27
Ghosh, S., Dey, C.K., Manna, R. Epoxy-based polymer bearing 1-naphthylamine units: highly selective fluorescent chemosensor for ferric ion (2010) <i>Tetrahedron Letters</i> , 51 (24), pp. 3177-3180.	28
Zhang, C.-H. Synthesis and properties of hydrophobic polyamidoamine dendrimer with benzene ring as terminated functional groups (2009) <i>Xiandai Huagong/Modern Chemical Industry</i> , 29 (6), pp. 52-54.	29
Wang, J., Xu, Q.-Q., Chi, S.-M., Zhang, H.-M., Fu, W.-F. A highly sensitive colorimetric chemosensor for iron (II) and iron (III) ions (2009) <i>Yingxiang Kexue yu Guanghuaxue/Imaging Science and Photochemistry</i> , 27 (1), pp. 8-15.	30
Xu, Q.-Q., Wang, J., Zhang, H.-M., Fu, W.-F. New selective Fe ³⁺ and Hg ²⁺ ions chemosensors based on anthracenecarbonamide derivatives (2009) <i>Yingxiang Kexue yu Guanghuaxue/Imaging Science and Photochemistry</i> , 27 (1), pp. 23-31.	31

	Hu, Y., Wang, B., Su, Z. Synthesis and photophysical properties of a novel green fluorescent polymer for Fe ³⁺ sensing (2008) <i>Polymer International</i> , 57 (12), pp. 1343-1350.	32
	Wang, B., Guan, X., Hu, Y., Su, Z. Synthesis and photophysical behavior of a water-soluble fluorescein-bearing polymer for Fe ³⁺ ion sensing (2008) <i>Journal of Polymer Research</i> , 15 (6), pp. 427-433.	33
	Топилова, З. М., П. Г. Дора, И. В. Доровских, А. С. Карпенко, and Н. Н. Девятых. "ЛЮМИНЕСЦЕНЦИЯ КОМПЛЕКСОВ ЕВРОПИЯ (III) С НАФТАЛИМИДОКАРБОНОВЫМИ КИСЛОТАМИ." <i>Вісник Одеського національного університету. Хімія</i> 13, no. 11-12 (2008): 51-57.	34
106	Grabchev, I., Chovelon, J.-M. New blue fluorescent sensors for metal cations and protons based on 1,8-naphthalimide (2008) <i>Dyes and Pigments</i>, 77 (1), pp. 1-6.	51
	Zhang L., Jiao X., Zhang H., He S., Cheng X. Novel chitosan–naphthalimide–amino acid fluorescent powder for selective detection and removal of Hg ²⁺ /Hg ⁺ and Fe ²⁺ in aqueous solution (2022) <i>Chemical Papers</i> , 76 (11), pp. 7037 – 7049 DOI: 10.1007/s11696-022-02385-9	1
	Li K., Li R., Kong X., Shen Q., Wan T., Wu H. A highly selective and sensitive fluorescent sensor based on a 1,8-naphthalimide with a Schiff base function for Hg ²⁺ in aqueous media (2022) <i>Zeitschrift fur Naturforschung - Section B Journal of Chemical Sciences</i> , 77 (9), pp. 611 - 617 DOI: 10.1515/znb-2022-0044	2
	Oshchepkov, A.S., Oshchepkov, M.S., Oshchepkova, M.V., Al-Hamry, A., Kanoun, O., Kataev, E.A., Naphthalimide-Based Fluorescent Polymers for Molecular Detection, (2021) <i>Advanced Optical Materials</i> , 9 (6), art. no. 2001913, .	3
	Fernández Alonso, Sabela. "Sensores sólidos fluorescentes obtenidos por funcionalización con derivados de 1, 8-naftalimida de copolímeros de etileno-acrilato de butilo y de membranas acrílicas fotoentrecruzadas." PhD thesis Departamento de Química Macromolecular Aplicada del Instituto de Ciencia y Tecnología de Polímeros del Consejo Superior de Investigaciones Científicas (CSIC), Spain (2019), PhD thesis.	4
	Piedra-Marín, G.; González-Solís, L.; Herrera Núñez, J.; Soto Fallas, R. & Borbón-Alpízar, H. Síntesis de precursores tipo 1,8-naftilimida: propiedades y usos potenciales para la detección selectiva de metales en agua. En Y. Morales-López (Ed.), <i>Memorias del I Congreso Internacional de Ciencias Exactas y Naturales de la Universidad Nacional</i> , Costa Rica, 2019, (e169, pp. 1-9). Heredia: Universidad Nacional. doi http://dx.doi.org/10.15359/cicen.1.46 , ISBN: 978-9968-9661-6-0	5
	S. Fernández-Alonso, T. Corrales, J.L. Pablos, F. Catalina, A Switchable fluorescence solid sensor for Hg ²⁺ detection in aqueous media based on a photocrosslinked membrane functionalized with (benzimidazolyl) methyl-piperazine derivative of 1,8-naphthalimide, <i>Sensors and Actuators B, Chemical</i> , 2018, 270, 256-262	6
	Piedra-Marín, G., González-Solís, L., Herrera-Núñez, J., Soto-Fallas, R., & Borbón-Alpízar, H. Síntesis de precursores tipo 1, 8-naftilimida: propiedades y usos potenciales para la detección selectiva de metales en agua., 2018, thesis.	7
	Aderinto, S.O., Imhanria, S., Fluorescent and colourimetric 1, 8 naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017 (2018) <i>Chemical Papers</i> , 72 (8), pp. 1823-1851.	8
	Liu, J., Tan, G.-H., Zhang, F., Ma, J., Wang, J.-J., Synthesis and Spectral Properties of Naphthalimide Grafted Chitosan Fluorescent Probe for Aluminum Ion (2018) <i>Faguang Xuebao/Chinese Journal of Luminescence</i> , 39 (4), pp. 573-579.	9
	Pilehkouhi, M., Shaki, H., Khosravi, A., Khorasani, M., Zamani, E., Synthesis and Characterization of a Fluorescent Water-Borne Polyurethane Based on a Novel Naphthalimide Dye (2018) <i>Journal of Macromolecular Science, Part B: Physics</i> , 57 (2), pp. 151-167.	10

	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F., Solid fluorescence sensors obtained by functionalization of photocrosslinked water-swollen acrylic membranes with 4-piperazine naphthalimide derivatives (2017) Polymer (United Kingdom), 124, pp. 139-150.	11
	Zamani, E., Shaki, H., Rafizadeh, M., Khosravi, A., Pilehkouhi, M., Synthesis and characterization of novel self-colored PET (polyethylene terephthalate) by step-growth polymerization containing dye based on 1,8-naphthalimide group (2017) Fibers and Polymers, 18 (8), pp. 1431-1437.	12
	Liu, J., Li, D.-W., Wu, X.-Q., Jiang, F., Synthesis and recognition performance of naphthalene imide-iron ion fluorescent probe (2017) Faguang Xuebao/Chinese Journal of Luminescence, 38 (2), pp. 226-231.	13
	Aderinto, S.O., Xu, Y., Peng, H., Wang, F., Wu, H., Fan, X. A highly Selective Fluorescent Sensor for Monitoring Cu ²⁺ Ion: Synthesis, Characterization and Photophysical Properties (2017) Journal of Fluorescence, 27 (1), pp. 79-87.	14
	Qi, Q., Yuqiao, W., Yunqian, D., Yueming, S. Spectroscopic properties of carbazolyl and diphenylamino naphthalimide derivatives: The role of solvent and rotational relaxation (2016) Optoelectronics and Advanced Materials, Rapid Communications, 10 (5-6), pp. 410-416.	15
	Shi, P.-C., Jiang, X.-D., Gao, R.-N., Dou, Y.-Y., Zhao, W.-L. Synthesis and application of Vis/NIR dialkylaminophenylbuta-1,3-dienyl borondipyrromethene dyes (2015) Chinese Chemical Letters, 26 (7), pp. 834-838.	16
	Özler, Mehmet Ali, and Said Nadeem. "SYNTHESIS OF NOVEL NAKED-EYE FE ³⁺ -CHEMOSENSING SILICA PARTICLES AND RH ⁺ 3 COMPLEX BASED ON 4-1H-IMIDAZO [4, 5-F][1, 10] PHENANTHROLINE-2YLPHENOL." Journal of Ongoing Chemical Research 2, no. 1 (2015): 28-42.	17
	Xi, F.-U.-R., Ali, A., Guo, R., Tian, J., Wang, H., Li, Z.-T., Zhang, D.-W. Methionine-derived Schiff base as selective fluorescent "turn-on" chemosensor for Zn ²⁺ in aqueous medium and its application in living cells imaging (2015) Sensors and Actuators, B: Chemical, 211, pp. 544-550.	18
	Nawimanage, Rasika Ranatunga, PhD thesis, "Synthesis, Characterization, and Evaluation of Small Molecule-based Fluorogenic Probes for the Detection of Cellular Thols" (2015), Louisiana State University 3843. https://digitalcommons.lsu.edu/gradschool_dissertations/3843	19
	Patil, S., Fegade, U., Sahoo, S.K., Singh, A., Marek, J., Singh, N., Bendre, R., Kuwar, A., Highly sensitive ratiometric chemosensor for selective aNaked-Eyea nanomolar detection of co ²⁺ in semi-aqueous media (2014) ChemPhysChem, 15 (11), pp. 2230-2235.	20
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	21
	Панченко, Павел Александрович, Ольга Анатольевна Федорова, and Ю. В. Федоров. "Флуоресцентные и колориметрические хемосенсоры на катионы на основе производных 1, 8-нафталимида: принципы дизайна и механизмы возникновения оптического сигнала." Успехи химии 83, no. 2 (2014): 155-182.	22
	Yang, L., Hu, Y., Lu, C. Photophysical properties of a newly synthesized bichromophoric polymer for fe(iii) sensing (2014) Advances in Polymer Technology, 33 (1), art. no. 21382, .	23
	Son, Y., Kim, H., Kim, S.-H. Synthesis and chemosensing properties of indole based donor- π -acceptor dye material (2014) Journal of Nanoscience and Nanotechnology, 14 (10), pp. 7976-7980.	24
	Dodangeh, M., Gharanjig, K., Arami, M. Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) IEEE Sensors Journal, 14 (8), art. no. 6803856, pp. 2889-2896.	25

Li, C.-Y., Zhou, Y., Xu, F., Li, Y.-F., Zou, C.-X., Weng, C. A fluorescent Ph chemosensor based on functionalized naphthalimide in aqueous solution (2012) <i>Analytical Sciences</i> , 28 (8), pp. 743-747.	26
Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J. A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 90, pp. 85-92.	27
Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J. Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) <i>Macromolecular Chemistry and Physics</i> , 213 (4), pp. 411-424.	28
Chen, G.-D., Tian, Z.-D., Wang, L.-Z., Zhang, J.-L., Anpo, M. Anchoring of 1,8-naphthalimide derivative into mesoporous MCM-41 molecular sieves (2011) <i>Research on Chemical Intermediates</i> , 37 (8), pp. 891-899.	29
Hu, Y.-L., Zhao, Z.-C., Li, B., Wang, Y.-F., Shao, W., Zhai, Y.-F., Liang, T. The photophysical properties of bichromophoric polyvinyl chloride film sensing for Fe ³⁺ (2011) <i>Gongneng Cailiao/Journal of Functional Materials</i> , 42 (SUPPL. JUNE), pp. 452-456.	30
Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Елеменорганической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	31
Georgiev, N.I., Bojinov, V.B., Nikolov, P.S. The design, synthesis and photophysical properties of two novel 1,8-naphthalimide fluorescent pH sensors based on PET and ICT (2011) <i>Dyes and Pigments</i> , 88 (3), pp. 350-357.	32
Alaei, P., Sh Rouhani, and K. Gharanjig. "Studying the Photophysical Properties of 4-(2-Aminoethylene) Amino-N-Allyl-1, 8-Naphthalimide and its Copolymer with Methylmethacrylate as Fluorescent pH Sensors." <i>DNA</i> 8 (2011): 5.	33
Refat, Moamen S., Hamada MA Killa, and Hammad Fetoo. "Spectroscopic and thermal characterization of Cu (II), Co (II), Ni (II) and Mn (II) complexes of fluorescent dye 4-N, N-dimethyl-ethanolamine-N-allyl-1, 8-naphthalimide (4DMEAN)." <i>Journal of Molecular Structure</i> 983, no. 1-3 (2010): 122-132.	34
Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A. Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 216 (1), pp. 44-50.	35
Zhao, X.-H., Ma, Q.-J., Zhang, X.-B., Huang, B., Jiang, Q., Zhang, J., Shen, G.-L., Yu, R.-Q. A highly selective fluorescent sensor for Cu ²⁺ based on a covalently immobilized naphthalimide derivative (2010) <i>Analytical Sciences</i> , 26 (5), pp. 585-590.	36
Panchenko, P.A., Fedorov, Y.V., Perevalov, V.P., Jonusauskas, G., Fedorova, O.A. Cation-dependent fluorescent properties of naphthalimide derivatives with N-benzocrown ether fragment (2010) <i>Journal of Physical Chemistry A</i> , 114 (12), pp. 4118-4122.	37
Ocak, U., Ocak, M., Başoğlu, A., Parlayan, S., Başaran, D., Alp, H., Kantekin, H. Complexation of metal ions with the novel azathia crown ethers carrying anthracene pendant in acetonitrile-dichloromethane (2010) <i>Polyhedron</i> , 29 (3), pp. 1069-1077.	38
Hu, Y., Wang, B., Su, Z. Photo-physical properties of a new norfloxacin-containing polymer for protons and Fe ³⁺ Sensing (2010) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 47 (2), pp. 166-171	39
Grygorovych, Oleksiy V., Sofia M. Moskalenko, Bogdan A. Marekha, and Andrey O. Doroshenko. "Heterogeneous Wide Range pH-sensing Materials Allowing Ratiometric Fluorescence Detection Based on Structurally Rigid Analogs of 2, 6-distyrylpyridine." <i>Journal of fluorescence</i> 20, no. 1 (2010): 115-124.	40

	Panchenko, Pavel A., Yu V. Fedorov, Olga A. Fedorova, Valeri P. Perevalov, and Gediminas Jonusauskas. "Synthesis and spectral properties of 4-amino-and 4-acetylamino-N-arylnaphthalimides containing electron-donating groups in the N-aryl substituent." Russian Chemical Bulletin 58, no. 6 (2009): 1233-1240.	41
	Vlasov, Yu.G., Levichev, S.S., Kruchinin, A.A., Hwang, B.-J. Spectroscopic study of dyes for pH and methanol sensing (2009) Dyes and Pigments, 83 (3), pp. 381-384.	42
	Başoğlu, A., Parlayan, S., Ocak, M., Alp, H., Kantekin, H., Özdemir, M., Ocak, Ü. Selective recognition of cobalt (II) Ion by a new cryptand compound with NO ₂ donor atom possessing 2-hydroxy-1-naphthylidene schiff base moiety (2009) Journal of Fluorescence, 19 (4), pp. 655-662.	43
	Chen, G., Wang, L., Zhang, J., Chen, F., Anpo, M. Photophysical properties of a naphthalimide derivative encapsulated within Si-MCM-41, Ce-MCM-41 and Al-MCM-41 (2009) Dyes and Pigments, 81 (2), pp. 119-123.	44
	Tian, M., Peng, X., Feng, F., Meng, S., Fan, J., Sun, S. Fluorescent pH probes based on boron dipyrromethene dyes (2009) Dyes and Pigments, 81 (1), pp. 58-62.	45
	Hu, Y., Wang, B., Su, Z. Synthesis and properties of a new green water-soluble polymer for proton and metal-cation sensing (2009) Journal of Applied Polymer Science, 111 (4), pp. 1931-1935.	46
	Lim, N.C., Pavlova, S.V., Brückner, C. Squaramide hydroxamate-based chemodosimeter responding to iron(III) with a fluorescence intensity increase (2009) Inorganic Chemistry, 48 (3), pp. 1173-1182.	47
	Ruedas-Rama, M.J., Hall, E.A.H. Multiplexed energy transfer mechanisms in a dual-function quantum dot for zinc and manganese (2009) Analyst, 134 (1), pp. 159-169	48
	Hu, Y., Wang, B., Su, Z. Synthesis and photophysical properties of a novel green fluorescent polymer for Fe ³⁺ sensing (2008) Polymer International, 57 (12), pp. 1343-1350.	49
	Ruedas-Rama, M.J., Hall, E.A.H. Azamacrocyclic activated quantum dot for zinc ion detection (2008) Analytical Chemistry, 80 (21), pp. 8260-8268.	50
	Wang, B., Hu, Y., Su, Z. Synthesis and photophysical behaviors of a blue fluorescent copolymer as chemosensor for protons and Ni ²⁺ ion in aqueous solution (2008) Reactive and Functional Polymers, 68 (7), pp. 1137-1143.	51
107	Refat, M.S., Killa, H.M.A., Grabchev, I., Mansour, A.F., El-Sayed, M.Y. Interaction of N, N'-bis [2-N, N-dimethylaminoethyl]-1,4,6,8- naphthalene- diimide with para substituted phenols: preparation and spectroscopic characterization of charge-transfer complexes and their conductivity measurements with polystyrene composites (2007) Canadian Journal of Analytical Sciences and Spectroscopy, 52 (2), 75-90.	1
	Avinash, M.B., Govindaraju, T. Engineering molecular organization of naphthalenediimides: Large nanosheets with metallic conductivity and attoliter containers (2011) Advanced Functional Materials, 21 (20), pp. 3875-3882.	1
108	Grabchev, I., Bosch, P., McKenna, M., Nedelcheva, A. Synthesis and spectral properties of new green fluorescent poly(propyleneimine) dendrimers modified with 1,8-naphthalimide as sensors for metal cations (2007) Polymer, 48 (23), pp. 6755-6762.	23
	Hashemi E., Sadeghi-Kiakhani M. Using a Dendritic Sensor as a Feasible Method for Detection of Copper in Water Samples (2023) Journal of Fluorescence, 33 (3), pp. 1139 – 1146 DOI: 10.1007/s10895-022-03123-w	1

	Al-Azzawi, Ahlam Marouf, and Esraa Faiq. "Synthesis and Polymerization of Several New Maleimides Linked to Schiff Bases and Their Copolymers with Acrylonitrile." <i>Iraqi Journal of Science</i> 58, no. 3C (2017): 1580-1592.	2
	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F., Solid fluorescence sensors obtained by functionalization of photocrosslinked water-swollen acrylic membranes with 4-piperazine naphthalimide derivatives (2017) <i>Polymer (United Kingdom)</i> , 124, pp. 139-150.	3
	Shaki, H., Khosravi, A., Gharanjig, K., Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: Synthesis, characterisation and photophysical properties (2017) <i>Pigment and Resin Technology</i> , 46 (3), pp. 244-250.	4
	Al-Azzawi, Ahlam Marouf, and Hiba Khadim Yaseen. "Synthesis and Characterization of Several New Copolymers Based on Maleimides Bearing 1, 3, 4-Oxadiazole Moiety." <i>Iraqi Journal of Science</i> 57, no. 4B (2016): 2604-2616.	5
	Georgiev, N.I., Sakr, A.R., Bojinov, V.B. Design and synthesis of a novel PET and ICT based 1,8-naphthalimide FRET bichromophore as a four-input Disabled-Enabled-OR logic gate (2015) <i>Sensors and Actuators, B: Chemical</i> , 221, pp. 625-634.	6
	Kalhapure, R.S., Kathiravan, M.K., Akamanchi, K.G., Govender, T. Dendrimers - From organic synthesis to pharmaceutical applications: An update (2015) <i>Pharmaceutical Development and Technology</i> , 20 (1), pp. 22-40.	7
	Al-Azzawi, Ahlam Marouf, and Mustafa Adnan Yaseen. "Synthesis and Characterization of Several New Homopolymers, Copolymers and Phenolic Resins of N-Substituted Citraconisoimides." <i>Iraqi Journal of Science</i> 55, no. 2A (2014): 304-318.	8
	Ma, L., Niu, H., Cai, J., Lian, Y., Zhang, C., Wang, C., Bai, X., Wang, W. Non-conjugated polyamines with near-infrared electrochromic and photoelectric response prepared via reducing PolySchiff bases by NaBH ₄ (2013) <i>Sensors and Actuators, B: Chemical</i> , 188, pp. 117-126.	9
	Georgiev, N.I., Lyulev, M.P., Bojinov, V.B. Sensor activity and logic behaviour of PET based dihydroimidazonaphthalimide diester (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 97, pp. 512-520.	10
	Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging (2011) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 223 (2-3), pp. 111-118.	11
	Özdemir, A., Keskin, C.S. Development of a new sensor material based on crystalline colloidal arrays embedded into polymer network (2011) <i>Journal of Analytical Chemistry</i> , 66 (8), pp. 763-769.	12
	Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A. Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 216 (1), pp. 44-50	13
	Refat, M.S., Killa, H.M.A., Fetooh, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	14
	Kang, Ae Gyeong. "Mechanistic studies of photochemical protein modification using 1, 8-naphthalimides." PhD diss., 2009.	15
	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	16
	Jiang, J., Xiao, X., Zhao, P., Tian, H. Colorimetric naked-eye recognizable anion sensors synthesized via RAFT polymerization (2010) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 48 (7), pp. 1551-1556.	17

	Jiang, J., Leng, B., Xiao, X., Zhao, P., Tian, H. "Off-On-Off" fluorescent proton switch synthesized by RAFT polymerization (2009) <i>Polymer</i> , 50 (24), pp. 5681-5684.	18
	Meng, X., Zhu, W., Zhang, Q., Feng, Y., Tan, W., Tian, H. Novel bithienylethenes containing naphthalimide as the center ethene bridge: Photochromism and solvatochromism for combined nor and inhibit logic gates (2008) <i>Journal of Physical Chemistry B</i> , 112 (49), pp. 15636-15645.	19
	San-José, N., Gómez-Valdemoro, A., Estevez, P., García, F.C., Serna, F., García, J.M. Fluorescent aromatic polyamides with urea binding sites and fluorene or dansyl signaling units (2008) <i>European Polymer Journal</i> , 44 (11), pp. 3578-3587.	20
	Zhu, L., Yang, C., Zhong, C., Xu, L., Qin, J. Novel fluorene-based copolymer with pendant aza-crown ether: Highly sensitive and specific detection for CuSO ₄ and concurrent effect of anions (2008) <i>Polymer</i> , 49 (17), pp. 3716-3721.	21
	Liu, T., Zhang, H.-X., Xia, B.-H. Theoretical studies of the electronic structures and optical properties of stable blue-emitting polymer based on 4H-cyclopenta-[def]-phenanthrene (2008) <i>Polymer</i> , 49 (8), pp. 2077-2084.	22
	Keskin, Can, and Abdil Özdemir. "NANO BOYUTLU KRİSTAL YAPILI KOLOİTLERİN METAL İYONU OPTİK SENSÖR YAPIMINDA KULLANILMASI." <i>Sakarya Üniversitesi Fen Bilimleri Enstitüsü Dergisi</i> 11, no. 1 (2007): 47-53	23
109	Grabchev, I., Chovelon, J.-M. Photodegradation of poly(amidoamine) dendrimers peripherally modified with 1,8-naphthalimide units (2007) <i>Polymer Degradation and Stability</i>, 92 (10), 1911-1915.	11
	Hashemi E., Sadeghi-Kiakhan M. Using a Dendritic Sensor as a Feasible Method for Detection of Copper in Water Samples (2023) <i>Journal of Fluorescence</i> , 33 (3), pp. 1139 – 1146 DOI: 10.1007/s10895-022-03123-w	1
	[BOOK] Synthesis and Characterization of Dye-labeled Copolymers by Reversible Addition-fragmentation Transfer (RAFT) Polymerization	2
	Binxin Li, Synthesis and Characterization of Dye-labeled Copolymers by Reversible Addition-Fragmentation Transfer (RAFT) Polymerization, - A thesis submitted in conformity with the requirements for the degree of Master of Science, Department of Chemistry, University of Toronto, 2008	3
	Designing dendrimers, eds: S Campagna, P Ceroni, F Puntoriero, Wiley, 2011 - books.google.com	4
	Zamani, E., Shaki, H., Rafizadeh, M., Khosravi, A., Pilehkouhi, M., Synthesis and characterization of novel self-colored PET (polyethylene terephthalate) by step-growth polymerization containing dye based on 1,8-naphthalimide group (2017) <i>Fibers and Polymers</i> , 18 (8), pp. 1431-1437.	5
	Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) <i>Analyst</i> , 140 (4), pp. 976-989.	6
	Wang, L., Shi, Y., Zhao, Y., Liu, H., Li, X., Bai, M. Push-pull 1,8-naphthalic anhydride with multiple triphenylamine groups as electron donor (2014) <i>Journal of Molecular Structure</i> , 1056-1057 (1), pp. 339-346.	7
	Dodangeh, M., Gharanjig, K., Arami, M. Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) <i>IEEE Sensors Journal</i> , 14 (8), art. no. 6803856, pp. 2889-2896.	8
	Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J. A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 90, pp. 85-92.	9

	Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A. Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) Journal of Photochemistry and Photobiology A: Chemistry, 216 (1), pp. 44-50.	10
	Zhai, C., Wei, C., Xu, J., Yang, P., Du, Y. Synthesis and characterization of Au and Ag nanoparticles protected by PAMAM and its derivative1 (2009) Colloid Journal, 71 (6), pp. 764-770	11
110	Grabchev, I., Sali, S., Betcheva, R., Gregoriou, V. New green fluorescent polymer sensors for metal cations and protons (2007) European Polymer Journal, 43 (10), pp. 4297-4305.	72
	Chatterjee S., Lou X.-Y., Liang F., Yang Y.-W. Surface-functionalized gold and silver nanoparticles for colorimetric and fluorescent sensing of metal ions and biomolecules (2022) Coordination Chemistry Reviews, 459, art. no. 214461 DOI: 10.1016/j.ccr.2022.214461 DOCUMENT TYPE: Review	1
	Uesaka T., Ishitani T., Shimeno T., Suzuki N., Yagi S., Maeda T. Synthesis and photophysical properties of photostable 1,8-naphthalimide dyes incorporating benzotriazole-based UV absorbers (2022) RSC Advances, 12 (27) DOI: 10.1039/d2ra02028a	2
	Zhang, Y., Cao, X., Zhen, L., Wang, X., A mesoporous silica-based fluorescent chemosensor bearing bis-Schiff base for the sensitive detection of Cu ²⁺ ions (2021) Journal of Solid State Chemistry, 297, art. no. 122093, .	3
	Oshchepkov, A.S., Oshchepkov, M.S., Oshchepkova, M.V., Al-Hamry A., Kanoun, O., Kataev, E.A., Naphthalimide-Based Fluorescent Polymers for Molecular Detection (2021) Advanced Optical Materials, 9 (6), art. no. 2001913, . Review	4
	Le, X., Shang, H., Yan, H., Zhang, J., Lu, W., Liu, M., Wang, L., Lu, G., Xue, Q., Chen, T., A Urease-Containing Fluorescent Hydrogel for Transient Information Storage (2021) Angewandte Chemie - International Edition, 60 (7), pp. 3640-3646.	5
	Zhao, L., Jia, Y.-G., Wang, S.-M., Yang, Y., Liu, L.-Y., Chang, W.-X., Li, J., Controllable polymeric pseudo-crown ether fluorescent sensors: responsiveness and selective detection of metal ions (2021) New Journal of Chemistry, 45 (4), pp. 2122-2131.	6
	Kim, M.S., Tsukahara, T., Studies on Coordination and Fluorescence Behaviors of a Novel Uranyl Ion-Selective Chemosensor Bearing Diaza 18-Crown-6 Ether and Naphthalimide Moieties (2020) ACS Earth and Space Chemistry, 4 (12), pp. 2270-2280.	7
	Gudeika, D., A review of investigation on 4-substituted 1,8-naphthalimide derivatives (2020) Synthetic Metals, 262, art. no. 116328, . Review	8
	Wenxun, G., Yaqing, Z., Botian, L., Liming, T., Fluorescent sensor of copper(II) ions based on PMBA microtubes with 4-methoxy-1,8-naphthalimide groups (2020) Reactive and Functional Polymers, 146, art. no. 104400, .	9
	Zamani, E., Yahyaei, H., Khosravi, A., Mohseni, M., Shaki, H., Synthesis and Characterization of a Novel Self-colored Fluorescent Polycarbonate Urethane based on the 1,8-Naphthalimide Group (2019) Journal of Macromolecular Science, Part B: Physics, 58 (9), pp. 772-781.	10
	Fernandes, D. A. J. C. (2017). <i>Novel photoactive materials based on carbogenic nanoparticles</i> (Doctoral dissertation, University of Central Lancashire).	11
	Salahshoor, Z., Ghasemi, J.B., Shahbazi, A., Badiei, A., Highly selective silica-based fluorescent nanosensor for ferric ion (Fe ³⁺) detection in aqueous media (2019) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 218, pp. 293-298.	12
	Gong, M., Yang, S., Li, S., Kuang, R., Kong, X., Preparation of Fluorescence Polyurea Microspheres Through Precipitation Polymerization and Their Use for Fe ³⁺ Determination (2019) Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities, 40 (6), pp. 1317-1323.	13

	Pilehkouhi, M., Shaki, H., Khosravi, A., Khorasani, M., Zamani, E, Synthesis and Characterization of a Fluorescent Water-Borne Polyurethane Based on a Novel Naphthalimide Dye (2018) Journal of Macromolecular Science, Part B: Physics, 57 (2), pp. 151-167.	14
	Zamani, E., Shaki, H., Rafizadeh, M., Khosravi, A., Pilehkouhi, M., Synthesis and characterization of novel self-colored PET (polyethylene terephthalate) by step-growth polymerization containing dye based on 1,8-naphthalimide group (2017) Fibers and Polymers, 18 (8), pp. 1431-1437.	15
	Tian, S., Zhang, P., Fan, H., Chen, Y., Yan, J., Shi, B., Synthesis, Characterization, and Optical Performance of a Novel Fluorescent Waterborne Polyurethane (2017) Advances in Polymer Technology, 36 (2), pp. 137-144.	16
	Bai, J., Yin, H., Zhang, Y., Zhang, C., Liu, L., Xu, X. A chiral polymer as chromo-fluorescence and CD response sensor for specific recognition of fluoride (2017) European Polymer Journal, 87, pp. 380-388.	17
	Ye, W., Wang, S., Pan, M., Zhao, P., Peng, Y., Zhu, W. Polymeric pH sensor film for real-time monitoring in biological culture (2016) Yingxiang Kexue yu Guanghuaxue/Imaging Science and Photochemistry, 34 (4), pp. 319-328.	18
	Dodangeh, M., Gharanjig, K., Arami, M. A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 154, pp. 207-214.	19
	Darabi, H.R., Kargar, M., Hajipoor, R., Abouali, N., Aghapoor, K., Jadidi, K., Notash, B., Sayahi, H. Synthesis and structure of 2,6-bis(2-methoxyphenyl)dithiazolo[4,5-b:5',4'-e]pyridine as a novel fluorescent sensor: Different recognition of transition metal ions and proton (2016) Tetrahedron Letters, 57 (3), pp. 256-259.	20
	Geng, T.-M., Guo, C., Dong, Y.-J., Chen, M., Wang, Y. Turn-on fluorogenic and chromogenic detection of cations in complete water media with poly(N-vinyl pyrrolidone) bearing rhodamine B derivatives as polymeric chemosensor (2016) Polymers for Advanced Technologies, 27 (1), pp. 90-97.	21
	Sivkova, R., Trhliková, O., Zedník, J., Sedláček, J. Copolymerization of N-(prop-1-yne-3-yl)-4-(piperidine-1-yl)-1,8-naphthalimide with Arylacetylenes into Fluorescent Polyacetylene-Type Conjugated Polymers (2015) Macromolecular Chemistry and Physics, 216 (21), pp. 2115-2128.	22
	Özdemir, E., Thirion, D., Yavuz, C.T. Covalent organic polymer framework with C-C bonds as a fluorescent probe for selective iron detection (2015) RSC Advances, 5 (84), pp. 69010-69015.	23
	Сергеева Антонина Николаевна, диссертация кхн, (2015), Синтез и исследование флуоресцентных гибридных систем на основе 1,8-нафталимида, Институт Элементоорганических Соединений им. А.Н.Несмеянова Российской Академии Наук, Москва, Россия.	24
	Geng, T.-M., Wu, D.-Y., Huang, W. Dual turn-on fluorescent chemosensor for Cu ²⁺ and Hg ²⁺ in aqueous medium based on a water-soluble polyacrylamide containing rhodamine (2015) Journal of Polymer Research, 22 (3), art. no. 40, 8 p.	25
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	26
	Yang, L., Hu, Y., Lu, C. Photophysical properties of a newly synthesized bichromophoric polymer for Fe(III) sensing (2014) Advances in Polymer Technology, 33 (1), art. no. 21382, .	27
	Medel, S., Bosch, P., Sangermano, M. Modification of UV-cured epoxy resins with fluorescent sensors through photopolymerization and click chemistry reactions and preparation of polarity-sensitive films (2014) Polymer International, 63 (6), pp. 1018-1024.	28

Ma, Y., Tang, Q.Y., Wang, L.H., Yao, C. Synthesis and enhanced properties of fluorescence-based polyurethane films by covalently bonding 1,8-naphthalimide (2014) Asian Journal of Chemistry, 26 (14), pp. 4307-4312.	29
Ma, Y., Tang, Q.-Y., Zhu, J., Wang, L.-H., Yao, C. Fluorescent and thermal properties of siloxane-polyurethanes based on 1,8-naphthalimide (2014) Chinese Chemical Letters, 25 (5), 680-686.	30
Geng, T.-M., Wu, D.-Y., Huang, W., Huang, R.-Y., Wu, G.-H. Fluorogenic detection of Hg ²⁺ , Cd ²⁺ , Fe ²⁺ , Pb ²⁺ cations in aqueous media by means of an acrylamide-acrylic acid copolymer chemosensor with pendant rhodamine-based dyes (2014) Journal of Polymer Research, 21 (3), art. no. 354, .	31
Ma, L., Niu, H., Cai, J., Lian, Y., Zhang, C., Wang, C., Bai, X., Wang, W. Non-conjugated polyamines with near-infrared electrochromic and photoelectric response prepared via reducing PolySchiff bases by NaBH ₄ (2013) Sensors and Actuators, B: Chemical, 188, pp. 117-126.	32
Alshahrani, T., El-Betany, A., Mabrook, M., Tai, H., McKeown, N. High open-circuit voltage bulk-heterojunction solar cells by using new dendritic acceptor material (2013) Technical Proceedings of the 2013 NSTI Nanotechnology Conference and Expo, NSTI-Nanotech 2013, 3, pp. 572-575.	33
Xu, J.-H., Hou, Y.-M., Ma, Q.-J., Wu, X.-F., Wei, X.-J. A highly selective fluorescent sensor for Fe ³⁺ based on covalently immobilized derivative of naphthalimide (2013) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 112, pp. 116-124.	34
Gong, R., Mu, H., Sun, Y., Fang, X., Xue, P., Fu, E. The first fluorescent sensor for medium-chain fatty acids in water: Design, synthesis and sensing properties of an organic-inorganic hybrid material (2013) Journal of Materials Chemistry B, 1 (15), pp. 2038-2047.	35
Fink, J.K. Polymeric Sensors and Actuators (2012) Polymeric Sensors and Actuators, pp. 1-512.	36
Safabakhsh, B., Khosravi, A., Gharanjig, K., Kowsari, E., Khorassani, M., Tafaghodi, S. Synthesis of a novel fluorescent coloured copolymer based on 4-butylthio-1,8-naphthalimide (2012) Coloration Technology, 128 (3), pp. 218-222.	37
Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J. A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 85-92.	38
Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J. Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) Macromolecular Chemistry and Physics, 213 (4), pp. 411-424.	39
El-Betany, A.M.M., McKeown, N.B. The synthesis and fluorescence properties of macromolecular components based on 1,8-naphthalimide derivatives and dimers (2012) Tetrahedron Letters, 53 (7), pp. 808-810.	40
Li, J., Wu, Y., Song, F., Wei, G., Cheng, Y., Zhu, C. A highly selective and sensitive polymer-based OFF-ON fluorescent sensor for Hg ²⁺ detection incorporating salen and perylenyl moieties (2012) Journal of Materials Chemistry, 22 (2), pp. 478-482.	41
Song, F., Ma, X., Hou, J., Huang, X., Cheng, Y., Zhu, C. (R,R)-salen/salan-based polymer fluorescence sensors for Zn ²⁺ detection (2011) Polymer, 52 (26), pp. 6029-6036.	42
Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементоорганической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	43

Dong, Y., Wu, Y., Jiang, X., Huang, X., Cheng, Y., Zhu, C. A polymer based fluorescent sensor for Zn ²⁺ detection and its application for constructing logic gates (2011) <i>Polymer</i> , 52 (25), pp. 5811-5816.	44
Sun, L., Li, Y., Sun, M., Wang, H., Xu, S., Zhang, C., Yang, Q. Porphyrin-functionalized Fe ₃ O ₄ @SiO ₂ core/shell magnetic colorimetric material for detection, adsorption and removal of Hg ²⁺ in aqueous solution (2011) <i>New Journal of Chemistry</i> , 35 (11), pp. 2697-2704.	45
Hu, X., Li, P., Yeung, K.W.K., Chu, P.K., Wu, S., Xu, Z. Preparation, characterization of cationic terbium luminescent copolymer and its interaction with DNA (2011) <i>Colloid and Polymer Science</i> , 289 (13), pp. 1459-1468.	46
Shen, L., Lu, X., Tian, H., Zhu, W. A long wavelength fluorescent hydrophilic copolymer based on naphthalenediimide as pH sensor with broad linear response range (2011) <i>Macromolecules</i> , 44 (14), pp. 5612-5618.	47
Sun, Y., Wei, S., Yin, C., Liu, L., Hu, C., Zhao, Y., Ye, Y., Hu, X., Fan, J. Synthesis and spectroscopic characterization of 4-butoxyethoxy-N-octadecyl- 1,8-naphthalimide as a new fluorescent probe for the determination of proteins (2011) <i>Bioorganic and Medicinal Chemistry Letters</i> , 21 (12), pp. 3798-3804.	48
Hu, Y.-L., Zhao, Z.-C., Li, B., Wang, Y.-F., Shao, W., Zhai, Y.-F., Liang, T. The photophysical properties of bichromophoric polyvinyl chloride film sensing for Fe ³⁺ (2011) <i>Gongneng Cailiao/Journal of Functional Materials</i> , 42 pp. 452-456.	49
Shen, L., Zhao, P., Zhu, W. A ratiometric hydrophilic fluorescent copolymer sensor based on benzimidazole chromophore for microbio reactors (2011) <i>Dyes and Pigments</i> , 89 (3), pp. 236-240.	50
Li, B., Majonis, D., Liu, P., Winnik, M.A. Synthesis and characterization of a naphthalimide-dye end-labeled copolymer by reversible addition-fragmentation chain transfer (RAFT) polymerization (2011) <i>Canadian Journal of Chemistry</i> , 89 (3), pp. 317-325.	51
Xu, Y., Meng, J., Meng, L., Dong, Y., Cheng, Y., Zhu, C. A highly selective fluorescence-based polymer sensor incorporating an (R,R)-salen moiety for Zn ²⁺ detection (2010) <i>Chemistry - A European Journal</i> , 16 (43), pp. 12898-12903.	52
Qi, Y., Li, N., Xia, X., Ge, J., Lu, J., Xu, Q. Synthesis of a fluorescent chemosensor based on a new copolymer containing multi-fluorophore (2010) <i>Materials Chemistry and Physics</i> , 124 (1), pp. 726-731.	53
Patent CN101786985A, Naphthalimide derivative and use thereof as fluorescent probe, 2010.	54
Panah, H.S., Khosravi, A., Gharanjig, K., Khorassani, M., Zadeh, M.K., Taromi, F.A. Synthesis and characterization of new fluorescent polymerizable dyes based on naphthalimide (2010) <i>Iranian Polymer Journal (English Edition)</i> , 19 (7), pp. 491-500.	55
Cho, Y., Lee, S.S., Jung, J.H. Recyclable fluorimetric and colorimetric mercury-specific sensor using porphyrin-functionalized Au@SiO ₂ core/shell nanoparticles (2010) <i>Analyst</i> , 135 (7), pp. 1551-1555.	56
Bojinov, V.B., Georgiev, N.I., Marinova, N.V. Design and synthesis of highly photostable fluorescence sensing 1,8-naphthalimide-based dyes containing s-triazine UV absorber and HALS units (2010) <i>Sensors and Actuators, B: Chemical</i> , 148 (1), pp. 6-16.	57
Ghosh, S., Dey, C.K., Manna, R. Epoxy-based polymer bearing 1-naphthylamine units: highly selective fluorescent chemosensor for ferric ion (2010) <i>Tetrahedron Letters</i> , 51 (24), pp. 3177-3180.	58

	Jiang, J., Xiao, X., Zhao, P., Tian, H. Colorimetric naked-eye recognizable anion sensors synthesized via RAFT polymerization (2010) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 48 (7), pp. 1551-1556.	59
	Schulz, A., Wotschadlo, J., Heinze, T., Mohr, G.J. Fluorescent nanoparticles for ratiometric pH-monitoring in the neutral range (2010) <i>Journal of Materials Chemistry</i> , 20 (8), pp. 1475-1482.	60
	Hu, Y., Wang, B., Su, Z. Photophysical properties of a new norfloxacin-containing polymer for protons and Fe ³⁺ Sensing (2010) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 47 (2), pp. 166-171.	61
	Jiang, J., Leng, B., Xiao, X., Zhao, P., Tian, H. "Off-On-Off" fluorescent proton switch synthesized by RAFT polymerization (2009) <i>Polymer</i> , 50 (24), pp. 5681-5684.	62
	Doussineau, T., Trupp, S., Mohr, G.J. Ratiometric pH-nanosensors based on rhodamine-doped silica nanoparticles functionalized with a naphthalimide derivative (2009) <i>Journal of Colloid and Interface Science</i> , 339 (1), pp. 266-270.	63
	Wang, B.-Y., Liu, X.-Y., Hu, Y.-L., Su, Z.-X. Synthesis and photophysical behavior of a water-soluble coumarin-bearing polymer for proton and Ni ²⁺ ion sensing (2009) <i>Polymer International</i> , 58 (6), pp. 703-709.	64
	Ishchenko, A.A., Grabchuk, G.P. Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) <i>Theoretical and Experimental Chemistry</i> , 45 (3), pp. 143-167.	65
	Başoğlu, A., Parlayan, S., Ocak, M., Alp, H., Kantekin, H., Özdemir, M., Ocak, Ü. Selective recognition of cobalt (II) Ion by a new cryptand compound with N 2O 2S 2 donor atom possessing 2-hydroxy-1-naphthylidene schiff base moiety (2009) <i>Journal of Fluorescence</i> , 19 (4), pp. 655-662.	66
	Shen, L., Zhu, W., Meng, X., Guo, Z., Tian, H. A hydrophilic fluorescent polymer containing naphthalimide moiety as chemosensor for microbioreactors (2009) <i>Science in China, Series B: Chemistry</i> , 52 (6), pp. 821-826.	67
	Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V. Synthesis and spectral properties of 4-amino-and 4-acetylamino-N- aryl naphthalimides containing electron-donating groups in the N-aryl substituent (2009) <i>Russian Chemical Bulletin</i> , 58 (6), pp. 1233-1240.	68
	Hu, Y., Wang, B., Su, Z. Synthesis and properties of a new green water-soluble polymer for proton and metal-cation sensing (2009) <i>Journal of Applied Polymer Science</i> , 111 (4), pp. 1931-1935.	69
	Lim, N.C., Pavlova, S.V., Brückner, C. Squaramide hydroxamate-based chemidosimeter responding to iron(III) with a fluorescence intensity increase (2009) <i>Inorganic Chemistry</i> , 48 (3), pp. 1173-1182.	70
	Bojinov, V.B., Georgiev, N.I., Bosch, P. Design and synthesis of highly photostable yellow-green emitting 1,8-naphthalimides as fluorescent sensors for metal cations and protons (2009) <i>Journal of Fluorescence</i> , 19 (1), pp. 127-139.	71
	Hu, Y., Wang, B., Su, Z. Synthesis and photophysical properties of a novel green fluorescent polymer for Fe ³⁺ sensing (2008) <i>Polymer International</i> , 57 (12), pp. 1343-1350.	72
111	Refat, M.S., Killa, H.M.A., Grabchev, I., El-Sayed, M.Y. Synthesis and characterization of N,N'-bis[2-hydroxyethyl]-1,4,6,8-naphthalenediimide with para substituted of phenols based on charge-transfer complexes (2007) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i>, 68 (1), 123-133.	15

Izumi T., Kuratomi S., Usui S., Usui H. Electron-assisted deposition and interface control of naphthalenediimide derivative thin films (2022) Japanese Journal of Applied Physics, 61 (SE), art. no. SE1013 DOI: 10.35848/1347-4065/ac55de	1
Rzokee, A.A., Ahmad, A. Synthesis, spectroscopic studies and thermal analysis of charge-transfer complex of 2,2'-bipyridine with 4-hydroxybenzoic acid in different polar solvents (2014) Journal of Molecular Structure, 1076, pp. 453-460.	2
Singh, N., Ahmad, A. Synthesis and spectrophotometric studies of charge transfer complexes of p-nitroaniline with benzoic acid in different polar solvents (2014) Journal of Molecular Structure, 1074, pp. 408-415.	3
Miyan, L., Khan, I.M., Ahmad, A. Synthesis, and spectroscopic studies of charge transfer complex of 1,2-dimethylimidazole as an electron donor with π -acceptor 2,4-dinitro-1-naphthol in different polar solvents (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 146, pp. 240-248.	4
Bardakçi, B., Kalayci, T., Kinaytürk, N.K. Spectroscopic Investigation of the Adsorption of Nitrophenol Isomers on Ammonium Zeolite of Type "y" (2014) Spectroscopy Letters, 47 (8), pp. 621-629.	5
Kalayci, T., Bardakçi, B. A spectroscopic investigation for the adsorption of 4-nitrophenol onto synthetic zeolites (2014) Protection of Metals and Physical Chemistry of Surfaces, 50 (6), pp. 709-714.	6
T. Kalayci, B. Bardakçi and N. K. Kinaytürk, Removal of 2-Nitrophenol by Linde Type A (LTA) zeolites, International Journal of Physical Sciences, 2013, 8(1), 1 -5,	7
Naeem, A., Khan, I.M., Ahmad, A. Spectral investigations of multiple charge transfer complex of p-nitrophenol as an electron acceptor with donor p-dimethylaminobenzaldehyde (2011) Russian Journal of Physical Chemistry A, 85 (10), pp. 1840-1843.	8
Khan, I.M., Ahmad, A., Oves, M. Synthesis, characterization, spectrophotometric, structural and antimicrobial studies of the newly charge transfer complex of p-phenylenediamine with π acceptor picric acid (2010) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 77 (5), pp. 1059-1064.	9
Khan, I.M., Ahmad, A. Synthesis, spectral investigations, antimicrobial activity and DNA-binding studies of novel charge transfer complex of 1,10-phenanthroline as an electron donor with π -acceptor p-Nitrophenol (2010) Journal of Molecular Structure, 977 (1-3), pp. 189-196.	10
Khan, I.M., Ahmad, A. Synthesis, spectrophotometric, structural and thermal studies of the charge transfer complex of p-phenylenediamine, as an electron donor with π acceptor 3,5-dinitrobenzoic acid (2010) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 76 (3-4), 315-321.	11
Khan, I.M., Ahmad, A. Synthesis, characterization, structural, spectrophotometric and antimicrobial activity of charge transfer complex of p-phenylenediamine with 3,5-dinitrosalicylic acid (2010) Journal of Molecular Structure, 975 (1-3), pp. 381-388.	12
Qi, Q., Sun, Y.-M., Ha, Y.-Q. Structures and UV-Vis absorption spectra of 1,8-naphthalimide derivatives (2009) Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica, 25 (6), pp. 1143-1148.	13
Khan, I.M., Ahmad, A. Spectrophotometric and thermodynamic studies of charge transfer complexes of 8-Hydroxyquinoline with π acceptor p-nitrophenol in different solvents (2009) Molecular Crystals and Liquid Crystals, 515, pp. 159-170.	14
El-Zaria, M.E., Genady, A.R. Spectroscopic studies of charge transfer complexes of fiesotetra-p- tolylporphyrin and its zinc complex with some aromatic nitro acceptors in different organic solvents (2007) Applied Organometallic Chemistry, 21 (11), pp. 983-993.	15

112	Staneva, D., Grabchev, I., Soumillion, J.-P., Bojinov, V. A new fluorosensor based on bis-1,8-naphthalimide for metal cations and protons (2007) Journal of Photochemistry and Photobiology A: Chemistry, 189 (2-3), 192-197.	41
	Yarullin D.N., Zavalishin M.N., Gamov G.A., Lukanov M.M., Ksenofontov A.A., Bumagina N.A., Antina E.V. Prediction of Sensor Ability Based on Chemical Formula: Possible Approaches and Pitfalls (2023) Inorganics, 11 (4), art. no. 158 DOI: 10.3390/inorganics11040158 DOCUMENT TYPE: Review	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/138527282766623091115827 DOCUMENT TYPE: Review	2
	De S., Das G. Exploring the Aggregation and Light-Harvesting Aptitude of Naphthalimide-Based Amphiphile and Non-amphiphile AIEgen (2022) Langmuir, 38 (19), pp. 6158 – 6163 DOI: 10.1021/acs.langmuir.2c00517	3
	Kotowicz, S., Korzec, M., Pająk, A.K., Golba, S., Małecki, J.G., Siwy, M., Grzelak, J., Maćkowski, S., Schab-Balcerzak, E., New acceptor–donor–acceptor systems based on bis-(Imino-1,8-naphthalimide) (2021) Materials, 14 (11), art. no. 2714, .	4
	Chu, Y., Song, R., Dai, H., Wu, W., Preparation of Cellulose Nanocrystal Fluorescent Probe for Fe ³⁺ Sensing (2020) Zhongguo Zaozhi Xuebao/Transactions of China Pulp and Paper, 35 (4), pp. 1-7.	5
	Dwivedi, S.K., Ali, R., Singh, M., Gupta, T., Kar, A.K., Prakash, V., Sadasivam, A., Patnaik, S., Misra, A., A simple naphthalimide based PET probe for Fe ³⁺ and selective detection of pyrophosphate through displacement approach: Cell imaging studies and logic interpretation (2020) Journal of Photochemistry and Photobiology A: Chemistry, 403, art. no. 112854, .	6
	褚友露, 宋如愿, 戴红旗, & 吴伟兵. (2020). 纤维素纳米晶荧光探针的制备及其对 Fe ³⁺ 荧光传感检测. 中国造纸学报, 35(4), 1-7.	7
	Saini, A., Kaur, R., Singh, N., Kuwar, A., Kaur, N., High Performance Fluorescent Turn-On Probe for Amitriptyline Based on Hybrid Nanoassembly of Organic-Inorganic Nanoparticles (2019) ACS Applied Bio Materials, 2 (1), pp. 135-143.	8
	Shen, K., Mao, S., Shi, X., Aderinto, S.O., Xu, Y., Wu, H., Development of a New 4-Amino-1,8-Naphthalimide Derivative as a Fluorescent Probe for Monitoring the Divalent Copper Ion (2018) Journal of Applied Spectroscopy, 85 (4), pp. 665-672.	9
	Saini, A., Kaur, R., Singh, N., Kuwar, A., & Kaur, N. (2018). High performance fluorescent turn-on probe for amitriptyline based on hybrid nanoassembly of organic–inorganic nanoparticles. <i>ACS Applied Bio Materials</i> , 2(1), 135-143.	10
	Li, C., Han, X., Mao, S., Aderinto, S.O., Shi, X., Shen, K., Wu, H., A new, highly potent 1,8-naphthalimide-based fluorescence turn-off chemosensor capable of detecting Cu(II) ions in real-world water samples (2018) Coloration Technology, 134 (3), pp. 230-239.	11
	Liu, J., Tan, G.-H., Zhang, F., Ma, J., Wang, J.-J., Synthesis and Spectral Properties of Naphthalimide Grafted Chitosan Fluorescent Probe for Aluminum Ion (2018) Faguang Xuebao/Chinese Journal of Luminescence, 39 (4), pp. 573-579.	12
	Aderinto, S.O., A New, Highly Potent 1,8-Naphthalimide-based Fluorescence “Turn off” Chemosensor Capable of Cu ²⁺ Detection in China's Yellow River Water Samples (2017) Journal of the Chinese Chemical Society, 64 (12), pp. 1432-1445.	13
	Zulys, A., Ovika, D.M.A., Transition metal complexes of 4'-(p-nitrophenyl)-2,2':6',2"-terpyridine as fluorosensor sodium ion (2017) IOP Conference Series: Materials Science and Engineering, 188 (1), art. no. 012036, .	14

	Liu, J., Li, D.-W., Wu, X.-Q., Jiang, F., Synthesis and recognition performance of naphthalene imide-iron ion fluorescent probe (2017) Faguang Xuebao/Chinese Journal of Luminescence, 38 (2), pp. 226-231.	15
	Ramasamy, K., Thambusamy, S., Dual emission and pH based naphthalimide derivative fluorescent sensor for the detection of Bi ³⁺ (2017) Sensors and Actuators, B: Chemical, 247, pp. 632-640.	16
	Wang, Y., Liu, Z., Sun, J., Liu, X., Pei, M., Zhang, G. A turn-on fluorescence probe for Fe ³⁺ -based-on benzimidazo[2,1- α]benz[de]isoquinoline-7-one derivatives (2017) Journal of Photochemistry and Photobiology A: Chemistry, 332, pp. 515-520.	17
	Huerta-Aguilar, C.A., Pandiyan, T., Raj, P., Singh, N., Zanella, R. Fluorescent organic nanoparticles (FONs) for the selective recognition of Zn ²⁺ : Applications to multi-vitamin formulations in aqueous medium (2016) Sensors and Actuators, B: Chemical, 223, pp. 59-67.	18
	Sivkova, R., Trhlíková, O., Zedník, J., Sedláček, J. Copolymerization of N-(prop-1-yne-3-yl)-4-(piperidine-1-yl)-1,8-naphthalimide with Arylacetylenes into Fluorescent Polyacetylene-Type Conjugated Polymers (2015) Macromolecular Chemistry and Physics, 216 (21), pp. 2115-2128.	19
	Nath, J.K., Baruah, J.B. Cyclic aromatic imides as a potential class of molecules for supramolecular interactions (2015) Cryst.Eng. Comm., 17 (45), pp. 8575-8595.	20
	Wang, S., Xu, D. Highly selective and sensitive detection of Fe ³⁺ by 1,8-naphthalimide-based fluorescent sensors (2013) Asian Journal of Chemistry, 25 (11), pp. 6259-6262.	21
	Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014.	22
	Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) Dyes and Pigments, 97 (1), pp. 168-174.	23
	Zhang, Z., Chen, Y., Xu, D., Yang, L., Liu, A. A new 1,8-naphthalimide-based colorimetric and "turn-on" fluorescent Hg ²⁺ sensor(2013) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 105, pp. 8-13.	24
	Pina-Luis, G., Martínez-Quiroz, M., Ochoa-Terán, A., Santacruz-Ortega, H., Mendez-Valenzuela, E. New dual emission fluorescent sensor for pH and Pb(II) based on bis(naphthalimide) derivative(2013) Journal of Luminescence, 134, pp. 729-738.	25
	Stoyanov, S., Petrov, P., Stoyanova, M., Dangalov, M., Shivachev, B., Nikolova, R., Petkov, I. 4-Amino-3-nitro naphthalimides-structures and spectral properties (2012) Journal of Photochemistry and Photobiology A: Chemistry, 250, pp. 92-98.	26
	Saleh, N., Graham, J., Afaneh, A., Al-Soud, Y.A., Schreckenbach, G., Esmadi, F.T. Pteridine-based fluorescent pH sensors designed for physiological applications (2012) Journal of Photochemistry and Photobiology A: Chemistry, 247, pp. 63-73.	27
	Dai, H., Xu, H. Selective and sensitive fluorescent chemosensors for Cu ²⁺ ion based upon bis-1,8-naphthalimide dyads(2012) Chinese Journal of Chemistry, 30 (2), pp. 267-272.	28
	Formica, M., Fusi, V., Giorgi, L., Micheloni, M. New fluorescent chemosensors for metal ions in solution (2012) Coordination Chemistry Reviews, 256 (1-2), pp. 170-192.	29

	Shi, W.-Y., Lv, Z.-M., Lei, W., Xia, M.-Z., Wang, F.-Y., Zhang, Q.-P., Zhang, Y.-H. Synthesis and quantum chemistry study of two fluorescent dyes(2011) Nanjing Li Gong Daxue Xuebao/Journal of Nanjing University of Science and Technology, 35 (6), pp. 867-872.	30
	Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging(2011) Journal of Photochemistry and Photobiology A: Chemistry, 223 (2-3), pp. 111-118.	31
	Hou, R., Huang, T.-H., Wang, X.-J., Jiang, X.-F., Ni, Q.-L., Gui, L.-C., Fan, Y.-J., Tan, Y.-L. Synthesis, structural characterization and luminescent properties of a series of Cu(I) complexes based on polyphosphine ligands(2011) Dalton Transactions, 40 (29), pp. 7551-7558.	32
	Wang, H., Wu, H., Xue, L., Shi, Y., Li, X. A naphthalimide fluorophore with efficient intramolecular PET and ICT Processes: Application in molecular logic(2011) Organic and Biomolecular Chemistry, 9 (15), pp. 5436-5444.	33
	Li, L., She, N.-F., Fei, Z., So, P.-K., Wang, Y.-Z., Cao, L.-P., Wu, A.-X., Yao, Z.-P. Novel fluorescent molecular clips: Selective recognition towards Fe ³⁺ in aqueous solution(2011) Journal of Fluorescence, 21 (3), pp. 1103-1110.	34
	Qian, L., Wang, A., Yan, H., Xu, D., Zhang, K. Synthesis of a novel fluorescent molecule and its energy transfer to eosin Y (2011) Shiyou Huagong/Petrochemical Technology, 40 (3), pp. 317-321.	35
	Hao, W., McBride, A., McBride, S., Gao, J.P., Wang, Z.Y. Colorimetric and near-infrared fluorescence turn-on molecular probe for direct and highly selective detection of cysteine in human plasma (2011) Journal of Materials Chemistry, 21 (4), pp. 1040-1048.	36
	Panchenko, P.A., Fedorov, Y.V., Perevalov, V.P., Jonusauskas, G., Fedorova, O.A. Cation-dependent fluorescent properties of naphthalimide derivatives with N-benzocrown ether fragment (2010) Journal of Physical Chemistry A, 114 (12), pp. 4118-4122.	37
	Tsunami, S.-I., Fujiwara, H., Matsumoto, J., Shiragami, T., Yasuda, M. Amino(porphyrinato)antimony(V) complexes as a fluorosensor for selective and sensitive detection of trivalent metal cations (2010) Bulletin of the Chemical Society of Japan, 83 (1), pp. 49-51.	38
	Chen, H., Zhao, Z., Qian, L., Xu, D., Zhang, K. Synthesis of N-butyl-4-(6'-Aminohexyl) amino-1, 8-naphthaimide and its energy transfer with eosin Y (2009) Shiyou Huagong/Petrochemical Technology, 38 (12), pp. 1312-1316.	39
	Jiadong, G., Xuerong, F., Shugeng, W., Ying, Z. Study of enzyme transesterification in solvents with fluorospectrophotometry (2009) Chemistry Bulletin / Huaxue Tongbao, 72 (5), pp. 444-448.	40
	Witlicki, E.H., Hansen, S.W., Christensen, M., Hansen, T.S., Nygaard, S.D., Jeppesen, J.O., Wong, E.W., Jensen, L., Flood, A.H. Determination of binding strengths of a host-guest complex using resonance raman scattering (2009) Journal of Physical Chemistry A, 113 (34), pp. 9450-9457.	41
113	Chovelon, J.-M., Grabchev, I. A novel fluorescent sensor for metal cations and protons based of bis-1,8-naphthalimide (2007) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 67 (1), pp. 87-91.	41
	Yarullin D.N., Zavalishin M.N., Gamov G.A., Lukanov M.M., Ksenofontov A.A., Bumagina N.A., Antina E.V. Prediction of Sensor Ability Based on Chemical Formula: Possible Approaches and Pitfalls (2023) Inorganics, 11 (4), art. no. 158 DOI: 10.3390/inorganics11040158 DOCUMENT TYPE: Review	1
	Sathiyajith C., Hallett A.J., Edwards P.G. Synthesis, photophysical characterization, relaxometric studies and molecular docking studies of gadolinium-free contrast agents for dual modal imaging (2022) Results in Chemistry, 4, art. no. 100307 DOI: 10.1016/j.rechem.2022.100307	2

	Das P.P., Mohanty P., Barick A.K., Mohapatra P., Jali B.R. A Versatile Molecular Probe of Naphthalimide-Derivative for Zn(II) Sensor: A Mini-Review (2023) Trends in Sciences, 20 (7), art. no. 5005 DOI: 10.48048/tis.2023.5005	3
	Fang, Y., Dehaen, W., Small-molecule-based fluorescent probes for f-block metal ions: A new frontier in chemosensors (2021) Coordination Chemistry Reviews, 427, art. no. 213524, . Review	4
	Liu, J., Wang, S., Wang, X., A Novel Ratiometric Fluorescent Probe for Ag ⁺ Based on Arginine-Naphthalene Imide (2020) Journal of Materials Engineering and Performance, 29 (8), pp. 5126-5131.	5
	Zhang, H., Qu, Y., Zhao, K., Wang, C., Wu, Y., Wu, H., A fluorescence “on-off” sensor for the highly selective and sensitive detection of Cu ²⁺ ion (2020) Journal of the Chinese Chemical Society, 67 (6), pp. 1062-1069.	6
	Luo, X., Chen, D., Xu, Z., Song, Y., Li, H., Xian, C., A fluorescent probe based on a spiropyran for sensitive detection of Ce ³⁺ ion (2020) Journal of Rare Earths, 38 (4), pp. 445-450.	7
	Liu, Z., Xue, L., Jia, Y., Lou, B., Yang, J., Solvation effect and binding of rhaponticin with iron: a spectroscopic and DFT/TDDFT study (2019) RSC Advances, 9 (20), pp. 11281-11288.	8
	Liu, J., Tan, G.-H., Wang, H., Du, M.-M., Synthesis and Ag ⁺ Recognition of a Rhodamine Fluorescent Probe Based on off-on Mechanism (2018) Gao Xiao Hua Xue Gong Cheng Xue Bao/Journal of Chemical Engineering of Chinese Universities, 32 (4), pp. 949-955.	9
	Aderinto, S.O., Imhanria, S., Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017 (2018) Chemical Papers, 72 (8), pp. 1823-1851. Review	10
	Liu, J., Tan, G.-H., Zhang, F., Ma, J., Wang, J.-J., Synthesis and Spectral Properties of Naphthalimide Grafted Chitosan Fluorescent Probe for Aluminum Ion (2018) Faguang Xuebao/Chinese Journal of Luminescence, 39 (4), pp. 573-579.	11
	Liu, M., Xu, Z., Song, Y., Li, H., Xian, C., A novel coumarin-based chemosensor for colorimetric detection of Ag(I) ion and fluorogenic sensing of Ce(III) ion (2018) Journal of Luminescence, 198, pp. 337-341.	12
	Shen, K., Mao, S., Shi, X., Wang, F., Xu, Y., Aderinto, S.O., Wu, H., Characterization of a highly Al ³⁺ -selective fluorescence probe based on naphthalimide-Schiff base and its application to practical water samples (2018) Luminescence, 33 (1), pp. 54-63.	13
	Xu, Y., Mao, S., Peng, H., Wang, F., Zhang, H., Aderinto, S.O., Wu, H. A fluorescent sensor for selective recognition of Al ³⁺ based on naphthalimide Schiff-base in aqueous media (2017) Journal of Luminescence, 192, pp. 56-63.	14
	Peng, H., Shen, K., Mao, S., Shi, X., Xu, Y., Aderinto, S.O., Wu, H., A Highly Selective and Sensitive Fluorescent Turn-on Probe for Al ³⁺ Based on Naphthalimide Schiff Base (2017) Journal of Fluorescence, 27 (3), pp. 1191-1200.	15
	Liu, J., Li, D.-W., Wu, X.-Q., Jiang, F., Synthesis and recognition performance of naphthalene imide-iron ion fluorescent probe (2017) Faguang Xuebao/Chinese Journal of Luminescence, 38 (2), pp. 226-231.	16
	Ramasamy, K., Thambusamy, S., Dual emission and pH based naphthalimide derivative fluorescent sensor for the detection of Bi ³⁺ (2017) Sensors and Actuators, B: Chemical, 247, pp. 632-640.	17
	Wu, G., Zhao, F., Hu, Y., Hu, S. Synthesis and optical properties research of some novel trichromophore compounds containing coumarin, pyrazoline and naphthalimide groups (2017) Heterocycles, 94 (1), pp. 65-73.	18

Wang, F., Xu, Y., Aderinto, S.O., Peng, H., Zhang, H., Wu, H. A new highly effective fluorescent probe for Al ³⁺ ions and its application in practical samples (2017) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 332, pp. 273-282.	19
Darabi, H.R., Kargar, M., Hajipour, R., Abouali, N., Aghapour, K., Jadidi, K., Notash, B., Sayahi, H. Synthesis and structure of 2,6-bis(2-methoxyphenyl) dithiazolo[4,5-b:5',4'-e]pyridine as a novel fluorescent sensor Different recognition of transition metal ions and proton (2016) <i>Tetrahedron Letters</i> , 57 (3), pp. 256-259.	20
Saini, A., Bhasin, A.K.K., Singh, N., Kaur, N. Development of a Cr(III) ion selective fluorescence probe using organic nanoparticles and its real time applicability (2016) <i>New Journal of Chemistry</i> , 40 (1), pp. 278-284.	21
Tachapermpon, Y., Piyanuch, P., Prapawattanapol, N., Sukrat, K., Suwatpipat, K., Wanichacheva, N. Synthesis of novel fluorescent sensors based on naphthalimide fluorophores for the highly selective Hg ²⁺ -sensing (2015) <i>Journal of Chemistry</i> , 2015, art. no. 165295 .	22
Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014.	23
Sun, Y., Zhao, Y., Yang, X. A simple and rapid spectrofluorimetric method for determining the pharmacokinetics and metabolism of rhaponticin in rat plasma, feces and urine using a cerium probe (2013) <i>Luminescence</i> , 28 (4), pp. 523-529.	24
Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) <i>Dyes and Pigments</i> , 97 (1), pp. 168-174.	25
Wanichacheva, N., Prapawattanapol, N., Sanghiran Lee, V., Grudpan, K., Petsom, A. Hg ²⁺ -induced self-assembly of a naphthalimide derivative by selective turn-on monomer/excimer emissions (2013) <i>Journal of Luminescence</i> , 134, pp. 686-690.	26
Pina-Luis, G., Martínez-Quiroz, M., Ochoa-Terán, A., Santacruz-Ortega, H., Mendez-Valenzuela, E. New dual emission fluorescent sensor for pH and Pb(II) based on bis(naphthalimide) derivative (2013) <i>Journal of Luminescence</i> , 134, pp. 729-738.	27
Sun, Y., Liang, X., Wei, S., Fan, J., Yang, X. Fluorescent turn-on detection and assay of water based on 4-(2-dimethylaminoethoxy)-N-octadecyl-1,8-naphthalimide with aggregation-induced emission enhancement (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 97, pp. 352-358.	28
Wang, H.-Y., Zhang, X.-X., Shi, J.-J., Chen, G., Xu, X.-P., Ji, S.-J. Synthesis, spectroscopic characteristic of novel fluorescent dyes of pyrazoline compounds (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 93, pp. 343-347.	29
Baranov, O.V., Istratov, V.V., Vasnev, V.A. New polymer matrices for chemical optical sensors (2012) <i>International Polymer Science and Technology</i> , 39 (2), pp. T47-T52.	30
Sun, Y., Wei, S., Zhao, Y., Hu, X., Fan, J. Interactions between 4-(2-dimethylaminoethoxy)-N-octadecyl-1,8-naphthalimide and serum albumins: Investigation by spectroscopic approach (2012) <i>Journal of Luminescence</i> , 132 (4), pp. 879-886.	31
Dai, H., Xu, H. Selective and sensitive fluorescent chemosensors for Cu ²⁺ ion based upon bis-1,8-naphthalimide dyads (2012) <i>Chinese Journal of Chemistry</i> , 30 (2), pp. 267-272.	32
Formica, M., Fusi, V., Giorgi, L., Micheloni, M. New fluorescent chemosensors for metal ions in solution (2012) <i>Coordination Chemistry Reviews</i> , 256 (1-2), pp. 170-192.	33
Ferreira, R., Baleizão, C., Muñoz-Molina, J.M., Berberan-Santos, M.N., Pischel, U. Photophysical study of bis(naphthalimide)-amine conjugates: Toward molecular design of excimer emission switching (2011) <i>Journal of Physical Chemistry A</i> , 115 (6), pp. 1092-1099.	34

	Alaei, P., Sh Rouhani, and K. Gharanjig. "Studying the Photophysical Properties of 4-(2-Aminoethylene) Amino-N-Allyl-1, 8-Naphthalimide and its Copolymer with Methylmethacrylate as Fluorescent pH Sensors." DNA 8 (2011): 5.	35
	Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A. Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) Journal of Photochemistry and Photobiology A: Chemistry, 216 (1), pp. 44-50.	36
	Goswami, S., Sen, D., Das, N.K., Hazra, G. Highly selective colorimetric fluorescence sensor for Cu ²⁺ : Cation-induced 'switching on' of fluorescence due to excited state internal charge transfer in the red/near-infrared region of emission spectra (2010) Tetrahedron Letters, 51 (42), pp. 5563-5566.	37
	Parlayan, S., Başoğlu, A., Göbel, Y., Ocak, M., Alp, H., Kantekin, H., Ocak, Ü. Complexation of metal ions with double-armed diazadithia lariat ether carrying anthracene moieties in acetonitrile-dioxane (2010) Journal of Inclusion Phenomena and Macrocyclic Chemistry, 67 (3), pp. 451-460.	38
	Kim, S.Y., Hong, J.-I. Naphthalimide-based fluorescent Zn ²⁺ chemosensors showing PET effect according to their linker length in water (2009) Tetrahedron Letters, 50 (23), pp. 2822-2824.	39
	Tian, M., Peng, X., Feng, F., Meng, S., Fan, J., Sun, S. Fluorescent pH probes based on boron dipyrromethene dyes (2009) Dyes and Pigments, 81 (1), pp. 58-62.	40
	Ristow, Brent A., Photochemistry of N-butyl-4-butylamino-1,8-naphthalimide and its behavior in a biological environment, South Dakota State University. ProQuest Dissertations Publishing, 2008. 3371543.	41
114	Refat, M.S., El-Didamony, A.M., Grabchev, I. UV-vis, IR spectra and thermal studies of charge transfer complex formed between poly(amidoamine) dendrimers and iodine (2007) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 67 (1), 58-65.	39
	Khan, I. M., Shakya, S., Islam, M., Khan, S., & Najnin, H. (2021). Synthesis and spectrophotometric studies of CT complex between 1, 2-dimethylimidazole and picric acid in different polar solvents: exploring antimicrobial activities and molecular (DNA) docking. <i>Physics and Chemistry of Liquids</i> , 59(5), 753-769.	1
	Patle, R. Y., & Meshram, J. S. (2022). The advanced synthetic modifications and applications of multifunctional PAMAM dendritic composites. <i>Reaction Chemistry & Engineering</i> , 7(1), 9-40.	2
	Atoyo, J. (2021). Improvement to the thermoelectric properties of PEDOT: PSS, PhD thesis	3
	Алукер, Н. Л. (2021). Спектрофотометрическое определение форм присутствия йода в растворах соединений йода. <i>Оптика и спектроскопия</i> , 129(5), 659-664.	4
	Aluker N.L., Herrmann M. Spectrophotometric Analysis of Iodine Forms in Solutions of Iodine Compounds (2021) Optics and Spectroscopy, 129 (6), pp. 599 – 604 DOI: 10.1134/S0030400X21050027	5
	Kodadi, S.K., Kovuri, S., Spectrophotometric and computational studies of CT complexes of heterocyclic non-steroidal anti-inflammatory drugs with iodine as σ – Acceptor (2020) Journal of Molecular Structure, 1202, art. no. 127271, .	6
	Karmakar, A., Bandyopadhyay, P., Banerjee, S., Mandal, N.C., Singh, B., Synthesis, spectroscopic, theoretical and antimicrobial studies on molecular charge-transfer complex of 4-(2-thiazolylazo)resorcinol (TAR) with 3, 5-dinitrosalicylic acid, picric acid, and chloranilic acid (2020) Journal of Molecular Liquids, 299, art. no. 112217, .	7

	Khan, I.M., Shakya, S., Islam, M., Khan, S., Najnin, H., Synthesis and spectrophotometric studies of CT complex between 1,2-dimethylimidazole and picric acid in different polar solvents: exploring antimicrobial activities and molecular (DNA) docking (2020) <i>Physics and Chemistry of Liquids</i> , .	8
	Alizadeh, N., Shahidani, M.B., Application of charge transfer complexation reaction for the spectroscopy determination of anticonvulsant drug primidone (2018) <i>Analytical and Bioanalytical Chemistry Research</i> , 5 (1), pp. 81-93.	9
	Kiselev, V.M., Bagrov, I.V., Starodubtsev, A.M., The Effect of Molecular Iodine on Singlet-Oxygen Luminescence in Tetrachloromethane (2018) <i>Optics and Spectroscopy</i> (English translation of <i>Optika i Spektroskopiya</i>), 124 (2), pp. 193-197.	10
	Kodadi, S.K., Tigulla, P., Synthesis, Spectroscopic and Computational Studies of CT Complexes of Amino Acids with Iodine as σ Acceptor (2017) <i>Journal of Solution Chemistry</i> , 46 (7), pp. 1364-1403.	11
	Hamam, K.A., Gaabour, L.H., Verification of the changes in the structural and physical properties of PU/PEO embedded with graphene oxide (2017) <i>Results in Physics</i> , 7, pp. 2427-2431.	12
	Junior, Andrade, and Marcos Antonio Santana. "Polieletrólitos lamelares sólidos e em gel para aplicação em células solares de corante." (2016), online (177 p.). Tese (doutorado) - Universidade Estadual de Campinas, Instituto de Química, Campinas, SP.	13
	Chattaraj, S.B., Chakraborty, A., Sharma, S.P., Lahiri, S.C. Spectrophotometric, FTIR and Theoretical Studies of the Charge-transfer Complexes between Nicotinamide and the acceptors (p-Chloranil, Chloranilic Acid and DDQ) in Acetonitrile, Their Association Constants, Thermodynamic Properties and Other Related Properties (2015) <i>Journal of Solution Chemistry</i> , 44 (12), pp. 2357-2382.	14
	Al-Amoudi, M. S., Mahmoud Salman, M. M. Al-Majthoub, Abdel Majid A. Adam, Naif A. Alshanbari, and Moamen S. Refat. "Spectral studies to increase the efficiency and stability of laser dyes by charge-transfer reactions for using in solar cells: charge-transfer complexes of Ponceau S with p-chloranil, chloranilic and picric acids." <i>Research on Chemical Intermediates</i> 41, no. 5 (2015): 3089-3108.	15
	Moulay, S. Molecular iodine/polymer complexes (2013) <i>Journal of Polymer Engineering</i> , 33 (5), pp. 389-443.	16
	Cao, J., Zhang, H., Wang, Y., Yang, J., Jiang, F. Investigation on the interaction behavior between curcumin and PAMAM dendrimer by spectral and docking studies (2013) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 108, pp. 251-255.	17
	Alqaradawi, S.Y., Mostafa, A., Bazzi, H.S. Charge-transfer complexes formed in the reaction of 1,4,7,10- tetraazacyclododecane with π -electron acceptors (2013) <i>Journal of Molecular Structure</i> , 1037, pp. 209-217.	18
	Ahmad, N., Alam, M., Kumar, P., Hashmi, A.A., Wahab, R. Thermal and spectroscopic studies of transition metal complexes with dihydrobis(2-mercaptobenzothiazolyl)borate (2013) <i>Asian Journal of Chemistry</i> , 25 (18), pp. 10386-10392.	19
	El-Didamony, Akram M., Monir Z. Saad, and Dina S. El-Shaprawy. "Direct and indirect spectrophotometric determination of some selected antibiotics using potassium permanganate." <i>Main Group Chemistry</i> 12, no. 2 (2013): 139-152.	20
	Егоян, Р. В., and А. Р. Саркисян. "ВЗАИМОДЕЙСТВИЕ МОЛЕКУЛЯРНОГО ИОДА С N-[ТРИС (ГИДРОКСИМЕТИЛ) МЕТИЛ] АКРИЛАМИДОМ." <i>Журнал общей химии</i> 82, no. 8 (2012): 1371-1373.	21
	Mostafa, A., Benjamin Cieslinski, G., Bazzi, H.S. Synthesis, spectroscopic and thermal studies on solid charge-transfer molecular complexes formed in the reaction of 1-(2-aminoethyl)piperidine with π - And σ -acceptors (2012) <i>Journal of Molecular Structure</i> , 1029, pp. 45-52.	22

Pandeeswaran, M., El-Mossalamy, E.H., Elango, K.P. Spectroscopic studies of the complexation of iodine with antihistamine drugs in solvents of varying relative permittivity (2012) <i>Journal of Solution Chemistry</i> , 41 (12), pp. 2091-2106.	23
Sharma, K., Sharma, S.P., Lahiri, S.C. Spectrophotometric, Fourier transform infrared spectroscopic and theoretical studies of the charge-transfer complexes between methyl dopa [(S)-2 amino-3-(3,4-dihydroxyphenyl)-2-methyl propanoic acid] and the acceptors (chloranilic acid, o-chloranil and dichlorodicyanobenzoquinone) in acetonitrile and their thermodynamic properties (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 92, pp. 212-224.	24
Pan, S., Wang, C., Zeng, X., Wen, Y., Wu, H., Feng, M. Short multi-armed polylysine-graft-polyamidoamine copolymer as efficient gene vectors (2011) <i>International Journal of Pharmaceutics</i> , 420 (2), pp. 206-215.	25
Al-Shuja'A, O.M., Obeid, A.O., El-Shekeil, A.G. Spectral, thermal and dc electrical conductivity of charge transfer complex formed between 5,7-dimethyl-1-oxo-2-phenyl-1H-pyrazolo [1,2- α]pyrazol-4-ium-3-olate and iodine (2011) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 48 (5), pp. 355-364.	26
Mallakpour, S., Hashemi, E. Synthesis and characterization of novel optically active and photoactive aromatic polyesters containing 1,8-naphthalimidyl pendant group by step-growth polymerization (2010) <i>Polymer Bulletin</i> , 65 (6), pp. 551-563.	27
Ashvin B. Padhiyar / Ph. D. Thesis (Physics) / Sardar Patel University - 2010	28
Mallakpour, S., Zadehnazari, A. Microwave irradiation as a versatile tool for increasing reaction rates and yields in synthesis of optically active polyamides containing flexible L-leucine amino acid (2010) <i>Amino Acids</i> , 38 (5), pp. 1369-1376.	29
Paulo, P.M.R. Temperature echoes revisited to probe the vibrational behavior of dendrimers (2010) <i>Journal of Chemical Physics</i> , 132 (11), art. no. 114901,	30
Pandeeswaran, M., Elango, K.P. Spectroscopic studies on the molecular complex of the drug atenolol with iodine (2009) <i>Journal of Solution Chemistry</i> , 38 (12), pp. 1558-1572.	31
Mallakpour, S., Taghavi, M. The accuracy of approximation equations in the study of thermal decomposition behaviour of some synthesized optically active polyamides (2009) <i>Iranian Polymer Journal (English Edition)</i> , 18 (11), pp. 857-872.	32
Basu, S., Chattopadhyay, B., Gangulya, A., Chakraborty, P., Chowdhury, P.R., Samantac, S., Mukherjee, M., Mukherjee, A.K., Choudhuri, S.K., Synthesis, X-ray powder structure analysis and biological properties of a mononuclear Cu(II) complex of N-2-hydroxyhippuric acid (2009) <i>Applied Organometallic Chemistry</i> , 23 (12), pp. 527-534.	33
Mallakpour, S., Zadehnazari, A. Use of ionic green solvent for the synthesis of optically active aromatic polyamides containing a L-leucine moiety under microwave irradiation (2009) <i>Designed Monomers and Polymers</i> , 12 (6), pp. 589-604.	34
Mallakpour, S., Taghavi, M. Kinetics and thermal degradation study of optically active and thermally stable aromatic polyamides with flame-retardancy properties (2009) <i>Polymer Journal</i> , 41 (4), pp. 308-318.	35
Pandeeswaran, M., Elango, K.P. Electronic, Raman and FT-IR spectral investigations of the charge transfer interactions between ketoconazole and povidone drugs with iodine (2009) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 72 (4), pp. 789-795.	36
Mallakpour, S., Taghavi, M. Direct polyamidation in green media: Studies on thermal degradation of novel organosoluble and optically active flame retardant polyamides (2009) <i>Reactive and Functional Polymers</i> , 69 (3), pp. 206-215.	37
Saovapakhiran, Angkana. Development of Novel Dendrimer Carriers for Drug Delivery. The University of Manchester (United Kingdom), 2008, PhD thesis.	38

	El-Zaria, M.E., Etaiw, S.E.-D.H. Two spectrophotometric methods for estimation of clarithromycin in pharmaceutical formulations and human plasma based on charge transfer complexes (2007) Canadian Journal of Analytical Sciences and Spectroscopy, 52 (6), pp. 316-324.	39
115	Bojinov, V.B., Panova, I.P., Grabchev, I.K. Novel polymerizable light emitting dyes - combination of a hindered amine with a 9-phenylxanthene fluorophore. Synthesis and photophysical investigations, Dyes and Pigments, (2006) 74 (1), pp. 187-194.	8
	Wright, T., Karis, D., Millik, S.C., Tomkovic, T., Hatzikiriakos, S.G., Nelson, A., Wolf, M.O., Photocross-Linked Antimicrobial Amino-Siloxane Elastomers (2021) ACS Applied Materials and Interfaces, .	1
	Shabir, G., Saeed, A., Channar, P.A., A Review on the Recent Trends in Synthetic Strategies and Applications of Xanthene Dyes (2018) Mini-Reviews in Organic Chemistry, 15 (3), pp. 166-197.	2
	R. Joshi, A.Kumawat, S. Singh, T.Kanchan Roy, R.T. Pardasani Synthesis of Spirooxindoles through Cyclocondensation of Isatin and Cyclic 1,3-Diones, J. Heterocyclic Chem., (2018), DOI 10.1002/jhet.3217	3
	Miladinova, P.M., Konstantinova, T.N., Photo stabilizers for polymers - new trends (2015) Journal of Chemical Technology and Metallurgy, 50 (3), pp. 229-239.	4
	Ghosh, S., Mitra, A.K., Saha, C., Basu, S., Tuning the solution phase photophysics of two de novo designed hydrogen bond sensitive 9-methyl-2,3,4,9-tetrahydro-1H-carbazol-1-one derivatives (2013) Journal of Fluorescence, 23 (6), pp. 1179-1195.	5
	Polpanich, D., Asawapirom, U., Thiramanas, R., Piyakulawat, P., Self-colored nanoparticles containing naphthalene-bisimide derivatives: Synthesis and protein adsorption study (2011) Materials Chemistry and Physics, 129 (1-2), pp. 495-500.	6
	Eshghi, H., Bakavoli, M., Moradi, H., Synthesis of 14-aryl- and alkyl-14H-dibenzo[a,j]xanthenes catalyzed by silica-supported ferric hydrogensulfate (2011) Organic Preparations and Procedures International, 43 (3), pp. 302-307.	7
	Podsiadły, R., The synthesis of novel, visible-wavelength oxidizable polymerization sensitizers based on the 5,12-dihydroquinoxalino[2,3-b]pyridopyrazine skeleton (2009) Dyes and Pigments, 80 (1), pp. 86-92.	8
116	Sali, S., Grabchev, I., Chovelon, J.-M., Ivanova, G. Selective sensors for Zn²⁺ cations based on new green fluorescent poly(amidoamine) dendrimers peripherally modified with 1,8-naphthalimides (2006) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 65 (3-4), pp. 591-597.	36
	Le, X., Shang, H., Yan, H., Zhang, J., Lu, W., Liu, M., Wang, L., Lu, G., Xue, Q., Chen, T., A Urease-Containing Fluorescent Hydrogel for Transient Information Storage (2021) Angewandte Chemie - International Edition, 60 (7), pp. 3640-3646.	1
	Thomas, Jobin, Sangeeta Yadav, Jitendra Satija, and Shekhar Agnihotri. "Functional Dendritic Coatings for Biomedical Implants." In Emerging Trends in Nanomedicine, pp. 173-201. Springer, Singapore, 2021.	2
	Dzhardimalieva, G.I., Uflyand, I.E., Metal chelate dendrimers (2018) Springer Series in Materials Science, 257, pp. 503-631.	3
	Satija, J., Chauhan, S.K., Punjabi, N., Mukherji, S., Dendrimer Sensors (2017) Comprehensive Supramolecular Chemistry II, 8, pp. 237-259.	4
	Satija, Jitendra, and Soumyo Mukherji. "Function-Oriented Molecular Design: Dendrimer." Encyclopedia of Physical Organic Chemistry (2016): 1-56.	5

	Undre, S.B., Pandya, S.R., Kumar, V., Singh, M. Dendrimers as smart materials for developing the various applications in the field of biomedical sciences (2016) Advanced Materials Letters, 7 (7), pp. 502-516.	6
	Niu, Y., Qian, Y., Hu, X. Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) Chinese Journal of Organic Chemistry, 36 (3), pp. 555-561.	7
	McShane, M., Photoluminescent nanosensors (2016) Optochemical Nanosensors, pp. 99-118.	8
	Shaki, H., Khosravi, A., Gharanjig, K., Mahboubi, A. Investigation of synthesis, characterization, photophysical and biological properties of novel antimicrobial fluorescent naphthalimide derivatives (2016) Materials Technology, 31 (6), pp. 322-331.	9
	Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) Analyst, 140 (4), pp. 976-989.	10
	Li, X.-J., Cai, H.-X., Wu, W.-N., Hou, Y., Wang, Z. Cu(II) and Zn(II) complexes with an acylhydrazone derived from 4-methyl salicylic hydrazide and PMBP: crystal structures and Fluorescence Property of Zn(II) Complex (2015) Chinese Journal of Inorganic Chemistry, 31 (8), pp. 1661-1666.	11
	Gudeika, Dalius. "Synthesis and properties of organic semiconductors containing 1, 8-naphthalimide, triphenylamide and fluorene moieties." (2015): 164., Kaunas, Lithuania, PhD thesis.	12
	Pinto, Gisele de Campos. "Síntese de dendrímeros de PAMAM de baixa geração e sua aplicação na descontaminação de efluentes contendo resíduos de óleo vegetal e metais pesados." (2015), Master thesis.	13
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	14
	Jiao, S.-Y., Peng, L.-L., Li, K., Xie, Y.-M., Ao, M.-Z., Wang, X., Yu, X.-Q. A BINOL-based ratiometric fluorescent sensor for Zn ²⁺ and in situ generated ensemble for selective recognition of histidine in aqueous solution (2013) Analyst, 138 (19), pp. 5762-5768.	15
	McShane, Mike. "Photoluminescent Nanosensors.", Book:Optochemical Nanosensors, Edition 1st Edition, 2013, Imprint CRC Press, Pages 20, eBook ISBN 9780429063169	16
	Nasibullah, Malik, Firoj Hassan, Naseem Ahmad, Abdul Rahman Khan, and Masihur Rahman. "Dendrimers as novel polymeric material: a review on its synthesis, characterization and their applications." Advanced Science Focus 1, no. 3 (2013): 197-204.	17
	Georgiev, N.I., Lyulev, M.P., Bojinov, V.B. Sensor activity and logic behaviour of PET based dihydroimidazonaphthalimide diester (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 97, pp. 512-520.	18
	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) Chinese Journal of Organic Chemistry, 32 (2), pp. 304-317.	19
	Touzani, R. Dendrons, dendrimers new materials for environmental and science applications (2011) Journal of Materials and Environmental Science, 2 (3), pp. 201-214.	20
	Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементарной органической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	21

	Susan Christine Bartz, PhD thesis, Synthese und Analyse der supramolekularen Bindungseigenschaften neuer Anionenrezeptoren, Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany, 2011.	22
	Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging (2011) Journal of Photochemistry and Photobiology A: Chemistry, 223 (2-3), pp. 111-118.	23
	Kaya, Y., Irez, G., Mutlu, H. Synthesis, characterization and thermal studies of a new imine-oxime ligand and its Cu ²⁺ , Ni ²⁺ , Co ³⁺ and Zn ²⁺ complexes (2010) Asian Journal of Chemistry, 22 (3), pp. 1813-1821.	24
	Tang, J., Yang, H., Liu, J., Wang, Y., Yin, X., Wang, R., Huang, L., Huang, Z. Ln ³⁺ -enhanced blue fluorescence from novel excimer of 1,8-naphthalimide-conjugated PAMAM (2010) Optical Materials, 32 (11), pp. 1417-1422.	25
	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	26
	Franc, G., Kakkar, A.K. Metallo dendrimers: Photophysical Properties and Related Applications (2010) Photochemistry and Photophysics of Polymer Materials, pp. 185-207.	27
	Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V. Synthesis and spectral properties of 4-amino- and 4-acetyl amino-N- aryl naphthalimides containing electron-donating groups in the N-aryl substituent (2009) Russian Chemical Bulletin, 58 (6), pp. 1233-1240.	28
	Roberts, B.P., Scanlon, M.J., Krippner, G.Y., Chalmers, D.K. The Dotted Cap Notation: A concise notation for describing variegated dendrimers (2008) New Journal of Chemistry, 32 (9), pp. 1543-1554.	29
	H. Yang, J. Tang, Y. Wang, J. Liu, L. Zhau, HOU, J. Liu, Applied Chemical Industry, 37 (2008) 465	30
	Miao, L., Yao, Y., Yang, F., Wang, Z., Li, W., Hu, J. A TDDFT and PCM-TDDFT studies on absorption spectra of N-substituted 1,8-naphthalimides dyes (2008) Journal of Molecular Structure: THEOCHEM, 865 (1-3), pp. 79-87.	31
	Wang, Y., Yang, Z.-Y. Crystal structure of Ni(II) complex and fluorescence properties of Zn(II) complex with the Schiff base derived from diethylenetriamine and PMBP (2008) Journal of Luminescence, 128 (3), pp. 373-376.	32
	Sękowski, Szymon, and Teresa Gabryelak. "Oddziaływanie dendrymerów poliamidoaminowych (PAMAM) z jonami metali i jego zastosowanie." Kosmos 56, no. 1-2 (2007): 99-106.	33
	Fischer-Durand, N., Salmain, M., Rudolf, B., Jugé, L., Guérineau, V., Laprévote, O., Vessières, A., Jaouen, G. Design of a new multifunctionalized PAMAM dendrimer with hydrazide-terminated spacer arm suitable for metal-carbonyl multilabeling of aldehyde-containing molecules (2007) Macromolecules, 40 (24), pp. 8568-8575.	34
	Jeremy Daniel Lease, PhD thesis, Carbohydrate-centered PAMAM dendrimers for use in growing liver cells, National University of Singapore, 2007	35
	Zhang, C.-H., Hu, J.-Q., Tu, W.-P. Interaction between polyamidoamine dendrimers and Co ²⁺ (2007) Huanan Ligong Daxue Xuebao/Journal of South China University of Technology (Natural Science), 35 (4), pp. 30-34.	36
117	Grabchev, I., Staneva, D., Betcheva, R. Sensor activity, photodegradation and photostabilisation of a PAMAM dendrimer comprising 1,8-naphthalimide functional groups in its periphery (2006) Polymer Degradation and Stability, 91 (10), pp. 2257-2264.	19

Mardani H., Roghani-Mamaqani H., Shahi S., Roustanavi D. Anti-Counterfeiting Inks Based on Förster Resonance Energy Transfer in Microcrystalline Cellulose-Grafted Poly(amidoamine) for Artificial Industries (2023) ACS Applied Polymer Materials, 5 (2), pp. 1092 - 1102	1
Hashemi E., Sadeghi-Kiakhani M. Using a Dendritic Sensor as a Feasible Method for Detection of Copper in Water Samples (2023) Journal of Fluorescence, 33 (3), pp. 1139 – 1146 DOI: 10.1007/s10895-022-03123-w	2
Steinegger, A., Wolfbeis, O.S., Borisov, S.M., Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications (2020) Chemical Reviews, 120 (22), pp. 12357-12489.	3
McShane, M., Photoluminescent nanosensors (2016) Optochemical Nanosensors, pp. 99-118.	4
Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) Analyst, 140 (4), pp. 976-989.	5
Sadeghi-Kiakhani, M., Safapour, S. Improvement of the dyeing and fastness properties of a naphthalimide fluorescent dye using poly(amidoamine) dendrimer (2015) Coloration Technology, 131 (2), pp. 142-148.	6
Lin, Z., Zhang, J., Ma, H., Yao, Z. Preparation and properties of polymerizable 1,8-naphthalimide fluorescent dye grafted linear low-density polyethylene (2015) Journal of Applied Polymer Science, 132 (26), art. no. 42172, .	7
Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	8
Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) Chinese Journal of Organic Chemistry, 32 (2), pp. 304-317.	9
Lei, Y., Su, Y., Huo, J. Photophysical property of rhodamine-cored poly(amidoamine) dendrimers: Simultaneous effect of spirolactam ring-opening and PET process on sensing trivalent chromium ion (2011) Journal of Luminescence, 131 (12), pp. 2521-2527.	10
Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементарной органической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	11
Lei, Y., Su, Y., Huo, J. A novel fluorescent sensor for Cr ³⁺ based on rhodamine-cored poly(amidoamine) dendrimer (2011) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 83 (1), pp. 149-154.	12
Franc, G., Kakkar, A.K. Metallodendrimers: Photophysical Properties and Related Applications (2010) Photochemistry and Photophysics of Polymer Materials, pp. 185-207. (Book Chapter)	13
PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	14
Lv, M., Xu, H. Overview of naphthalimide analogs as anticancer agents (2009) Current Medicinal Chemistry, 16 (36), pp. 4797-4813.	15
Zhai, C., Wei, C., Xu, J., Yang, P., Du, Y. Synthesis and characterization of Au and Ag nanoparticles protected by PAMAM and its derivative1 (2009) Colloid Journal, 71 (6), pp. 764-770.	16

	Yamaji, D., Takaguchi, Y. A novel fluorescent fluoride chemosensor based on unmodified poly(amidoamine) dendrimer (2009) <i>Polymer Journal</i> , 41 (4), pp. 293-296.	17
	Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V. Synthesis and spectral properties of 4-amino- and 4-acetylamino-N-arylnaphthalimides containing electron-donating groups in the N-aryl substituent (2009) <i>Russian Chemical Bulletin</i> , 58 (6), pp. 1233-1240.	18
	Trinchi, A., Muster, T.H., A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) <i>Supramolecular Chemistry</i> , 19 (7), pp. 431-445.	19
118	Grabchev, I., Chovelon, J.-M., Nedelcheva, A. Green fluorescence poly(amidoamine) dendrimer functionalized with 1,8-naphthalimide units as potential sensor for metal cations (2006) <i>Journal of Photochemistry and Photobiology A: Chemistry</i>, 183 (1-2), pp. 9-14.	40
	Wang, F., Yan, S., Li, Y., Xu, T., & Ma, R. (2021). Enhanced luminescent performance of 1, 8-naphthalic anhydride-loaded bimodal mesoporous silicas modified by europium nitrate. <i>Journal of Porous Materials</i> , 28(6), 1779-1785.	1
	Dhanushkodi, M., Vinoth Kumar, G.G., Balachandar, B.K., Sarveswari, S., Gandhi, S., Rajesh, J., A simple pyrazine based ratiometric fluorescent sensor for Ni ²⁺ ion detection (2020) <i>Dyes and Pigments</i> , 173, art. no. 107897, .	2
	Velmurugan, K., Prabhu, J., Raman, A., Duraipandy, N., Kiran, M.S., Easwaramoorthi, S., Tang, L., Nandhakumar, R., Dual Functional Fluorescent Chemosensor for Discriminative Detection of Ni ²⁺ and Al ³⁺ Ions and Its Imaging in Living Cells (2018) <i>ACS Sustainable Chemistry and Engineering</i> , 6 (12), pp. 16532-16543.	3
	Satija, J., Chauhan, S.K., Punjabi, N., Mukherji, S., Dendrimer Sensors (2017) <i>Comprehensive Supramolecular Chemistry II</i> , 8, pp. 237-259.	4
	Subashini, G., Shankar, R., Arasakumar, T., & Mohan, P. S. (2017). Quinoline appended pyrazoline based Ni sensor and its application towards live cell imaging and environmental monitoring. <i>Sensors and Actuators B: Chemical</i> , 243, 549-556.	5
	Han, Z., Yan, J., Tang, H. Q., He, Y., Zhu, Y., & Ge, Y. Q. (2017). Novel simple fluorescent sensor for nickel ions. <i>Tetrahedron Letters</i> , 58(13), 1254-1257.	6
	McShane, M., Photoluminescent nanosensors (2016) <i>Optochemical Nanosensors</i> , pp. 99-118.	7
	Satija, J., Chauhan, S.K., Punjabi, N., Mukherji, S., Dendrimer Sensors (2017) <i>Comprehensive Supramolecular Chemistry II</i> , 8, pp. 237-259.	8
	Z. Wang, U.Wille, E. Juaristi, Encyclopedia of Physical Organic Chemistry, 6 Volume Set, John Wiley & Sons, 10.04.2017 г. - 4464	9
	Wu, G., Zhao, F., Hu, Y., Hu, S. Synthesis and optical properties research of some novel trichromophore compounds containing coumarin, pyrazoline and naphthalimide groups (2017) <i>Heterocycles</i> , 94 (1), pp. 65-73.	10
	Zhao, B., Xu, Y., Deng, Q., Kan, W., Fang, Y., Wang, L., Gao, Y. Modified 1H-phenanthro[9,10-d]imidazole derivative with the double acetohydrazide as fluorescent probe for sequential detection of Ni ²⁺ and Al ³⁺ with 'on-off-on' response (2016) <i>Tetrahedron Letters</i> , 57 (8), pp. 953-958.	11

Dodangeh, M., Gharanjig, K., Arami, M. A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 154, pp. 207-214.	12
López-Cabaña, Z.E., Valdés, O., Vergara, C.E., Camarada, M.B., Nachtigall, F.M., González-Nilo, F.D., Santos, L.S. Photophysical studies of the interactions of poly(amidoamine) generation zero (PAMAM G0) with copper and zinc ions (2015) <i>Journal of Luminescence</i> , 164, pp. 23-30.	13
Fernández-Hernández, J.M., Cámara, V., Vicente, J. Synthesis of molecular chains: Application of cross-coupling and bromo by iodo exchange reactions (2015) <i>Tetrahedron</i> , 71 (34), pp. 5506-5512.	14
Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) <i>Analyst</i> , 140 (4), pp. 976-989.	15
Christensen, J.A., Fletcher, J.T. 2-(1,2,3-Triazol-4-yl)pyridine-containing ethynylarenes as selective 'turn-on' fluorescent chemosensors for Ni(II) (2014) <i>Tetrahedron Letters</i> , 55 (33), pp. 4612-4615.	16
Liu, X., Lin, Q., Wei, T.-B., Zhang, Y.-M. A highly selective colorimetric chemosensor for detection of nickel ions in aqueous solution (2014) <i>New Journal of Chemistry</i> , 38 (4), pp. 1418-1423.	17
Miladinova, P., Georgiev, N. Sensor activity and logic behaviour of some 2-aminoterephthalic derivatives (2014) <i>Journal of Chemical Technology and Metallurgy</i> , 49 (6), pp. 577-584.	18
Cong, F., Jian-Ping, L., Application of dendrimers in analytical chemistry (2013) <i>Fenxi Huaxue/ Chinese Journal of Analytical Chemistry</i> , 41 (11), pp. 1762-1772.	19
Wang, L., Ye, D., Cao, D. A novel coumarin Schiff-base as a Ni(II) ion colorimetric sensor (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 90, pp. 40-44.	20
Pu, L. Dendrimer-Based Sensors (2011) <i>Chemosensors: Principles, Strategies, and Applications</i> , pp. 121-162.	21
Hrdlovic, P., Donovalova, J., Stankovicova, H., Gaplovsky, A. Influence of polarity of solvents on the spectral properties of bichromophoric coumarins (2010) <i>Molecules</i> , 15 (12), pp. 8915-8932.	22
Tang, J., Yang, H., Liu, J., Wang, Y., Yin, X., Wang, R., Huang, L., Huang, Z. Ln ³⁺ -enhanced blue fluorescence from novel excimer of 1,8-naphthalimide-conjugated PAMAM (2010) <i>Optical Materials</i> , 32 (11), pp. 1417-1422.	23
Huang, X., Dong, Y., Meng, J., Cheng, Y., Zhu, C. Fluorescence polymer incorporating triazole and Benzo[2,1,3]thiadiazole moieties for Ni ²⁺ detection (2010) <i>Synlett</i> , (12), pp. 1841-1844.	24
Astruc, D., Boisselier, E., Ornelas, C. Dendrimers designed for functions: From physical, photophysical, and supramolecular properties to applications in sensing, catalysis, molecular electronics, photonics, and nanomedicine (2010) <i>Chemical Reviews</i> , 110 (4), pp. 1857-1959.	25
Franc, G., Kakkar, A.K. Metallo-dendrimers: Photophysical Properties and Related Applications (2010) <i>Photochemistry and Photophysics of Polymer Materials</i> , pp. 185-207.	26
Kim, J.S., Lee, S.Y., Yoon, J., Vicens, J. Hyperbranched calixarenes: Synthesis and applications as fluorescent probes (2009) <i>Chemical Communications</i> , (32), pp. 4791-4802.	27

	Wang, B.-Y., Liu, X.-Y., Hu, Y.-L., Su, Z.-X. Synthesis and photophysical behavior of a water-soluble coumarin-bearing polymer for proton and Ni ²⁺ ion sensing (2009) <i>Polymer International</i> , 58 (6), pp. 703-709.	28
	Yamaji, D., Takaguchi, Y. A novel fluorescent fluoride chemosensor based on unmodified poly(amidoamine) dendrimer (2009) <i>Polymer Journal</i> , 41 (4), pp. 293-296.	29
	Huang, J., Xu, Y., Qian, X. A red-shift colorimetric and fluorescent sensor for Cu ²⁺ in aqueous solution: Unsymmetrical 4,5-diaminonaphthalimide with N-H deprotonation induced by metal ions (2009) <i>Organic and Biomolecular Chemistry</i> , 7 (7), pp. 1299-1303.	30
	Kollár, J., Hrdlovič, P., Chmela, S. Synthesis and spectral characteristics of substituted 1,8-naphthalimides: Intramolecular quenching by mono-nitroxides (2009) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 204 (2-3), pp. 191-199.	31
	Huang, J., Xu, Y., Qian, X. A colorimetric sensor for Cu ²⁺ in aqueous solution based on metal ion-induced deprotonation: Deprotonation/protonation mediated by Cu ²⁺ -ligand interactions (2009) <i>Dalton Transactions</i> , (10), pp. 1761-1766.	32
	Jiang, W., Tang, J., Qi, Q., Sun, Y., Ye, H., Fu, D. An experimental and computational study of intramolecular charge transfer: Diarylamino derivatives of 7H-benzimidazo(2,1-a)benz(d,e)isoquinolin-7-ones (2009) <i>Dyes and Pigments</i> , 80 (3), pp. 279-286.	33
	Maisonneuve, S., Fang, Q., Xie, J. Benzothiadiazoyl-triazoyl cyclodextrin: a selective fluoroionophore for Ni(II) (2008) <i>Tetrahedron</i> , 64 (37), pp. 8716-8720.	34
	Vicente, J., Abad, J.A., López-Nicolás, R.M. Synthesis of molecular chains: phenylene thioether and sulfoxide oligomers (2008) <i>Tetrahedron</i> , 64 (27), pp. 6281-6288.	35
	Kollár, J., Hrdlovič, P., Chmela, S. Synthesis and spectral characteristics of di-substituted 1,8-naphthalimides: Bi-radical formation (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 195 (1), pp. 64-71.	36
	Yuan, D., Brown, R.G., Hepworth, J.D., Alexiou, M.S., Tyman, J.H.P. The synthesis and fluorescence of novel N-substituted-1,8-naphthylimides (2008) <i>Journal of Heterocyclic Chemistry</i> , 45 (2), pp. 397-404.	37
	H. Yang, J. Tang, Y. Wang, J. Liu, L. Zhau, HOU, J. Liu, <i>Applied Chemical Industry</i> , 37 (2008) 465	38
	Fischer-Durand, N., Salmain, M., Rudolf, B., Jugé, L., Guérineau, V., Laprèvote, O., Vessièrès, A., Jaouen, G. Design of a new multifunctionalized PAMAM dendrimer with hydrazide-terminated spacer arm suitable for metal-carbonyl multilabeling of aldehyde-containing molecules (2007) <i>Macromolecules</i> , 40 (24), pp. 8568-8575.	39
	Trinchi, A., Muster, T.H., A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) <i>Supramolecular Chemistry</i> , 19 (7), pp. 431-445.	40
119	Refat, M.S., Grabchev, I., Chovelon, J.-M., Ivanova, G. Spectral properties of new N,N'-bis-alkyl-1,4,6,8-naphthalenediimide complexes (2006) <i>Spectrochimica Acta – Part A: Molecular and Biomolecular Spectroscopy</i>, 64 (2), pp. 435-441.	17
	Grech J., Spiteri J.C., Scerri G.J., Magri D.C. Molecular logic with ferrocene-rylene conjugates: A comparison of naphthalenediimide, naphthalimide and perylenediimide Pourbaix sensor designs (2023) <i>Inorganica Chimica Acta</i> , 544, art. no. 121176 DOI: 10.1016/j.ica.2022.121176	1
	Corbet C.H.W.A., van den Bersselaar B.W.L., de Waal B.F.M., Reynaerts R., Mali K.S., De Feyter S., Jonas A.M., Meijer E.W., Vantomme G. Self-Assembly of Discrete Oligomers of Naphthalenediimides in Bulk and on Surfaces (2024) <i>Chemistry - A European Journal</i> , 30 (8), art. no. e202303107 DOI: 10.1002/chem.202303107	2

	Liu, J., Lan, Z., & Yang, J. (2021). An efficient implementation of spin–orbit coupling within the framework of semiempirical orthogonalization-corrected methods for ultrafast intersystem crossing dynamics. <i>Physical Chemistry Chemical Physics</i> , 23(39), 22313-22323.	3
	Aster, A., Rumble, C., Bornhof, A.-B., Huang, H.-H., Sakai, N., Šolomek, T., Matile, S., Vauthey, E., Long-lived triplet charge-separated state in naphthalenediimide based donor-acceptor systems (2021) <i>Chemical Science</i> , 12 (13), pp. 4908-4915.	4
	Azadbakht, R., Koolivand, M., Khanabadi, J., A new fluorescence chemosensor for Zn ²⁺ with a remarkable red shift in emission spectra (2017) <i>Analytical Methods</i> , 9 (32), pp. 4688-4694.	5
	Yushchenko, O. (2017). <i>Excited-state dynamics in electron-donor-acceptor systems of increasing complexity</i> (Doctoral dissertation, University of Geneva).	6
	Kar, H., Ghosh, S. J-aggregation of a sulfur-substituted naphthalenediimide (NDI) with remarkably bright fluorescence (2016) <i>Chemical Communications</i> , 52 (57), pp. 8818-8821.	7
	Lee, D.Y., Kim, E.-K., Shrestha, N.K., Boukhvalov, D.W., Lee, J.K., Han, S.-H. Charge Transfer-Induced Molecular Hole Doping into Thin Film of Metal-Organic Frameworks (2015) <i>ACS Applied Materials and Interfaces</i> , 7 (33), pp. 18501-18507.	8
	Yushchenko, O., Licari, G., Mosquera-Vazquez, S., Sakai, N., Matile, S., Vauthey, E. Ultrafast intersystem-crossing dynamics and breakdown of the Kasha-Vavilov's rule of naphthalenediimides (2015) <i>Journal of Physical Chemistry Letters</i> , 6 (11), pp. 2096-2100.	9
	Ling, J., Naren, G., Kelly, J., Qureshi, A., De Silva, A.P. Fluorescent logic systems for sensing and molecular computation: Structure-activity relationships in edge-detection (2015) <i>Faraday Discussions</i> , 185, pp. 337-346.	10
	Singh, N., Ahmad, A. Synthesis and spectrophotometric studies of charge transfer complexes of p-nitroaniline with benzoic acid in different polar solvents (2014) <i>Journal of Molecular Structure</i> , 1074, pp. 408-415.	11
	Matsunaga, Y., Goto, K., Kubono, K., Sako, K., Shinmyozu, T. Photoinduced color change and photomechanical effect of naphthalene diimides bearing alkylamine moieties in the solid state (2014) <i>Chemistry - A European Journal</i> , 20 (24), pp. 7309-7316.	12
	Zheng, S., Lynch, P.L.M., Rice, T.E., Moody, T.S., Gunaratne, H.Q.N., De Silva, A.P. Structural effects on the pH-dependent fluorescence of naphthalenic derivatives and consequences for sensing/switching (2012) <i>Photochemical and Photobiological Sciences</i> , 11 (11), pp. 1675-1681.	13
	Azadbakht, R., Keypour, H., Amiri Rudbari, H., Mohammad Zaheri, A.H., Menati, S. Synthesis and characterization of two new fluorescent macrocycles: A novel fluorescent chemosensor for zinc ion (2012) <i>Journal of Luminescence</i> , 132 (8), pp. 1860-1866.	14
	Sassi, M., Salamone, M.M., Ruffo, R., Mari, C.M., Pagani, G.A., Beverina, L. Gray to colorless switching, crosslinked electrochromic polymers with outstanding stability and transmissivity from naphthalenediimide-functionalized EDOT (2012) <i>Advanced Materials</i> , 24 (15), pp. 2004-2008.	15
	Banerji, N., Fürstenberg, A., Bhosale, S., Sisson, A.L., Sakai, N., Matile, S., Vauthey, E. Ultrafast photoinduced charge separation in naphthalene diimide based multichromophoric systems in liquid solutions and in a lipid membrane (2008) <i>Journal of Physical Chemistry B</i> , 112 (30), pp. 8912-8922.	16
	Wang, Y., Yang, Z.-Y. Crystal structure of Ni(II) complex and fluorescence properties of Zn(II) complex with the Schiff base derived from diethenetriamine and PMBP (2008) <i>Journal of Luminescence</i> , 128 (3), pp. 373-376.	17

120	Grabchev, I., Sali, S., Chovelon, J.-M. Functional properties of fluorescent poly(amidoamine) dendrimers in nematic liquid crystalline media (2006) Chemical Physics Letters, 422 (4-6), 547-551.	8
	Li X., Naeem A., Xiao S., Hu L., Zhang J., Zheng Q. Safety Challenges and Application Strategies for the Use of Dendrimers in Medicine (2022) <i>Pharmaceutics</i> , 14 (6), art. no. 1292 DOI: 10.3390/pharmaceutics14061292 DOCUMENT TYPE: Review	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) <i>Current Organic Chemistry</i> , 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827	2
	Yao, S., Qian, Y., Aggregation-induced emission, functionalized fluorescent nanoparticles and cells imaging of a water-soluble pyridyl-naphthalimide dendron (2018) <i>ChemistrySelect</i> , 3 (1), pp. 308-313.	3
	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) <i>Chinese Journal of Organic Chemistry</i> , 32 (2), pp. 304-317.	4
	Georgiev, N.I., Bojinov, V.B. The design and synthesis of a novel 1,8-naphthalimide PAMAM light-harvesting dendron with fluorescence "off-on" switching core (2010) <i>Dyes and Pigments</i> , 84 (3), pp. 249-256.	5
	Antharjanam, P.K.S., Jaseer, M., Ragi, K.N., Prasad, E. Intrinsic luminescence properties of ionic liquid crystals based on PAMAM and PPI dendrimers (2009) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 203 (1), pp. 50-55.	6
	Newkome, G.R., Shreiner, C.D. Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1 → 2 branching motifs: An overview of the divergent procedures (2008) <i>Polymer</i> , 49 (1), pp. 1-173.	7
	Jeremy Daniel Lease, PhD thesis, Carbohydrate-centered PAMAM dendrimers for use in growing liver cells, National University of Singapore, 2007.	8
121	Kukhta, A., Kolesnik, E., Grabchev, I., Sali, S. Spectral and luminescent properties and electroluminescence of polyvinylcarbazole with 1,8-naphthalimide in the side chain (2006) Journal of Fluorescence, 16 (3), 375-378.	52
	Mjp Y., Katagitar S., Sunil D., Kekuda D. n-Type naphthalimide-indole derivative for electronic applications (2023) <i>Journal of Materials Science: Materials in Electronics</i> , 34 (4), art. no. 334 DOI: 10.1007/s10854-023-09827-4	1
	Alam M.Z., Mohasin M., Mujeeb M.A., Basha H.A., Khan S.A. Donar- π -Acceptor (D- π -A) chromophores use as smart material for OLED (2024) <i>Concepts in Smart Societies: Next-generation of Human Resources and Technologies</i> , pp. 194 – 221 DOCUMENT TYPE: Book chapter	2
	Kagatkar, S., & Sunil, D. (2022). A systematic review on 1, 8-naphthalimide derivatives as emissive materials in organic light-emitting diodes. <i>Journal of Materials Science</i> , 1-35.	3
	Peng, J. (2022). Organic/Polymer Luminescent Materials and Devices. In <i>Phosphor Handbook</i> (pp. 337-354). CRC Press.	4
	Siafarika, P., Kouderis, C., Kalampounias, A.G., Non-Debye segmental relaxation of poly-N-vinyl-carbazole in dilute solution (2021) <i>Molecular Physics</i> , 119 (3), art. no. e1802075, .	5
	Coban, F., Ayranci, R., Ak, M., Synthesis and electropolymerization of a multifunctional naphthalimide clicked carbazole derivative (2020) <i>Polymer International</i> , 69 (3), pp. 265-273.	6

	Abo El-Maali, N., Wahman, A.Y., Aly, A.A.M., Nassar, A.Y., Sayed, D.M., Estimating of the binding constant of the anticancer 5-fluorouracil with Samarium and Europium (2019) Inorganic Chemistry Communications, 107, art. no. 107440, .	7
	Kotowicz, S. Otrzymanie i badania fizykochemiczne związków z układami wiązań π -sprzężonych projektowanych do potencjalnych zastosowań w organicznej elektronice. 2019 , PhD thesis	8
	Xie, G., Zhang, Z., Zhang, J., Synthesis and characterization of the novel color-tunable Eu/Tb(BPA)3phen composites (2018) MATEC Web of Conferences, 207, art. no. 03021,	9
	Jincy, E.M., Nair, M.K.M., Lanthanide(III) complexes incorporating tridentate on-donor pyrazolone ligand: Synthesis, characterization, fluorescence and antimicrobial studies (2018) Asian Journal of Chemistry, 30 (5), pp. 1037-1043.	10
	Georgijs Kirilovs, PhD thesis, Photophysical processes of benzanthrone luminophores at solid state, solvents and copolymers, Daugavpils Universitate. Latvia, 2018.	11
	Babgohari, M. Z., Ghorashi, S. B., & Mirjalili, G. (2017). Optical and structural properties of PVK/CA/PVK thin films fabricated by spin coating method. <i>Optik</i> , 131, 862-868.	12
	Luo, G.-H., Gao, X.-H., Pan, L., Lv, X.-C., Tan, Z.-C. Low-temperature molar heat capacities and thermodynamic properties of a new rare earth complex $\text{Er}_2(\mu_2\text{-Gly})_6(\text{H}_2\text{O})_4 \cdot \text{Na}_2(\text{ClO}_4)_8(\text{H}_2\text{O})_2 \cdot 4\text{H}_2\text{O}$ (2016) Journal of Thermal Analysis and Calorimetry, 126 (2), pp. 871-879.	13
	Bala, M., Kumar, S., Taxak, V.B., Boora, P., Khatkar, S.P. Terbium(III) complexes sensitized with β -diketone and ancillary ligands: Synthesis, elucidation of photoluminescence properties and mechanism (2016) Journal of Materials Science: Materials in Electronics, 27 (9), pp. 9306-9313.	14
	Azab, H.A., Khairy, G.M., Abd El-Ghany, N., Ahmed, M.A. Time-resolved fluorescence sensing of N-acetyl amino acids, nucleobases, nucleotides and DNA by the luminescent Tb (III) - 8-alkyl-2-oxo-2H-chromene-3-carbaldehyde probe (2016) Journal of Luminescence, 176, pp. 181-192.	15
	Chen, Y., Xing, Z., Cao, S., Wang, Y. Synthesis and luminescent properties of terbium complex with 2-amino-4-chlorobenzoic acid (2016) Journal of Rare Earths, 34 (3), pp. 240-244.	16
	Shah, M.D., Want, B. Enhanced luminescence of rare-earth Tb (III) obtained by mixing of Gd (III) in a fumarate complex and intra-molecular energy transfer (2015) Materials Science-Poland, 33 (4), pp. 685-691.	17
	Kang, J., Chen, Y.-N., Wang, A.-L., Li, H.-Y., Qu, Y.-R., Zhang, H.-X., Chu, H.-B., Zhao, Y.-L. Synthesis, characterization and luminescent properties of europium complexes with 2,4,6-tris-(2-pyridyl)-s-triazine as highly efficient sensitizers (2015) Luminescence, 30 (8), pp. 1360-1366.	18
	Oshchepkova, M.V., Oshchepkov, A.S., Zaborina, O.E., Fedorova, O.A., Fedorov, Y.V., Lozinsky, V.I. Fluorescent cryogels based on copolymers of N,N-dimethylacrylamide and allyl derivatives of 1,8-naphthalimide (2015) Polymer Science - Series B, 57 (6), pp. 631-637.	19
	Kang, J., Li, Y., Chen, Y., Wang, A., Yue, B., Qu, Y., Zhao, Y., Chu, H. Core-shell Ag/SiO ₂ -nanoparticles of different silica shell thicknesses: Preparation and their effects on photoluminescence of lanthanide complexes (2015) Materials Research Bulletin, 71, pp. 116-121.	20
	Zhang, J., Li, G., Kang, C., Lu, H., Zhao, X., Li, C., Li, W., Bo, Z. Synthesis of star-shaped small molecules carrying peripheral 1,8-naphthalimide functional groups and their applications in organic solar cells (2015) Dyes and Pigments, 115, pp. 181-189.	21

Feng, S.-Y., Li, W.-X., Guo, F., Cao, X.-F. Luminescence enhancement of terbium(III) perchlorate by 2,2'-dipyridyl on bis (benzylsulfinyl)methane complex and luminescence mechanism (2014) <i>Luminescence</i> , 29 (7), pp. 791-797.	22
Li, W.-X., Xin, X.-D., Feng, S.-Y., Liu, Y., Zhang, J., Ao, B.-Y., Li, Y.-J. Fluorescence enhancement of europium (III) perchlorate by 1,10-phenanthroline on the 1-(naphthalen-2-yl)-2-(phenylsulfthio)ethanone complex and luminescence mechanism (2014) <i>Luminescence</i> , 29 (7), pp. 810-817.	23
Jin, R. Theoretical study of chemosensors for fluoride anion and optical properties of the derivatives of organosilicon 1,8-naphthalimide (2014) <i>Journal of Fluorine Chemistry</i> , 162, pp. 26-31.	24
Jin, R.-F., Tang, S.-S., Sun, W.-D. Rational design of donor- π -acceptor n-butyl-1,8-naphthalimide-cored branched molecules as charge transport and luminescent materials for organic light-emitting diodes (2014) <i>Tetrahedron</i> , 70 (1), pp. 47-53.	25
Li, W.-X., Feng, S.-Y., Liu, Y., Zhang, J., Xin, X.-D., Ao, B.-Y., Li, Y.-J. Fluorescence enhancement of samarium (III) perchlorate by 1,10-phenanthroline on Phenyl-naphthoylmethyl sulfoxide complex and luminescence mechanism (2013) <i>Journal of Luminescence</i> , 143, pp. 746-753.	26
Li, W.-X., Liu, Y., Li, Y.-J., Feng, S.-Y., Zhang, J., Ao, B.-Y., Sun, X.-J., Saiji, L. Synthesis and luminescence properties of two novel lanthanide (III) complexes of acetophenonylcarboxymethyl sulphoxide (2013) <i>Luminescence</i> , 28 (3), pp. 302-307.	27
Jin, R., Tang, S. Theoretical study on optical and electronic properties of bipolar molecules with 1,8-naphthalimide and triphenylamine moieties as organic light-emitting materials (2013) <i>Journal of Molecular Graphics and Modelling</i> , 42, pp. 120-128.	28
Li, L., Huang, W., Li, L., Huang, Y., Zhong, A. A Study of the Fluorescence Properties of 1,8-Naphthalimide Derivative and CPA Composite (2013) <i>Asian Journal of Chemistry</i> , 25 (7), pp. 3884-3888.	29
Ulla, H., Garudachar, B., Satyanarayan, M.N., Umesh, G., Isloor, A.M. Blue light emitting naphthalimides for organic light emitting diodes (2013) <i>AIP Conference Proceedings</i> , 1512, pp. 1300-1301.	30
Li, W.-X., Zheng, Y.-S., Saiji, L., Li, Y.-J., Zhang, J., Ao, B.-Y. Fluorescence enhancement of terbium(III) perchlorate by 1,10-phenanthroline on acetophenonylcarboxymethyl sulfoxide complex and luminescence mechanism (2013) <i>Journal of Luminescence</i> , 134, pp. 847-852.	31
Liu, W., Li, X.-H., Huo, L.-N., Yang, T.-L. Synthesis, luminescence and dna-binding properties of eu(III) and tb(III) complexes with amide-based 2,3-dihydroxynaphthalene derivative (2013) <i>Asian Journal of Chemistry</i> , 25 (18), pp. 10465-10469.	32
Ulla, H., Garudachari, B., Satyanarayan, M.N., Umesh, G., Isloor, A.M. Blue light emitting materials for organic light emitting diodes: Experimental and simulation study (2012) 2012 International Conference on Optical Engineering, ICOE 2012, art. no. 6409561 .	33
Gao, B., Fang, L., Men, J. Studies on preparation, structure and fluorescence emission of polymer-rare earth complexes composed of aryl carboxylic acid-functionalized polystyrene and Tb(III) ion (2012) <i>Polymer (United Kingdom)</i> , 53 (21), pp. 4709-4717.	34
Li, W.-X., Chai, W.-J., Liu, Y., Li, Y.-J., Ren, T., Zhang, J., Ao, B.-Y. Fluorescence enhancement of rare earth Tb(III) by Tm(III) in benzyl benzoylmethyl sulphoxide complexes (2012) <i>Luminescence</i> , 27 (5), pp. 431-436.	35
Zhang, L., Ji, Y., Xu, X., Liu, Z., Tang, J. Synthesis, structure and luminescence properties of a series of dinuclear Ln III complexes (Ln=Gd, Tb, Dy, Ho, Er) (2012) <i>Journal of Luminescence</i> , 132 (8), pp. 1906-1909.	36
Gao, B., Zhang, W., Zhang, Z., Lei, Q. Preparation of polymer-rare earth complex using salicylic acid-containing polystyrene and its fluorescence emission property (2012) <i>Journal of Luminescence</i> , 132 (8), pp. 2005-2011.	37

Gao, B., Fang, L., Zhang, R., Men, J. Preparation of aromatic carboxylic acid-functionalized polysulfone and preliminary exploration of fluorescence emission character of formed polymer-rare earth complexes (2012) <i>Synthetic Metals</i> , 162 (5-6), pp. 503-510.	38
Ahmed Azab, H., Anwar, Z.M., Abdel-Salam, E.T., EL-Sayed-Sebak, M. New luminescent bioprobes Eu(III)-phloroglucinol derivatives and their spectrofluorimetric, electrochemical interactions with nucleotides and DNA (2012) <i>Journal of Fluorescence</i> , 22 (1), pp. 223-238.	39
Li, W.-X., Zheng, Y.-S., Chai, W.-J., Ren, T., Liu, Y., Li, Y.-J., Sun, X.-J., Xing, G.-W. Fluorescence emission mechanism and fluorescence properties of ternary Tb(III) complex with diphenyl sulphoxide and bipyridine (2011) <i>Luminescence</i> , 26 (6), pp. 754-761.	40
Zugle, R., Litwinski, C., Nyokong, T. Photophysical characterization of dysprosium, erbium and lutetium phthalocyanines tetrasubstituted with phenoxy groups at non-peripheral positions (2011) <i>Polyhedron</i> , 30 (9), pp. 1612-1619.	41
Chen, Z., Dreyer, D.R., Wu, Z.-Q., Wiggins, K.M., Jiang, Z., Bielawski, C.W. Synthesis of main-chain poly(carbazole)s via CuAAC (2011) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 49 (6), pp. 1421-1426.	42
Wen-Xian, L., Yu-Shan, Z., Xiao-Jun, S., Wen-Juan, C., Tie, R., Xiao-Yan, S. Enhanced fluorescence of Tb(III), Dy(III) perchlorate by salicylic acid in bis(benzoylmethyl) sulfoxide complexes and luminescence mechanism (2010) <i>Journal of Luminescence</i> , 130 (8), pp. 1455-1462.	43
Li, W.-X., Chai, W.-J., Sun, X.-J., Ren, T., Shi, X.-Y. Synthesis and luminescence properties of two novel lanthanide (III) perchlorate complexes with bis(benzoylmethyl) sulfoxide and benzoic acid (2010) <i>Journal of Fluorescence</i> , 20 (4), pp. 873-880.	44
Wang, Y., Zhang, X., Han, B., Peng, J., Hou, S., Huang, Y., Sun, H., Xie, M., Lu, Z. The synthesis and photoluminescence characteristics of novel blue light-emitting naphthalimide derivatives (2010) <i>Dyes and Pigments</i> , 86 (2), pp. 190-196.	45
Sun, X.-J., Li, W.-X., Chai, W.-J., Ren, T., Shi, X.-Y. The studies of enhanced fluorescence in the two novel ternary rare-earth complex systems (2010) <i>Journal of Fluorescence</i> , 20 (2), pp. 453-461.	46
Li, W.-X., Zheng, Y.-S., Sun, X.-J., Shi, X.-Y., Chai, W.-J., Ren, T. Synthesis and fluorescence properties of lanthanide (III) perchlorate complexes with naphthyl-naphthalinesulphonylpropyl sulfoxide (2010) <i>Journal of Fluorescence</i> , 20 (1), pp. 235-241.	47
Azab, H.A., El-Korashy, S.A., Anwar, Z.M., Hussein, B.H.M., Khairy, G.M. Synthesis and fluorescence properties of Eu-anthracene-9-carboxylic acid towards N-acetyl amino acids and nucleotides in different solvents (2010) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 75 (1), pp. 21-27.	48
Li, W.-X., Shi, X.-Y., Sun, X.-J., Sun, X.-L., Chai, W.-J., Ren, T., Zhao, L. Enhanced luminescence in (Dyx, Tmy) Complexes (2009) <i>Chinese Journal of Luminescence</i> , 30 (5), pp. 568-574.	49
Guo, L., Li, W.-X., Shi, X.-Y., Sun, X.-J., Sun, X.-L. Enhanced luminescence of rare-earth Tb (III) by Tm (III) in bis(benzoylmethyl) sulfoxide complexes and intra-molecular energy transfer (2009) <i>Journal of Luminescence</i> , 129 (6), pp. 639-644.	50
Maki, Y., Mori, H., Endo, T. Synthesis of well-defined alternating copolymers by RAFT copolymerization of N-vinylnaphthalimide (2008) <i>Macromolecules</i> , 41 (22), pp. 8397-8404.	51
Li, W.-X., Guo, L., Chen, L.-J., Shi, X.-Y. Synthesis and fluorescence properties of lanthanide (III) perchlorate complexes with bis(benzoylmethyl) sulfoxide (2008) <i>Journal of Fluorescence</i> , 18 (6), pp. 1043-1049.	52

122	Grabchev, I., Guittonneau, S. Sensors for detecting metal ions and protons based on new green fluorescent poly(amidoamine) dendrimers peripherally modified with 1,8-naphthalimides (2006) Journal of Photochemistry and Photobiology A: Chemistry, 179 (1-2), pp. 28-34.	43
	Adam, A.M.A., Altalhi, T.A., El-Megharbel, S.M., Saad, H.A., Refat, M.S., Using a modified polyamidoamine fluorescent dendrimer for capturing environment polluting metal ions Zn^{2+} , Cd^{2+} , and Hg^{2+} : Synthesis and characterizations (2021) Crystals, 11 (2), art. no. 92, pp. 1-20.	1
	Singh, K. R., & Singh, R. P. (2021). Utility of Nanobiosensors in Environmental Analysis and Monitoring. In <i>Nanosensors for Environment, Food and Agriculture Vol. 1</i> (pp. 229-246). Springer, Cham.	2
	Steinegger, A., Wolfbeis, O.S., Borisov, S.M., Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications (2020) Chemical Reviews, 120 (22), pp. 12357-12489.	3
	Quan, C., Liu, J., Sun, W., Cheng, X., Highly sensitive and selective fluorescence chemosensors containing phenanthroline moieties for detection of Zn^{2+} and Cd^{2+} ions (2020) Chemical Papers, 74 (2), pp. 485-497.	4
	Satija, J., Chauhan, S.K., Punjabi, N., Mukherji, S., Dendrimer Sensors (2017) Comprehensive Supramolecular Chemistry II, 8, pp. 237-259.	5
	Ramasamy, K., Thambusamy, S., Dual emission and pH based naphthalimide derivative fluorescent sensor for the detection of Bi^{3+} (2017) Sensors and Actuators, B: Chemical, 247, pp. 632-640.	6
	Wang, W., Li, R., Song, T., Zhang, C., Zhao, Y. Study on the fluorescent chemosensors based on a series of bis-Schiff bases for the detection of zinc(II) (2016) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 164, pp. 133-138.	7
	El-Sayed, M.Y., Refat, M.S. Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 137, pp. 1270-1279.	8
	Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A. Application of PAMAM dendrimers in optical sensing (2015) Analyst, 140 (4), pp. 976-989.	9
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V. Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	10
	Refat, M.S., Gobouri, A.A., Adam, A.M.A., Saad, H.A. Novel charge-transfer complexes of 4-hexylamino-1,8-naphthalimide-labelled PAMAM dendrimer with some acceptors: A spectrophotometric study (2014) Physics and Chemistry of Liquids, 52 (5), pp. 680-696.	11
	Refat, M.S., Adam, A.A., Ismail, L.A. Structural, vibrational and electronic spectral analysis of charge-transfer complexation between three triazine-stilbene derivatives with some π -acceptors. Part four: DDQ (2013) International Journal of Chemical Sciences, 11 (4), pp. 1681-1691.	12
	Refat, M.S., Ismail, L.A., Adam, A.M.A. Synthesis and structural characterization of charge-transfer complexes derived from three symmetrically substituted 4,4'-bis- (1,3,5-triazinylamino)stilbene-2,2'-disulfonate derivatives with some π -acceptors. part one: Chloranilic acid (2013) International Journal of Chemical Sciences, 11 (4), pp. 1647-1658.	13
	Refat, M.S., Ismail, L.A., Adam, A.M.A. Electronic and FT-IR spectral investigations of the charge-transfer interactions between three symmetrically substituted triazine-stilbene derivatives with some π -acceptors. Part three: TCNQ (2013) International Journal of Chemical Sciences, 11 (4), pp. 1670-1680.	14

Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ -fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) <i>Dyes and Pigments</i> , 97 (1), pp. 168-174.	15
Pina-Luis, G., Martínez-Quiroz, M., Ochoa-Terán, A., Santacruz-Ortega, H., Mendez-Valenzuela, E. New dual emission fluorescent sensor for pH and Pb(II) based on bis(naphthalimide) derivative (2013) <i>Journal of Luminescence</i> , 134, pp. 729-738.	16
Saleh, N., Graham, J., Afaneh, A., Al-Soud, Y.A., Schreckenbach, G., Esmadi, F.T. Pteridine-based fluorescent pH sensors designed for physiological applications (2012) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 247, pp. 63-73.	17
Carregal-Romero, S., Montenegro, J.-M., Parak, W.J., Rivera Gil, P. Subcellular carrier-based optical ion-selective nanosensors (2012) <i>Frontiers in Pharmacology</i> , 3 APR, art. no. Article 70, .	18
Soldatkin, O.O., Kucherenko, I.S., Pyeshkova, V.M., Kukla, A.L., Jaffrezic-Renault, N., El'skaya, A.V., Dzyadevych, S.V., Soldatkin, A.P. Novel conductometric biosensor based on three-enzyme system for selective determination of heavy metal ions (2012) <i>Bioelectrochemistry</i> , 83 (1), pp. 25-30.	19
Agarwal, C., Prasad, E. Detection of Cu(II) and NO by 'on-off' aggregation in poly(aryl ether) dendron derivatives (2012) <i>New Journal of Chemistry</i> , 36 (9), pp. 1859-1865.	20
Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Елеменорганической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	21
Wang, B.-Y., Liu, X.-Y., Ding, S.-L., Su, Z.-X. Synthesis and photophysical properties of a blue water-soluble fluorescent polymer for Ni ²⁺ and proton sensing (2011) <i>Journal of Polymer Research</i> , 18 (6), pp. 1315-1322.	22
Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging (2011) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 223 (2-3), pp. 111-118.	23
Pu, L. Dendrimer-Based Sensors (2011) <i>Chemosensors: Principles, Strategies, and Applications</i> , pp. 121-162.	24
Tang, J., Yang, H., Liu, J., Wang, Y., Yin, X., Wang, R., Huang, L., Huang, Z. Ln ³⁺ -enhanced blue fluorescence from novel excimer of 1,8-naphthalimide-conjugated PAMAM (2010) <i>Optical Materials</i> , 32 (11), pp. 1417-1422.	25
Hu, Y., Wang, B., Su, Z. Photo-physical properties of a new norfloxacin-containing polymer for protons and Fe ³⁺ Sensing (2010) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 47 (2), pp. 166-171.	26
Wang, B.-Y., Liu, X.-Y., Hu, Y.-L., Su, Z.-X. Synthesis and photophysical behavior of a water-soluble coumarin-bearing polymer for proton and Ni ²⁺ ion sensing (2009) <i>Polymer International</i> , 58 (6), pp. 703-709.	27
Yamaji, D., Takaguchi, Y. A novel fluorescent fluoride chemosensor based on unmodified poly(amidoamine) dendrimer (2009) <i>Polymer Journal</i> , 41 (4), pp. 293-296.	28
Huang, J., Xu, Y., Qian, X. A red-shift colorimetric and fluorescent sensor for Cu ²⁺ in aqueous solution: Unsymmetrical 4,5-diaminonaphthalimide with N-H deprotonation induced by metal ions (2009) <i>Organic and Biomolecular Chemistry</i> , 7 (7), pp. 1299-1303.	29
Qi, Q., Sun, Y.-M., Ha, Y.-Q. Structures and UV-Vis absorption spectra of 1,8-naphthalimide derivatives (2009) <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 25 (6), pp. 1143-1148.	30

	Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V. Synthesis and spectral properties of 4-amino-and 4-acetylamino-N-arylnaphthalimides containing electron-donating groups in the N-aryl substituent (2009) Russian Chemical Bulletin, 58 (6), pp. 1233-1240.	31
	Huang, J., Xu, Y., Qian, X. A colorimetric sensor for Cu ²⁺ in aqueous solution based on metal ion-induced deprotonation: Deprotonation/protonation mediated by Cu ²⁺ -ligand interactions (2009) Dalton Transactions, (10), pp. 1761-1766.	32
	Jiang, W., Tang, J., Qi, Q., Sun, Y., Ye, H., Fu, D. An experimental and computational study of intramolecular charge transfer: Diarylamino derivatives of 7H-benzimidazo(2,1-a)benz(d,e)isoquinolin-7-ones (2009) Dyes and Pigments, 80 (3), pp. 279-286.	33
	Hu, Y., Wang, B., Su, Z. Synthesis and properties of a new green water-soluble polymer for proton and metal-cation sensing (2009) Journal of Applied Polymer Science, 111 (4), pp. 1931-1935.	34
	Hariri, K., Ruch, T., Riess, G. Block copolymers as dispersants and migration inhibitors: Incorporation of fluorescent dyes in polyethylene (2009) E-Polymers, art. no. 063, .	35
	Wang, B., Guan, X., Hu, Y., Su, Z. Synthesis and photophysical behavior of a water-soluble fluorescein-bearing polymer for Fe ³⁺ ion sensing (2008) Journal of Polymer Research, 15 (6), pp. 427-433.	36
	H. Yang, J. Tang, Y. Wang, J. Liu, L. Zhau, HOU, J. Liu, Applied Chemical Industry, 37 (2008) 465	37
	Borisov, S.M., Klimant, I. Optical nanosensors - Smart tools in bioanalytics (2008) Analyst, 133 (10), pp. 1302-1307.	38
	Wang, B., Hu, Y., Su, Z. Synthesis and photophysical behaviors of a blue fluorescent copolymer as chemosensor for protons and Ni ²⁺ ion in aqueous solution (2008) Reactive and Functional Polymers, 68 (7), pp. 1137-1143.	39
	Jiang, W., Tang, J., Sun, Y., Xu, W., Wang, H. Synthesis and photochemical properties of two ICT compounds with naphthalimide and diarylamine units (2008) Journal of Southeast University (English Edition), 24 (2), pp. 243-246.	40
	Trinchi, A., Muster, T.H. A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) Supramolecular Chemistry, 19 (7), pp. 431-445.	41
	Hu, Y., Wang, B., Su, Z. Fluorescence property of poly (MMA-co-ACNF) and its ability to detect Fe ³⁺ ion (2007) International Journal of Polymer Analysis and Characterization, 12 (5), pp. 391-399.	42
	Jayaraman, N. Dendrimers and their use as nanoscale sensors (2007) Nanomaterials Chemistry: Recent Developments and New Directions, pp. 249-297.	43
123	Sali, S., Guittonneau, S., Grabchev, I. A novel blue fluorescent chemosensor for metal cations and protons, based on 1,8-naphthalimide and its copolymer with styrene(2006) Polymers for Advanced Technologies, 17 (3), pp. 180-185.	21
	Li K., Li R., Kong X., Shen Q., Wan T., Wu H. A highly selective and sensitive fluorescent sensor based on a 1,8-naphthalimide with a Schiff base function for Hg ²⁺ in aqueous media (2022) Zeitschrift fur Naturforschung - Section B Journal of Chemical Sciences, 77 (9), pp. 611 - 617 DOI: 10.1515/znb-2022-0044	1

Das P.P., Mohanty P., Barick A.K., Mohapatra P., Jali B.R. A Versatile Molecular Probe of Naphthalimide-Derivative for Zn(II) Sensor: A Mini-Review (2023) Trends in Sciences, 20 (7), art. no. 5005 DOI: 10.48048/tis.2023.5005	2
Luo, X., Chen, D., Xu, Z., Song, Y., Li, H., Xian, C., A fluorescent probe based on a spiropyran for sensitive detection of Ce ³⁺ ion (2020) Journal of Rare Earths, 38 (4), pp. 445-450.	3
Liu, M., Xu, Z., Song, Y., Li, H., Xian, C., A novel coumarin-based chemosensor for colorimetric detection of Ag(I) ion and fluorogenic sensing of Ce(III) ion (2018) Journal of Luminescence, 198, pp. 337-341.	4
Aderinto, S.O., Xu, Y., Peng, H., Wang, F., Wu, H., Fan, X., A highly Selective Fluorescent Sensor for Monitoring Cu ²⁺ Ion: Synthesis, Characterization and Photophysical Properties (2017) Journal of Fluorescence, 27 (1), pp. 79-87.	5
Geng, T.-M., Wu, D.-Y., Huang, W., Dual turn-on fluorescent chemosensor for Cu ²⁺ and Hg ²⁺ in aqueous medium based on a water-soluble polyacrylamide containing rhodamine (2015) Journal of Polymer Research, 22 (3), art. no. 40, 8 p.	6
Rouhani, S., Nahavandifard, F., Molecular imprinting-based fluorescent optosensor using a polymerizable 1,8-naphthalimide dye as a fluorescence functional monomer (2014) Sensors and Actuators, B: Chemical, 197, pp. 185-192.	7
S. Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014	8
Ma, L., Niu, H., Cai, J., Lian, Y., Zhang, C., Wang, C., Bai, X., Wang, W., Non-conjugated polyamines with near-infrared electrochromic and photoelectric response prepared via reducing PolySchiff bases by NaBH ₄ (2013) Sensors and Actuators, B: Chemical, 188, pp. 117-126.	9
Fink, J.K., Polymeric Sensors and Actuators (2012) Polymeric Sensors and Actuators, pp. 1-512.	10
Qiang, X., Wu, T., Fan, J., Wang, J., Song, F., Sun, S., Jiang, J., Peng, X., Preparation and folic acid conjugation of fluorescent polymer nanoparticles for cancer cell targeting (2012) Journal of Materials Chemistry, 22 (31), pp. 16078-16083.	11
Shen, J.-L., Yang, X.-G., Huang, L., Shen, Q.-L., Liu, Z.-H., Zhang, F.-J., Synthesis and photophysical Behavior of two novel bis(1,8-naphthalimides) containing triazine spacers (2012) Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica, 28 (8), pp. 1992-1999.	12
Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J., A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 85-92.	13
Georgiev, N.I., Bojinov, V.B., Nikolov, P.S., The design, synthesis and photophysical properties of two novel 1,8-naphthalimide fluorescent pH sensors based on PET and ICT (2011) Dyes and Pigments, 88 (3), pp. 350-357.	14
Jiang, J., Leng, B., Xiao, X., Zhao, P., Tian, H., "Off-On-Off" fluorescent proton switch synthesized by RAFT polymerization (2009) Polymer, 50 (24), pp. 5681-5684.	15
Zhao, P., Jiang, J., Leng, B., Tian, H., Polymer fluoride sensors synthesized by RAFT polymerization (2009) Macromolecular Rapid Communications, 30 (20), pp. 1715-1718.	16
Ishchenko, A.A., Grabchuk, G.P., Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) Theoretical and Experimental Chemistry, 45 (3), pp. 143-167.	17

	Qi, Q., Sun, Y.-M., Ha, Y.-Q., Structures and UV-Vis absorption spectra of 1,8-naphthalimide derivatives (2009) Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica, 25 (6), pp. 1143-1148.	18
	Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V., Synthesis and spectral properties of 4-amino-and 4-acetylamino-N- aryl naphthalimides containing electron-donating groups in the N-aryl substituent (2009) Russian Chemical Bulletin, 58 (6), pp. 1233-1240.	19
	Bojinov, V.B., Panova, I.P., Chovelon, J.-M., Novel blue emitting tetra- and pentamethylpiperidin-4-yloxy-1,8-naphthalimides as photoinduced electron transfer based sensors for transition metal ions and protons (2008) Sensors and Actuators, B: Chemical, 135 (1), pp. 172-180.	20
	Yuan, D., Brown, R.G., Hepworth, J.D., Alexiou, M.S., Tyman, J.H.P., The synthesis and fluorescence of novel N-substituted-1,8-naphthylimides (2008) Journal of Heterocyclic Chemistry, 45 (2), pp. 397-404.	21
124	Bojinov, V.B., Grabchev, I.K. Novel functionalized 2-(2-hydroxyphenyl)-benzotriazole - benzo[de]isoquinoline-1,3-dione fluorescent UV absorbers. Synthesis and photostabilizing efficiency (2005) Journal of Photochemistry and Photobiology A: Chemistry, 172 (3), pp. 308-315.	28
	Uesaka T., Ishitani T., Shimeno T., Suzuki N., Yagi S., Maeda T. Synthesis and photophysical properties of photostable 1,8-naphthalimide dyes incorporating benzotriazole-based UV absorbers (2022) RSC Advances, 12 (27) DOI: 10.1039/d2ra02028a	1
	Aiman Syafiq Mohd Hamidi N., Mohamad Ikmal Wan Mohamad Kamaruzzaman W., Amirah Mohd Nasir N., Syaizwadi Shaifudin M., Sabri Mohd Ghazali M. Potential Application of Plant-Based Derivatives as Green Components in Functional Coatings: A Review (2022) Cleaner Materials, 4, art. no. 100097 DOI: 10.1016/j.clema.2022.100097 DOCUMENT TYPE: Review	2
	Han R., Gan P., Zhang X., Shi W., Li H., Cao H., Wang H., Wang D., Yang Z., He W. Optical properties of broadband reflection of cholesteric liquid crystal by thermal diffusion of benzotriazoles (2022) Applied Optics, 61 (15), pp. 4486 – 4493 DOI: 10.1364/AO.458594	3
	Sabaa, M.W., Sanad, M.A., Abd El-Ghaffar, M.A., Abdelwahab, N.A., Sayed, S.M.A., Soliman, S.M.A., Synthesis, characterization, and application of polyanisidines as efficient photostabilizers for poly(vinyl chloride) films (2020) Journal of Elastomers and Plastics, 52 (6), pp. 537-547.	4
	Kadhium, S.S., Hussen, E.M., Mageed, Z.N., Abed, A.H., Mohammed, H.H., Study the Photo-degradation of poly styrene -co-butadiene in presence of Ni complex and TiO ₂ (2020) IOP Conference Series: Materials Science and Engineering, 871 (1), art. no. 012026, .	5
	Xiao, L., Zhao, Y., Jin, B., Zhang, Q., Chai, Z., Peng, R., Synthesis of novel ultraviolet stabilizers based on [60]fullerene and their effects on photo-oxidative degradation of polystyrene (2020) Fullerenes Nanotubes and Carbon Nanostructures, 28 (6), pp. 465-473.	6
	Hussain, Z., Alsayed, R., Alwash, A., Ahmed, A., Noaman, R., Jawad, A. H., & Yousif, E. (2019). Controlling the Photo-Degradation Rate Constant of PS Containing Nickel (II) Complex. <i>Al-Nahrain Journal of Science</i> , 22(3), 8-17.	7
	Mengüç, G.S., Temel, E., Bozdoğan, F., Sunlight exposure: The effects on the performance of paragliding fabric (2018) Industria Textila, 69 (5), pp. 381-389.	8
	Рогожина, Л. Г., М. В. Кузьмин, and И. Н. Бардасов. "Исследование влияния новых флуоресцирующих светостабилизаторов на свойства пенополиуретанов." <i>Пластические массы</i> 1-2 (2018): 6-8.	9
	Ahmed, D.S., El-Hiti, G.A., Yousif, E., Hameed, A.S., Polyphosphates as inhibitors for poly(vinyl Chloride) photodegradation (2017) Molecules, 22 (11), art. no. 1849, .	10

	Zhang, W., Chen, D., Preparation and UV-shielding Property of ZnO/CeO ₂ Hollow Spheres (2017) <i>Zhongguo Xitu Xuebao/Journal of the Chinese Rare Earth Society</i> , 35 (5), pp. 599-605.	11
	Ahmed, D.S., El-Hiti, G.A., Hameed, A.S., Yousif, E., Ahmed, A. New tetra-schiff bases as efficient photostabilizers for poly(vinyl chloride) (2017) <i>Molecules</i> , 22 (9), art. no. 1506, .	12
	Isidoro, J. R. (2018). Síntese de macroaditivos e copolímeros de poliestireno contendo estabilizantes UV.	13
	James, M. A. (2017). <i>Identification of Micro plastics Present in Polythene-Sachet Water Simply Exposed to Sunlight</i> (Doctoral dissertation, University of Nigeria, Nsukka).	14
	Ahmed, GA El-Hiti, E Yousif, AS Hameed, Polyphosphates as inhibitors for poly (vinyl chloride) photodegradation DS - <i>Molecules</i> , 2017, 22, 1849	15
	上坂敏之, 八木繁幸, and 前田壮志. "5-アミノ-2-(2-ヒドロキシフェニル)-2H-ベンゾトリアゾール誘導体の合成と蛍光特性." <i>色材協会誌</i> 93.6 (2020): 194-201.	16
	Yousif, E., Haddad, R., Yahya, B.H., Aizad, S., Abidin, N.Z., Omar, H., Kadir, I.A.A., Huri, H.Z., Abdullah, B.M., Zubairi, S.I., Induced photodegradation effect on the functionalized FE(III) complex additive-poly(Vinyl Chloride) thin film (2016) <i>Jurnal Teknologi</i> , 78 (7), pp. 91-97.	17
	Shaki, H., Khosravi, A., Gharanjig, K., Mahboubi, A., Investigation of synthesis, characterization, photophysical and biological properties of novel antimicrobial fluorescent naphthalimide derivatives (2016) <i>Materials Technology</i> , 31 (6), pp. 322-331.	18
	Zhu, J., Gao, P., Sun, T., Wang, M., Tang, Y., Synthesis and characterization of a novel polymeric ultraviolet absorber and its properties (2015) <i>Polymer Bulletin</i> , 72 (7), pp. 1753-1761.	19
	H. Shaki, A.Khosravi, K.Gharanjig, A. Mahboubi, <i>International Journal of Technical Research and Applications</i> , 2015 (29) 103-106	20
	Miladinova, P.M., Konstantinova, T.N., Photo stabilizers for polymers - new trends (2015) <i>Journal of Chemical Technology and Metallurgy</i> , 50 (3), pp. 229-239.	21
	Yousif, E., Haddad, R., Photodegradation and photostabilization of polymers, especially polystyrene: Review (2013) <i>SpringerPlus</i> , 2 (1), .	22
	Sheshashena Reddy, T., Ram Reddy, A., Synthesis and fluorescence study of 3-aminoalkylamidonaphthalimides (2012) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 227 (1), pp. 51-58.	23
	Goldshtein, J., Margel, S., Synthesis and characterization of polystyrene/2-(5-chloro-2H-benzotriazole- 2-yl)-6-(1,1- dimethylethyl)-4-methyl-phenol composite microspheres of narrow size distribution for UV irradiation protection (2011) <i>Colloid and Polymer Science</i> , 289 (17-18), pp. 1863-1874.	24
	Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A., Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 216 (1), pp. 44-50.	25
	Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	26
	Goldshtein, J., Margel, S., Synthesis and characterization of new UV absorbing microspheres of narrow size distribution by dispersion polymerization of 2-(2'-hydroxy-5'-methacryloxyethylphenyl)-2H-benzotriazole (2009) <i>Polymer</i> , 50 (15), pp. 3422-3430.	27

	Jiang, W., Tang, J., Qi, Q., Sun, Y., Ye, H., Fu, D., An experimental and computational study of intramolecular charge transfer: Diarylamino derivatives of 7H-benzimidazo(2,1-a)benz(d,e)isoquinolin-7-ones (2009) Dyes and Pigments, 80 (3), pp. 279-286.	28
125	Bojinov, V., Panova, I., Grabchev, I. Novel adducts of a 2-(2-hydroxyphenyl)-benzotriazole and a blue emitting benzo[de]isoquinoline-1,3-dione for "one-step" fluorescent brightening and stabilization of polymers (2005) Polymer Degradation and Stability, 88 (3), pp. 420-427.	12
	Uesaka T., Ishitani T., Shimeno T., Suzuki N., Yagi S., Maeda T. Synthesis and photophysical properties of photostable 1,8-naphthalimide dyes incorporating benzotriazole-based UV absorbers (2022) RSC Advances, 12 (27) DOI: 10.1039/d2ra02028a	1
	Yan, H., Zhong, K., Lu, Y., New Schiff base chromophores composed of salicylaldehyde and naphthalimide derivatives for ion sensor applications (2019) Analytical Methods, 11 (28), pp. 3597-3607.	2
	Li, L., Li, H., Liu, G., Pu, S., A novel fluorescent sensor for Al ³⁺ based on a new diarylethene with a naphthalimide unit (2017) Journal of Photochemistry and Photobiology A: Chemistry, 338, pp. 192-200.	3
	上坂敏之, 八木繁幸, and 前田壮志. "5-アミノ-2-(2-ヒドロキシフェニル)-2H-ベンゾトリアゾール誘導体の合成と蛍光特性." 色材協会誌 93.6 (2020): 194-201.	4
	Miladinova, P.M., Konstantinova, T.N., Photo stabilizers for polymers - new trends (2015) Journal of Chemical Technology and Metallurgy, 50 (3), pp. 229-239.	5
	Patil, V.S., Padalkar, V.S., Sekar, N., 2-methyl-4-oxo-N-(4-oxo-2-phenyl substituted-1,3-thiazolidin-3-yl)-3,4- dihydroquinazoline-5-carboxamides - A new range of fluorescent whiteners: Synthesis and photophysical characterization (2014) Journal of Fluorescence, 24 (4), pp. 1077-1086.	6
	Zhou, J., Zhang, X., Dai, J., Li, J., Synthesis and fluorescent performance of fluorescein-functionalized waterborne polyurethane (2012) Journal of Macromolecular Science, Part A: Pure and Applied Chemistry, 49 (10), pp. 890-896.	7
	Ye, G.-J., Zhao, T.-T., Jin, Z.-N., Gu, P.-Y., Mao, J.-Y., Xu, Q.-H., Xu, Q.-F., Lu, J.-M., Li, N.-J., Song, Y.-L., The synthesis and NLO properties of 1,8-naphthalimide derivatives for both femtosecond and nanosecond laser pulses (2012) Dyes and Pigments, 94 (2), pp. 271-277.	8
	Zhou, Y., Zhou, H., Ma, T., Zhang, J., Niu, J., A new Schiff base based on vanillin and naphthalimide as a fluorescent probe for Ag ⁺ in aqueous solution (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 88, pp. 56-59.	9
	Hu, X.-H., Zhang, X.-Y., Dai, J.-B., Liu, J., Synthesis and fluorescent investigations of VBL-based waterborne polyurethane dye (2011) Journal of Luminescence, 131 (10), pp. 2160-2165.	10
	Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A., Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) Journal of Photochemistry and Photobiology A: Chemistry, 216 (1), pp. 44-50.	11
	Wu, Z., Meng, L., Progress in fluorescent polymers (2007) Progress in Chemistry, 19 (9), pp. 1381-1392.	12
126	Refat, M.S., Teleb, S.M., Grabchev, I. Charge-transfer interaction of iodine with some polyamidoamines (2005) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 61 (1-2), pp. 205-211.	11
	Makhayeva D.N., Irmukhametova G.S., Khutoryanskiy V.V. Advances in antimicrobial polymeric iodophors (2023) European Polymer Journal, 201, art. no. 112573 DOI: 10.1016/j.eurpolymj.2023.112573 DOCUMENT TYPE: Review	1

	Kodadi, S.K., Kovuri, S., Spectrophotometric and computational studies of CT complexes of heterocyclic non-steroidal anti-inflammatory drugs with iodine as σ – Acceptor (2020) Journal of Molecular Structure, 1202, art. no. 127271, .	2
	Kodadi, S.K., Tigulla, P., Synthesis, Spectroscopic and Computational Studies of CT Complexes of Amino Acids with Iodine as σ Acceptor (2017) Journal of Solution Chemistry, 46 (7), pp. 1364-1403.	3
	Colombani, J., Chauvet, E., Amat, S., Dupuy, N., Gignes, D., A FTIR/chemometrics approach to characterize the gamma radiation effects on iodine/epoxy-paint interactions in Nuclear Power Plants (2017) Analytica Chimica Acta, 960, pp. 53-62.	4
	Niu, Y., Qian, Y., Hu, X., Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) Chinese Journal of Organic Chemistry, 36 (3), pp. 555-561.	5
	Khouba, Z., Benabdallah, T., Maschke, U., Spectrophotometric investigation of interaction between iodine and pentadentate Schiff base ligands (2014) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 125, pp. 61-66.	6
	Bosland, L., Dickinson, S., Glowa, G.A., Herranz, L.E., Kim, H.C., Powers, D.A., Salay, M., Tietze, S., Iodine-paint interactions during nuclear reactor severe accidents (2014) Annals of Nuclear Energy, 74 (C), pp. 184-199.	7
	Pandeeswaran, M., El-Mossalamy, E.H., Elango, K.P., Spectroscopic studies of the complexation of iodine with antihistamine drugs in solvents of varying relative permittivity(2012) Journal of Solution Chemistry, 41 (12), pp. 2091-2106.	8
	Pandeeswaran, M., EL-Mossalamy, E.H., Elango, K.P., Spectroscopic studies on the dynamics of charge-transfer interaction of pantoprazole drug with DDQ and iodine (2009) International Journal of Chemical Kinetics, 41 (12), pp. 787-799.	9
	Tenorio López, F.A., Del Valle M., L., Pastelín H., G., Validation of a spectrophotometric analytical method for quantifying aminophylline in injection [Validación de un método analítico espectrofotométrico para la cuantificación de aminofilina en solución inyectable] (2005) Revista Mexicana de Ciencias Farmaceuticas, 36 (4), pp. 39-47.	10
	Gaballa, A.S. Spectroscopic studies on charge transfer complexes of 1,4,10,13-tetraoxa-7, 16-diazacyclooctadecane with a series of electron acceptors (2005) Indian Journal of Chemistry - Section A Inorganic, Physical, Theoretical and Analytical Chemistry, 44 (7), pp. 1372-1377.	11
127	Grabchev, I., Sali, S. Photophysical properties of fluorescent copolymers of methylmethacrylate for use in liquid crystalline systems (2005) Zeitschrift fur Naturforschung - Section A Journal of Physical Sciences, 60 (11-12), pp. 831-836.	2
	Calderon, I.A.C., Lao, K.S., Chua, E.T., Romano, E., Anore, K.H.S., Cabatuando, A.C.R., Ibabao, M.J.P., Guerrero, R.A., So, R.C., FRET interaction between pyrene-tagged β -hydroxy acid and perylen-3-ylmethylmethacrylate co-N-dodecylmethacrylamide in film and solution (2013) Journal of Applied Polymer Science, 129 (5), pp. 2865-2872.	1
	Tanaka, K., Akiyama, R., Kobayashi, H., Optical properties and boundary effects of nano-fiber-liquid crystal composites (2013) Sen'i Gakkaishi, 69 (2), pp. P49-P52.	2
128	Wróbel, D., Boguta, A., Mykowska, E., Bauman, D., Grabchev, I. Photothermal properties of 3-substituted benzanthrone dyes (2005) Molecular Crystals and Liquid Crystals, 427, 57-69.	7
	Altaf, Yasir, Computational Chemistry of Compounds with Donor-Acceptor Interactions, PhD thesis, Victoria University of Wellington, 2019	1
	P.M. Miladinova, D.A. Todorova, Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer, Bulgarian Chemical Communications, 2017, 49, Special Issue L, pp. 67 – 73.	2

	Miladinova, P.M., Zhekov, D.D., Georgiev, N.I., Synthesis of a new pet based benzanthrone probe for determination of pH and cuprum (II) ions (2017) Journal of Chemical Technology and Metallurgy, 52 (5), pp. 892-901.	3
	Miladinova, P.M., Synthesis of a new benzanthrone probe for Ph determination based on PET and ICT (2016) Journal of Chemical Technology and Metallurgy, 51 (6), pp. 667-676.	4
	Gruen, H., Görner, H., Reduction of isoviolanthrone by reaction with photogenerated radicals (2011) Photochemical and Photobiological Sciences, 10 (10), pp. 1527-1530.	5
	Gruen, H., Görner, H., Properties of 16,17-disubstituted dihydroviolanthrones formed by reaction of violanthrones with photogenerated radicals (2010) Photochemical and Photobiological Sciences, 9 (8), pp. 1088-1093.	6
	Altaf, Y., Ullah, S., Khan, F. A., Maalik, A., Rubab, S. L., & Hashmi, M. A. (2021). Finding New Precursors for Light Harvesting Materials: A Computational Study of the Fluorescence Potential of Benzanthrone Dyes. <i>ACS omega</i> , 6(47), 32334-32341.	7
129	Kukhto, A.V., Kolesnik, E.E., Lappo, A.N., Pochtenny, A.E., Grabchev, I.K. Electrical and luminescence properties of a poly(amidoamine) dendrimer containing naphthalimide (2004) Physics of the Solid State, 46 (12), pp. 2306-2310.	1
	Yuan, D., Brown, R.G., Hepworth, J.D., Alexiou, M.S., Tyman, J.H.P., The synthesis and fluorescence of novel N-substituted-1,8-naphthylimides (2008) Journal of Heterocyclic Chemistry, 45 (2), pp. 397-404.	1
130	Refat, M.S., Aqeel, S.M., Grabtchev, I.K. Spectroscopic and physicochemical studies of charge-transfer complexes of some benzanthrone derivatives "luminophore dyes" with iodine as a – Acceptor (2004) Canadian Journal of Analytical Sciences and Spectroscopy, 49 (4), pp. 258-265.	16
	Al Harby N.F., El Batouti M., EL-mossalamy E.-S.H. Molecular spectroscopic kinetic and computational studies on charge transfer complexes of dibenzothiophene azomethine with nitrobenzene as π -acceptors and its antibacterial effect (2024) Polymer Bulletin, 81 (5), pp. 3995 – 4012 DOI: 10.1007/s00289-024-05145-9	1
	Francis R.R., Ebenezer C., Vijay Solomon R., Wilson P. Computational assessment of amino acid-coupled benzanthrone 2-aminoacetamides as molecular probes for insulin amyloid fibril visualization (2023) New Journal of Chemistry, 47 (28), pp. 13247 – 13259 DOI: 10.1039/d3nj02222f	2
	Tarabara, U., Kirilova, E., Kirilov, G., Vus, K., Zhytniakivska, O., Trusova, V., Gorbenko, G., Benzanthrone dyes as mediators of cascade energy transfer in insulin amyloid fibrils (2021) Journal of Molecular Liquids, 324, art. no. 115102, .	3
	Orlova, N., Nikolajeva, I., Pučkins, A., Belyakov, S., Kirilova, E., Heterocyclic schiff bases of 3-aminobenzanthrone and their reduced analogues: Synthesis, properties and spectroscopy (2021) Molecules, 26 (9), art. no. 2570, .	4
	Kirilova, E., Mickevica, I., Mezaraupē, L., Puckins, A., Rubenina, I., Osipovs, S., Kokina, I., Bulanovs, A., Kirjusina, M., Gavarane, I., Novel dye for detection of callus embryo by confocal laser scanning fluorescence microscopy (2019) Luminescence, 34 (3), pp. 353-359.	5
	Miyan, L., Zulkarnain, Ahmad, A., Synthesis, crystallographic, spectral, and spectrophotometric studies of proton transfer complex of 1,2-dimethylimidazole with 3,5-dinitrobenzoic acid in different polar solvents (2017) Journal of Molecular Structure, 1133, pp. 144-153.	6
	Ryzhova, O., Vus, K., Trusova, V., Kirilova, E., Kirilov, G., Gorbenko, G., Kinnunen, P., Novel benzanthrone probes for membrane and protein studies (2016) Methods and Applications in Fluorescence, 4 (3), art. no. 034007.	7

	Zhytniakivska, O., Trusova, V., Gorbenko, G., Kirilova, E., Kalnina, I., Kirilov, G., Molotkovsky, J., Tulkki, J., Kinnunen, P., Location of novel benzanthrone dyes in model membranes as revealed by resonance energy transfer (2014) <i>Journal of Fluorescence</i> , 24 (3), pp. 899-907.	8
	O.A. Zhytniakivska, M.S. Grych, G.P. Gorbenko, E.M. Kirilova, G.K. Kirilov, P.K.J. Kinnunen, On the possibility of theoretical prediction of benzanthrone dye lipophilicity, <i>Біофізичний Вісник</i> , 2013, 30 (2), 15-22.	9
	Zhytniakivska, O., Trusova, V., Gorbenko, G., Kirilova, E., Kalnina, I., Kirilov, G., Kinnunen, P., Newly synthesized benzanthrone derivatives as prospective fluorescent membrane probes (2014) <i>Journal of Luminescence</i> , 146, pp. 307-313.	10
	Kumar, R., Jayakumar, S., Kannappan, V., Thermodynamic properties of donor-acceptor complexes of tertiary amine with aryl ketones in hexane medium (2012) <i>Thermochimica Acta</i> , 536, pp. 15-23.	11
	Trusova, V.M., Kirilova, E., Kalnina, I., Kirilov, G., Zhytniakivska, O.A., Fedorov, P.V., Gorbenko, G.P., Novel benzanthrone aminoderivatives for membrane studies (2012) <i>Journal of Fluorescence</i> , 22 (3), pp. 953-959.	12
	Kumar, R., Swarnalatha, N., Mahesh, R., Shanmugapriyan, B., Kannappan, V. Ultrasonic and spectroscopic studies on hydrogen bonded complexes of aromatic amine and aryl ketones in n-hexane at 303.15 K (2011) <i>Journal of Molecular Liquids</i> , 163 (2), pp. 57-63.	13
	E. Kirilova, I. Ivanova Novel Benzanthrone Dyes: Synthesis and Comparison of Luminescent Properties, <i>Scientific Journal of Riga Technical University</i> , 2011, 23, 29-33	14
	Muzaffar Ali Andrabi, S., Evaluation of the association constants of molecular complexes by electronic and NMR spectroscopy - First evidence for association constants measured by NMR spectroscopy being independent of the methods used (2009) <i>Journal of the Indian Chemical Society</i> , 86 (8), pp. 826-831.	15
	Staneva, D., Betcheva, R., Chovelon, J.-M., Fluorescent benzo[de]anthracen-7-one pH-sensor in aqueous solution and immobilized on viscose fabrics (2006) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 183 (1-2), pp. 159-164.	16
131	Grabchev, I., Petkov, C., Bojinov, V. Infrared spectral characterization of poly(amidoamine) dendrimers peripherally modified with 1,8-naphthalimides (2004) <i>Dyes and Pigments</i>, 62 (3), pp. 229-234.	15
	Qureshi M.A.U.R., Arshad N., Rasool A., Janjua N.K., Butt M.S., Qureshi M.N.U.R., Ismail H. Kappa-carrageenan and sodium alginate-based pH-responsive hydrogels for controlled release of methotrexate (2024) <i>Royal Society Open Science</i> , 11 (4), art. no. 231952 DOI: 10.1098/rsos.231952	1
	Militello M.P., Gambetta C., Ramírez M.L., Bertolotti S.G., Previtali C.M., Arbeloa E.M. New Dye/Dendrimer Photoinitiating Systems Operating under Visible Radiation: Eco-Friendly Synthesis of Highly Viscous Polymers (2022) <i>ChemistrySelect</i> , 7 (29), art. no. e202201933 DOI: 10.1002/slct.202201933	2
	Qureshi M.A.U.R., Arshad N., Rasool A. Graphene oxide reinforced biopolymeric (chitosan) hydrogels for controlled cephadrine release (2023) <i>International Journal of Biological Macromolecules</i> , 242, art. no. 124948 DOI: 10.1016/j.ijbiomac.2023.124948	3
	Taha T.A.M., Tharwat M., Ismael A. A Comprehensive Study of Structural, Thermal, and Dielectric Properties of Melt-Processed Polypropylene/Ni _{0.9} Zn _{0.1} Fe ₂ O ₄ Nanocomposites (2024) <i>Journal of Composites Science</i> , 8 (4), art. no. 117 DOI: 10.3390/jcs8040117	4
	Adam, A.M.A., Altalhi, T.A., El-Megharbel, S.M., Saad, H.A., Refat, M.S., Using a modified polyamidoamine fluorescent dendrimer for capturing environment polluting metal ions zn ²⁺ , cd ²⁺ , and hg ²⁺ : Synthesis and characterizations (2021) <i>Crystals</i> , 11 (2), art. no. 92, pp. 1-20.	5

	Mustafa, R., Zhou, B., Yang, J., Zheng, L., Zhang, G., Shi, X., Dendrimer-functionalized LAPONITE® nanodisks loaded with gadolinium for: T 1-weighted MR imaging applications (2016) RSC Advances, 6 (97), pp. 95112-95119.	6
	Mustafa, R., Luo, Y., Wu, Y., Guo, R., Shi, X., Dendrimer-functionalized laponite nanodisks as a platform for anticancer drug delivery (2015) Nanomaterials, 5 (4), pp. 1716-1731.	7
	Ikhuoria, E.U., Liyanage, A.U., Lerner, M.M., Preparation and characterization of nanocomposites of polyamidoamine (PAMAM) dendrimers with molybdenum(VI) oxide (MoO ₃) (2013) Materials Chemistry and Physics, 139 (2-3), pp. 911-916.	8
	Liyanage, A.U., Ikhuoria, E.U., Adenuga, A.A., Remcho, V.T., Lerner, M.M., Synthesis and characterization of low-generation polyamidoamine (PAMAM) dendrimer-sodium montmorillonite (Na-MMT) clay nanocomposites (2013) Inorganic Chemistry, 52 (8), pp. 4603-4610.	9
	Aguilera-Sigalat, J., Pais, V.F., Doménech-Carbó, A., Pischel, U., Galian, R.E., Pérez-Prieto, J., Unconventional fluorescence quenching in naphthalimide-capped CdSe/ZnS nanoparticles (2013) Journal of Physical Chemistry C, 117 (14), pp. 7365-7375.	10
	Hasanzadeh, M., Kish, M.H., Synthesis and characterization of a hyperbranched polymer (2012) Development of Nanotechnology in Textiles, pp. 137-169.	11
	Hasanzadeh, M., Moieni, T., Hadavi Moghadam, B., Development of new dendritic nanostructure in modification of poly(ethylene terephthalate) fabrics for improving dyeability of acid dyes (2012) Research Progress in Nanoscience and Nanotechnology, pp. 71-103.	12
	F. N. Radwan, PhD dissertation Virginia Commonwealth University, Virginia, July, 2010 Cynthesis, functionalization and characterization of dual mode nanoparticles for biomedical applications.	13
	Jagesar, D.C., Hartl, F., Buma, W.J., Brouwer, A.M., Infrared study of intercomponent interactions in a switchable hydrogen-bonded rotaxane (2008) Chemistry - A European Journal, 14 (6), pp. 1935-1946.	14
	Trinchi, A., Muster, T.H., A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) Supramolecular Chemistry, 19 (7), pp. 431-445.	15
132	Bojinov, V., Grabchev, I. Synthesis and photophysical investigations of novel combined benzo[de]anthracen-7-one/2,2,6,6-tetramethylpiperidines as fluorescent stabilisers for polymer materials (2004) Polymer Degradation and Stability, 85 (2), pp. 789-797.	21
	Abdel Gawad S.A., Mansour S., El-Baradie B.Y., El-Mekawey F.M. Studies on spectro photophysical properties of PBBO-laser dye (2022) Journal of Molecular Structure, 1259, art. no. 132660 DOI: 10.1016/j.molstruc.2022.132660	1
	An X., Ma H., Cui G., Zhang T., Xu L., Wang M. Novel and rapid approach for benzanthrone synthesis: BBr ₃ -promoted annulation of 8-aryl-1-naphthoic acid derivatives (2023) New Journal of Chemistry, 48 (4), pp. 1741 - 1756 DOI: 10.1039/d3nj03905f	2
	Ghazy A.R., Abotalb D.F., Kenawy E.-R., Ghazy R., Abdel Gawad S.A. Optical, photo-physical and photo-stability characterizations of malachite green as a laser dye, combined with TD-DFT simulations (2024) Optical and Quantum Electronics, 56 (3), art. no. 377 DOI: 10.1007/s11082-023-05908-0	3
	Al-Shamiri H.A.S., Sakr M.E.M., Abdel-Latif S.A., Negm N.A., Abou Kana M.T.H., El-Daly S.A., Elwahy A.H.M. Experimental and theoretical studies of linear and non-linear optical properties of novel fused-triazine derivatives for advanced technological applications (2022) Scientific Reports, 12 (1), art. no. 19937 DOI: 10.1038/s41598-022-22311-z	4

	Gawad, S. A., Mansour, S., El-Baradie, B. Y., & El-Mekawey, F. M. (2022). Studies on Spectro photophysical properties of PBBO-laser dye. <i>Journal of Molecular Structure</i> , 132660.	5
	Sakr, M.A.S., Abdel Gawad, S.A., El-Daly, S.A., Abou Kana, M.T.H., Ebeid, E.-Z.M., Photophysical and TDDFT investigation for (E, E)-2, 5-bis [2-(4-(dimethylamino)phenyl) ethenyl]pyrazine (BDPEP) laser dye in restricted matrices (2020) <i>Journal of Molecular Structure</i> , 1217, art. no. 128403, .	6
	Sakr, M. A., Gawad, S. A. A., El-Daly, S. A., Abou Kana, M. T., & Ebeid, E. Z. M. (2021). Laser performance and investigation of the optimal density functional and the dependence of the basis sets for (E, E)-2, 5-bis (3, 4-dimethoxystyryl) pyrazine (BDP) molecule. <i>Journal of Molecular Modeling</i> , 27(9), 1-10.	7
	Sakr, M. E., Abou Kana, M. T., Elwahy, A. H., El-Daly, S. A., & Ebeid, E. Z. M. (2021). Spectral Behavior and Photophysical Parameters of Dihydrophenanthro [9, 10-e][1, 2, 4] Triazine Derivative Dyes in Sol-gel and Methyl Methacrylate Polymer Matrices. <i>Journal of Fluorescence</i> , 31(5), 1547-1554.	8
	Sakr, M.E.M., Abou Kana, M.T.H., Elwahy, A.H.M., Kandel, H.M., Abdelwahed, M.S., El-Daly, S.A., Ebeid, E.-Z.M., Optical, photo physical parameters and photo stability of 6-Substituted-1, 2, 4-Triazine mono glucosyl derivative to act as a laser dye in various solvents (2020) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 232, art. no. 118145, .	9
	Sakr, M.E.M., Kana, M.T.H.A., Elwahy, A.H.M., El-Daly, S.A., Ebeid, E.-Z.M., Novel far UV-Vis absorbing bis(dihydrophenanthro[9,10-e][1,2,4]triazine) derivative dyes: Synthesis, optical, photophysical and solvatochromic properties (2020) <i>Journal of Molecular Structure</i> , 1206, art. no. 127690, .	10
	AL-Aqmar, D.M., El Gohary, Z.H., Othman, H.A., Abou Kana, M.T.H., Optical characterization of Coumarin 334 hybrid with silver nanoparticles in imidazolium-based ionic liquid (2019) <i>Dyes and Pigments</i> , 165, pp. 361-371.	11
	Fahmy, H.M., Kandel, H.M., Al-shamiri, H.A.S., Negm, N.A., Elwahy, A.H.M., Abou Kana, M.T.H., Spectroscopic Study of Solvent Polarity on the Optical and Photo-Physical Properties of Novel 9,10-bis(coumarinyl)anthracene (2018) <i>Journal of Fluorescence</i> , 28 (6), pp. 1421-1430.	12
	Wahy, A.H.M.E., Ismail, A.R., Kana, M.T.H.A., Negm, N.A., Synthesis and characterization of novel bis-(4-methylcoumarin) derivatives as photosensitizers in antimicrobial photodynamic therapy (2017) <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 77, pp. 83-91.	13
	Sakr, M.A.S., Abdel Gawad, S.A., Abou Kana, M.T.H., Ebeid, E.-Z.M., Laser Performance of Some Oxazole Laser Dyes in Restricted Matrices (2017) <i>Journal of Fluorescence</i> , 27 (4), pp. 1267-1275.	14
	Al-Aqmar, D.M., Abdelkader, H.I., Abou Kana, M.T.H., Optical, photo-physical properties and photostability of pyrromethene (PM-597) in ionic liquids as benign green-solvents (2015) <i>Journal of Luminescence</i> , 161, pp. 221-228.	15
	Miladinova, P.M., Konstantinova, T.N., Photo stabilizers for polymers - new trends (2015) <i>Journal of Chemical Technology and Metallurgy</i> , 50 (3), pp. 229-239.	16
	AL-Aqmar, D.M., Abdelkader, H.I., Abou Kana, M.T.H., Spectroscopic properties and amplified spontaneous emission of fluorescein laser dye in ionic liquids as green media (2015) <i>Optical Materials</i> , 47, pp. 573-581.	17
	Sakr, M.A.S., Abdel Gawad, E.-S.A., Abou Kana, M.T.H., Ebeid, E.-Z.M., Photophysical, photochemical and laser behavior of some diolefinic laser dyes in sol-gel and methyl methacrylate/2-hydroxyethyl methacrylate copolymer matrices (2015) <i>Optics and Laser Technology</i> , 71, art. no. 3617, pp. 78-84.	18
	Liang, X.-R., Wang, G., Jiang, Y.-L., Qu, C.-L., Wang, X.-J., Zhao, B., Synthesis and theoretical study on fluorescence property of 4-(2-hydroxybenzylideneamino) phenyl ethanone schiff base (2013) <i>Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis</i> , 33 (12), pp. 3259-3262.	19

	Wu, Z., Meng, L., Progress in fluorescent polymers (2007) Progress in Chemistry, 19 (9), pp. 1381-1392.	20
	Konstantinova, T.N., Lazarova, R.A., Synthesis of some polymerizable triazinylaminobenzotriazole stabilizers and benzanthrone dyes containing a stabilizer fragment (2006) Dyes and Pigments, 74 (1), pp. 208-214.	21
133	Grabchev, I., Chovelon, J.-M., Bojinov, V. New green fluorescent polyvinylcarbazole copolymer with 1,8-naphthalimide side chains as chemosensor for iron cations (2004) Polymers for Advanced Technologies, 15 (7), pp. 382-386.	26
	Khan J. Synthesis and Applications of Fluorescent Chemosensors: A Review (2023) Journal of Fluorescence DOI: 10.1007/s10895-023-03455-1 DOCUMENT TYPE: Review	1
	Sirgamalla, R., Boda, S., Synthesis, characterization, molecular docking and biological evaluation of novel 6-halo-2-(4-((5-phenyl-1, 3, 4-oxadiazol-2-yl)methoxy)Substituted phenyl)-1 H-benzo[de]isoquinoline-1,3(2H)-dione (2019) Chemical Data Collections, 22, art. no. 100248, .	2
	Sadia, M., Naz, R., Khan, J., Khan, R., Synthesis and Evaluation of a Schiff-Based Fluorescent Chemosensors for the Selective and Sensitive Detection of Cu ²⁺ in Aqueous Media with Fluorescence Off-On Responses (2018) Journal of Fluorescence, 28 (6), pp. 1281-1294.	3
	Gopikrishna, P., Das, D., Iyer, P.K., Synthesis and characterization of color tunable, highly electroluminescent copolymers of polyfluorene by incorporating the N-phenyl-1,8-naphthalimide moiety into the main chain (2015) Journal of Materials Chemistry C, 3 (36), pp. 9318-9326.	4
	Kim, H., Rao, B.A., Jeong, J.W., Mallick, S., Kang, S.-M., Choi, J.S., Lee, C.-S., Son, Y.-A., A highly selective dual-channel Cu ²⁺ and Al ³⁺ chemodosimeter in aqueous systems: Sensing in living cells and microfluidic flows (2015) Sensors and Actuators, B: Chemical, 210, pp. 173-182.	5
	Zhu, H., Fan, J., Wang, B., Peng, X., Fluorescent, MRI, and colorimetric chemical sensors for the first-row d-block metal ions (2015) Chemical Society Reviews, 44 (13), pp. 4337-4366.	6
	Lee, S.-G., Kang, E.-J., Lee, S.S., A Carbazole-attached NO ₂ S ₂ -macrocyclic exhibiting Hg ²⁺ and Cu ²⁺ selectivity (2013) Bulletin of the Korean Chemical Society, 34 (5), pp. 1429-1434.	7
	Huang, H., Liu, F., Chen, S., Zhao, Q., Liao, B., Long, Y., Zeng, Y., Xia, X., Enhanced fluorescence of chitosan based on size change of micelles and application to directly selective detecting Fe ³⁺ in human serum (2013) Biosensors and Bioelectronics, 42 (1), pp. 539-544.	8
	Opel, Oliver. "Detektion von Verockerungsprozessen und Korrosion, Belagbildung in Brunnen und Leitungssystemen mithilfe des Redoxpotentials." PhD diss., Universitätsbibliothek der Leuphana Universität Lüneburg, 2013.	9
	Gillissen, M.A.J., Voets, I.K., Meijer, E.W., Palmans, A.R.A., Single chain polymeric nanoparticles as compartmentalised sensors for metal ions (2012) Polymer Chemistry, 3 (11), pp. 3166-3174.	10
	Yang, P.-J., Chu, H.-C., Chen, T.-C., Lin, H.-C., Recoverable fluorescence chemosensors for Ni ²⁺ ions based on hydrogen-bonded side-chain copolymers presenting pendent benzoic acid and pyridyl receptor units (2012) Journal of Materials Chemistry, 22 (24), pp. 12358-12368.	11
	Safabakhsh, B., Khosravi, A., Gharanjig, K., Kowsari, E., Khorassani, M., Tafaghodi, S., Synthesis of a novel fluorescent coloured copolymer based on 4-butylthio-1,8-naphthalimide (2012) Coloration Technology, 128 (3), pp. 218-222.	12
	Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J., A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 85-92.	13

	Dawson, K., Lovera, P., Iacopino, D., O'Riordan, A., Redmond, G., Multi-colour emission from dye doped polymeric nanotubes by host-guest energy transfer (2011) <i>Journal of Materials Chemistry</i> , 21 (40), pp. 15995-16000.	14
	García, J.M., García, F.C., Serna, F., De La Peña, J.L., Fluorogenic and chromogenic polymer chemosensors (2011) <i>Polymer Reviews</i> , 51 (4), pp. 341-390.	15
	Oelgemöller, M., Kramer, W.H., Synthetic photochemistry of naphthalimides and related compounds (2010) <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 11 (4), pp. 210-244.	16
	Wu, X., Xu, B., Tong, H., Wang, L., Phosphonate-functionalized polyfluorene film sensors for sensitive detection of iron(III) in both organic and aqueous media (2010) <i>Macromolecules</i> , 43 (21), pp. 8917-8923.	17
	McHale, R., Ghasdian, N., Hondow, N.S., Richardson, P.M., Voice, A.M., Brydson, R., Wang, X., Organosilica nanoshells with thin silica cross-linking by miniemulsion periphery polymerization (MEPP) (2010) <i>Macromolecules</i> , 43 (15), pp. 6343-6347.	18
	Ishchenko, A.A., Grabchuk, G.P., Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) <i>Theoretical and Experimental Chemistry</i> , 45 (3), pp. 143-167.	19
	Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V., Synthesis and spectral properties of 4-amino-and 4-acetylamino-N- aryl naphthalimides containing electron-donating groups in the N-aryl substituent (2009) <i>Russian Chemical Bulletin</i> , 58 (6), pp. 1233-1240.	20
	Wang, B., Hu, Y., Su, Z., Synthesis and photophysical behaviors of a blue fluorescent copolymer as chemosensor for protons and Ni ²⁺ ion in aqueous solution (2008) <i>Reactive and Functional Polymers</i> , 68 (7), pp. 1137-1143.	21
	Liu, Y., Meng, L.Z., Lu, X., Zhang, L., He, Y., Thermo and pH sensitive fluorescent polymer sensor for metal cations in aqueous solution (2008) <i>Polymers for Advanced Technologies</i> , 19 (2), pp. 137-143.	22
	Moynihan, S., Iacopino, D., O'Carroll, D., Doyle, H., Tanner, D.A., Redmond, G., Emission color tuning in semiconducting polymer nanotubes by energy transfer to organo-lanthanide dopants (2007) <i>Advanced Materials</i> , 19 (18), pp. 2474-2479.	23
	Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B., Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 42-46.	24
	Bricks, J.L., Kovalchuk, A., Trieflinger, C., Nofz, M., Büschel, M., Tolmachev, A.I., Daub, J., Rurack, K., On the development of sensor molecules that display Fe ^{III} - amplified fluorescence (2005) <i>Journal of the American Chemical Society</i> , 127 (39), pp. 13522-13529.	25
	Barooah, N., Tamuly, C., Baruah, J.B., Synthesis, characterisation of few N-substituted 1,8-naphthalimide derivatives and their copper(II) complexes (2005) <i>Journal of Chemical Sciences</i> , 117 (2), pp. 117-122.	26
134	Grabchev, I., Betsheva, R., Bojinov, V., Staneva, D. Poly(amidoamine) dendrimers peripherally modified with 1,8-naphthalimides. Photodegradation and photostabilization on polyamide matrix (2004) <i>European Polymer Journal</i>, 40 (6), pp. 1249-1254.	10
	Sirgamalla, R., Boda, S., Synthesis, characterization, molecular docking and biological evaluation of novel 6-halo-2-(4-((5-phenyl-1, 3, 4-oxadiazol-2-yl)methoxy)Substituted phenyl)-1 H-benzo[de]isoquinoline-1,3(2H)-dione (2019) <i>Chemical Data Collections</i> , 22, art. no. 100248, .	1

	Sadia, M., Naz, R., Khan, J., Khan, R., Synthesis and Evaluation of a Schiff-Based Fluorescent Chemosensors for the Selective and Sensitive Detection of Cu ²⁺ in Aqueous Media with Fluorescence Off-On Responses (2018) <i>Journal of Fluorescence</i> , 28 (6), pp. 1281-1294.	2
	Niu, Y., Qian, Y., Hu, X., Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) <i>Chinese Journal of Organic Chemistry</i> , 36 (3), pp. 555-561.	3
	van der Schueren, L., de Clerck, K., Coloration and application of pH-sensitive dyes on textile materials (2012) <i>Coloration Technology</i> , 128 (2), pp. 82-90.	4
	J. Geltmeyer, pH-Sensitive Nanofibres through Sol-Gel Processes, Master dissertation, Academic Year 2011-2012, Supervisor: Prof. Dr. Ir. Karen De Clerck, Assist. supervisor: Ir. Lien Van der Schueren, Ghent University, Departement of Textiles	5
	Lobnik, A., Wearable optical chemical sensors, (2012) <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , pp. 29-52.	6
	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y., Recent progress of naphthalimide-based dendrimers (2012) <i>Chinese Journal of Organic Chemistry</i> , 32 (2), pp. 304-317.	7
	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	8
	Newkome, G.R., Shreiner, C.D., Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1 → 2 branching motifs: An overview of the divergent procedures (2008) <i>Polymer</i> , 49 (1), pp. 1-173.	9
	Gingras, M., Raimundo, J.-M., Chabre, Y.M. Cleavable dendrimers, (2007) <i>Angewandte Chemie - International Edition</i> , 46 (7), pp. 1010-1017.	10
135	Grabchev, I., Mykowska, E., Moneva, I., Bauman, D. Molecular orientation of some fluorescent dichroic dyes in nematic liquid crystal (2004) <i>Zeitschrift fur Naturforschung - Section A Journal of Physical Sciences</i>, 59 (6), pp. 368-374	4
	Quémener, M., Galstian, T., Marmin, T., Laroche, V., Dory, Y.L., Electrically controlled fluorescence in a nematic liquid crystal doped by a chiral fluorophore (2018) <i>Journal of Materials Science: Materials in Electronics</i> , 29 (23), pp. 19768-19774.	1
	Ohzono, T., Yatabe, T., Wang, C., Fukazawa, A., Yamaguchi, S., Negative fluorescence anisotropy of phosphole oxide-based dyes in nematic liquid crystals (2018) <i>Communications Chemistry</i> , 1 (1), art. no. 52, .	2
	Damoc, M., Stoica, A. C., Dascalu, M., Asandulesa, M., Shova, S., & Cazacu, M. (2021). Dual crystalline–amorphous salen–metal complexes behave like nematic droplets with AIEgens vistas. <i>Dalton Transactions</i> , 50(39), 13841-13858.	3
	MacQueen, R.W., Schmidt, T.W., Molecular polarization switching for improved light coupling in luminescent solar concentrators (2013) <i>Journal of Physical Chemistry Letters</i> , 4 (17), pp. 2874-2879.	4
136	Grabchev, I., Soumillion, J.-P., Muls, B., Ivanova, G. Poly(amidoamine) dendrimer peripherally modified with 4-N,N-dimethylaminoethylethylamino-1,8-naphthalimide as a sensor of metal cations and protons (2004) <i>Photochemical and Photobiological Sciences</i>, 3 (11-12), pp. 1032-1037.	31
	Pollock A.A., Huth H.A., Birch C.M., Reinheimer E.W., Lewis D.E., Gerlach D.L., Mague J.T. Crystal structure of 2-(2,2,6,6-Tetramethylpiperidin-4-yl)-6-[(2,2,6,6-Tetramethylpiperidin-4-yl)amino]-1H-benz[de]isoquinoline-1,3(2H)-dione (2022) <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 78, pp. 1161 – 1164 DOI: 10.1107/S2056989022010374	1

	Zhang L., Jiao X., Zhang H., He S., Cheng X. Novel chitosan–naphthalimide–amino acid fluorescent powder for selective detection and removal of Hg ²⁺ /Hg ⁺ and Fe ²⁺ in aqueous solution (2022) Chemical Papers, 76 (11), pp. 7037 – 7049 DOI: 10.1007/s11696-022-02385-9	2
	Hashemi E., Sadeghi-Kiakhani M. Using a Dendritic Sensor as a Feasible Method for Detection of Copper in Water Samples (2023) Journal of Fluorescence, 33 (3), pp. 1139 – 1146 DOI: 10.1007/s10895-022-03123-w	3
	Wang, F., Yan, S., Li, Y., Xu, T., & Ma, R. (2021). Enhanced luminescent performance of 1, 8-naphthalic anhydride-loaded bimodal mesoporous silicas modified by europium nitrate. <i>Journal of Porous Materials</i> , 28(6), 1779-1785.	4
	Steinegger, A., Wolfbeis, O.S., Borisov, S.M., Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications (2020) Chemical Reviews, 120 (22), pp. 12357-12489.	5
	Jiang, D., Li, X., Lv, X., Jia, Q., A magnetic hydrazine-functionalized dendrimer embedded with TiO ₂ as a novel affinity probe for the selective enrichment of low-abundance phosphopeptides from biological samples (2018) Talanta, 185, pp. 461-468.	6
	Dzhardimalieva, G.I., Uflyand, I.E., Metal chelate dendrimers (2018) Springer Series in Materials Science, 257, pp. 503-631.	7
	S.O.Aderinto, S. Imhanria, Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017, Chemical Papers, 2018, https://doi.org/10.1007/s11696-018-0411-0	8
	He, G., Zhu, C., Ye, S., Cai, W., Yin, Y., Zheng, H., Yi, Y., Preparation and properties of novel hydrogel based on chitosan modified by poly(amidoamine) dendrimer (2016) International Journal of Biological Macromolecules, 91, pp. 828-837.	9
	Uahengo, V., Xiong, B., Cai, P., Daniel, L.S., Rhyman, L., Ramasami, P., Chromogenic signaling of water traces by 1,8-naphthalohydrazone-anion complex in organic solvents (2016) Analytical Chemistry Research, 8, pp. 1-8.	10
	Wu, H.-L., Chen, C.-Y., Zhang, H., Peng, H.-P., Wang, F., Yang, Z.-H., Zhang, J.-W., Two 1,8-naphthalimide-based proton-receptor fluorescent probes for pH determination (2016) Chemical Papers, 70 (4), pp. i-x.	11
	El-Sayed, M.Y., Refat, M.S., Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 137, pp. 1270-1279.	12
	Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A., Application of PAMAM dendrimers in optical sensing (2015) Analyst, 140 (4), pp. 976-989.	13
	Jin, Terry David. "Fluorogenic 1, 8-naphthalimide derivatives for the detection of pathogenic bacteria." Master's thesis, University of Sydney, 2015.	14
	Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A., A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) Dyes and Pigments, 97 (1), pp. 168-174.	15
	Carregal-Romero, S., Montenegro, J.-M., Parak, W.J., Rivera Gil, P., Subcellular carrier-based optical ion-selective nanosensors (2012) Frontiers in Pharmacology, 3 APR, art. no. Article 70, .	16
	Wei, S., Sun, Y., Guo, P., Hu, X., Fan, J., A novel 4-(tetrahydro-2-furanmethoxy)-N-octadecyl-1,8-naphthalimide based blue emitting probe: Solvent effect on the photophysical properties and protein detection (2012) Russian Journal of Bioorganic Chemistry, 38 (5), pp. 469-478.	17

	Tang, Y.-H., Huang, A.Y.-T., Chen, P.-Y., Chen, H.-T., Kao, C.-L., Metallo dendrimers and dendrimer nanocomposites (2011) <i>Current Pharmaceutical Design</i> , 17 (22), pp. 2308-2330.	18
	Shade, Chad M. "Lanthanide-containing Nanomaterials and Complexes: Utilizing Lanthanide Luminescence for a Broad Range of Application." PhD diss., University of Pittsburgh, 2011.	19
	Georgiev, N.I., Bojinov, V.B., Nikolov, P.S., Design and synthesis of a novel pH sensitive core and peripherally 1,8-naphthalimide-labeled PAMAM dendron as light harvesting antenna (2009) <i>Dyes and Pigments</i> , 81 (1), pp. 18-26.	20
	Bojinov, V.B., Panova, I.P., Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) <i>Dyes and Pigments</i> , 80 (1), pp. 61-66.	21
	Shi, D., Sha, Y., Wang, F., Tian, Q., Synthesis and photophysical properties of poly (ester-amine) dendrimers with focal 4-amino-N-benzylphthalimide, as sensitive media probes and switchable proton sensors (2008) <i>Macromolecules</i> , 41 (20), pp. 7478-7484.	22
	Newkome, G.R., Shreiner, C.D., Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1 → 2 branching motifs: An overview of the divergent procedures (2008) <i>Polymer</i> , 49 (1), pp. 1-173.	23
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 193 (2-3), pp. 129-138.	24
	Bojinov, V.B., Simeonov, D.B., Georgiev, N.I., A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) <i>Dyes and Pigments</i> , 76 (1), pp. 41-46.	25
	Trinchi, A., Muster, T.H., A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) <i>Supramolecular Chemistry</i> , 19 (7), pp. 431-445.	26
	Jayaraman, N., Dendrimers and their use as nanoscale sensors (2007) <i>Nanomaterials Chemistry: Recent Developments and New Directions</i> , pp. 249-297.	27
	Bojinov, V.B., Konstantinova, T.N., Fluorescent 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2007) <i>Sensors and Actuators, B: Chemical</i> , 123 (2), pp. 869-876.	28
	Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B., Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 42-46.	29
	Sękowski, Szymon, and Teresa Gabryelak. "Oddziaływanie dendrymerów poliamidoaminowych (PAMAM) z jonami metali i jego zastosowanie." <i>Kosmos</i> 56, no. 1-2 (2007): 99-106.	30
	Branchi, B., Ceroni, P., Bergamini, G., Balzani, V., Maestri, M., Van Heyst, J., Lee, S.-K., Luppertz, F., Vögtle, F., A cyclam core dendrimer containing dansyl and oligoethylene glycol chains in the branches: Protonation and metal coordination (2006) <i>Chemistry - A European Journal</i> , 12 (35), pp. 8926-8934.	31
137	Grabchev, I., Chovelon, J.-M., Bojinov, V., Ivanova, G. Poly(amidoamine) dendrimers peripherally modified with 4-ethylamino-1,8-naphthalimide. Synthesis and photophysical properties (2003) <i>Tetrahedron</i>, 59 (48), pp. 9591-9598.	44
	Sakr A.R., Georgiev N.I., Bojinov V.B. Design, synthesis, and biological activity of perylene tetracarboxydiimide dendrimer (2022) <i>Synthetic Communications</i> , 52 (22), pp. 2171 – 2177 DOI: 10.1080/00397911.2022.2134798	1

Adam, A.M.A., Altalhi, T.A., El-Megharbel, S.M., Saad, H.A., Refat, M.S., Using a modified polyamidoamine fluorescent dendrimer for capturing environment polluting metal ions Zn^{2+} , Cd^{2+} , and Hg^{2+} : Synthesis and characterizations (2021) Crystals, 11 (2), art. no. 92, pp. 1-20.	2
Gudeika, D. (2020). A review of investigation on 4-substituted 1, 8-naphthalimide derivatives. <i>Synthetic Metals</i> , 262, 116328.	3
Steinegger, A., Wolfbeis, O.S., Borisov, S.M., Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications (2020) Chemical Reviews, 120 (22), pp. 12357-12489.	4
Gudeika, D., A review of investigation on 4-substituted 1,8-naphthalimide derivatives (2020) <i>Synthetic Metals</i> , 262, art. no. 116328, .	5
Sirgamalla, R., Boda, S., Synthesis, characterization, molecular docking and biological evaluation of novel 6-halo-2-(4-((5-phenyl-1, 3, 4-oxadiazol-2-yl)methoxy)Substituted phenyl)-1 H-benzo[de]isoquinoline-1,3(2H)-dione (2019) Chemical Data Collections, 22, art. no. 100248, .	6
Dodangeh, M., Gharanjig, K., Hosseinneshad, M., The synthesis of poly(amidoamine) dendrimer: Dyeing and fluorescence properties(2018) Progress in Color, Colorants and Coatings, 11 (3), pp. 173-178.	7
Dzhardimalieva, G.I., Uflyand, I.E., Metal chelate dendrimers (2018) Springer Series in Materials Science, 257, pp. 503-631.	8
Dzhardimalieva, G.I., Uflyand, I.E., Polymer chelating ligands: Classification, synthesis, structure, and chemical transformations (2018) Springer Series in Materials Science, 257, pp. 13-197.	9
Дістанов, Віталій Баламірович. "Синтез, властивості, технологія та застосування нових люмінесцентних сполук, похідних нафталенового ангідриду." 2017, Харків, дисертація	10
Dodangeh, M., Gharanjig, K., Arami, M., A novel Ag^+ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 154, pp. 207-214.	11
El-Sayed, M.Y., Refat, M.S., Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 137, pp. 1270-1279.	12
Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A., Application of PAMAM dendrimers in optical sensing (2015) Analyst, 140 (4), pp. 976-989.	13
Balaconis, Mary K., and Heather A. Clark. "Nanosensors for Biomedicine." In HANDBOOK OF NANOBIO MEDICAL RESEARCH: Fundamentals, Applications and Recent Developments: Volume 3. Applications in Diagnostics, pp. 413-451. 2014.	14
Rouhani, S., Nahavandifard, F., Molecular imprinting-based fluorescent optosensor using a polymerizable 1,8-naphthalimide dye as a fluorescence functional monomer (2014) Sensors and Actuators, B: Chemical, 197, pp. 185-192.	15
Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014	16
Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V., Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	17
Панченко, П.А., Федорова, О.А. and Федоров, Ю.В., Флуоресцентные и колориметрические хемосенсоры на катионы на основе производных 1, 8-нафталимида: принципы дизайна и механизмы возникновения оптического сигнала. Успехи химии, 2014, 83(2), pp.155-182.	18

Rasines, B., Sánchez-Nieves, J., Molina, I.T., Guzmán, M., Muñoz-Fernández, M.A., Gómez, R., De La Mata, F.J., Synthesis and fluorescent properties of cationic carbosilane dendrimers containing eugenol linkers for their use in biomedical applications (2012) New Journal of Chemistry, 36 (2), pp. 360-370.	19
Bouet, Monika. "Synthesis, structural investigations and evaluation of pyrazine sensitizers for lanthanides emitting in near-infrared and novel phosphine derivatives." PhD diss., Université d'Orléans; Jagiellonian University, 2012.	20
Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y., Recent progress of naphthalimide-based dendrimers (2012) Chinese Journal of Organic Chemistry, 32 (2), pp. 304-317.	21
Pu, L., Dendrimer-Based Sensors, (2011) Chemosensors: Principles, Strategies, and Applications, pp. 121-162.	22
Shade, C.M., Lanthanide-containing Nanomaterials and Complexes: Utilizing Lanthanide Luminescence for a Broad Range of Application (Doctoral dissertation, University of Pittsburgh). 2011.	23
Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементоорганической химии, Им. А.Х. Несмеянова, РАН Москва, 2011.	24
Oelgemöller, M., Kramer, W.H., Synthetic photochemistry of naphthalimides and related compounds (2010) Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 11 (4), pp. 210-244.	25
Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496 PhD thesis.	26
Martín-Zarco, M., Toribio, S., García-Martínez, J.C., Rodríguez-López, J., Polyamido amine dendrimers functionalized with poly(phenylenevinylene) dendrons at their periphery (2009) Journal of Polymer Science, Part A: Polymer Chemistry, 47 (23), pp. 6409-6419.	27
Alan Charles Jenkins, PhD thesis, Synthesis and functionalisation of pamam dendrimers as histone replacement molecules, University of Southampton, 2009.	28
Caminade, A.-M., Hameau, A., Majorai, J.-P., Multicharged and/or water-soluble fluorescent dendrimers: Properties and uses (2009) Chemistry - A European Journal, 15 (37), pp. 9270-9285.	29
Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V., Synthesis and spectral properties of 4-amino-and 4-acetylamino-N- aryl naphthalimides containing electron-donating groups in the N-aryl substituent (2009) Russian Chemical Bulletin, 58 (6), pp. 1233-1240.	30
Zhang, C.-H., Li, Z.-C., Song, H., Huang, W.-C., Trans-4-[(2,6-Dimethyl-phenoxy)methyl]cyclo-hexa-necarboxylic acid (2008) Acta Crystallographica Section E: Structure Reports Online, 64 (12), pp. o2263.	31
Newkome, G.R., Shreiner, C.D., Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1 → 2 branching motifs: An overview of the divergent procedures (2008) Polymer, 49 (1), pp. 1-173.	32
Liang, Y.-F., Qi, Q.-R., Zheng, H., Trans-4-[(Phenyl-sulfon-yloxy)meth-yl]cyclo-hexa-necarboxylic acid (2008) Acta Crystallographica Section E: Structure Reports Online, 64 (9), pp. o1703.	33
Qi, Q.-R., Huang, W.-C., Zheng, H., Trans-4-(Tosyloxymethyl)cyclohexanecarboxylic acid (2008) Acta Crystallographica Section E: Structure Reports Online, 64 (2), pp. o405.	34

	Franc, G., Mazères, S., Turrin, C.-O., Vendier, L., Duhayon, C., Caminade, A.-M., Majoral, J.-P., Synthesis and properties of dendrimers possessing the same fluorophore(s) located either peripherally or off-center (2007) <i>Journal of Organic Chemistry</i> , 72 (23), pp. 8707-8715.	35
	Trinchi, A., Muster, T.H., A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) <i>Supramolecular Chemistry</i> , 19 (7), pp. 431-445.	36
	N. F. Fed'ko, D. G. Ėupriyan, V. V. Veduta, G. V. Pyankova, V. F. Anikin, Synthetic methods of 1,8-naphthalimide derivatives and their application as analytic reagents, <i>Вісник ОНУ</i> , 200712, (10) 81-100.	37
	Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 17 (3), pp. 547-559.	38
	Basabe-Desmonts, L., Reinhoudt, D.N., Crego-Calama, M., Design of fluorescent materials for chemical sensing (2007) <i>Chemical Society Reviews</i> , 36 (6), pp. 993-1017.	39
	Федько, Н. Ф., Д. Г. Купріян, В. В. Ведута, Г. В. П'янкова, and В. Ф. Анікін. "МЕТОДЫ СИНТЕЗА ПРОИЗВОДНЫХ НАФТАЛИМИДА И ИХ ИСПОЛЬЗОВАНИЕ В КАЧЕСТВЕ АНАЛИТИЧЕСКИХ РЕАГЕНТОВ." <i>Вісник Одеського національного університету. Хімія</i> 12, no. 9-10 (2007): 81-101.	40
	Trinchi, A., Muster, T.H., Fluorescence studies of anthracene functionalized PAMAM dendrimers anchored to self assembled monolayers (2006) <i>Proceedings of the 2006 International Conference on Nanoscience and Nanotechnology, ICONN</i> , art. no. 4143499, pp. 721-724.	41
	Lourdes Basabe Desmonts, PhD thesis, Fluorescent Self-Assembled Monolayers as New Sensing Materials University of Twente, Enschede, The Netherlands, 2005. ISBN 90-365-2303-6.	42
	Barooah, N., Tamuly, C., Baruah, J.B., Synthesis, characterisation of few N-substituted 1,8-naphthalimide derivatives and their copper(II) complexes (2005) <i>Journal of Chemical Sciences</i> , 117 (2), pp. 117-122.	43
	Ghosh, S., Banthia, A.K., Fluorophore-labeled polyamidoamine (PAMAM) dendritic architectures: Synthesis and fluorescence sensing properties (2004) <i>Supramolecular Chemistry</i> , 16 (7), pp. 487-494.	44
138	Grabchev, I., Bojinov, V., Chovelon, J.-M. Synthesis, photophysical and photochemical properties of fluorescent poly(amidoamine) dendrimers (2003) <i>Polymer</i>, 44 (16), pp. 4421-4428.	49
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) <i>Current Organic Chemistry</i> , 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	1
	Mardani H., Roghani-Mamaqani H., Shahi S., Roustanavi D. Anti-Counterfeiting Inks Based on Förster Resonance Energy Transfer in Microcrystalline Cellulose-Grafted Poly(amidoamine) for Artificial Industries (2023) <i>ACS Applied Polymer Materials</i> , 5 (2), pp. 1092 – 1102 DOI: 10.1021/acsapm.2c01251	2
	Javanbakht F., Najafi H., Jalili K., Salami-Kalajahi M. A review on photochemical sensors for lithium ion detection: relationship between the structure and performance (2023) <i>Journal of Materials Chemistry A</i> , 11 (48), pp. 26371 – 26392 DOI: 10.1039/d3ta06113b DOCUMENT TYPE: Review	3
	Murugan E., Yogaraj V. Development of a quaternary ammonium poly (amidoamine) dendrimer-based drug carrier for the solubility enhancement and sustained release of furosemide (2023) <i>Frontiers in Chemistry</i> , 11, art. no. 1123775 DOI: 10.3389/fchem.2023.1123775	4

Adam, A.M.A., Altalhi, T.A., El-Megharbel, S.M., Saad, H.A., Refat, M.S., Using a modified polyamidoamine fluorescent dendrimer for capturing environment polluting metal ions Zn^{2+} , Cd^{2+} , and Hg^{2+} : Synthesis and characterizations (2021) Crystals, 11 (2), art. no. 92, pp. 1-20.	5
Pedro-Hernández, L.D., Cortez-Maya, S., Calderón-Pardo, J., Hernández-Ortega, S., Martínez-García, M., Nanostructured multiporphyrin dendrimers: Synthesis, characterization and their spectroscopic properties (2018) Current Organic Chemistry, 22 (23), pp. 2308-2314.	6
Dzhardimalieva, G.I., Uflyand, I.E., Polymer chelating ligands: Classification, synthesis, structure, and chemical transformations (2018) Springer Series in Materials Science, 257, pp. 13-197.	7
Tao, S., Song, Y., Zhu, S., Shao, J., Yang, B., A new type of polymer carbon dots with high quantum yield: From synthesis to investigation on fluorescence mechanism (2017) Polymer (United Kingdom), 116, pp. 472-478.	8
Khosroshahi, M. E., and M. Tajabadi. "Multifunctional nanoplatfrom for targeted laser-induced hyperthermia and microscopy of breast cancer cells using SPION-based gold and folic acid conjugated nanodendrimers: an in vitro assay." J Nanomed Nanotech 8, no. 2 (2017).	9
Khosroshahi, Mohammad E. Applications of biophotonics and nanobiomaterials in biomedical engineering. CRC Press, 2017.	10
Дістанов, В. Б. Синтез, властивості, технологія та застосування нових люмінесцентних сполук, похідних нафталенового ангідриду, 2017, дисертація, Харков, Україна	11
Campos, C.H., Díaz, C.F., Guzmán, J.L., Alderete, J.B., Torres, C.C., Jiménez, V.A. PAMAM-Conjugated Alumina Nanotubes as Novel Noncytotoxic Nanocarriers with Enhanced Drug Loading and Releasing Performances (2016) Macromolecular Chemistry and Physics, 217 (15), pp. 1712-1722.	12
Pan, F., Huang, M., Song, J., Wu, M., Xu, M., Highly photoluminescent polysilsesquioxane hybrids based on weakly fluorescent 1,8-naphthalic anhydride derivatives (2016) Chemical Physics Letters, 657, pp. 107-112.	13
Furer, V.L., Vandyukov, A.E., Majoral, J.P., Caminade, A.M., Kovalenko, V.I., Spectroscopic and molecular structure investigation of the phosphorus-containing G'2dendrimer with terminal aldehyde groups using DFT method (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 137, pp. 220-226.	14
Jin, Terry David. "Fluorogenic 1, 8-naphthalimide derivatives for the detection of pathogenic bacteria." Master's thesis, University of Sydney, 2015.	15
El-Sayed, M.Y., Refat, M.S., Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 137, pp. 1270-1279.	16
Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A., Application of PAMAM dendrimers in optical sensing (2015) Analyst, 140 (4), pp. 976-989.	17
Tajabadi, M., Khosroshahi, M.E. and Bonakdar, S. (2015) Imaging and Therapeutic Applications of Optical and Thermal Response of SPION-Based Third Generation Plasmonic Nanodendrimers. Optics and Photonics Journal, 5, 212-226	18
Refat, M.S., Gobouri, A.A., Adam, A.M.A., Saad, H.A., Novel charge-transfer complexes of 4-hexylamino-1,8-naphthalimide-labelled PAMAM dendrimer with some acceptors: A spectrophotometric study (2014) Physics and Chemistry of Liquids, 52 (5), pp. 680-696.	19
Dodangeh, M., Gharanjig, K., Arami, M., Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) IEEE Sensors Journal, 14 (8), art. no. 6803856, pp. 2889-2896.	20

	Tajabadi, M., Khosroshahi, M.E., Bonakdar, S., An efficient method of SPION synthesis coated with third generation PAMAM dendrimer (2013) <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 431, pp. 18-26.	21
	Furer, V.L., Vandyukov, A.E., Majoral, J.P., Caminade, A.M., Kovalenko, V.I., DFT study of Raman spectra of phosphorus-containing dendrimers built from thiophosphoryl core. <i>Vibrational Spectroscopy</i> 68 (2013) 61– 70	22
	Brady, Sarah E. "The synthesis of linear and nonlinear photosensitive organometallic polymers containing Mo-Mo bonds: Evaluating the effectiveness of click chemistry." PhD diss., University of Oregon, 2013.	23
	Carranza Bernal, Sugeheidy Yaneth. "Síntesis y caracterización de nuevos copolímeros semiconductores." PhD diss., Universidad Autónoma de Nuevo León, 2013.	24
	Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y., Recent progress of naphthalimide-based dendrimers (2012) <i>Chinese Journal of Organic Chemistry</i> , 32 (2), pp. 304-317.	25
	Namazi, H., Fard, A.M.P., Preparation of gold nanoparticles in the presence of citric acid-based dendrimers containing periphery hydroxyl groups (2011) <i>Materials Chemistry and Physics</i> , 129 (1-2), pp. 189-194.	26
	Li, N., Wei, X., Mei, Z., Xiong, X., Chen, S., Ye, M., Ding, S., Synthesis and characterization of a novel polyamidoamine-cyclodextrin crosslinked copolymer (2011) <i>Carbohydrate Research</i> , 346 (13), pp. 1721-1727.	27
	Tang, J., Yang, H., Liu, J., Wang, Y., Yin, X., Wang, R., Huang, L., Huang, Z., Ln ³⁺ -enhanced blue fluorescence from novel excimer of 1,8-naphthalimide-conjugated PAMAM (2010) <i>Optical Materials</i> , 32 (11), pp. 1417-1422.	28
	Furer, V.L., Vandyukov, A.E., Majoral, J.P., Caminade, A.M., Kovalenko, V.I., Raman spectroscopy study of phosphorus-containing dendrimers built from thiophosphoryl core (2010) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 76 (2), pp. 276-282.	29
	Zhai, C., Wei, C., Xu, J., Yang, P., Du, Y., Synthesis and characterization of Au and Ag nanoparticles protected by PAMAM and its derivative ¹ (2009) <i>Colloid Journal</i> , 71 (6), pp. 764-770.	30
	Furer, V.L., Vandyukov, A.E., Majoral, J.P., Caminade, A.M., Kovalenko, V.I., IR spectroscopy and DFT study of phosphorus-containing G2 generation dendrimer (2009) <i>Journal of Molecular Structure</i> , 919 (1-3), pp. 366-372.	31
	Alan Charles Jenkins, PhD thesis, Synthesis and functionalisation of pamam dendrimers as histone replacement molecules, University of Southampton, 2009.	32
	Newkome, G.R., Shreiner, C.D., Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1 → 2 branching motifs: An overview of the divergent procedures (2008) <i>Polymer</i> , 49 (1), pp. 1-173.	33
	Furer, V.L., Vandyukova, I.I., Padie, C., Majoral, J.P., Caminade, A.M., Kovalenko, V.I., Molecular structure and IR spectra of Gc 1 ' generation phosphorus dendrimer built from cyclophosphazene core with terminal phenoxy groups by DFT calculations (2008) <i>Journal of Molecular Structure</i> , 886 (1-3), pp. 1-8.	34
	Furer, V.L., Vandyukova, I.I., Majoral, J.P., Caminade, A.M., Kovalenko, V.I., DFT study of the structure and IR spectra of Gc1 model compound built from cyclotriphosphazene core (2008) <i>Journal of Molecular Structure</i> , 875 (1-3), pp. 587-593.	35
	Kostiainen, M.A., Smith, D.K., Ikkala, O., Optically triggered release of DNA from multivalent dendrons by degrading and charge-switching multivalency (2007) <i>Angewandte Chemie - International Edition</i> , 46 (40), pp. 7600-7604.	36

	Kostiainen, Mauri. "Multivalent dendrons for high-affinity DNA binding.", PhD thesis, Helsinki University of Technology (Espoo, Finland), (2008)	37
	Yang, S.-P., Lin, L., Yang, L.-Z., Chen, J.-M., Chen, Q.-Q., Cao, D., Yu, X.-B. The fluorescence of polyamidoamine dendrimers peripherally modified with 1,8-naphthalimide groups: Effect of the rare earth ions and protons (2007) <i>Journal of Luminescence</i> , 126 (2), pp. 515-530.	38
	Esquivel González, Reynaldo, Virgilio Angel González González, and Eduardo Arias Marín. "Relación estructura-luminiscencia en aductos de condensación aldólica." <i>Ingenierías</i> 10, no. 34 (2007): 69-75.	39
	N. F. Fed'ko, D. G. Ėupriyan, V. V. Veduta, G. V. Pyankova, V. F. Anikin, Synthetic methods of 1,8-naphthalimide derivatives and their application as analytic reagents, <i>Вісник ОНУ</i> , 2007p, 12, (10) 81-100.	40
	Trinchi, A., Muster, T.H., A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) <i>Supramolecular Chemistry</i> , 19 (7), pp. 431-445.	41
	Gingras, M., Raimundo, J.-M., Chabre, Y.M., Cleavable dendrimers, (2007) <i>Angewandte Chemie - International Edition</i> , 46 (7), pp. 1010-1017.	42
	Yanagimoto, Y., Takaguchi, Y., Tsuboi, S., Ichihara, M., Ohta, K., Photoreactivity of tetra-substituted anthracene derivatives and their mesophases (2006) <i>Bulletin of the Chemical Society of Japan</i> , 79 (8), pp. 1265-1270.	43
	Li, S., Zhu, W., Xu, Z., Pan, J., Tian, H., Antenna-functionalized dendritic β -diketonates and europium complexes: synthetic approaches to generation growth (2006) <i>Tetrahedron</i> , 62 (21), pp. 5035-5048.	44
	Li, Z.-Z., Niu, C.-G., Zeng, G.-M., Liu, Y.-G., Gao, P.-F., Huang, G.-H., Mao, Y.-A., A novel fluorescence ratiometric pH sensor based on covalently immobilized piperazinyl-1,8-naphthalimide and benzothioxanthene (2006) <i>Sensors and Actuators, B: Chemical</i> , 114 (1), pp. 308-315.	45
	Shi, X., Lesniak, W., Islam, M.T., Muñiz, M.C., Balogh, L.P., Baker Jr., J.R., Comprehensive characterization of surface-functionalized poly(amidoamine) dendrimers with acetamide, hydroxyl, and carboxyl groups (2006) <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 272 (1-2), pp. 139-150.	46
	Pan, J., Zhu, W., Li, S., Zeng, W., Cao, Y., Tian, H., Dendron-functionalized perylene diimides with carrier-transporting ability for red luminescent materials (2005) <i>Polymer</i> , 46 (18), pp. 7658-7669.	47
	Tang, R., Tan, Z., Cheng, C., Li, Y., Xi, F., Synthesis, electroluminescence, and photovoltaic properties of dendronized poly(p-phenylene vinylene) derivatives (2005) <i>Polymer</i> , 46 (14), pp. 5341-5350.	48
	Ghosh, S., Banthia, A.K., Fluorophore-labeled polyamidoamine (PAMAM) dendritic architectures: Synthesis and fluorescence sensing properties (2004) <i>Supramolecular Chemistry</i> , 16 (7), pp. 487-494.	49
139	Bojinov, V.B., Grabchev, I.K. Synthesis of ethyl 3-aryl-1-methyl-8-oxo-8 H-anthra[9,1-g]quinoline-2-carboxylates as dyes for potential application in liquid crystal displays (2003) <i>Organic Letters</i>, 5 (12), pp. 2185-2187.	44
	Sarkar R., Samanta S.K., Menon A.M., Chopra D., Ganguly D., Bera M.K. Synthesis of Quinoline and Quinolin-2(1 H)-one Derivatives via Nickel Boride Promoted Reductive Cyclization (2023) <i>Synthesis (Germany)</i> , 55 (20), pp. 3303 – 3314 DOI: 10.1055/a-2116-5206	1

	Sivakumar G., Subaramanian M., Balaraman E. Single-Molecular Mn(I)-Complex-Catalyzed Tandem Double Dehydrogenation Cross-Coupling of (Amino)Alcohols under Solventless Conditions with the Liberation of H ₂ and H ₂ O (2022) <i>ACS Sustainable Chemistry and Engineering</i> , 10 (22), pp. 7362 – 7373 DOI: 10.1021/acssuschemeng.2c01222	2
	Rathod S.L., Sharma V.S., Sharma A.S., Athar M., Shrivastav P.S., Parekh H.M. Blue light-emitting Quinoline armed Thiocalix [4]arene 3D-scaffold: A systematic platform to construct fluorescent liquid crystals with bio-imaging applications (2022) <i>Journal of Molecular Structure</i> , 1270, art. no. 133830 DOI: 10.1016/j.molstruc.2022.133830	3
	Mao W., Zhao H., Zhang M. Hydride transfer-initiated synthesis of 3-functionalized quinolines by deconstruction of isoquinoline derivatives (2022) <i>Chemical Communications</i> , 58 (27), pp. 4380 – 4383 DOI: 10.1039/d2cc00127f	4
	Orlova, N., Nikolajeva, I., Pučkins, A., Belyakov, S., Kirilova, E., Heterocyclic schiff bases of 3-aminobenzanthrone and their reduced analogues: Synthesis, properties and spectroscopy (2021) <i>Molecules</i> , 26 (9), art. no. 2570, .	5
	Zhang, M., Fu, Z., Luo, A., Pu, X., Wang, M., Huang, Y., ... & You, J. (2021). Palladium-catalyzed C8–H arylation and annulation of 1-naphthalene carboxylic acid derivatives with aryl iodides. <i>Organic Chemistry Frontiers</i> , 8(13), 3274-3279.	6
	Bakthadoss, M., & Vinayagam, V. (2021). Construction of hybrid polycyclic quinolinobenzo [a] phenazinone architectures using solid-state melt reaction (SSMR). <i>Molecular Diversity</i> , 25(4), 2447-2458.	7
	Altaf, Y., Ullah, S., Khan, F. A., Maalik, A., Rubab, S. L., & Hashmi, M. A. (2021). Finding New Precursors for Light Harvesting Materials: A Computational Study of the Fluorescence Potential of Benzanthrone Dyes. <i>ACS omega</i> , 6(47), 32334-32341.	8
	Xu, H., Yu, F., Huang, R., Weng, M., Chen, H., Zhang, Z., Synthesis of polysubstituted quinolines through promoter-regulated selective annulation and C-C bond cleavage from 2-styrylanilines and β -keto esters (2020) <i>Organic Chemistry Frontiers</i> , 7 (21), pp. 3368-3373.	9
	Bakthadoss, M., Vinayagam, V., Construction of hybrid polycyclic quinolinobenzo[a]phenazinone architectures using solid-state melt reaction (SSMR) (2020) <i>Molecular Diversity</i> .	10
	Shivraj, Siddlingeshwar, B., Thomas, A., Kirilova, E.M., Divakar, D.D., Alkheraif, A.A., Experimental and theoretical insights on the effect of solvent polarity on the photophysical properties of a benzanthrone dye (2019) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 218, pp. 221-228.	11
	Kirilova, E., Mickevica, I., Mezaraupė, L., Puckins, A., Rubenina, I., Osipovs, S., Kokina, I., Bulanovs, A., Kirjusina, M., Gavarane, I., Novel dye for detection of callus embryo by confocal laser scanning fluorescence microscopy (2019) <i>Luminescence</i> , 34 (3), pp. 353-359.	12
	Gavarane, I., Mezaraupė, L., Rubenina, I., Kirjusina, M., Kirilova, E., Staining of economically important parasitic nematodes by developed derivatives of benzanthrone luminophore (2018) <i>International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management, SGEM</i> , 18 (6.2), pp. 581-588.	13
	Altaf, Y. (2019). <i>Computational Chemistry of Compounds with Donor-Acceptor Interactions</i> (Doctoral dissertation, Open Access Victoria University of Wellington Te Herenga Waka).	14
	Kirilova, E.M., Puckins, A.I., Romanovska, E., Fleisher, M., Belyakov, S.V., Novel amidine derivatives of benzanthrone: Effect of bromine atom on the spectral parameters (2018) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 202, pp. 41-49.	15
	Shivraj, Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A., Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) <i>Photochemical and Photobiological Sciences</i> , 17 (4), pp. 453-464.	16

Li, D.-K., Cai, Q., Zhou, R.-R., Wu, Y.-D., Wu, A.-X., The Synthesis of 3-Arylquinolines from o-Nitrobenzaldehydes and β -Nitrostyrenes via an Iron-Promoted Reductive Cyclization (2017) <i>ChemistrySelect</i> , 2 (3), pp. 1048-1051.	17
Luo, X.-L., Liu, X.-X., Pu, J.-H., Tian, W.-F., Zhou, X.-Q., Wei, D.-D., Huang, G.-S., Palladium-Catalyzed Aerobic Oxidative Synthesis of 3-Phenylquinoline with Azides and Aldehydes (2017) <i>ChemistrySelect</i> , 2 (27), pp. 8658-8660.	18
Cao, L., Zhang, D., Xu, L., Fang, Z., Jiang, X.-F., Lu, F., Perylenediimide-Benzanthrone Dyad: Organic Chromophores with Enhanced Third-Order Nonlinear-Optical Activities (2017) <i>European Journal of Organic Chemistry</i> , 2017 (17), pp. 2495-2500.	19
Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) <i>Bulgarian Chemical Communications</i> , 49, pp. 67-73.	20
Ściepień, M., Gońka, E., Żyła, M., Sprutta, N., Heterocyclic Nanographenes and Other Polycyclic Heteroaromatic Compounds: Synthetic Routes, Properties, and Applications (2017) <i>Chemical Reviews</i> , 117 (4), pp. 3479-3716.	21
Kuo, H.-M., Ko, W.-P., Hsu, Y.-T., Lee, G.-H., Lai, C.K., Mesogenic heterocycles derived from quinoxaline Schiff Bases (2016) <i>Tetrahedron</i> , 72 (41), pp. 6321-6333.	22
Miladinova, P.M., Synthesis of a new benzanthrone probe for Ph determination based on PET and ICT (2016) <i>Journal of Chemical Technology and Metallurgy</i> , 51 (6), pp. 667-676.	23
Sims, M.T., Abbott, L.C., Cowling, S.J., Goodby, J.W., Moore, J.N., Experimental and molecular dynamics studies of anthraquinone dyes in a nematic liquid-crystal host: A rationale for observed alignment trends (2016) <i>Physical Chemistry Chemical Physics</i> , 18 (30), pp. 20651-20663.	24
Yamaguchi, K., Noda, T., Tomizawa, T., Kanai, E., Hioki, H., Solid-Phase Friedländer Synthesis Using an Alkoxyamine Linker (2015) <i>European Journal of Organic Chemistry</i> , 2015 (22), pp. 4990-4995.	25
Bharate, J.B., Vishwakarma, R.A., Bharate, S.B., Metal-free domino one-pot protocols for quinoline synthesis (2015) <i>RSC Advances</i> , 5 (52), pp. 42020-42053.	26
Mamedov, V.A., Galimullina, V.R., Zhukova, N.A., Kadyrova, S.F., Mironova, E.V., Rizvanov, I.K., Latypov, S.K., Quinoxalinone-benzimidazole rearrangement: An efficient strategy for the synthesis of structurally diverse quinoline derivatives with benzimidazole moieties Dedicated to the 80th anniversary of Academician Oleg Nikolaevich Chupakhin (2014) <i>Tetrahedron Letters</i> , 55 (31), pp. 4319-4324.	27
Chu, Y.-Y., Kuo, H.-M., Wu, Y.-C., Wu, C.-Y., Sheu, H.-S., Lee, G.-H., Chen, M.-C., Lai, C.K., Catenar bimetallochromophores derived from quinoxaline-salicylaldehyde conjugates (2014) <i>Tetrahedron</i> , 70 (14), pp. 2389-2399.	28
Bakthadoss, M., Kannan, D., A novel synthesis of tetra and pentacyclic quinolinopyran tethered pyrazole/coumarin scaffolds via a solid state melt reaction (2014) <i>RSC Advances</i> , 4 (23), pp. 11723-11731.	29
Lin, K.-T., Kuo, H.-M., Sheu, H.-S., Lai, C.K., Unsymmetric 1,3,4-oxa(thia)diazoles of quinoxaline-naphthalene conjugates (2013) <i>Tetrahedron</i> , 69 (43), pp. 9045-9055.	30
Yu, Z.-H., Zheng, H.-F., Yuan, W., Tang, Z.-L., Zhang, A.-D., Shi, D.-Q., An unexpected one-pot synthesis of multi-substituted quinolines via a cascade reaction of Michael/Staudinger/aza-Wittig/aromatization of ortho-azido- β -nitro-styrenes with various carbonyl compounds (2013) <i>Tetrahedron</i> , 69 (38), pp. 8137-8141.	31

	Ghoshal, A., Sarkar, A.R., Senthil Kumaran, R., Hegde, S., Manickam, G., Jayashankaran, J. A facile stereoselective synthesis of julolidine hybrid analogs via domino knoevenagel intramolecular hetero Diels-Alder reaction (2012) Tetrahedron Letters, 53 (14), pp. 1748-1752.	32
	Tanaka, T., Ashida, T., Matsumoto, S., Highly dichroic and luminescent triphenodioxazine dyes (2011) Chemistry Letters, 40 (6), pp. 573-575.	33
	Chen, C.-J., Wu, Y.-C., Sheu, H.-S., Lee, G.-H., Lai, C.K., Synthesis of quinoxaline-benzoxale conjugates and mesomorphic properties (2011) Tetrahedron, 67 (1), pp. 114-124.	34
	Li, J., Bu, W., Guo, L., Chen, Z., Chen, F., Shi, J., Facile synthesis of size-tunable lanthanum phosphate nanocrystals monodispersible in both organic and aqueous solutions (2008) Journal of Materials Research, 23 (10), pp. 2796-2803.	35
	Etukala, J.R., Yadav, J.S., Synthesis of 1 -(phenylsulfanyl/phenoxy)-3H-naptho[1,2,3-de]quinoline-2,7- diones (2008) Heteroatom Chemistry, 19 (2), pp. 221-227.	36
	Yu, D.-G., Kim, S.-H., An, J.-H., Preparation and characterization of electronic inks encapsulation for microcapsule-type electrophoretic displays (EPDs) (2007) Journal of Industrial and Engineering Chemistry, 13 (3), pp. 438-443.	37
	Chen, Z., Swager, T.M., Synthesis and characterization of fluorescent acenequinones as dyes for guest-host liquid crystal displays(2007) Organic Letters, 9 (6), pp. 997-1000.	38
	Zheng, M.-Y., An, Z.-W., Rod-like Schiff base magnetic liquid crystals bearing organic radical (2006) Chinese Journal of Chemistry, 24 (12), pp. 1754-1757.	39
	Ma, Z., Xiang, Z., Luo, T., Lu, K., Xu, Z., Chen, J., Yang, Z., Synthesis of functionalized quinolines via Ugi and Pd-catalyzed intramolecular arylation reactions (2006) Journal of Combinatorial Chemistry, 8 (5), pp. 696-704.	40
	Wu, Y.-C., Liu, L., Li, H.-J., Wang, D., Chen, Y.-J., Skraup-Doebner-Von Miller quinoline synthesis revisited: Reversal of the regiochemistry for γ -aryl- β,γ -unsaturated α -ketoesters (2006) Journal of Organic Chemistry, 71 (17), pp. 6592-6595.	41
	Zhang, X., Yamaguchi, R., Moriyama, K., Kadowaki, M., Kobayashi, T., Ishi-i, T., Thiemann, T., Mataka, S., Highly dichroic benzo-2,1,3-thiadiazole dyes containing five linearly π -conjugated aromatic residues, with fluorescent emission ranging from green to red, in a liquid crystal guest-host system (2006) Journal of Materials Chemistry, 16 (8), pp. 736-740.	42
	Wu, Y.C., Zou, X.M., Hu, F.Z., Yang, H.Z., Design and synthesis of novel 5-sulfoxide-substituted pyrazolo[5,1-d][1,2, 3,5]tetrazin-4(3H)ones (2005) Chinese Chemical Letters, 16 (9), pp. 1143-1146.	43
	Zhang, X., Gorohmaru, H., Kadowaki, M., Kobayashi, T., Ishi-I, T., Thiemann, T., Mataka, S., Benzo-2,1,3-thiadiazole-based, highly dichroic fluorescent dyes for fluorescent host-guest liquid crystal displays (2004) Journal of Materials Chemistry, 14 (12), pp. 1901-1904.	44
140	Grabchev, I., Chovelon, J.-M., Qian, X. A copolymer of 4-N,N-dimethylaminoethylene-N-allyl-1,8-naphthalimide with methylmethacrylate as a selective fluorescent chemosensor in homogeneous systems for metal cations (2003) Journal of Photochemistry and Photobiology A: Chemistry, 158 (1), pp. 37-43.	85
	Agius N., Magri D.C. A fluorescent polymeric INHIBIT logic gate based on the natural product quinidine (2021) New Journal of Chemistry, 45 (32), pp. 14360 – 14363 DOI: 10.1039/d1nj03045k	1
	Shaki H. Preparation and characterization of novel Yellow-Green fluorescent polymerizable dye and its copolymer with application of highly selective sensor for cations iron (2022) Pigment and Resin Technology, 51 (3), pp. 364 – 371 DOI: 10.1108/PRT-01-2021-0002	2

	Nagai Y., Watanabe T., Yoshioka D., Okayasu Y., Tamai N., Kobayashi Y. Near-Infrared-Light Triggered Electron Transfer from Ag ₂ S Nanocrystals to Perylene Bisimide (2022) ECS Journal of Solid State Science and Technology, 11 (10), art. no. 101001 DOI: 10.1149/2162-8777/ac93b2	3
	Yoshioka D., Yoneda Y., Chang I.-Y., Kuramochi H., Hyeon-Deuk K., Kobayashi Y. Quasi-Reversible Photoinduced Displacement of Aromatic Ligands from Semiconductor Nanocrystals (2023) ACS Nano, 17 (12), pp. 11309 – 11317 DOI: 10.1021/acsnano.2c12578	4
	Suleiman Pendo U., Ademola Bello K., Yakubu M.K., Giwa A., Ameuru U.S., Harifi-Mood A.R., Ziyaei Halimehjani A. Synthesis of monoazo disperse dyes derived from N-(1-phthalimidyl)-naphthalimides and their dyeing properties on polyester fabrics (2023) Pigment and Resin Technology DOI: 10.1108/PRT-11-2022-0139	5
	Oshchepkov, A.S., Oshchepkov, M.S., Oshchepkova, M.V., Al-Hamry, A., Kanoun, O., Kataev, E.A., Naphthalimide-Based Fluorescent Polymers for Molecular Detection (2021) Advanced Optical Materials, 9 (6), art. no. 2001913, .	6
	Magri, D. C. (2021). A fluorescent polymeric INHIBIT logic gate based on the natural product quinidine. <i>New Journal of Chemistry</i> , 45(32), 14360-14363.	7
	Pendo, U. S., Bello, K. A., Yakubu, M. K., Giwa, A., Ameuru, U. S., & Halimehjani, A. Z. (2021). Synthesis and application of monoazo disperse dyes based on asymmetric bisimide on polylactic acid fabrics. <i>Science World Journal</i> , 16(3), 301-311.	8
	Shaki, H. Preparation and characterization of novel Yellow-Green fluorescent polymerizable dye and its copolymer with application of highly selective sensor for cations iron. <i>Pigment & Resin Technology</i> . (2021).	9
	Cui, M., Li, H., Ren, X., Xia, L., Deng, D., Gu, Y., Li, D., Wang, P., A FRET-based upconversion nanoprobe assembled with an electrochromic chromophore for sensitive detection of hydrogen sulfide: In vitro and in vivo (2020) <i>Nanoscale</i> , 12 (33), pp. 17517-17529.	10
	Oshchepkov, A., Oshchepkov, M., Kamagurov, S., Redchuk, A., Oshchepkova, M., Popov, K., Kataev, E., Fluorescence detection of phosphonates in water by a naphthalimide-based receptor and its derived cryopolymers (2020) <i>New Journal of Chemistry</i> , 44 (28), pp. 12113-12121.	11
	El-Betany, A.M.M., Kamoun, E.A., James, C., Jangher, A., Aljayyousi, G., Griffiths, P., McKeown, N.B., Gumbleton, M., Auto-fluorescent PAMAM-based dendritic molecules and their potential application in pharmaceutical sciences (2020) <i>International Journal of Pharmaceutics</i> , 579, art. no. 119187,	12
	Dangi, V., Baral, M., Kanungo, B.K., Study on the development of a cyclohexane based tripodal molecular device as "off-on-off" pH sensor and fluorescent iron sensor(2020) <i>Current Analytical Chemistry</i> , 16 (5), pp. 620-630.	13
	Xu, Y., Zhang, H., Shen, K., Mao, S., Shi, X., Wu, H., Four-, five- and six-coordinated transition metal complexes based on naphthalimide Schiff base ligands: Synthesis, crystal structure and properties (2018) <i>Applied Organometallic Chemistry</i> , 32 (1), art. no. e3902,	14
	S.O.Aderinto, S. Imhanria, Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017, <i>Chemical Papers</i> , 2018, https://doi.org/10.1007/s11696-018-0411-0	15
	Bag, S.S., Saito, I., Design of Environmentally Sensitive Fluorescent Nucleosides and their Applications (2016) <i>Fluorescent Analogs of Biomolecular Building Blocks: Design and Applications</i> , pp. 137-173. : Book Chapter	16
	Li-Ping, Z., Wan-Dong, C., Rui-Fa, J., Rational design of star-shaped molecules with benzene core and naphthalimide derivatives end groups as organic light-emitting materials (2016) <i>Jiegou Huaxue</i> , 35 (12), pp. 1811-1818.	17

	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F., Surface modification of poly(ethylene-butyl acrylate) copolymers by microwave methodology and functionalization with 4-dimethylamino-N-(2-hydroxyethyl)-1,8-naphthalimide for acidity sensing (2016) <i>Reactive and Functional Polymers</i> , 107, pp. 78-86.	18
	Khattab, M., Wang, F., Clayton, A.H.A., UV-Vis spectroscopy and solvatochromism of the tyrosine kinase inhibitor AG-1478 (2016) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 164, pp. 128-132.	19
	Cheng, H., Zou, T., Xu, Y., Wang, Y., Wu, A., Dai, J., Zhang, Y., Liu, Y., Investigations on the interactions between naphthalimide-based anti-tumor drugs and human serum albumin by spectroscopic and molecular modeling methods (2016) <i>Luminescence</i> , 31 (1), pp. 88-95.	20
	Shaki, H., Khosravi, A., Gharanjig, K., Mahboubi, A., Investigation of synthesis, characterization, photophysical and biological properties of novel antimicrobial fluorescent naphthalimide derivatives (2016) <i>Materials Technology</i> , 31 (6), pp. 322-331.	21
	Zhang Li-Ping Chai Wan-Dong, Jin Rui-Fa Rational Design of Star-shaped Molecules with Benzene Core and Naphthalimide Derivatives End Groups as Organic Light-emitting Materials, <i>Chinese J. Struct. Chem.</i> 2016. 35 (12) 1811–1818	22
	Zhao, Y., Zhang, G., Liu, Z., Guo, C., Peng, C., Pei, M., Li, P., Benzimidazo[2,1-a]benz[de]isoquinoline-7-one-12-carboxylic acid based fluorescent sensors for pH and Fe ³⁺ , (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 314, art. no. 9978, pp. 52-59.	23
	Banaei, H. Mofi, K. Nejati, M. Seyed Sadjadi, Z. Rezvani, Synthesis and characterization of some transition metal complexes with new mixed-donor schif base ligands derived from 2-hydroxynaphthaldehyde. <i>Int. J. Bio-Inorg. Hybr. Nanomater.</i> , 2016(3): 173-181,	24
	Refat, M.S., Ismail, L.A., Adam, A.M.A., Shedding light on the photostability of two intermolecular charge-transfer complexes between highly fluorescent bis-1,8-naphthalimide dyes and some π -acceptors: A spectroscopic study in solution and solid states (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 134, pp. 288-301.	25
	Daniel Maldonado, PhD thesis, Photovoltaïque Organique: étude de la morphologie de films minces, conception, synthèse et étude de petites molécules pour leur utilisation en hétérojonction en volume dans des dispositifs photovoltaïques, Université Toulouse, France, 2015,	26
	Jin, Q.-J., Xu, M., Huang, X.-Y., Li, B.-T., Wang, J.-S., Kan, C.-Y., Synthesis and properties of naphthalimide fluorescent dye and covalent fluorescent polyurethane emulsion (2015) <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 31 (5), pp. 989-997.	27
	Wu, W.-B., Xu, Z.-Y., Zhuang, Z.-L., Zhu, L., Fluorescent and thermo-responsive cellulose nanocrystals via single-electron transfer living radical polymerization (2015) <i>Acta Polymerica Sinica</i> , (3), pp. 338-345.	28
	Sun, F., Jin, R., Optical and charge transport properties of N-butyl-1,8-naphthalimide derivatives as organic light-emitting materials: A theoretical study (2014) <i>Journal of Luminescence</i> , 149, pp. 125-132.	29
	Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014.	30
	Jonas D. Kölsch, PhD thesis, Entwicklung neuer farbstoffmarkierter Polymere zur Visualisierung des LCST-Phasenübergangs in wässriger Lösung, Institut für Chemie Arbeitskreis Angewandte Polymerchemie, März, Germany, 2014.	31
	Rouhani, S., Gharanjig, K., Nezhad, M.H., Facile synthesis of 4-nitro-N-substituted-1,8-naphthalimide derivatives using ultrasound in aqueous media (2014) <i>Green Chemistry Letters and Reviews</i> , 7 (2), pp. 174-178.	32

Jin, R., Theoretical study on optical and electronic properties of bis-dipolar 1,8-naphthalimide derivatives (2013) <i>Molecular Physics</i> , 111 (24), pp. 3793-3800.	33
Inal, S., Kölsch, J.D., Chiappisi, L., Janietz, D., Gradzielski, M., Laschewsky, A., Neher, D., Structure-related differences in the temperature-regulated fluorescence response of LCST type polymers (2013) <i>Journal of Materials Chemistry C</i> , 1 (40), pp. 6603-6612.	34
Sahika Inal, PhD thesis, Responsive Polymers for Optical Sensing Applications, Universität Potsdam, Germany, 2013. http://nbn-resolving.de/urn:nbn:de:kobv:517-opus-70806	35
El-Betany, A.M.M., Vachova, L., Bezzu, C.G., Pope, S.J.A., McKeown, N.B., The synthesis and study of fluorescent PAMAM-based dendritic molecules (2013) <i>Tetrahedron</i> , 69 (39), pp. 8439-8445.	36
Alshahrani, T., El-Betany, A., Mabrook, M., Tai, H., McKeown, N., High open-circuit voltage bulk-heterojunction solar cells by using new dendritic acceptor material (2013) <i>Technical Proceedings of the 2013 NSTI Nanotechnology Conference and Expo, NSTI-Nanotech 2013</i> , 3, pp. 572-575.	37
Krueger, A.T., Imperiali, B., Fluorescent Amino Acids: Modular Building Blocks for the Assembly of New Tools for Chemical Biology (2013) <i>ChemBioChem</i> , 14 (7), pp. 788-799.	38
Wei, S., Sun, Y., Tan, C., Yan, S., Guo, P., Hu, X., Fan, J., 4-alkoxyethoxy-N-octadecyl-1,8-naphthalimide fluorescent sensor for human serum albumin and other major blood proteins: Design, synthesis and solvent effect (2013) <i>Luminescence</i> , 28 (3), pp. 318-326.	39
Jin, R., Tang, S., Theoretical investigation into optical and electronic properties of 1,8-naphthalimide derivatives (2013) <i>Journal of Molecular Modeling</i> , 19 (4), pp. 1685-1693.	40
De Silva, A.P., Molecular logic-based computation (2013) <i>Monographs in Supramolecular Chemistry</i> , pp. 1-417.	41
Azadbakht, R., Keypour, H., Amiri Rudbari, H., Mohammad Zaheri, A.H., Menati, S., Synthesis and characterization of two new fluorescent macrocycles: A novel fluorescent chemosensor for zinc ion (2012) <i>Journal of Luminescence</i> , 132 (8), pp. 1860-1866.	42
Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J. A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 90, pp. 85-92.	43
Sun, Y., Wei, S., Zhao, Y., Hu, X., Fan, J., Interactions between 4-(2-dimethylaminoethoxy)-N-octadecyl-1,8-naphthalimide and serum albumins: Investigation by spectroscopic approach (2012) <i>Journal of Luminescence</i> , 132 (4), pp. 879-886.	44
Sun, Y., Wei, S., Zhao, Y., Hu, X., Fan, J., Characterization of the interaction between 4-(tetrahydro-2-furanmethoxy)-N-octadecyl-1,8-naphthalimide and human serum albumin by molecular spectroscopy and its analytical application (2012) <i>Applied Spectroscopy</i> , 66 (4), pp. 464-469.	45
Koyuncu, F.B., Koyuncu, S., Ozdemir, E., A new donor-acceptor carbazole derivative: Electrochemical polymerization and photo-induced charge transfer properties (2011) <i>Synthetic Metals</i> , 161 (11-12), pp. 1005-1013.	46
Praveen, L., Reddy, M.L.P., Luxmi Varma, R., Dansyl-styrylquinoline conjugate as divalent iron sensor (2010) <i>Tetrahedron Letters</i> , 51 (50), pp. 6626-6629.	47
Refat, M.S., Synthesis, spectroscopic characterization, thermal, and photostability studies of 2-(2'-hydroxy-5'-phenyl)-5-aminobenzotriazole complexes (2010) <i>Journal of Thermal Analysis and Calorimetry</i> , 102 (3), pp. 1095-1103.	48

Koyuncu, F.B., Koyuncu, S., Ozdemir, E., A novel donor-acceptor polymeric electrochromic material containing carbazole and 1,8-naphthalimide as subunit (2010) <i>Electrochimica Acta</i> , 55 (17), pp. 4935-4941.	49
Panchenko, P.A., Fedorov, Y.V., Perevalov, V.P., Jonusauskas, G., Fedorova, O.A., Cation-dependent fluorescent properties of naphthalimide derivatives with N-benzocrown ether fragment (2010) <i>Journal of Physical Chemistry A</i> , 114 (12), pp. 4118-4122.	50
PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	51
Katritzky, A.R., Ozcan, S., Todadze, E., Synthesis and fluorescence of the new environment-sensitive fluorophore 6-chloro-2,3-naphthalimide derivative (2010) <i>Organic and Biomolecular Chemistry</i> , 8 (6), pp. 1296-1300.	52
Lacivita, E., Leopoldo, M., Masotti, A.C., Inglese, C., Berardi, F., Perrone, R., Ganguly, S., Jafurulla, Md., Chattopadhyay, A., Synthesis and characterization of environment-sensitive fluorescent ligands for human 5-HT1A receptors with 1-arylpiperazine structure (2009) <i>Journal of Medicinal Chemistry</i> , 52 (23), pp. 7892-7896.	53
Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	54
Ishchenko, A.A., Grabchuk, G.P., Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) <i>Theoretical and Experimental Chemistry</i> , 45 (3), pp. 143-167.	55
Georgiev, N.I., Bojinov, V.B., Nikolov, P.S., Design and synthesis of a novel pH sensitive core and peripherally 1,8-naphthalimide-labeled PAMAM dendron as light harvesting antenna (2009) <i>Dyes and Pigments</i> , 81 (1), pp. 18-26.	56
Katritzky, A.R., Narindoshvili, T., Fluorescent amino acids: Advances in protein-extrinsic fluorophores (2009) <i>Organic and Biomolecular Chemistry</i> , 7 (4), pp. 627-634.	57
Bojinov, V.B., Panova, I.P., Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) <i>Dyes and Pigments</i> , 80 (1), pp. 61-66.	58
Endo, T., Suzuki, S., Miyagawa, N., Takahara, S., Multifunctional photo acid generator for fluorescence imaging based on self-contained photoreaction (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 200 (2-3), pp. 181-186.	59
Meng, X., Zhu, W., Zhang, Q., Feng, Y., Tan, W., Tian, H., Novel bithienylethenes containing naphthalimide as the center ethene bridge: Photochromism and solvatochromism for combined nor and inhibit logic gates (2008) <i>Journal of Physical Chemistry B</i> , 112 (49), pp. 15636-15645.	60
Hamel, M., Simic, V., Normand, S., Fluorescent 1,8-naphthalimides-containing polymers as plastic scintillators. An attempt for neutron-gamma discrimination (2008) <i>Reactive and Functional Polymers</i> , 68 (12), pp. 1669-1679.	61
Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) <i>Dyes and Pigments</i> , 78 (2), pp. 101-110.	62
Pereira, R.V., Ferreira, A.P.G., Gehlen, M.H., Fluorescent probes with malononitrile side group in methyl methacrylate copolymers (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 198 (1), pp. 69-74.	63
Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 197 (2-3), pp. 281-289.	64

Shu, T., Wu, J., Lu, M., Chen, L., Yi, T., Li, F., Huang, C., Tunable red-green-blue fluorescent organogels on the basis of intermolecular energy transfer (2008) <i>Journal of Materials Chemistry</i> , 18 (8), pp. 886-893.	65
Liu, Y., Meng, L.Z., Lu, X., Zhang, L., He, Y., Thermo and pH sensitive fluorescent polymer sensor for metal cations in aqueous solution (2008) <i>Polymers for Advanced Technologies</i> , 19 (2), pp. 137-143.	66
Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 193 (2-3), pp. 129-138.	67
Bojinov, V.B., Simeonov, D.B., Georgiev, N.I., A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) <i>Dyes and Pigments</i> , 76 (1), pp. 41-46.	68
Patent USA, B. Imperiali, G. Loving, IPC8 Class: AC07D22106FI, Applicaton: 20080206885 - Class: 436172, Environmentally sensitive fluorophores (2008).	69
Bojinov, V.B., Konstantinova, T.N., Fluorescent 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2007) <i>Sensors and Actuators, B: Chemical</i> , 123 (2), pp. 869-876.	70
Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) <i>Dyes and Pigments</i> , 74 (3), pp. 551-560.	71
Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B. Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 42-46.	72
KrishnaMurthy, N.V., Reddy, A.R., Spectrochemical properties of 2,3-dihydronaphtho[1,8-de][1,2]diazepine-1,4- dione and its derivatives (2006) <i>Indian Journal of Chemistry - Section A Inorganic, Physical, Theoretical and Analytical Chemistry</i> , 45 (12), pp. 2615-2623.	73
Magalhães, J.L., Pereira, R.V., Triboni, E.R., Berci Filho, P., Gehlen, M.H., Nart, F.C. Solvent effect on the photophysical properties of 4-phenoxy-N-methyl-1,8-naphthalimide (2006) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 183 (1-2), pp. 165-170.	74
Vázquez, M.E., Blanco, J.B., Salvadori, S., Trapella, C., Argazzi, R., Bryant, S.D., Jinsmaa, Y., Lazarus, L.H., Negri, L., Giannini, E., Lattanzi, R., Colucci, M., Balboni, G. 6-N,N-dimethylamino-2,3-naphthalimide: A new environment-sensitive fluorescent probe in δ - and μ -selective opioid peptides (2006) <i>Journal of Medicinal Chemistry</i> , 49 (12), pp. 3653-3658.	75
Le Barny, P.L., Obert, E.T., Soyer, F., Malval, J.P., Leray, I., Lemaître, N., Pansu, R., Simic, V., Doyle, H., Redmond, G., Loiseaux, B. Detection of nitroaromatic compounds based on photoluminescent side chain polymers (2005) <i>Proceedings of SPIE - The International Society for Optical Engineering</i> , 5990, art. no. 59900S, .	76
Bricks, J.L., Kovalchuk, A., Trieflinger, C., Nofz, M., Büschel, M., Tolmachev, A.I., Daub, J., Rurack, K., On the development of sensor molecules that display FeIII- amplified fluorescence (2005) <i>Journal of the American Chemical Society</i> , 127 (39), pp. 13522-13529.	77
Callan, J.F., De Silva, A.P., Magri, D.C., Luminescent sensors and switches in the early 21st century (2005) <i>Tetrahedron</i> , 61 (36), pp. 8551-8588	78
Prasanna De Silva, A., Magri, D.C., Optical sensing and switching with designed molecules (2005) <i>Chimia</i> , 59 (5), pp. 218-221.	79
Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 56 (3), pp. 375-381.	80

	Vázquez, M.E., Blanco, J.B., Imperiali, B., Photophysics and biological applications of the environment-sensitive fluorophore 6-N,N-dimethylamino-2,3-naphthalimide (2005) <i>Journal of the American Chemical Society</i> , 127 (4), pp. 1300-1306.	81
	Bag, B., Bharadwaj, P.K., Cryptand-based fluorescent signaling systems: High enhancement with transition, inner-transition as well as heavy main-group metal ions (2004) <i>Journal of Luminescence</i> , 110 (1-2), pp. 85-94.	82
	Bojinov, V., Ivanova, G., Simeonov, D., Synthesis and photophysical investigations of novel polymerizable blue emitting fluorophores - Combination of a hindered amine with a benzo[de]isoquinoline-1,3-dione (2004) <i>Macromolecular Chemistry and Physics</i> , 205 (9), pp. 1259-1268.	83
	Sebok-Nagy, K., Biczók, L., Effect of protonation and hydrogen bonding on the fluorescent properties and exciplex formation of N-(4-pyridyl)-1,2-naphthalimide (2004) <i>Photochemical and Photobiological Sciences</i> , 3 (4), pp. 389-395.	84
	Bojinov, V.B., Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials (2004) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 162 (1), pp. 207-212.	85
141	Grabchev, I., Bojinov, V., Petkov, C. Infrared absorption studies of some new 1,8-naphthalimides (2003) <i>Chemistry of Heterocyclic Compounds</i>, 39 (2), pp. 179-183.	8
	Dodangeh M., Gharanjig K., Mohammadian M., Arami M. Synthesis, Infra-red Study, and Application of Polyamidoamine Dendrimer Modified with 1,8-naphthalimide Derivatives as Novel Fluorescent Disperse Dye (2022) <i>Progress in Color, Colorants and Coatings</i> , 15 (3), pp. 203 - 211 DOI: 10.30509/pccc.2021.166837.1119	1
	Chaudhary, M., Verma, M., Jena, K.C., Singh, N., Histidine-Naphthalimide based Organic-Inorganic Nanohybrid for Electrochemical Detection of Cyanide and Iodide ions (2020) <i>ChemistrySelect</i> , 5 (27), pp. 8246-8252.	2
	Carl, A.D., Grimm, R.L., Covalent Attachment and Characterization of Perylene Monolayers on Si(111) and TiO ₂ for Electron-Selective Carrier Transport (2019) <i>Langmuir</i> , 35 (29), pp. 9352-9363.	3
	Zhong, Y., Sun, X., Wang, S., Peng, F., Bao, F., Su, Y., Li, Y., Lee, S.-T., He, Y., Facile, Large-Quantity Synthesis of Stable, Tunable-Color Silicon Nanoparticles and Their Application for Long-Term Cellular Imaging (2015) <i>ACS Nano</i> , 9 (6), pp. 5958-5967.	4
	El-Sayed, M.Y., Refat, M.S., Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 137, pp. 1270-1279.	5
	Mati, S.S., Chall, S., Rakshit, S., Bhattacharya, S.C., Spectroscopic and quantum mechanical approach of solvatochromic immobilization: Modulation of electronic structure and excited-state properties of 1,8-naphthalimide derivative (2015) <i>Journal of Fluorescence</i> , 25 (2), pp. 341-353.	6
	Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014	7
	El-Sayed, M.Y., Refat, M.S., The intermolecular charge-transfer complexes of the first generation of poly(propylene amine) dendrimers with σ and π acceptors (2014) <i>International Journal of Electrochemical Science</i> , 9 (11), pp. 6608-6626.	8
142	Grabchev, I., Chovelon, J.-M., Qian, X. A polyamidoamine dendrimer with peripheral 1,8-naphthalimide groups capable of acting as a PET fluorescent sensor for metal cations (2003) <i>New Journal of Chemistry</i>, 27 (2), pp. 337-340	82

Bawa R., Negi S., Singh B., Pani B., Kumar R. A pyridine dicarboxylate based hydrazone Schiff base for reversible colorimetric recognition of Ni ²⁺ and PPI (2023) RSC Advances, 13 (23), pp. 15391 – 15400 DOI: 10.1039/d3ra02021e	1
Chen, Y., Sun, R., Zhu, W., Zhang, Z., Chen, Y., Wang, S., Deng, Q., Desirability of position 2, 2'-bipyridine group into COFs for the fluorescence sensing of Ni (II) (2021) Sensors and Actuators, B: Chemical, 344, art. no. 130216, .	2
Kumar, A., Singh, N., Kumar, M., Agarwal, U., Synthesis of N 2, N 6-bis(5-methylthiazol-2-yl)pyridine-2,6-dicarboxamide fluoroscent sensor for detection of Cu ²⁺ and Ni ²⁺ Ions (2021) Drug Research, .	3
El-Betany, A.M.M., Kamoun, E.A., James, C., Jangher, A., Aljayyousi, G., Griffiths, P., McKeown, N.B., Gumbleton, M., Auto-fluorescent PAMAM-based dendritic molecules and their potential application in pharmaceutical sciences (2020) International Journal of Pharmaceutics, 579, art. no. 119187,	4
Hacer, A. Z. A. K. (2020). Synthesis of new generation calix [4] arene derivatives as fluorescence chemosensor and its theoretical calculation. <i>Cumhuriyet Science Journal</i> , 41(1), 122-130.	5
Gao, Y.-G., Liu, F.-L., Patil, S., Li, D.-J., Qadir, A., Lin, X., Tian, Y., Li, Y., Qian, A.-R., 1,8-Naphthalimide-Based Multifunctional Compounds as Cu ²⁺ Probes, Lysosome Staining Agents, and Non-viral Vectors (2019) Frontiers in Chemistry, 7, art. no. 616, .	6
Golbedaghi, R., Alavipour, E., Shahsavari, M., Salicylaldehyde-Based 'Turn-off' Fluorescent Chemosensor with High Selectivity for Fe ³⁺ in H ₂ O-DMF Solution (2018) Russian Journal of Inorganic Chemistry, 63 (3), pp. 414-419.	7
Dzhardimalieva, G.I., Uflyand, I.E., Metal chelate dendrimers (2018) Springer Series in Materials Science, 257, pp. 503-631.: Book Chapter	8
Shaki, H., Khosravi, A., Gharanjig, K., Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: Synthesis, characterisation and photophysical properties (2017) Pigment and Resin Technology, 46 (3), pp. 244-250.	9
Han, Z., Yan, J., Tang, H. Q., He, Y., Zhu, Y., & Ge, Y. Q. (2017). Novel simple fluorescent sensor for nickel ions. <i>Tetrahedron Letters</i> , 58(13), 1254-1257.	10
Li, W., Yu, X., Wang, X., Theoretical design of a new allosteric switch and fluorescence chemosensor double functional devices of Aza-Crown ether (2017) Journal of Physical Chemistry C, 121 (3), pp. 1436-1441.	11
Subashini, G., Shankar, R., Arasakumar, T., Mohan, P.S., Quinoline appended pyrazoline based Ni sensor and its application towards live cell imaging and environmental monitoring (2017) Sensors and Actuators, B: Chemical, 243, pp. 549-556.	12
Li, P., Zhang, M., Sun, X., Guan, S., Zhang, G., Baumgarten, M., Müllen, K., A dendrimer-based highly sensitive and selective fluorescence-quenching sensor for Fe ³⁺ both in solution and as film (2016) Biosensors and Bioelectronics, 85, pp. 785-791	13
Wan, C.-F., Chang, Y.-J., Chien, C.-Y., Sie, Y.-W., Hu, C.-H., Wu, A.-T., A new multifunctional Schiff base as a fluorescence sensor for Fe ²⁺ and F ⁻ ions, and a colorimetric sensor for Fe ³⁺ (2016) Journal of Luminescence, 178, pp. 115-120.	14
Liu, Z., Yu, L., Wang, X., Zhang, X., Liu, M., Zeng, W., Integrin (αvβ3) targeted RGD peptide based probe for cancer optical imaging (2016) Current Protein and Peptide Science, 17 (6), pp. 570-581.	15
Niu, Y., Qian, Y., Hu, X. Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) Chinese Journal of Organic Chemistry, 36 (3), pp. 555-561.	16

Dodangeh, M., Gharanjig, K., Arami, M., A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 154, pp. 207-214.	17
Zhao, Y., Zhang, G., Liu, Z., Guo, C., Peng, C., Pei, M., Li, P., Benzimidazo[2,1-a]benz[de]isoquinoline-7-one-12-carboxylic acid based fluorescent sensors for pH and Fe ³⁺ ; (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 314, art. no. 9978, pp. 52-59.	18
Qi, J., Liu, D., Liu, X., Guan, S., Shi, F., Chang, H., He, H., Yang, G., Fluorescent pH Sensors for Broad-Range pH Measurement Based on a Single Fluorophore (2015) <i>Analytical Chemistry</i> , 87 (12), pp. 5897-5904.	19
Jayabharathi, J., Karunakaran, C., Kalaiarasi, V., Thermodynamically feasible photoelectron transfer from bioactive π -expanded imidazole luminophores to ZnO nanocrystals (2015) <i>New Journal of Chemistry</i> , 39 (3), pp. 1800-1813.	20
El-Sayed, M.Y., Refat, M.S. Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 137, pp. 1270-1279.	21
Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A., Application of PAMAM dendrimers in optical sensing (2015) <i>Analyst</i> , 140 (4), pp. 976-989.	22
Aydin, Ziya, PhD thesis, Developing Fluorescent Sensors for the Bioimaging of Chelatable Iron(III) Ions (2015). http://scholarworks.umass.edu/dissertations_2/281	23
Vinod Kumar, V., Thenmozhi, M.K., Ganesan, A., Ganesan, S.S., Anthony, S.P. Hyperbranched polyethylenimine-based sensor of multiple metal ions (Cu ²⁺ , Co ²⁺ and Fe ²⁺): Colorimetric sensing via coordination or AgNP formation (2015) <i>RSC Advances</i> , 5 (107), pp. 88125-88132.	24
Lei, Y., Li, H., Gao, W., Liu, M., Chen, J., Ding, J., Huang, X., Wu, H. Highly sensitive conjugated polymer fluorescent sensors based on benzochalcogendiazole for nickel ions in real-time detection (2014) <i>Journal of Materials Chemistry C</i> , 2 (35), pp. 7402-7410.	25
Chen, C.-H., Cho, C., Wan, C.-F., Wu, A.-T. A colorimetric sensor for Fe ²⁺ ion (2014) <i>Inorganic Chemistry Communications</i> , 41, pp. 88-91.	26
Liu, X., Lin, Q., Wei, T.-B., Zhang, Y.-M. A highly selective colorimetric chemosensor for detection of nickel ions in aqueous solution (2014) <i>New Journal of Chemistry</i> , 38 (4), pp. 1418-1423.	27
Wang, Q., Wang, X., Li, L. Density functional theory study on a fluorescent chemosensor device of aza-crown ether (2014) <i>Journal of Physical Organic Chemistry</i> , 27 (7), pp. 546-554.	28
Jayabharathi, J., Ramanathan, P., Thanikachalam, V., Arunpandiyan, A. Sensitive and selective PET-based π -expanded phenanthrimidazole luminophore for Zn ²⁺ ion (2014) <i>Journal of Fluorescence</i> , 24 (3), pp. 827-834.	29
Chen, C.-H., Hung, P.-J., Wan, C.-F., Wu, A.-T. A turn-on Schiff-base fluorescence sensor for Fe ³⁺ ion (2013) <i>Inorganic Chemistry Communications</i> , 38, pp. 74-77.	30
El-Betany, A.M.M., Vachova, L., Bezzu, C.G., Pope, S.J.A., McKeown, N.B. The synthesis and study of fluorescent PAMAM-based dendritic molecules (2013) <i>Tetrahedron</i> , 69 (39), pp. 8439-8445.	31

Kim, K.-H., Lee, W.-J., Kim, J.N., Kim, H.J. An off-on fluorescent sensor for detecting a wide range of water content in organic solvents (2013) Bulletin of the Korean Chemical Society, 34 (8), pp. 2261-2266.	32
Zheng, S., Lynch, P.L.M., Rice, T.E., Moody, T.S., Gunaratne, H.Q.N., De Silva, A.P. Structural effects on the pH-dependent fluorescence of naphthalenic derivatives and consequences for sensing/switching (2012) Photochemical and Photobiological Sciences, 11 (11), pp. 1675-1681.	33
Krishnakumar, V., Kumar, K.M., Mandal, B.K., Khan, F.-R.N. Flower-shaped ZnO nanoparticles as an efficient, heterogeneous and reusable catalyst in the synthesis of N-arylhomophthalimides and benzannelated isoquinolinones (2012) Research on Chemical Intermediates, 38 (8), pp. 1881-1892.	34
Wang, L., Ye, D., Cao, D., A novel coumarin Schiff-base as a Ni(II) ion colorimetric sensor (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 40-44.	35
Touzani, R., Dendrons, dendrimers new materials for environmental and science applications (2011) Journal of Materials and Environmental Science, 2 (3), pp. 201-214.	36
Pu, L. Dendrimer-Based Sensors (2011) Chemosensors: Principles, Strategies, and Applications, pp. 121-162.	37
Tang, Y.-H., Huang, A.Y.-T., Chen, P.-Y., Chen, H.-T., Kao, C.-L. Metallo dendrimers and dendrimer nanocomposites (2011) Current Pharmaceutical Design, 17 (22), pp. 2308-2330.	38
Tan, S.S., Kim, S.J., Kool, E.T. Differentiating between fluorescence-quenching metal ions with polyfluorophore sensors built on a DNA backbone (2011) Journal of the American Chemical Society, 133 (8), pp. 2664-2671.	39
PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	40
Praveen, L., Reddy, M.L.P., Luxmi Varma, R.p Dansyl-styrylquinoline conjugate as divalent iron sensor (2010) Tetrahedron Letters, 51 (50), pp. 6626-6629.	41
Oelgemöller, M., Kramer, W.H.p Synthetic photochemistry of naphthalimides and related compounds (2010) Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 11 (4), pp. 210-244.	42
Han, Q.-R., Wang, B.-X., Ding, M.-T., He, X.-M. Effect of Cu ²⁺ upon the fluorescent properties of dendrimer PAMAM-FCD (2010) Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities, 31 (1), pp. 181-185	43
Manna, A., Chakravorti, S.p Charge transfer in 1,8-naphthalimide: A combined theoretical and experimental approach (2010) Photochemistry and Photobiology, 86 (1), pp. 47-54.	44
Sekar, N. Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	45
Lim, N.C., Pavlova, S.V., Brückner, C.p Squaramide hydroxamate-based chemodosimeter responding to iron(III) with a fluorescence intensity increase (2009) Inorganic Chemistry, 48 (3), pp. 1173-1182.	46
Wang, J., Xu, Q.-Q., Chi, S.-M., Zhang, H.-M., Fu, W.-F.p A highly sensitive colorimetric chemosensor for iron (II) and iron (III) ions (2009) Yingxiang Kexue yu Guanghuaxue/Imaging Science and Photochemistry, 27 (1), pp. 8-15.	47

	Xu, Q.-Q., Wang, J., Zhang, H.-M., Fu, W.-F. New selective Fe ³⁺ and Hg ²⁺ ions chemosensors based on anthracenecarbonamide derivatives (2009) <i>Yingxiang Kexue yu Guanghuaxue/Imaging Science and Photochemistry</i> , 27 (1), pp. 23-31.	48
	Bojinov, V.B., Panova, I.P. Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) <i>Dyes and Pigments</i> , 80 (1), pp. 61-66.	49
	Newkome, G.R., Shreiner, C.D. Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1 → 2 branching motifs: An overview of the divergent procedures (2008) <i>Polymer</i> , 49 (1), pp. 1-173.	50
	Maisonneuve, S., Fang, Q., Xie, J. Benzothiadiazoyl-triazoyl cyclodextrin: a selective fluoroionophore for Ni(II) (2008) <i>Tetrahedron</i> , 64 (37), pp. 8716-8720.	51
	Bojinov, V.B., Panova, I.P., Simeonov, D.B. Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) <i>Dyes and Pigments</i> , 78 (2), pp. 101-110.	52
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 197 (2-3), pp. 281-289.	53
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 193 (2-3), pp. 129-138.	54
	Bojinov, V.B., Simeonov, D.B., Georgiev, N.I. A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) <i>Dyes and Pigments</i> , 76 (1), pp. 41-46.	55
	Trinchi, A., Muster, T.H., A review of surface functionalized amine terminated dendrimers for application in biological and molecular sensing (2007) <i>Supramolecular Chemistry</i> , 19 (7), pp. 431-445.	56
	Jayaraman, N., Dendrimers and their use as nanoscale sensors, (2007) <i>Nanomaterials Chemistry: Recent Developments and New Directions</i> , pp. 249-297.	57
	Bojinov, V.B., Konstantinova, T.N., Fluorescent 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2007) <i>Sensors and Actuators, B: Chemical</i> , 123 (2), pp. 869-876.	58
	Bojinov, V.B., Panova, I.P. Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) <i>Dyes and Pigments</i> , 74 (3), pp. 551-560.	59
	Minh-Huong Ha-Thi, PhD thesis, Nouvelles architectures supramoléculaires à base de ligands phosphorés fluorescents: Synthèse, études photophysiques et applications, L'Ecole Normale Supérieure de Cachan, Cachan, France (2007).	60
	Tolpygin, I.E., Rybalkin, V.P., Shepelenko, E.N., Makarova, N.I., Metelitsa, A.V., Revinskii, Yu.V., Tsukanov, A.V., Dubonosov, A.D., Bren, V.A., Minkin, V.I. N,N'-Bis(9-anthrylmethyl)diamines as fluorescent chemosensors for transition metal cations (2007) <i>Russian Journal of Organic Chemistry</i> , 43 (3), pp. 388-392.	61
	Liu, W.-X., Jiang, Y.-B. N-Amidothiurea based PET chemosensors for anions (2007) <i>Organic and Biomolecular Chemistry</i> , 5 (11), pp. 1771-1775.	62

Basabe-Desmonts, L., Reinhoudt, D.N., Crego-Calama, M. Design of fluorescent materials for chemical sensing (2007) Chemical Society Reviews, 36 (6), pp. 993-1017.	63
Nath, S., Maitra, U. A simple and general strategy for the design of fluorescent cation sensor beads (2006) Organic Letters, 8 (15), pp. 3239-3242.	64
Salman, H., Tal, S., Chuvilov, Y., Solovey, O., Abraham, Y., Kapon, M., Suwinska, K., Eichen, Y., Sensitive and selective PET-based diimidazole luminophore for Zn II ions: A structure-activity correlation (2006) Inorganic Chemistry, 45 (14), pp. 5315-5320.	65
Tal, S., Salman, H., Abraham, Y., Botoshansky, M., Eichen, Y. Sensitive and selective photoinduced-electron-transfer-based sensing of alkylating agents (2006) Chemistry - A European Journal, 12 (18), pp. 4858-4864.	66
Wolf, C., Liu, S., Mei, X., August, A.T., Casimir, M.D., Regioselective copper-catalyzed amination of bromobenzoic acids using aliphatic and aromatic amines (2006) Journal of Organic Chemistry, 71 (8), pp. 3270-3273	67
Imaoka, T., Tanaka, R., Arimoto, S., Sakai, M., Fujii, M., Yamamoto, K. Probing stepwise complexation in phenylazomethine dendrimers by a metallo-porphyrin core (2005) Journal of the American Chemical Society, 127 (40), pp. 13896-13905.	68
Bricks, J.L., Kovalchuk, A., Trieflinger, C., Nofz, M., Büschel, M., Tolmachev, A.I., Daub, J., Rurack, K., On the development of sensor molecules that display FeIII- amplified fluorescence (2005) Journal of the American Chemical Society, 127 (39), pp. 13522-13529.	69
Callan, J.F., De Silva, A.P., Magri, D.C., Luminescent sensors and switches in the early 21st century (2005) Tetrahedron, 61 (36), pp. 8551-8588.	70
Bosch, P., Catalina, F., Corrales, T., Peinado, C., Fluorescent probes for sensing processes in polymers (2005) Chemistry - A European Journal, 11 (15), pp. 4314-4325.	71
Gitsov, I., Lin, C., Dendrimers - Nanoparticles with precisely engineered surfaces (2005) Current Organic Chemistry, 9 (11), pp. 1025-1051.	72
Prasanna De Silva, A., Magri, D.C., Optical sensing and switching with designed molecules (2005) Chimia, 59 (5), pp. 218-221.	73
Salman, H., Abraham, Y., Tal, S., Meltzman, S., Kapon, M., Tessler, N., Speiser, S., Eichen, Y. 1,3-Di(2-pyrrolyl)azulene: An efficient luminescent probe for fluoride (2005) European Journal of Organic Chemistry, (11), pp. 2207-2212.	74
Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	75
Lourdes Basabe Desmonts, PhD thesis, Fluorescent Self-Assembled Monolayers as New Sensing Materials University of Twente, Enschede, The Netherlands, 2005. ISBN 90-365-2303-6	76
Tumambac, G.E., Rosencrance, C.M., Wolf, C.p Selective metal ion recognition using a fluorescent 1,8- diquinolynaphthalene-derived sensor in aqueous solution (2004) Tetrahedron, 60 (49), pp. 11293-11297.	77
Callan, J.F., De Silva, A.P., Ferguson, J., Huxley, A.J.M., O'Brien, A.M. Fluorescent photoionic devices with two receptors and two switching mechanisms: Applications to pH sensors and implications for metal ion detection (2004) Tetrahedron, 60 (49), pp. 11125-11131.	78

	Wolf, C., Mei, X., Rokadia, H.K., Selective detection of Fe(III) ions in aqueous solution with a 1,8-diacridylnaphthalene-derived fluorosensor (2004) Tetrahedron Letters, 45 (42), pp. 7867-7871.	79
	Zeng, Z.-Y., He, Y.-B., Wu, J.-L., Wei, L.-H., Liu, X., Meng, L.-Z., Yang, X., Synthesis of two branched fluorescent receptors and their binding properties for dicarboxylate anions (2004) European Journal of Organic Chemistry, (13), pp. 2888-2893.	80
	Bojinov, V., Ivanova, G., Simeonov, D., Synthesis and photophysical investigations of novel polymerizable blue emitting fluorophores - Combination of a hindered amine with a benzo[de]isoquinoline-1,3-dione (2004) Macromolecular Chemistry and Physics, 205 (9), pp. 1259-1268.	81
	Wolf, C., Mei, X., Synthesis of conformationally stable 1,8-diarylnaphthalenes: Development of new photoluminescent sensors for ion-selective recognition (2003) Journal of the American Chemical Society, 125 (35), pp. 10651-10658.	82
143	Grabchev, I., Staneva, D. Photophysical Properties of new Polymerizable 1,8-Naphthalimides and their Copolymers with Methylmethacrylate (2003) Zeitschrift fur Naturforschung - Section A Journal of Physical Sciences, 58 (9-10), pp. 558-562.	6
	Kotowicz, S., Korzec, M., Pająk, A.K., Golba, S., Małecki, J.G., Siwy, M., Grzelak, J., Maćkowski, S., Schab-Balcerzak, E., New acceptor–donor–acceptor systems based on bis-(Imino-1,8-naphthalimide) (2021) Materials, 14 (11), art. no. 2714, .	1
	Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014	2
	McKenney, R.K., Groess, L.L., Kopidlansky, K.M., Dunkle, K.L., Lewis, D.E., The heterocyclic ring of 4-substituted-1,8-naphthalimides is NOT inert to nucleophilic attack, contrary to earlier reports (2013) Organic and Biomolecular Chemistry, 11 (26), pp. 4390-4396.	3
	Soni, M., Das, S.K., Sahu, P.K., Kar, U.P., Rahaman, A., Sarkar, M., Synthesis, photophysics, live cell imaging, and aggregation behavior of some structurally similar alkyl chain containing bromonaphthalimide systems: Influence of alkyl chain length on the aggregation behavior (2013) Journal of Physical Chemistry C, 117 (27), pp. 14338-14347.	4
	Pavlovich, V.S., Lugousky, A.P., Sagaydak, D.I., Stupak, A.P., Photophysical properties of powder and solutions of N-(p-methoxyphenyl)-4-octylamino-1,8-naphthalimide (2013) Journal of Applied Spectroscopy, 80 (4), pp. 524-529.	5
	ПАВЛОВИЧ В.С., ЛУГОВСКИЙ А.П., САГАЙДАК Д.И., СТУПАК А.П., ФОТОФИЗИЧЕСКИЕ СВОЙСТВА ПОРОШКА И РАСТВОРОВ N-(N-МЕТОКСИФЕНИЛ)-4-ОКТИЛАМИНО-1,8-НАФТАЛИМИДА, ЖУРНАЛ ПРИКЛАДНОЙ СПЕКТРОСКОПИИ, Год: 2013 Том: 80, Номер: 4 Страницы: 539-544, ISSN: 0514-7506	6
144	Bojinov, V., Grabchev, I. Synthesis of new polymerizable 1,8-naphthalimide dyes containing a 2-hydroxyphenylbenzotriazole fragment (2003) Dyes and Pigments, 59 (3), pp. 277-283.	35
	Kotowicz, S., Korzec, M., Pająk, A.K., Golba, S., Małecki, J.G., Siwy, M., Grzelak, J., Maćkowski, S., Schab-Balcerzak, E., New acceptor–donor–acceptor systems based on bis-(Imino-1,8-naphthalimide) (2021) Materials, 14 (11), art. no. 2714, .	1
	Femia, A.L., Gonzalez, V.D.G., Garcia, V., Gugliotta, L.M., Polymerizable dye for colored particles synthesis with potential use in immunoassays (2020) International Journal of Polymeric Materials and Polymeric Biomaterials, 69 (12), pp. 798-809.	2
	Kotowicz, Sonia. "Otrzymanie i badania fizykochemiczne związków z układami wiązań π -sprzężonych projektowanych do potencjalnych zastosowań w organicznej elektronice." (2019), PhD thesis.	3

	Yan, H., Zhong, K., Lu, Y., New Schiff base chromophores composed of salicylaldehyde and naphthalimide derivatives for ion sensor applications (2019) Analytical Methods, 11 (28), pp. 3597-3607.	4
	Chang, S.-L., Qiu, L.-H., Sun, R., Yang, L., Ge, J.-F., Strong emission properties of 7-hydroxyindazolo[2,3-b]isoquinolin-12(7H)-one derivatives in aqueous solution (2019) Dyes and Pigments, 160, pp. 58-63.	5
	S. O. Aderinto, S. Imhanria, Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017, Chemical Papers, 2018,	6
	Шевченко, М. В. Синтез та властивості нафталімідів з іоноактивними замісниками в положеннях 4, 5 та в мідному фрагменті = Synthesis and properties of naphthalimides with ionactive fragments in positions 4,5 and in imide cycle : дипломна робота магістра Хім. ф-т, Каф. органічної хімії . – Одеса, (2017) . – 61 с..	7
	N., Bouzrati-Zerrelli, M., Villotte, S., Morlet-Savary, F., Dietlin, C., Dumur, F., Gimes, D., Fouassier, J.P., Lalevée, J., A novel naphthalimide scaffold based iodonium salt as a one-component photoacid/photoinitiator for cationic and radical polymerization under LED exposure (2016) Polymer Chemistry, 7 (37), pp. 5873-5879.	8
	Zivic, Nicolas, M. Bouzrati-Zerrelli, Segolène Villotte, Fabrice Morlet-Savary, Céline Dietlin, Frederic Dumur, Didier Gimes, Jean Pierre Fouassier, and Jacques Lalevee. "A novel naphthalimide scaffold based iodonium salt as a one-component photoacid/photoinitiator for cationic and radical polymerization under LED exposure." Polymer Chemistry 7, no. 37 (2016): 5873-5879.	9
	Qi, J., Liu, D., Liu, X., Guan, S., Shi, F., Chang, H., He, H., Yang, G., Fluorescent pH Sensors for Broad-Range pH Measurement Based on a Single Fluorophore (2015) Analytical Chemistry, 87 (12), pp. 5897-5904.	10
	Joshi, M., Jauhari, S., Polymerizable dyes containing heterocyclic derivatives of polyureas and polyurethanes (2015) Advances in Materials Science Research, 18, pp. 177-211.	11
	Miladinova, P.M., Konstantinova, T.N., Photo stabilizers for polymers - new trends (2015) Journal of Chemical Technology and Metallurgy, 50 (3), pp. 229-239.	12
	Mokbel, H., Toufaily, J., Hamieh, T., Dumur, F., Campolo, D., Gimes, D., Pierre Fouassier, J., Ortyl, J., Lalevée, J., Specific cationic photoinitiators for near UV and visible LEDs: Iodonium versus ferrocenium structures (2015) Journal of Applied Polymer Science, 132 (46), art. no. 42759, .	13
	Nath, J.K., Baruah, J.B., Cyclic aromatic imides as a potential class of molecules for supramolecular interactions (2015) CrystEngComm, 17 (45), pp. 8575-8595.	14
	Triboni, E. R., M. R. Fernandes, J. R. Garcia, M. Costa Carreira, R. G. S. Berlinck, P. Berci Filho, L. S. Roman, I. A. Hümmelgen, R. Reyes, and M. Cremona. "Naphthalimide-derivative with blue electroluminescence for OLED applications." Journal of Taibah University for Science 9, no. 4 (2015): 579-585.	15
	Jin, Terry David. "Fluorogenic 1, 8-naphthalimide derivatives for the detection of pathogenic bacteria." Master's thesis, University of Sydney, 2015.	16
	Xiao, P., Dumur, F., Graff, B., Zhang, J., Morlet-Savary, F., Gimes, D., Fouassier, J.P., Lalevée, J., Blue LED light-sensitive benzo pyrazolo (or imidazo) isoquinolinone derivatives in high-performance photoinitiating systems for polymerization reactions (2014) Journal of Polymer Science, Part A: Polymer Chemistry, 53 (4), pp. 567-575.	17
	Lalevée, J., Morlet-Savary, F., Dietlin, C., Graff, B., Fouassier, J.-P., Photochemistry and radical chemistry under low intensity visible light sources: Application to photopolymerization reactions (2014) Molecules, 19 (9), pp. 15026-15041.	18

	Hu, J., Wu, F., Feng, S., Xu, J., Xu, Z., Chen, Y., Tang, T., Weng, X., Zhou, X., A convenient ratiometric pH probe and its application for monitoring pH change in living cells (2014) <i>Sensors and Actuators, B: Chemical</i> , 196, pp. 194-202.	19
	Xiao, P., Dumur, F., Graff, B., Gigmes, D., Fouassier, J.P., Lalevée, J., Blue light sensitive dyes for various photopolymerization reactions: Naphthalimide and naphthalic anhydride derivatives. (2014) <i>Macromolecules</i> , 47 (2), pp. 601-608.	20
	Xiao, P., Dumur, F., Frigoli, M., Tehfe, M.-A., Graff, B., Fouassier, J.P., Gigmes, D., Lalevée, J., Naphthalimide based methacrylated photoinitiators in radical and cationic photopolymerization under visible light (2013) <i>Polymer Chemistry</i> , 4 (21), pp. 5440-5448.	21
	Satriano, C., Sfrazzetto, G.T., Amato, M.E., Ballistreri, F.P., Copani, A., Giuffrida, M.L., Grasso, G., Pappalardo, A., Rizzarelli, E., Tomaselli, G.A., Toscano, R.M., A ratiometric naphthalimide sensor for live cell imaging of copper(i) (2013) <i>Chemical Communications</i> , 49 (49), pp. 5565-5567.	22
	Breul, A.M., Pietsch, C., Menzel, R., Schäfer, J., Teichler, A., Hager, M.D., Popp, J., Dietzek, B., Beckert, R., Schubert, U.S., Blue emitting side-chain pendant 4-hydroxy-1,3-thiazoles in polystyrenes synthesized by RAFT polymerization (2012) <i>European Polymer Journal</i> , 48 (7), pp. 1339-1347.	23
	Wei, S., Sun, Y., Yin, C., Tan, C., Yao, F., Liu, L., Hu, X., Fan, J., Synthesis and properties of 4-(2-dimethylaminoethoxy)-N-octadecyl-1,8- naphthalimide-based fluorescent dye (2012) <i>Chemistry Bulletin / Huaxue Tongbao</i> , 75 (4), pp. 335-340.	24
	Zhou, Y., Zhou, H., Ma, T., Zhang, J., Niu, J., A new Schiff base based on vanillin and naphthalimide as a fluorescent probe for Ag ⁺ in aqueous solution (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 88, pp. 56-59.	25
	Liu, L., Zhang, G., Preparation and properties of polymerizable fluorescent materials (2011) <i>Gaofenzi Cailiao Kexue Yu Gongcheng/Polymeric Materials Science and Engineering</i> , 27 (12), pp. 4-8.	26
	Wang, B.-Y., Liu, X.-Y., Ding, S.-L., Su, Z.-X., Synthesis and photophysical properties of a blue water-soluble fluorescent polymer for Ni ²⁺ and proton sensing (2011) <i>Journal of Polymer Research</i> , 18 (6), pp. 1315-1322.	27
	Sekar, N., Polymerisable naphthalimide dyes - Some developments (2009) <i>Colourage</i> , 56 (10), pp. 58-60.	28
	Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	29
	Jiang, W., Tang, J., Qi, Q., Sun, Y., Ye, H., Fu, D., An experimental and computational study of intramolecular charge transfer: Diarylamino derivatives of 7H-benzimidazo(2,1-a)benz(d,e)isoquinolin-7-ones (2009) <i>Dyes and Pigments</i> , 80 (3), pp. 279-286.	30
	Jiang, W., Tang, J., Qi, Q., Sun, Y., Ye, H., Fu, D., An experimental and computational study of intramolecular charge transfer: Diarylamino derivatives of 7H-benzimidazo(2,1-a)benz(d,e)isoquinolin-7-ones (2009) <i>Dyes and Pigments</i> , 80 (3), pp. 279-286.	31
	N. F. Fed'ko, D. G. Ėupriyan, V. V. Veduta, G. V. Pyankova, V. F. Anikin, Synthetic methods of 1,8-naphthalimide derivatives and their application as analytic reagents, <i>Вісник OHU</i> , 2007, 12, (10) 81-100.	32
	Jin, Z., Lu, J., Xu, Q., Wang, L., Xia, X., Synthesis and photophysical properties of fluorescent polystyrene containing 1,8-naphthalimide via atom transfer polymerization (2007) <i>E-Polymers</i> , pp. 1-8.	33
	Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B., Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 42-46.	34

	Mancini, M., P. P. Mainenti, A. Speranza, R. Liuzzi, E. Soscia, M. Sabbatini, L. A. Ferrara, S. Federico, and M. Salvatore. "Accuracy of sonographic volume measurements of kidney transplant (398 views visite)." <i>Journal Of Clinical Ultrasound</i> (ISSN: 0091-2751) 34, no. 4 (2006): 184-189.	35
145	Grabchev, I., Chovelon, J.-M. Synthesis and functional properties of green fluorescent poly(methylmethacrylate) for use in liquid crystal systems (2003) <i>Polymers for Advanced Technologies</i>, 14 (9), pp. 601-608.	46
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) <i>Current Organic Chemistry</i> , 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	1
	Zhou R.-Z., Zhang Y., Gao J.-F., Ma S.-Y., Zhang H.-S., He X.-Z. Chiral fluorescent liquid crystal polymers containing 4-bromo-1,8-naphthalimide–synthesis and properties (2024) <i>Liquid Crystals</i> DOI: 10.1080/02678292.2024.2330555	2
	Ma S.-Y., Zhi Y.-S., Zhang H.-S., He X.-Z., Zhang B.-Y., Meng F.-B., Ji Z.-N. Fluorescent cholesteric liquid crystal polymers with dual properties: design, synthesis and characterization (2023) <i>Liquid Crystals</i> , 50 (11-12), pp. 1744 – 1758 DOI: 10.1080/02678292.2023.2206376	3
	Flores-Holguín, N., Abbas, A., Glossman-Mitnik, D., Influence on the reactivity properties of the substitution by different halogens on the conjugated backbone of the 1,3,5-triaryl-2-pyrazoline skeleton in relation to the increasing alkyloxy chain length: a conceptual density functional theory study (2020) <i>Journal of Molecular Modeling</i> , 26 (7), art. no. 174, .	4
	Naydenova, E.D., Marinov, M.N., Momekov, G.T., Prodanova, R.Y., Markova, N.V., Voynikov, Y.T., Stoyanov, N.M., Synthesis, characterization, quantum-chemical calculations and cytotoxic activity of 1,8-naphthalimide derivatives with non-protein amino acids (2019) <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 19 (10), pp. 1276-1284.	5
	S. O. Aderinto, S. Imhanria, Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017, <i>Chemical Papers</i> , 2018, https://doi.org/10.1007/s11696-018-0411-0	6
	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F., Surface modification of poly(ethylene-butyl acrylate) copolymers by microwave methodology and functionalization with 4-dimethylamino-N-(2-hydroxyethyl)-1,8-naphthalimide for acidity sensing (2016) <i>Reactive and Functional Polymers</i> , 107, pp. 78-86.	7
	Gellerman, G. Recent developments in the synthesis and applications of anticancer amonafide derivatives. A mini review (2016) <i>Letters in Drug Design and Discovery</i> , 13 (1), pp. 47-63.	8
	Du, J.-X., Shi, L., Peng, B.-Y., Real-time monitoring of the penetration of amphiphilic acrylate copolymer in leather using a fluorescent copolymer as tracer (2015) <i>Microscopy Research and Technique</i> , 78 (12), pp. 1146-1153.	9
	Nath, J.K., Baruah, J.B., Cyclic aromatic imides as a potential class of molecules for supramolecular interactions (2015) <i>CrystEngComm</i> , 17 (45), pp. 8575-8595.	10
	Abbas, A., Hussain, S., Hafeez, N., Naseer, M.M., Synthesis and spectral characterization of new homologous 1,3,5-triaryl-2-pyrazolines: Influence of alkyloxy chain length on fluorescence (2014) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 133, pp. 182-189.	11
	Abbas, A., Hussain, S., Hafeez, N., Hasan, A., Naseer, M.M., Synthesis and spectral characterization of new 1,3,5-triaryl-2-pyrazolines highlighting effect of alkyloxy chain length on fluorescence (2014) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 127, pp. 32-40.	12
	Sheshashena Reddy, T., Ram Reddy, A. Synthesis and fluorescence study of naphthalimide-coumarin, naphthalimide-luminol conjugates (2014) <i>Journal of Fluorescence</i> , 24 (6), pp. 1571-1580.	13

Rouhani, S., Gharanjig, K., Nezhad, M.H., Facile synthesis of 4-nitro-N-substituted-1,8-naphthalimide derivatives using ultrasound in aqueous media (2014) <i>Green Chemistry Letters and Reviews</i> , 7 (2), pp. 174-178.	14
Abbas, A., Bahceli, S., Gökce, H., Bolte, M., Hussain, S., Rauf, M.K. Crystallographic structure and quantum chemical computations of 1-(3,4-dimethylphenyl)-3-phenyl-5-(4-methoxyphenyl)-2-pyrazoline (2013) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 116, pp. 599-609.	15
Zhou, J., Zhang, X., Dai, J., Li, J., Synthesis and fluorescent performance of fluorescein-functionalized waterborne polyurethane (2012) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 49 (10), pp. 890-896.	16
Krishnakumar, V., Kumar, K.M., Mandal, B.K., Khan, F.-R.N., Flower-shaped ZnO nanoparticles as an efficient, heterogeneous and reusable catalyst in the synthesis of N-arylhomophthalimides and benzannelated isoquinolinones (2012) <i>Research on Chemical Intermediates</i> , 38 (8), pp. 1881-1892.	17
Azadbakht, R., Keypour, H., Amiri Rudbari, H., Mohammad Zaheri, A.H., Menati, S. Synthesis and characterization of two new fluorescent macrocycles: A novel fluorescent chemosensor for zinc ion (2012) <i>Journal of Luminescence</i> , 132 (8), pp. 1860-1866.	18
Safabakhsh, B., Khosravi, A., Gharanjig, K., Kowsari, E., Khorassani, M., Tafaghodi, S. Synthesis of a novel fluorescent coloured copolymer based on 4-butylthio-1,8-naphthalimide (2012) <i>Coloration Technology</i> , 128 (3), pp. 218-222.	19
Sivkova, R., Vohlřdal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J., Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) <i>Macromolecular Chemistry and Physics</i> , 213 (4), pp. 411-424.	20
Sun, Y., Wei, S., Yin, C., Liu, L., Hu, C., Zhao, Y., Ye, Y., Hu, X., Fan, J. Synthesis and spectroscopic characterization of 4-butoxyethoxy-N-octadecyl- 1,8-naphthalimide as a new fluorescent probe for the determination of proteins (2011) <i>Bioorganic and Medicinal Chemistry Letters</i> , 21 (12), pp. 3798-3804.	21
Koyuncu, F.B., Koyuncu, S., Ozdemir, E. A new donor-acceptor carbazole derivative: Electrochemical polymerization and photo-induced charge transfer properties (2011) <i>Synthetic Metals</i> , 161 (11-12), pp. 1005-1013.	22
Georgiev, N.I., Bojinov, V.B., Nikolov, P.S., The design, synthesis and photophysical properties of two novel 1,8-naphthalimide fluorescent pH sensors based on PET and ICT (2011) <i>Dyes and Pigments</i> , 88 (3), pp. 350-357.	23
Georgiev, N.I., Bojinov, V.B., Design, synthesis and photostability of novel 1,8-naphthalimide PAMAM light-harvesting dendrons (2011) <i>Journal of Fluorescence</i> , 21 (1), pp. 51-63.	24
Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A., Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 216 (1), pp. 44-50.	25
Georgiev, N.I., Bojinov, V.B., Marinova, N. Novel PAMAM light-harvesting antennae based on 1,8-naphthalimide: Synthesis, energy transfer, photophysical and pH sensing properties (2010) <i>Sensors and Actuators, B: Chemical</i> , 150 (2), pp. 655-666.	26
Panah, H.S., Khosravi, A., Gharanjig, K., Khorassani, M., Zadeh, M.K., Taromi, F.A. Synthesis and characterization of new fluorescent polymerizable dyes based on naphthalimide (2010) <i>Iranian Polymer Journal (English Edition)</i> , 19 (7), pp. 491-500.	27
Koyuncu, F.B., Koyuncu, S., Ozdemir, E. A novel donor-acceptor polymeric electrochromic material containing carbazole and 1,8-naphthalimide as subunit (2010) <i>Electrochimica Acta</i> , 55 (17), pp. 4935-4941.	28

Georgiev, N.I., Bojinov, V.B., The design and synthesis of a novel 1,8-naphthalimide PAMAM light-harvesting dendron with fluorescence "off-on" switching core (2010) <i>Dyes and Pigments</i> , 84 (3), pp. 249-256.	29
Georgiev, N.I., Bojinov, V.B., Nikolov, P.S., Design and synthesis of a novel pH sensitive core and peripherally 1,8-naphthalimide-labeled PAMAM dendron as light harvesting antenna (2009) <i>Dyes and Pigments</i> , 81 (1), pp. 18-26.	30
Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	31
Bojinov, V.B., Panova, I.P., Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) <i>Dyes and Pigments</i> , 80 (1), pp. 61-66.	32
Bojinov, V.B., Georgiev, N.I., Bosch, P., Design and synthesis of highly photostable yellow-green emitting 1,8-naphthalimides as fluorescent sensors for metal cations and protons (2009) <i>Journal of Fluorescence</i> , 19 (1), pp. 127-139.	33
Hu, Y., Wang, B., Su, Z., Synthesis and photophysical properties of a novel green fluorescent polymer for Fe ³⁺ sensing (2008) <i>Polymer International</i> , 57 (12), pp. 1343-1350.	34
Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) <i>Dyes and Pigments</i> , 78 (2), pp. 101-110.	35
Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 197 (2-3), pp. 281-289.	36
Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 193 (2-3), pp. 129-138.	37
Bojinov, V.B., Simeonov, D.B., Georgiev, N.I., A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) <i>Dyes and Pigments</i> , 76 (1), pp. 41-46.	38
Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 17 (3), pp. 547-559.	39
Wu, Z., Meng, L., Progress in fluorescent polymers (2007) <i>Progress in Chemistry</i> , 19 (9), pp. 1381-1392 (o63op).	40
Bojinov, V.B., Konstantinova, T.N. Fluorescent 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2007) <i>Sensors and Actuators, B: Chemical</i> , 123 (2), pp. 869-876.	41
Bojinov, V.B., Panova, I.P. Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) <i>Dyes and Pigments</i> , 74 (3), pp. 551-560.	42
Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B. Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 42-46.	43
ПАТЕНТ (L'Oreal, Fr.) T. Luukas, Monomers having 1,8-naphthalenedicarboxylic acid imides with optical properties, polymers comprising them, and use. FR 2868069 (2005)	44

	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	45
	Bojinov, V., Ivanova, G., Simeonov, D., Synthesis and photophysical investigations of novel polymerizable blue emitting fluorophores - Combination of a hindered amine with a benzo[de]isoquinoline-1,3-dione (2004) Macromolecular Chemistry and Physics, 205 (9), pp. 1259-1268.	46
146	Grabchev, I., Moneva, I., Wolarz, E., Bauman, D. Fluorescent 3-oxy benzanthrone dyes in liquid crystalline media (2003) Dyes and Pigments, 58 (1), pp. 1-6.	34
	Maļeckis A., Cvetinska M., Griškjāns E., Kirilova E. Exploring Dual Solvatochromic Traits in Novel Fluorescent Benzanthrone Ethynyl Derivatives (2024) Journal of Solution Chemistry DOI: 10.1007/s10953-024-01363-x	1
	Maļeckis A., Griškjāns E., Cvetinska M., Kirilova E. 3-(Phenylethynyl)-7H-benzo[de]anthracen-7-one (2022) MolBank, 2022 (3), art. no. M1442 DOI: 10.3390/M1442	2
	Maļeckis A., Griškjāns E., Cvetinska M., Savicka M., Belyakov S., Kirilova E. Synthesis, characterization, spectroscopic studies and evaluation of toxicological effect on growth of wheat sprouts (Triticum aestivum) of new benzanthrone α -aryl- α -aminophosphonates (2023) Journal of Molecular Structure, 1277, art. no. 134838 DOI: 10.1016/j.molstruc.2022.134838	3
	Thomas A., Kirilova E.M., Nagesh B.V., Manohara S.R., Siddlingeshwar B., Belyakov S.V. Synthesis, solvatochromism and DFT study of pyridine substituted benzanthrone with ICT characteristic (2022) Journal of Molecular Structure, 1262, art. no. 132971 DOI: 10.1016/j.molstruc.2022.132971	4
	Maļeckis A., Cvetinska M., Griškjāns E., Dmitrijevs K., Traskovskis K., Belyakov S., Kirilova E. Benzanthrone sulfides: synthesis, solvatochromism characterization and analysis of experimental photophysical parameters and theoretical calculations (2023) Dyes and Pigments, 219, art. no. 111599 DOI: 10.1016/j.dyepig.2023.111599	5
	Maļeckis A., Cvetinska M., Kirjušina M., Mežaraupē L., Kecko S., Gavarāne I., Kiyan V., Lider L., Pavlova V., Savicka M., Belyakov S., Kirilova E. A Comparative Study of New Fluorescent Anthraquinone and Benzanthrone α -Aminophosphonates: Synthesis, Spectroscopy, Toxicology, X-ray Crystallography, and Microscopy of Opisthorchis felineus (2024) Molecules, 29 (5), art. no. 1143 DOI: 10.3390/molecules29051143	6
	Maļeckis A., Cvetinska M., Puckins A., Osipovs S., Sirokova J., Belyakov S., Kirilova E. Synthesis and Properties of New 3-Heterylamino-Substituted 9-Nitrobenzanthrone Derivatives (2023) Molecules, 28 (13), art. no. 5171 DOI: 10.3390/molecules28135171	7
	Altaf, Y., Ullah, S., Khan, F. A., Maalik, A., Rubab, S. L., & Hashmi, M. A. (2021). Finding New Precursors for Light Harvesting Materials: A Computational Study of the Fluorescence Potential of Benzanthrone Dyes. <i>ACS omega</i> , 6(47), 32334-32341.	8
	Shivraj, Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A. Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) Photochemical and Photobiological Sciences, 17 (4), pp. 453-464.	9
	Siddlingeshwar, B., Thomas, A., Kirilova, E. M., Divakar, D. D., & Alkheraif, A. A. (2019). Experimental and theoretical insights on the effect of solvent polarity on the photophysical properties of a benzanthrone dye. <i>Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy</i> , 218, 221-228.	10
	Altaf, Y. (2019). <i>Computational Chemistry of Compounds with Donor-Acceptor Interactions</i> (Doctoral dissertation, Open Access Victoria University of Wellington Te Herenga Waka).	11
	Bendahou, A., Khouba, Z., Benabdallah, T., & Maschke, U. (2018). Mesophase study of pure and doped cyanobiphenyl liquid crystals with salen-type systems. <i>Liquid Crystals</i> , 45(9), 1312-1323.	12

Gürlük, M., Abdulkadir, H.A., Akkuş, M.S., Akkurt, F., Alicilar, A. Comparison of guest–host liquid crystal systems doped with azo or anthraquinone dyes (2017) Iranian Journal of Science and Technology, Transaction A: Science, 41 (1), pp. 1-5.	13
Ryzhova, O., Vus, K., Trusova, V., Kirilova, E., Kirilov, G., Gorbenko, G., Kinnunen, P. Novel benzanthrone probes for membrane and protein studies (2016) Methods and Applications in Fluorescence, 4 (3), art. no. 034007, .	14
Rather, L.J., Shahid-ul-Islam, Mohammad, F., Study on the application of Acacia nilotica natural dye to wool using fluorescence and FT-IR spectroscopy (2015) Fibers and Polymers, 16 (7), pp. 1497-1505.	15
Samui, A.B., Venukonda, S.R., Photoactive Liquid Crystalline Polymer (2015) Liquid Crystalline Polymers: Volume 1-Structure and Chemistry, pp. 327-361.	16
Akman, A., Akkurt, F., Alicilar, A., Effects on molecular orientation and phase transition of addition of carbon nanotubes into liquid crystalline matrix (2014) Liquid Crystals, 41 (4), pp. 603-609.	17
Akkurt, F., Characterisation of azo dye and carbon nanoparticle-doped guest-host liquid crystalline matrix (2014) Liquid Crystals, 41 (9), pp. 1269-1276.	18
Zhytniakivska, O., Trusova, V., Gorbenko, G., Kirilova, E., Kalnina, I., Kirilov, G., Kinnunen, P., Newly synthesized benzanthrone derivatives as prospective fluorescent membrane probes (2014) Journal of Luminescence, 146, pp. 307-313.	19
Umeda, R., Namba, T., Yoshimura, T., Nakatsukasa, M., Nishiyama, Y. Selective introducing of aryl and amino groups: Reaction of benzanthrone and organometallic reagents (2013) Tetrahedron, 69 (5), pp. 1526-1531.	20
Alicilar, A., Kaya, N., Akkurt, F., Phase transitions and molecular orientation in nematic liquid crystals doped with blue-red dye mixtures and carbon nanotubes (2013) Fullerenes Nanotubes and Carbon Nanostructures, 21 (3), pp. 258-272.	21
Blackburn, O.A., Coe, B.J., Helliwell, M., Raftery, J., Syntheses, structures, and electronic and optical properties of platinum(II) complexes of 1,3-bis(imino)benzene-derived pincer ligands (2012) Organometallics, 31 (15), pp. 5307-5320.	22
Kaya, N., Akkurt, F., Alicilar, A., Alignment and reorientation in nematic liquid crystals doped with red dye and carbon nanotube (2011) Fullerenes Nanotubes and Carbon Nanostructures, 19 (4), pp. 262-270.	23
Çağil, D., Kaya, N., Alicilar, A., Effects on molecular orientation and phase transition of addition of carbon nanotubes into G-H liquid crystal systems [Y-H tipi sıvı kristal sistemlere karbon nanotüp ilavesinin moleküler yönelme ve faz geçişi üzerine etkileri] (2011) Journal of the Faculty of Engineering and Architecture of Gazi University, 26 (1), pp. 213-221.	24
Kaya, N., The orientational behaviour of some aminoanthraquinone dyes in E8 and ZLI-1132 nematic solvents and effect of addition of carbon nanotubes (2011) Liquid Crystals, 38 (1), pp. 1-7.	25
Alicilar, A., Akkurt, F., Kaya, N., Orientation in nematic liquid crystals doped with orange dyes and effect of carbon nanoparticles (2010) Chinese Journal of Chemical Physics, 23 (3), pp. 368-372.	26
Khouba, Z., Benabdallah, T., Maschke, U. Spectrophotometric study of liquid crystals containing pentadentate Schiff base type systems (2009) Physics Procedia, 2 (3), pp. 1305-1311.	27
Akkurt, F., Kaya, N., Alicilar, A. Phase transitions, order parameters and threshold voltages in liquid crystal systems doped with disperse orange dye and carbon nanoparticles (2009) Fullerenes Nanotubes and Carbon Nanostructures, 17 (6), pp. 616-624.	28

	Khouba, Z., Benabdallah, T., Maschke, U. Dispersion of pentadentate schiff bases and their transition metal complexes in liquid crystals (2009) <i>Molecular Crystals and Liquid Crystals</i> , 502, pp. 121-129.	29
	Gutsulyak, C.V. Processes of molecular transformations and self-organization of chromenoacridines in liquid crystal matrices (2008) <i>Molecular Crystals and Liquid Crystals</i> , 496, pp. 253-268.	30
	Pålsson, L.-O., Vaughan, H.L., Smith, A., Szablewski, M., Cross, G.H., Roberts, T., Masutani, A., Yasuda, A., Beeby, A., Bloor, D. Guest-host interactions between dichroic dyes and anisotropic hosts (2006) <i>Journal of Luminescence</i> , 117 (1), pp. 113-122.	31
	Zhang, X., Yamaguchi, R., Moriyama, K., Kadowaki, M., Kobayashi, T., Ishi-i, T., Thiemann, T., Mataka, S. Highly dichroic benzo-2,1,3-thiadiazole dyes containing five linearly π -conjugated aromatic residues, with fluorescent emission ranging from green to red, in a liquid crystal guest-host system (2006) <i>Journal of Materials Chemistry</i> , 16 (8), pp. 736-740.	32
	Zhang, X., Gorohmaru, H., Kadowaki, M., Kobayashi, T., Ishi-I, T., Thiemann, T., Mataka, S. Benzo-2,1,3-thiadiazole-based, highly dichroic fluorescent dyes for fluorescent host-guest liquid crystal displays (2004) <i>Journal of Materials Chemistry</i> , 14 (12), pp. 1901-1904.	33
	Kapusta, P., Machalický, O., Hrdina, R., Nepraš, M., Zimmt, M.B., Fidler, V. Photophysics of 3-substituted benzantrones: Substituent and solvent control of intersystem crossing <i>Journal of Physical Chemistry A</i> 2003, 107 (46), 9740-9746	34
147	Bojinov, V., Ivanova, G., Chovelon, J.-M., Grabchev, I. Photophysical and photochemical properties of some 3-bromo-4-alkylamino-N-alkyl-1,8-naphthalimides (2003) <i>Dyes and Pigments</i>, 58 (1), pp. 65-71.	37
	Suh, B., Kim, H., Jang, S., Kim, K. T., & Kim, C. (2022). A benzothiazole-based fluorescent and colorimetric probe for the detection of ClO ⁻ and its application to zebrafish and water sample. <i>Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy</i> , 270, 120827.	1
	Graziotto, M. E. (2021). <i>Chemical tools for understanding the biological activity of platinum anticancer agents</i> (Doctoral dissertation, University of Sydney).	2
	Ameuru, U.S., Yakubu, M.K., Bello, K.A., Nkeonye, P.O., Halimehjani, A.Z., Synthesis and dyeing performance of some amphiphilic naphthalimide azo disperse dyes on polyester fabrics (2020) <i>Journal of the Serbian Chemical Society</i> , 85 (10), pp. 1253-1264.	3
	Skubic, K. N. (2018). <i>Development of Novel Naphthalimide Compounds and Estrogen Conjugates for Treatment in Breast Cancer</i> (Doctoral dissertation, Saint Louis University).	4
	Ameuru, U.S., Yakubu, M.K., Bello, K.A., Nkeonye, P.O., Halimehjani, A.Z. Synthesis of disperse dyes derived from 4-amino-N-decyl-1, 8-naphthalimide and their dyeing properties on polyester fabrics (2018) <i>Dyes and Pigments</i> , 157, pp. 190-197.	5
	Saini, A., Thomas, K.R.J., Sachdev, A., Gopinath, P. Photophysics, Electrochemistry, Morphology, and Bioimaging Applications of New 1,8-Naphthalimide Derivatives Containing Different Chromophores (2017) <i>Chemistry - An Asian Journal</i> , 12 (19), pp. 2612-2622.	6
	Zamani, E., Shaki, H., Rafizadeh, M., Khosravi, A., Pilehkouhi, M. Synthesis and characterization of novel self-colored PET (polyethylene terephthalate) by step-growth polymerization containing dye based on 1,8-naphthalimide group (2017) <i>Fibers and Polymers</i> , 18 (8), pp. 1431-1437.	7
	Shaki, H., Khosravi, A., Gharanjig, K. Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: Synthesis, characterisation and photophysical properties (2017) <i>Pigment and Resin Technology</i> , 46 (3), pp. 244-250.	8

	Liu, C., Wang, X., Wu, H., Chen, Y. Turn-on fluorescence detection of cyanide with large stokes shift: Activation of latent intramolecular Br \cdots H-C hydrogen bonding (2016) <i>Dyes and Pigments</i> , 133, pp. 255-260.	9
	Liu, Y., Liu, Y., Liu, W., Liang, S. Two-photon fluorescent probe derived from naphthalimide for cysteine detection and imaging in living cells (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 137, pp. 509-515.	10
	Jin, R.F., Chang, Y.F. A theoretical study on photophysical properties of triphenylamine-cored molecules with naphthalimide arms and different π -conjugated bridges as organic solar cell materials (2015) <i>Physical Chemistry Chemical Physics</i> , 17 (3), pp. 2094-2103.	11
	Li, M., Qiang, X., Xu, W., Zhang, H. Synthesis, characterization and application of AFC-based waterborne polyurethane (2015) <i>Progress in Organic Coatings</i> , 84, pp. 35-41.	12
	Сергеева Антонина Николаевна, диссертация кхн, (2015), Синтез и исследование флуоресцентных гибридных систем на основе 1,8-нафталимида, Институт Элементоорганических Соединений им. А.Н. Несмеянова Российской Академии Наук, Москва, Россия.	13
	Jin, R.-F., Tang, S.-S., Sun, W.-D. Rational design of donor- π -acceptor n-butyl-1,8-naphthalimide-cored branched molecules as charge transport and luminescent materials for organic light-emitting diodes (2014) <i>Tetrahedron</i> , 70 (1), pp. 47-53.	14
	Rouhani, S., Gharanjig, K., Nezhad, M.H. Facile synthesis of 4-nitro-N-substituted-1,8-naphthalimide derivatives using ultrasound in aqueous media (2014) <i>Green Chemistry Letters and Reviews</i> , 7 (2), pp. 174-178.	15
	Hu, X., Zhang, X., Liu, J., Dai, J. Synthesis, characterization and fluorescence performance of a waterborne polyurethane-based fluorescent dye 4-amino-N-cyclohexyl-1,8-naphthalimide, WPU-CAN (2014) <i>Polymer International</i> , 63 (3), pp. 453-458.	16
	Alva Yuen Yiu Wo, MMS thesis, Structure-Property Studies of Conjugated 1,8-Naphthalic Anhydrides, University of Calgary, Canada, 2014.	17
	Wang, Y., Zhou, J., Wang, X., Zheng, X., Lu, Z., Zhang, W., Chen, Y., Huang, Y., Pu, X., Yu, J. An efficient guest/host fluorescent energy transfer pair based on the naphthalimide skeleton, and its application in heavily-doped red organic light-emitting diodes (2014) <i>Dyes and Pigments</i> , 100 (1), pp. 87-96.	18
	Jin, R. Theoretical study on optical and electronic properties of bis-dipolar 1,8-naphthalimide derivatives (2013) <i>Molecular Physics</i> , 111 (24), pp. 3793-3800.	19
	McKenney, R.K., Groess, L.L., Kopidlansky, K.M., Dunkle, K.L., Lewis, D.E. The heterocyclic ring of 4-substituted-1,8-naphthalimides is NOT inert to nucleophilic attack, contrary to earlier reports (2013) <i>Organic and Biomolecular Chemistry</i> , 11 (26), pp. 4390-4396.	20
	Li, L., Huang, W., Li, L., Huang, Y., Zhong, A. A Study of the Fluorescence Properties of 1,8-Naphthalimide Derivative and CPA Composite (2013) <i>Asian Journal of Chemistry</i> , 25 (7), pp. 3884-3888.	21
	S. M. H. Al-Majidi, M. R. Ahmad, A Kareem Kha, Synthesis and characterization of novel 1,8-Naphthalimide derivatives containing 1,3-oxazoles, 1,3-thiazoles, 1,2,4-triazoles as antimicrobial agents, <i>Journal of Al-Nahrain University</i> , 16 (4), 2013, 55-66	22
	Camurlu, P., Eren, E., Gültekin, C. A Solution-processible, n-dopable polypyrrole derivative (2012) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 50 (23), pp. 4847-4853.	23

	Li, S.-L., Xiao, T., Xia, W., Ding, X., Yu, Y., Jiang, J., Wang, L. New light on the ring-chain equilibrium of a hydrogen-bonded supramolecular polymer based on a photochromic dithienylethene unit and its energy-transfer properties as a storage material (2011) Chemistry - A European Journal, 17 (38), pp. 10716-10723.	24
	Zhang, Y., Feng, S., Wu, Q., Wang, K., Yi, X., Wang, H., Pan, Y. Microwave-assisted synthesis and evaluation of naphthalimides derivatives as free radical scavengers (2011) Medicinal Chemistry Research, 20 (6), pp. 752-759.	25
	Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементарной химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	26
	Triboni, E.R., Cavaleiro, C.C.S., Politi, M.J., Bemquerer, M.P., Rodrigues, M.A. Tryptophan photooxidation promoted by new hybrid materials prepared by condensation of naphthalene imides with silicate by the sol-gel process(2010) Journal of Photochemistry and Photobiology A: Chemistry, 208 (1), pp. 36-41.	27
	Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A. Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives(2010) Journal of Photochemistry and Photobiology A: Chemistry, 216 (1), pp. 44-50.	28
	Wang, Y., Zhang, X., Han, B., Peng, J., Hou, S., Huang, Y., Sun, H., Xie, M., Lu, Z. The synthesis and photoluminescence characteristics of novel blue light-emitting naphthalimide derivatives (2010) Dyes and Pigments, 86 (2), 190-196.	29
	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	30
	Triboni, E.R., Artur, J.C., Filho, P.B., Cuccovia, L.M., Politi, M.J. Aromatic nitro substitution reaction between 4-nitro-N-n-butyl-1,8-naphthalimide and n-heptanethiol in water-methanol binary mixtures (2009) Journal of Physical Organic Chemistry, 22 (7), pp. 703-708.	31
	Nejad, M.H., Khosravi, A., Gharanjig, K., Moradian, S. Synthesis of some monoazo acid dyes based on naphthalimides(2009) Asian Journal of Chemistry, 21 (6), pp. 4812-4820.	32
	Takács, A., Ács, P., Kollár, L. Facile synthesis of 1,8-naphthalimides in palladium-catalysed aminocarbonylation of 1,8-diiodo-naphthalene (2008) Tetrahedron, 64 (6), pp. 983-987.	33
	Gharanjig, K., Arami, M., Bahrami, H., Movassagh, B., Mahmoodi, N.M., Rouhani, S. Synthesis, spectral properties and application of novel monoazo disperse dyes derived from N-ester-1,8-naphthalimide to polyester (2008) Dyes and Pigments, 76 (3), pp. 684-689.	34
	Gharanjig, K., Arami, M., Rouhani, S., Bahrami, H., Movassagh, B., Mahmoodi, N.M. Synthesis and characterization of novel monoazo N-ester-1,8-naphthalimide disperse dyestuffs (2007) Journal of the Chinese Chemical Society, 54 (4), pp. 1021-1028.	35
	Magalhães, J.L., Pereira, R.V., Triboni, E.R., Berci Filho, P., Gehlen, M.H., Nart, F.C. Solvent effect on the photophysical properties of 4-phenoxy-N-methyl-1,8-naphthalimide (2006) Journal of Photochemistry and Photobiology A: Chemistry, 183 (1-2), pp. 165-170.	36
	Wang, J., Xu, Z., Zhao, Y., Qiao, W., Li, Z. Synthesis and characterization of novel fluorescent surfactants (2006) Dyes and Pigments, 74 (1), pp. 103-107.	37
148	Grabchev, I., Chovelon, J.-M. Photophysical and photochemical properties of green fluorescent liquid crystalline systems (2003) Zeitschrift fur Naturforschung - Section A Journal of Physical Sciences, 58 (1), pp. 45-50.	13

	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) <i>Current Organic Chemistry</i> , 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	1
	Xiong Q.-Q., Wu J.-Y., Zhang H.-S., Gao J.-F., Ma S.-Y., He X.-Z. Liquid crystal polymers with dual properties of fluorescence and selective reflection-design, synthesis and characterisation (2024) <i>Liquid Crystals</i> DOI: 10.1080/02678292.2024.2321453	2
	Ganin, E.V., Masunov, A.E., Siminel, A.V., Fonari, M.S. Preparation, characterization, and electronic structure of asymmetric isonaphthalimide: Mechanism of dual fluorescence in solid state (2013) <i>Journal of Physical Chemistry C</i> , 117 (35), pp. 18154-18162.	3
	Bardajee, G.R., Microwave-assisted solvent-free synthesis of fluorescent naphthalimide dyes (2013) <i>Dyes and Pigments</i> , 99 (1), pp. 52-58.	4
	Pavlovich, V.S., Lugousky, A.P., Sagaydak, D.I., Stupak, A.P. Photophysical properties of powder and solutions of N-(p-methoxyphenyl)-4-octylamino-1,8-naphthalimide (2013) <i>Journal of Applied Spectroscopy</i> , 80 (4), pp. 524-529	5
	Beiermann, B.A., Kramer, S.L.B., Moore, J.S., White, S.R., Sottos, N.R. Role of mechanophore orientation in mechanochemical reactions (2012) <i>ACS Macro Letters</i> , 1 (1), pp. 163-166	6
	Praveen, P.L., Ojha, D.P. Effect of substituents on electronic spectral shifts and phase stability of liquid crystalline biphenylcyclohexane molecules-A theoretical approach (2012) <i>Molecular Crystals and Liquid Crystals</i> , 557, pp. 206-216.	7
	Asaoka, Y., Minoura, K., Tsukio, D., Deguchi, K., Satoh, E., Fujiwara, S., Miyata, A., Itoh, Y. A high reflectivity fluorescent guest-host polymer network LC color display (2011) 49th Annual SID Symposium, Seminar, and Exhibition 2011, Display Week 2011, 3, pp. 1615-1618.	8
	Asaoka, Y., Minoura, K., Tsukio, D., Deguchi, K., Satoh, E., Fujiwara, S., Miyata, A., Itoh, Y. P-135: A high reflectivity fluorescent guest-host polymer network LC color display Prosseding, vol. 1-3, (2011).	9
	Hamel, M., Simic, V., Normand, S., Fluorescent 1,8-naphthalimides-containing polymers as plastic scintillators. An attempt for neutron-gamma discrimination (2008) <i>Reactive and Functional Polymers</i> , 68 (12), pp. 1669-1679.	10
	Mandal, P., Kundu, S., Misra, T., Roy, S.K., Ganguly, T., Effects of liquid crystal environment on the spectroscopic and photophysical properties of well-known reacting systems 2,3-dimethylindole (DMI) and 9-cyanoanthracene (9CNA) (2007) <i>Journal of Physical Chemistry A</i> , 111 (45), pp. 11480-11486.	11
	Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B. Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 42-46.	12
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 56 (3), pp. 375-381.	13
149	Grabchev, I., Petkov, C., Bojinov, V. 1,8-Naphthalimides as blue emitting fluorophores for polymer materials (2002) <i>Macromolecular Materials and Engineering</i>, 287 (12), pp. 904-908.	40
	Erdemir S., Malkondu S., Kocyigit O., Alici O. Anthracene-modified isophorone derivative with NIR-emission for hypochlorite detection by the oxidative decomposition reaction and its applications (2022) <i>Measurement: Journal of the International Measurement Confederation</i> , 193, art. no. 111007 DOI: 10.1016/j.measurement.2022.111007	1

	Suh B., Kim H., Jang S., Kim K.-T., Kim C. A benzothiazole-based fluorescent and colorimetric probe for the detection of ClO ⁻ and its application to zebrafish and water sample (2022) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 270, art. no. 120827 DOI: 10.1016/j.saa.2021.120827	2
	Das P.P., Mohanty P., Barick A.K., Mohapatra P., Jali B.R. A Versatile Molecular Probe of Naphthalimide-Derivative for Zn(II) Sensor: A Mini-Review(2023) <i>Trends in Sciences</i> , 20 (7), art. no. 5005 DOI: 10.48048/tis.2023.5005	3
	Durairaju, Periyar, Chinnasamy Umarani, Govindasami Periyasami, Perumberkandigai Adikesavan Vivekanand, and Mostafizur Rahaman. "Synthesis and In Vitro Antimicrobial Evaluation of Photoactive Multi—Block Chalcone Conjugate Phthalimide and 1, 8-Naphthalimide Novolacs." <i>Polymers</i> 13, no. 11 (2021): 1859.	4
	Boonnab, S., Chaiwai, C., Nalaoh, P., Manyum, T., Namuangruk, S., Chitpakdee, C., Sudyoadsuk, T. and Promarak, V., 2021. Synthesis, Characterization, and Physical Properties of Pyrene-Naphthalimide Derivatives as Emissive Materials for Electroluminescent Devices. <i>European Journal of Organic Chemistry</i> , 2021(17), pp.2402-2410.	5
	Schmidt, M.F.R.A., Junqueira, H.C., Pedras, B., Berberan-Santos, M.N., Triboni, E.R., Florenzano, F.H., Charge transfer emission from 1,4,5,8-naphthalimide-polystyrene (2021) <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 266, art. no. 115053, .	6
	Shiraishi, Y., Yamada, C., Takagi, S., Hirai, T., Fluorometric and colorimetric detection of hypochlorous acid and hypochlorite by a naphthalimide–dicyanoisophorone conjugate (2021) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 406, art. no. 112997, .	7
	Shiraishi, Y., Nakatani, R., Takagi, S., Yamada, C., Hirai, T., A naphthalimide–sulfonylhydrazine conjugate as a fluorescent chemodosimeter for hypochlorite (2020) <i>Chemosensors</i> , 8 (4), art. no. 123, pp. 1-12.	8
	Udhayakumari, D. (2020). Various Sensing Mechanisms for the Design of Naphthalimide based Chemosensors Emerging in Recent Years. <i>Recent Innovations in Chemical Engineering (Formerly Recent Patents on Chemical Engineering)</i> , 13(4), 262-289.	9
	Lee, S.C., Park, S., So, H., Lee, G., Kim, K.-T., Kim, C., An acridine-based fluorescent sensor for monitoring clo ⁻ in water samples and zebrafish (2020) <i>Sensors (Switzerland)</i> , 20 (17), art. no. 4764, pp. 1-13.	10
	Udhayakumari, D., Various sensing mechanisms for the design of naphthalimide based chemosensors emerging in recent years (2020) <i>Recent Innovations in Chemical Engineering</i> , 13 (4), pp. 262-289.	11
	Lee, S.C., Kim, C., Naphthol-naphthalimide based ‘turn-on’ fluorescent sensor for ClO ⁻ in aqueous media and test kit (2019) <i>Inorganic Chemistry Communications</i> , 108, art. no. 107545, .	12
	Lee, S.C., Kim, C.,Naphthalimide-based probe for the detection of hypochlorite in a near-perfect aqueous solution(2019) <i>Analytical Sciences</i> , 35 (11), pp. 1189-1193.	13
	田朝瑜, & 许良忠. (2018). 萘二酰亚胺取代的 2, 4-二氯肉桂酸乙酯的合成及生物活性. <i>现代农药</i> , 17(6), 6-9.	14
	Bao, Z., Lu, C., Qin, C., Tang, S., Dai, L., Chen, G., Mei, F., Preparation of fluorescent polyacrylonitrile nanofiber membrane based on polymerizable 1,8-naphthalimide fluorescent disperse dye (2017) <i>Fibers and Polymers</i> , 18 (6), pp. 1017-1024.	15
	Wang, F., Xu, Y., Aderinto, S.O., Peng, H., Zhang, H., Wu, H., A new highly effective fluorescent probe for Al ³⁺ ions and its application in practical samples (2017) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 332, pp. 273-282.	16

	Zhong, Y., Sun, X., Wang, S., Peng, F., Bao, F., Su, Y., Li, Y., Lee, S.-T., He, Y., Facile, Large-Quantity Synthesis of Stable, Tunable-Color Silicon Nanoparticles and Their Application for Long-Term Cellular Imaging (2015) ACS Nano, 9 (6), pp. 5958-5967.	17
	Xiong, Kangming, Fangjun Huo, Caixia Yin, Jianbin Chao, Yongbin Zhang, and Ming Xu. "A highly selective fluorescent bioimaging probe for hypochlorite based on 1, 8-naphthalimide derivative." Sensors and Actuators B: Chemical 221 (2015): 1508-1514.	18
	Arunchai, R., Sudyoadsuk, T., Prachumrak, N., Namuangruk, S., Promarak, V., Sukwattanasinitt, M., Rashatasakhon, P., Synthesis and characterization of new triphenylamino-1,8-naphthalimides for organic light-emitting diode applications (2015) New Journal of Chemistry, 39 (4), pp. 2807-2814.	19
	Chinapang, P., Ruangpornvisuti, V., Sukwattanasinitt, M., Rashatasakhon, P., Ferrocenyl derivative of 1,8-naphthalimide as a new turn-on fluorescent sensor for Au(III) ion (2015) Dyes and Pigments, 112, pp. 236-238.	20
	Triboni, E. R., M. R. Fernandes, J. R. Garcia, M. Costa Carreira, R. G. S. Berlinck, P. Berci Filho, L. S. Roman, I. A. Hümmelgen, R. Reyes, and M. Cremona. "Naphthalimide-derivative with blue electroluminescence for OLED applications." Journal of Taibah University for Science 9, no. 4 (2015): 579-585.	21
	Panchenko, P.A., Sergeeva, A.N., Fedorova, O.A., Fedorov, Y.V., Reshetnikov, R.I., Schelkunova, A.E., Grin, M.A., Mironov, A.F., Jonusauskas, G., Spectroscopical study of bacteriopurpurinimide-naphthalimide conjugates for fluorescent diagnostics and photodynamic therapy (2014) Journal of Photochemistry and Photobiology B: Biology, 133, pp. 140-144.	22
	Choppawa, T., Sukwattanasinitt, M., Sahasithiwat, S., Ruangpornvisuti, V., Rashatasakhon, P., Substituent effect on quantum efficiency in 4-aryloxy-N-(2',6'- diisopropylphenyl)-1,8-naphthalimides: Experimental and computational investigations (2014) Dyes and Pigments, 109, pp. 175-180.	23
	Bekere, L., Gachet, D., Lokshin, V., Marine, W., Khodorkovsky, V., Synthesis and spectroscopic properties of 4-amino-1,8-naphthalimide derivatives involving the carboxylic group: A new molecular probe for ZnO nanoparticles with unusual fluorescence features (2013) Beilstein Journal of Organic Chemistry, 9, pp. 1311-1318.	24
	Ulla, H., Garudachari, B., Satyanarayan, M.N., Umesh, G., Isloor, A.M., Blue light emitting materials for organic light emitting diodes: Experimental and simulation study (2012) 2012 International Conference on Optical Engineering, ICOE 2012, art. no. 6409561, .	25
	Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J., A new polymerizable fluorescent PET chemosensor of fluoride (F-) based on naphthalimide-thiourea dye (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 85-92.	26
	Sheshashena Reddy, T., Ram Reddy, A. Synthesis and fluorescence study of 3-aminoalkylamidonaphthalimides (2012) Journal of Photochemistry and Photobiology A: Chemistry, 227 (1), pp. 51-58.	27
	Reddy, T. Sheshashena, and A. Ram Reddy. "Synthesis and fluorescence study of 3-aminoalkylamidonaphthalimides." Journal of Photochemistry and Photobiology A: Chemistry 227, no. 1 (2012): 51-58.	28
	Thielbeer, Frank. "Modification and use of polymeric particles for chemical biology." (2012). The University of Edinburgh, UK, PhD thesis.	29
	Thielbeer, F., Chankeshwara, S.V., Bradley, M. Polymerizable fluorescein derivatives: Synthesis of fluorescent particles and their cellular uptake (2011) Biomacromolecules, 12 (12), pp. 4386-4391.	30
	Zhang, Y., Wang, K., Yi, X., Qin, W., Wang, H. Synthesis of 1,8-naphthalimide derivative under ultrasound (2011) Chinese Journal of Organic Chemistry, 31 (4), pp. 557-562.	31

	Hofmann, K., Kahle, I., Simon, F., Spange, S. Chromo- and fluorophoric water-soluble polymers and silica particles by nucleophilic substitution reaction of poly(vinyl amine) (2010) Beilstein Journal of Organic Chemistry, 6, art. no. 79, .	32
	Zhengneng, J., Najun, L., Jianmei, L., Qingfeng, X., Xuewei, X., Jianfeng, G., Lihua, W. Synthesis, third-order nonlinear optical (NLO) properties of polystyrene containing 1,8-naphthalimide chromophores in the side chain (2010) E-Polymers, art. no. 060, .	33
	Zhao, C.-S., Liu, X.-L., Yang, M., Fang, J.-Y., Zhang, J.-J., Liu, F.-Q. The preparation of copolymerized fluorescent microspheres of styrene using detergent-free emulsion polymerization (2009) Dyes and Pigments, 82 (2), pp. 134-141.	34
	Kim, S.Y., Hong, J.-I. Naphthalimide-based fluorescent Zn ²⁺ chemosensors showing PET effect according to their linker length in water (2009) Tetrahedron Letters, 50 (23), pp. 2822-2824.	35
	Wu, Z., Meng, L., Progress in fluorescent polymers (2007) Progress in Chemistry, 19 (9), pp. 1381-1392.	36
	Jin, Z., Lu, J., Xu, Q., Wang, L., Xia, X., Synthesis and photophysical properties of fluorescent polystyrene containing 1,8-naphthalimide via atom transfer polymerization (2007) E-Polymers, pp. 1-8.	37
	Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B. Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) Dyes and Pigments, 72 (1), pp. 42-46.	38
	Zhengneng, Jin, Lu Jianmei, Xu Qingfeng, Wang Lihua, and Xia Xuewei. "Synthesis and photophysical properties of fluorescent polystyrene containing 1, 8-naphthalimide via atom transfer polymerization." e-Polymers 7, no. 1 (2007).	39
	Magalhães, J.L., Pereira, R.V., Triboni, E.R., Berci Filho, P., Gehlen, M.H., Nart, F.C. Solvent effect on the photophysical properties of 4-phenoxy-N-methyl-1,8-naphthalimide (2006) Journal of Photochemistry and Photobiology A: Chemistry, 183 (1-2), pp. 165-170.	40
150	Grabchev, I., Qian, X., Bojinov, V., Xiao, Y., Zhang, W. Synthesis and photophysical properties of 1,8-naphthalimide-labelled PAMAM as PET sensors of protons and of transition metal ions (2002) Polymer, 43 (21), pp. 5731-5736.	69
	Lubin A.A., Yakushin R.V., Oshchepkov M.S., Ulyanova Yu.V., Botev D.O., Chistolinov A.V., Podhaluzina N.Ya., Solovieva I.N., Boldyrev V.S. ACENAPHTHENE NITRO DERIVATIVES PLASMA-CHEMICAL SYNTHESIS IN THE HIGH-FREQUENCY CURRENTS FIELD AT REDUCED PRESSURE [ПЛАЗМОХИМИЧЕСКИЙ СИНТЕЗ НИТРОПРОИЗВОДНЫХ АЦЕНАФТЕНА В ПОЛЕ ТОКОВ ВЫСОКОЙ ЧАСТОТЫ ПРИ ПОНИЖЕННОМ ДАВЛЕНИИ] (2023) Herald of the Bauman Moscow State Technical University, Series Natural Sciences, 109 (4), pp. 123 – 140 DOI: 10.18698/1812-3368-2023-4-123-140	1
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) Current Organic Chemistry, 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	2
	Li K., Li R., Kong X., Shen Q., Wan T., Wu H. A highly selective and sensitive fluorescent sensor based on a 1,8-naphthalimide with a Schiff base function for Hg ²⁺ in aqueous media (2022) Zeitschrift für Naturforschung - Section B Journal of Chemical Sciences, 77 (9), pp. 611 - 617 DOI: 10.1515/znbs-2022-0044	3
	Murugan E., Yogaraj V. Development of a quaternary ammonium poly (amidoamine) dendrimer-based drug carrier for the solubility enhancement and sustained release of furosemide (2023) Frontiers in Chemistry, 11, art. no. 1123775 DOI: 10.3389/fchem.2023.1123775	4

	Adam, A.M.A., Altalhi, T.A., El-Megharbel, S.M., Saad, H.A., Refat, M.S., Using a modified polyamidoamine fluorescent dendrimer for capturing environment polluting metal ions Zn^{2+} , Cd^{2+} , and Hg^{2+} : Synthesis and characterizations (2021) Crystals, 11 (2), art. no. 92, pp. 1-20.	5
	Moffett, S., Shiao, T.C., Mousavifar, L., Mignani, S., Roy, R., Aberrant glycosylation patterns on cancer cells: Therapeutic opportunities for glycodendrimers/metallo dendrimers oncology (2021) Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 13 (1), art. no. e1659, .	6
	Steinegger, A., Wolfbeis, O.S., Borisov, S.M., Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications (2020) Chemical Reviews, 120 (22), pp. 12357-12489.	7
	Oshchepkov, A., Oshchepkov, M., Pavlova, G., Ryabova, A., Kamagurov, S., Tkachenko, S., Frolova, S., Redchuk, A., Popov, K., Kataev, E.A., Naphthalimide-functionalized bisphosphonates for fluorescence detection of calcification in soft tissues (2020) Sensors and Actuators, B: Chemical, 314, art. no. 128047.	8
	Qu, Y., Wu, Y., Wang, C., Zhao, K., Wu, H., A new 1,8-naphthalimide-based fluorescent “turn-off” sensor for detecting Cu^{2+} and sensing mechanisms (2020) Journal of Chemical Research, 44 (1-2), pp. 121-127.	9
	LI, X., Pan, R., & Wang, Z. (2019, September). 26.4: Invited Paper: Preparation and Spectral quality of Naphthalene Derivatives Dichroic Liquid Crystal Dyes. In <i>SID Symposium Digest of Technical Papers</i> (Vol. 50, pp. 267-270).	10
	Dodangeh, M., Gharanjig, K., Hosseinneshad, M., The synthesis of poly(amidoamine) dendrimer: Dyeing and fluorescence properties (2018) Progress in Color, Colorants and Coatings, 11 (3), pp. 173-178.	11
	Wu, H. L., Aderinto, S. O., Xu, Y. L., Zhang, H., & Fan, X. Y. (2017). Высокоселективный флуоресцентный хемосенсор для определения аниона пикрата, основанный на производных 1, 8-нафталимида. <i>Журнал прикладной спектроскопии</i> , 84(1), 33-38.	12
	Kyung-Won Kim , Geun-Hyeong Kim , Su-Hyeon Kwon , Hyo-In Yoon , Jung-Eek Son , Jae-Hong Choi, Synthesis and photophysical properties of blue-emitting fluorescence dyes derived from naphthalimide derivatives containing a diacetylene linkage group , Dyes and Pigments 158 (2018) 353–361	13
	Wu, H.-L., Aderinto, S.O., Xu, Y.-L., Zhang, H., Fan, X.-Y., A Highly Selective Fluorescent Chemosensor for the Detection of Picrate Anion Based on 1,8-Naphthalimide Derivatives (2017) Journal of Applied Spectroscopy, 84 (1), pp. 25-30.	14
	Sharma, A.K., Chudasama, N.A., Prasad, K., Siddhanta, A.K., Agarose based large molecular systems: Synthesis of fluorescent aromatic agarose amino acid nano-conjugates – their pH-stimulated structural variations and interactions with BSA (2017) Carbohydrate Research, 449, pp. 37-46.	15
	Дістанов, В. Б. Синтез, властивості, технологія та застосування нових люмінесцентних сполук, похідних нафталенового ангідриду, 2017 дисертація, Харкож, Україна, дисертація	16
	Niu, Y., Qian, Y., Hu, X., Synthesis, aggregation-induced emission enhancement and cells imaging of water-soluble pyridine naphthalimide-polyamidoamine dendrimer (2016) Chinese Journal of Organic Chemistry, 36 (3), pp. 555-561.	17
	Wercholak, A.N., Thuman, J.M., Stanley, J.L., Sargent, A.L., Anderson, E.S., Allen, W.E. Incorporation of fluorophore-cholesterol conjugates into liposomal and mycobacterial membranes (2016) Bioorganic and Medicinal Chemistry, 24 (5), pp. 1045-1049.	18
	Zhao, Y., Zhang, G., Liu, Z., Guo, C., Peng, C., Pei, M., Li, P. -7-one-12-carboxylic Benzimidazo[2,1-a]benz[de]isoquinoline acid based fluorescent sensors for pH and Fe^{3+} ; (2016) Journal of Photochemistry and Photobiology A: Chemistry, 314, art. no. 9978, pp. 52-59.	19

Cao, J., Wu, H., Zheng, Y., Nie, F., Li, M., Zou, C., Hydrogen-bonding study of photoexcited 4-nitro-1,8-naphthalimide in hydrogen-donating solvents (2016) <i>Open Physics</i> , 14 (1), pp. 621-627.	20
Wu, H., Wang, C., Zhang, J., Zhang, Y., Chen, C., Yang, Z., Fan, X. 1,8-Naphthalimide derivative-based turn-off fluorescent probe for the detection of picrate in organic aqueous media (2015) <i>Zeitschrift für Naturforschung - Section B Journal of Chemical Sciences</i> , 70 (12), pp. 863-869.	21
Chen, H.-L., Su, C.-H., Ju, S.-P., Chuang, Y.-C., Yang, P.-Y., Chen, H.-Y., Chen, H.-T. Investigation on the Structural and Thermal Behaviors of Poly(amidoamine) Dendrimer-Encapsulated Au Nanoparticles of Different Sizes (2015) <i>Industrial and Engineering Chemistry Research</i> , 54 (46), pp. 11560-11567.	22
Сергеева Антонина Николаевна, диссертация кхн, (2015), Синтез и исследование флуоресцентных гибридных систем на основе 1,8-нафталимида, Институт Элементоорганических Соединений им. А.Н.Несмеянова Российской Академии Наук, Москва, Русия.	23
Qi, J., Liu, D., Liu, X., Guan, S., Shi, F., Chang, H., He, H., Yang, G. Fluorescent pH Sensors for Broad-Range pH Measurement Based on a Single Fluorophore (2015) <i>Analytical Chemistry</i> , 87 (12), pp. 5897-5904.	24
El-Sayed, M.Y., Refat, M.S. Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 137, pp. 1270-1279.	25
Soršak, E., Valh, J.V., Urek, S.K., Lobnik, A., Application of PAMAM dendrimers in optical sensing (2015) <i>Analyst</i> , 140 (4), pp. 976-989.	26
Sadeghi-Kiakhani, M., Safapour, S. Improvement of the dyeing and fastness properties of a naphthalimide fluorescent dye using poly(amidoamine) dendrimer (2015) <i>Coloration Technology</i> , 131 (2), pp. 142-148.	27
Su, P.-G., Tsai, M.-S. Layer-by-layer covalent immobilization of acetylcholinesterase and polyamidoamine dendrimer on a gold electrode for detecting organophosphorus pesticides (2015) <i>Sensor Letters</i> , 13 (7), pp. 584-591.	28
Sheshashena Reddy, T., Ram Reddy, A. 2-Hexylaminoethylamidonaphthalimide as Cu ²⁺ sensor (2014) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 128, pp. 880-886.	29
Medel, S., Bosch, P., Sangermano, M. Modification of UV-cured epoxy resins with fluorescent sensors through photopolymerization and click chemistry reactions and preparation of polarity-sensitive films (2014) <i>Polymer International</i> , 63 (6), pp. 1018-1024.	30
Ghosh, S., Biswas, S., Mondal, M., Basu, S. Photophysical properties of 1,8-naphthalic anhydride in aprotic solvents: An electron acceptor in excited state (2014) <i>Journal of Luminescence</i> , 145, pp. 410-419.	31
Refat, M.S., Gobouri, A.A., Adam, A.M.A., Saad, H.A. Novel charge-transfer complexes of 4-hexylamino-1,8-naphthalimide-labelled PAMAM dendrimer with some acceptors: A spectrophotometric study (2014) <i>Physics and Chemistry of Liquids</i> , 52 (5), pp. 680-696.	32
Dodangeh, M., Gharanjig, K., Arami, M. Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) <i>IEEE Sensors Journal</i> , 14 (8), art. no. 6803856, pp. 2889-2896.	33

Ulla, H., Kiran, M.R., Garudachari, B., Satyanarayan, M.N., Umesh, G., Isloor, A.M. Blue emitting halogen-phenoxy substituted 1,8-naphthalimides for potential organic light emitting diode applications (2014) Optical Materials, 37 (C), pp. 311-321.	34
Ulla, H., Garudachari, B., Satyanarayan, M.N., Umesh, G., Isloor, A.M. Blue organic light emitting materials: Synthesis and characterization of novel 1,8-naphthalimide derivatives (2014) Optical Materials, 36 (3), pp. 704-711.	35
Su, P.-G., Tseng, C.-W. Detection of bisphenol a using layer-by-layer covalent anchoring of polyamidoamine dendrimer to gold electrodes (2013) Sensor Letters, 11 (10), pp. 1894-1902.	36
Ma, L., Niu, H., Cai, J., Lian, Y., Zhang, C., Wang, C., Bai, X., Wang, W. Non-conjugated polyamines with near-infrared electrochromic and photoelectric response prepared via reducing PolySchiff bases by NaBH ₄ (2013) Sensors and Actuators, B: Chemical, 188, pp. 117-126.	37
Gillissen, M.A.J., Voets, I.K., Meijer, E.W., Palmans, A.R.A. Single chain polymeric nanoparticles as compartmentalised sensors for metal ions (2012) Polymer Chemistry, 3 (11), pp. 3166-3174.	38
Su, P.-G., Tzou, W.-H. Low-humidity sensing properties of PAMAM dendrimer and PAMAM-Au nanoparticles measured by a quartz-crystal microbalance (2012) Sensors and Actuators, A: Physical, 179, pp. 44-49.	39
Su, P.-G., Shiu, C.-C. Electrical and sensing properties of a flexible humidity sensor made of polyamidoamine dendrimer-Au nanoparticles (2012) Sensors and Actuators, B: Chemical, 165 (1), pp. 151-156.	40
Ryan, G.J., Elmes, R.B.P., Quinn, S.J., Gunnlaugsson, T. Synthesis and photophysical evaluations of fluorescent quaternary bipyridyl-1,8-naphthalimide conjugates as nucleic acid targeting agents (2012) Supramolecular Chemistry, 24 (3), pp. 175-188.	41
Li, L., Ma, C., Sun, J., Zhao, F., Pang, Z., Li, Y. Recent progress of naphthalimide-based dendrimers (2012) Chinese Journal of Organic Chemistry, 32 (2), pp. 304-317.	42
Sheshashena Reddy, T., Ram Reddy, A. Synthesis and fluorescence study of 3-aminoalkylamidonaphthalimides (2012) Journal of Photochemistry and Photobiology A: Chemistry, 227 (1), pp. 51-58	43
Lei, Y., Su, Y., Huo, J. Photophysical property of rhodamine-cored poly(amidoamine) dendrimers: Simultaneous effect of spirolactam ring-opening and PET process on sensing trivalent chromium ion (2011) Journal of Luminescence, 131 (12), pp. 2521-2527.	44
Lei, Y., Su, Y., Huo, J. A novel fluorescent sensor for Cr ³⁺ based on rhodamine-cored poly(amidoamine) dendrimer (2011) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 83 (1), pp. 149-154.	45
Xie, J., Chen, Y., Yang, W., Xu, D., Zhang, K. Water soluble 1,8-naphthalimide fluorescent pH probes and their application to bioimaging (2011) Journal of Photochemistry and Photobiology A: Chemistry, 223 (2-3), pp. 111-118.	46
Namazi, H., Fard, A.M.P. Preparation of gold nanoparticles in the presence of citric acid-based dendrimers containing periphery hydroxyl groups (2011) Materials Chemistry and Physics, 129 (1-2), pp. 189-194.	47
Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементарной органической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	48

Ma, C., Li, L., Shen, L., Cheng, C., Xu, J. Synthesis and fluorescence properties of dendritic 1,8-naphthalimides (2011) <i>Gaofenzi Cailiao Kexue Yu Gongcheng/Polymeric Materials Science and Engineering</i> , 27 (9), pp. 36-39.	49
Li, N., Wei, X., Mei, Z., Xiong, X., Chen, S., Ye, M., Ding, S. Synthesis and characterization of a novel polyamidoamine-cyclodextrin crosslinked copolymer (2011) <i>Carbohydrate Research</i> , 346 (13), pp. 1721-1727.	50
Triboni, E.R., Cavaleiro, C.C.S., Politi, M.J., Bemquerer, M.P., Rodrigues, M.A. Tryptophan photooxidation promoted by new hybrid materials prepared by condensation of naphthalene imides with silicate by the sol-gel process (2010) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 208 (1), pp. 36-41.	51
PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	52
Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A. Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 216 (1), pp. 44-50.	53
Jiang, J., Leng, B., Xiao, X., Zhao, P., Tian, H. "Off-On-Off" fluorescent proton switch synthesized by RAFT polymerization (2009) <i>Polymer</i> , 50 (24), pp. 5681-5684.	54
Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	55
Nicolas R. Vautravers, PhD thesis, Polyhedral oligomeric silsesquioxanes in catalysis and photoluminescence applications, University of St. Andrews: http://hdl.handle.net/10023/729	56
Newkome, G.R., Shreiner, C.D., Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1 → 2 branching motifs: An overview of the divergent procedures (2008) <i>Polymer</i> , 49 (1), pp. 1-173.	57
Wu, Z., Meng, L., Progress in fluorescent polymers (2007) <i>Progress in Chemistry</i> , 19 (9), pp. 1381-1392.	58
N. F. Fed'ko, D. G. Ėupriyan, V. V. Veduta, G. V. Pyankova, V. F. Anikin, Synthetic methods of 1,8-naphthalimide derivatives and their application as analytic reagents, <i>Вісник ОНУ</i> , 200712, (10) 81-100.	59
Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B. Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 42-46.	60
Shi, X., Lesniak, W., Islam, M.T., Muñiz, M.C., Balogh, L.P., Baker Jr., J.R. Comprehensive characterization of surface-functionalized poly(amidoamine) dendrimers with acetamide, hydroxyl, and carboxyl groups (2006) <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 272 (1-2), pp. 139-150.	61
Bosch, P., Catalina, F., Corrales, T., Peinado, C., Fluorescent probes for sensing processes in polymers (2005) <i>Chemistry - A European Journal</i> , 11 (15), pp. 4314-4325.	62
Gitsov, I., Lin, C., Dendrimers - Nanoparticles with precisely engineered surfaces (2005) <i>Current Organic Chemistry</i> , 9 (11), pp. 1025-1051.	63
Szaciłowski, K., Macyk, W., Drzewiecka-Matuszek, A., Brindell, M., Stochel, G. Bioinorganic photochemistry: Frontiers and mechanisms (2005) <i>Chemical Reviews</i> , 105 (6), pp. 2647-2694.	64

	Ghosh, S., Banthia, A.K., Fluorophore-labeled polyamidoamine (PAMAM) dendritic architectures: Synthesis and fluorescence sensing properties (2004) <i>Supramolecular Chemistry</i> , 16 (7), pp. 487-494.	65
	Na, J., Kim, Y.-S., Park, W.H., Lee, T.S., Metal-induced optical sensing and optical switching in poly(pyridyl phenylene) (2004) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 42 (10), pp. 2444-2450.	66
	De Silva, A.P., Goligher, A., Gunaratne, H.Q.N., Rice, T.E., The pH-dependent fluorescence of pyridylmethyl-4-amino-1,8-naphthalimides (2003) <i>Arkivoc</i> , 2003 (7), pp. 229-243.	67
	Juris, A., Recent developments in photo- and redox-active dendrimers, (2003) <i>Annual Reports on the Progress of Chemistry - Section C</i> , 99, pp. 177-241.	68
	de Silva, A.P., McCaughan, B., McKinney, B.O.F., Querol, M., Newer optical-based molecular devices from older coordination chemistry (2003) <i>Dalton Transactions</i> , 10, pp. 1902-1913.	69
151	Bojinov, V., Grabchev, I. Synthesis and properties of new adducts of 2,2,6,6-tetramethylpiperidine and 2-hydroxyphenylbenzotriazole as polymer photostabilizers (2002) <i>Journal of Photochemistry and Photobiology A: Chemistry</i>, 150 (1-3), pp. 223-231.	15
	Miladinova P. Triazines and their applications (2023) <i>Advances in Materials Science Research</i> , 67, pp. 135 - 190 DOCUMENT TYPE: Book chapter	1
	Cui, Z.-H., Xia, G., Chen, W.-G., Jiang, H., Yang, L., Zuo, Z.-W., Synthesis of novel multifunctional photostabilizers containing UVA and HALS moieties and their effects on polymers and dyes (2020) <i>Journal of Vinyl and Additive Technology</i> , 26 (3), pp. 259-267.	2
	上坂敏之, 八木繁幸, & 前田壮志. (2020). 5-アミノ-2-(2-ヒドロキシフェニル)-2H-ベンゾトリアゾール誘導体の合成と蛍光特性. <i>色材協会誌</i> , 93(6), 194-201.	3
	Yoshida, E., CO ₂ -responsive behavior of polymer giant vesicles supporting hindered amine (2019) <i>Colloid and Polymer Science</i> , 297 (4), pp. 661-666.	4
	Zhang, W., Liu, D., Hua, C., Zhao, J., Chen, B., Gou, X. Synthesis and properties of multifunctional nitroxyl radical hindered-amine light stabilizers (2015) <i>Heterocyclic Communications</i> , 21 (2), pp. 77-81.	5
	Miladinova, P.M., Konstantinova, T.N. Photo stabilizers for polymers - new trends (2015) <i>Journal of Chemical Technology and Metallurgy</i> , 50 (3), pp. 229-239.	6
	Gou, X., Liu, D., Hua, C., Zhao, J., Zhang, W. Synthesis and properties of multifunctional hindered amine light stabilizers (2014) <i>Heterocyclic Communications</i> , 20 (1), pp. 15-20.	7
	Shin, M.J., Shin, Y.J., Moon, Y.U., Shin, J.S. Polymerizable ultraviolet stabilizers for unsaturated polyester-based bulk molding compounds (2014) <i>Journal of Elastomers and Plastics</i> , 46 (6), pp. 569-576.	8
	James MacMullen, PhD thesis 2013, Novel Nano-particulate/Polymer Treatment Systems for Masonry Enhancement and Protection, University of Portsmouth.	9
	Oda, H. An approach to the photostabilization of dyes: The effects of multifunctional stabilizers on the light fastness of acid dye (2011) <i>Sen'i Gakkaishi</i> , 67 (5), pp. 119-124.	10

	Refat, M.S. Synthesis, spectroscopic characterization, thermal, and photostability studies of 2-(2'-hydroxy-5'-phenyl)-5-aminobenzotriazole complexes (2010) <i>Journal of Thermal Analysis and Calorimetry</i> , 102 (3), pp. 1095-1103.	11
	Allen, N.S. Polymer photochemistry (2007) <i>Photochemistry</i> , 36, pp. 232-297.	12
	Topalova, L., Nakov, K. Investigation of antioxidation activity of 2,6-di-tert.-butyl-4-methylphenol and 2,2,6,6-tetramethyl-4-piperidone (2006) <i>Oxidation Communications</i> , 29 (1), pp. 12-18.	13
	Allen, N.S. Polymer Photochemistry (2005) <i>Photochemistry</i> , 35, pp. 206-271.	14
	Zakrzewski, J. Thiophosgene, a building block for stabilizers bearing different types of protecting fragments (2005) <i>Polymer Degradation and Stability</i> , 87 (1), pp. 17-23.	15
152	De Souza, M.M., Corrêa, R., Cechinel Filho, V., Grabchev, I., Bojinov, V. 4-Nitro-1,8-naphthalimides exhibit antinociceptive properties (2002) <i>Pharmazie</i>, 57 (6), pp. 430-431.	28
	Dodangeh, M., Gharanjig, K., Arami, M., & Mohammadian, M. (2022). Synthesis, Infra-red Study, and Application of Polyamidoamine Dendrimer Modified with 1, 8-naphthalimide Derivatives as Novel Fluorescent Disperse Dye. <i>Progress in Color, Colorants and Coatings</i> , 15(3), 203-211.	1
	Cui, Z.-H., Xia, G., Chen, W.-G., Jiang, H., Yang, L., Zuo, Z.-W., Synthesis of novel multifunctional photostabilizers containing UVA and HALS moieties and their effects on polymers and dyes (2020) <i>Journal of Vinyl and Additive Technology</i> , 26 (3), pp. 259-267.	2
	Marinov, M., Kostova, I., Naydenova, E., & Stoyanov, N. (2019). Synthesis and antimicrobial activity of 1, 8-naphthalimide derivatives of nalidixic acid. <i>J. Chem. Technol. Metall</i> , 54(6), 1146-1156.	3
	Marinov, M. N., Naydenova, E. D., Momekov, G. T., Prodanova, R. Y., Markova, N. V., Voynikov, Y. T., & Stoyanov, N. M. (2019). Synthesis, Characterization, Quantum-Chemical Calculations and Cytotoxic Activity of 1, 8-Naphthalimide Derivatives with Non-Protein Amino Acids. <i>Anti-Cancer Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Anti-Cancer Agents)</i> , 19(10), 1276-1284.	4
	Yoshida, E., CO ₂ -responsive behavior of polymer giant vesicles supporting hindered amine (2019) <i>Colloid and Polymer Science</i> , 297 (4), pp. 661-666.	5
	S. O. Aderinto, S. Imhanria, Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017, <i>Chemical Papers</i> , 2018,	6
	Shaki, H., Khosravi, A., & Gharanjig, K. (2017). Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: synthesis, characterisation and photophysical properties. <i>Pigment & Resin Technology</i> .	7
	Wang, F., Sun, J., Wang, J., Bai, S., Wu, X., Influence of various solvents on the luminescent performance of 1,8-naphthalic anhydride modified by Eu ³⁺ ions (2015) <i>Journal of Nanoscience and Nanotechnology</i> , 15 (6), art. no. A41, pp. 4347-4352.	8
	Hu, J., Wu, F., Feng, S., Xu, J., Xu, Z., Chen, Y., Tang, T., Weng, X., Zhou, X. A convenient ratiometric pH probe and its application for monitoring pH change in living cells (2014) <i>Sensors and Actuators, B: Chemical</i> , 196, pp. 194-202.	9

	Sheshashena Reddy, T., Ram Reddy, A., Synthesis and fluorescence study of naphthalimide-coumarin, naphthalimide-luminol conjugates (2014) Journal of Fluorescence, 24 (6), pp. 1571-1580.	10
	Dodangeh, M., Gharanjig, K., Arami, M., Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) IEEE Sensors Journal, 14 (8), art. no. 6803856, pp. 2889-2896.	11
	El-Azab, A.S., Alanazi, A.M., Abdel-Aziz, N.I., Al-Suwaidan, I.A., El-Sayed, M.A.A., El-Sherbeny, M.A., Abdel-Aziz, A.A.-M., Synthesis, molecular modeling study, preliminary antibacterial, and antitumor evaluation of N-substituted naphthalimides and their structural analogues (2013) Medicinal Chemistry Research, 22 (5), pp. 2360-2375.	12
	Sarkar, K., Debnath, M., Kundu, P.P., Preparation of low toxic fluorescent chitosan-graft-polyethyleneimine copolymer for gene carrier (2013) Carbohydrate Polymers, 92 (2), pp. 2048-2057.	13
	He, L., Jian, W., Chen, M., Jin, K., Liu, J., Luo, L., Zhao, D., Structural transformation of methoxy-substituted benzo[de]benzo[4,5]imidazo[2,1-a]isoquinolin-7-ones (2012) Journal of Heterocyclic Chemistry, 49 (5), pp. 1229-1234.	14
	Azadbakht, R., Keypour, H., Amiri Rudbari, H., Mohammad Zaheri, A.H., Menati, S. Synthesis and characterization of two new fluorescent macrocycles: A novel fluorescent chemosensor for zinc ion (2012) Journal of Luminescence, 132 (8), pp. 1860-1866.	15
	Sun, Y., Wei, S., Zhao, Y., Hu, X., Fan, J. Characterization of the interaction between 4-(tetrahydro-2-furanmethoxy)- N-octadecyl-1,8-naphthalimide and human serum albumin by molecular spectroscopy and its analytical application (2012) Applied Spectroscopy, 66 (4), pp. 464-469.	16
	Zhang, Y.-Y., Zhou, C.-H. Synthesis and activities of naphthalimide azoles as a new type of antibacterial and antifungal agents (2011) Bioorganic and Medicinal Chemistry Letters, 21 (14), pp. 4349-4352.	17
	A. MaroufAl-Azzawi. Synthesis, Characterization and Evaluation of Antibacterial Activity of Several New 3,4-Dimethyl Maleimides and 1,8-Naphthalimides Containing 1,3,4-Oxadiazole Ring Journal of Al-Nahrain University. 2011, 14 (1) 15-29	18
	Sun, Y., Wei, S., Yin, C., Liu, L., Hu, C., Zhao, Y., Ye, Y., Hu, X., Fan, J. Synthesis and spectroscopic characterization of 4-butoxyethoxy-N-octadecyl- 1,8-naphthalimide as a new fluorescent probe for the determination of proteins (2011) Bioorganic and Medicinal Chemistry Letters, 21 (12), pp. 3798-3804.	19
	Koyuncu, F.B., Koyuncu, S., Ozdemir, E. A new donor-acceptor carbazole derivative: Electrochemical polymerization and photo-induced charge transfer properties (2011) Synthetic Metals, 161 (11-12), pp. 1005-1013.	20
	Dhar, S., Singha Roy, S., Rana, D.K., Bhattacharya, S., Bhattacharya, S., Bhattacharya, S.C. Tunable solvatochromic response of newly synthesized antioxidative naphthalimide derivatives: Intramolecular charge transfer associated with hydrogen bonding effect (2011) Journal of Physical Chemistry A, 115 (11), pp. 2216-2224.	21
	Refat, M.S. Synthesis, spectroscopic characterization, thermal, and photostability studies of 2-(2'-hydroxy-5'-phenyl)-5-aminobenzotriazole complexes (2010) Journal of Thermal Analysis and Calorimetry, 102 (3), pp. 1095-1103.	22
	Koyuncu, F.B., Koyuncu, S., Ozdemir, E. A novel donor-acceptor polymeric electrochromic material containing carbazole and 1,8-naphthalimide as subunit (2010) Electrochimica Acta, 55 (17), pp. 4935-4941.	23
	Manna, A., Chakravorti, S. Charge transfer in 1,8-naphthalimide: A combined theoretical and experimental approach (2010) Photochemistry and Photobiology, 86 (1), pp. 47-54.	24

	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	25
	Lv, M., Xu, H. Overview of naphthalimide analogs as anticancer agents (2009) Current Medicinal Chemistry, 16 (36), pp. 4797-4813.	26
	Sekar, N., Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	27
	Jie, S., Shao, S., N-(4-Chlorophenyl)-1,8-naphthalimide (2009) Acta Crystallographica Section E: Structure Reports Online, 65 (7), .	28
153	Grabchev, I., Moneva, I., Betcheva, R., Elyashevich, G. Colored microporous polyethylene films: Effect of porous structure on dye adsorption (2002) Materials Research Innovations, 6 (1), pp. 34-37.	7
	Mizerovska, J., Dracinska, H., Arlt, V.M., Schmeiser, H.H., Frei, E., Stiborova, M. Oxidation of 3-aminobenzanthrone, a human metabolite of carcinogenic environmental pollutant 3-nitrobenzanthrone, by cytochromes P450 - Similarity between human and rat enzymes (2009) Neuroendocrinology Letters, 30 (SUPPL.1), pp. 52-59.	1
	Stiborová, M., Dračínská, H., Martínková, M., Mizerovská, J., Hudeček, J., Hodek, P., Liberda, J., Frei, E., Schmeiser, H.H., Phillips, D.H., Arlt, V.M. 3-Aminobenzanthrone, a human metabolite of the carcinogenic environmental pollutant 3-nitrobenzanthrone, induces biotransformation enzymes in rat kidney and lung (2009) Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 676 (1), pp. 93-101.	2
	Mizerovská, J., Dračnská, H., Hudeček, J., Hodek, P., Stiborová, M., Arlt, V.M., Schmeiser, H.H., Frei, E., Rat cytochromes P450 oxidize 3-aminobenzanthrone, a human metabolite of the carcinogenic environmental pollutant 3-nitrobenzanthrone (2008) Interdisciplinary Toxicology, 1 (2), pp. 150-154.	3
	Mizerovská, J., Dračínská, H., Martínková, M., Hudeček, J., Hodek, P., Schmeiser, H.H., Arlt, V.M., Frei, E., Stiborová, M., Kinetics of 3-aminobenzanthrone oxidation by rat hepatic microsomes (2007) Chemicke Listy, 101 (14), .	4
	Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) Journal of Inorganic and Organometallic Polymers and Materials, 17 (3), pp. 547-559.	5
	Arlt, V.M., Henderson, C.J., Wolf, C.R., Schmeiser, H.H., Phillips, D.H., Stiborova, M. Bioactivation of 3-aminobenzanthrone, a human metabolite of the environmental pollutant 3-nitrobenzanthrone: Evidence for DNA adduct formation mediated by cytochrome P450 enzymes and peroxidases (2006) Cancer Letters, 234 (2), pp. 220-231.	6
	Arlt, V.M. 3-Nitrobenzanthrone, a potential human cancer hazard in diesel exhaust and urban air pollution: A review of the evidence (2005) Mutagenesis, 20 (6), pp. 399-410.	7
154	Bojinov, V., Grabchev, I. Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials (2002) Journal of Photochemistry and Photobiology A: Chemistry, 146 (3), pp. 199-205.	15
	Prajina, O.K., Muthiah, P.T., Perdih, F., Crystal structures of salts and cocrystal of 1,3,5-triazine derivatives with thiophene carboxylic acid derivatives: an investigation on supramolecular interactions (2019) SN Applied Sciences, 1 (10), art. no. 1298, .	1
	桂思喆, 原燕燕, 罗浩, 刘娜, & 陈立功. (2017). 双功能受阻胺光稳定剂的合成, 表征及性能评价. 化学工业与工程, 34(5), 61-64.	2

	Xiao, F., Zhou, Y., Yang, W., Synthesis of piperazine-1,4-dipropanoic acid Di(1,2,2,6,6-pentamethyl-4-piperidine)yl ester as a photostabilizer (2014) Russian Journal of General Chemistry, 84 (11), pp. 2218-2221.	3
	Liu, H., Dong, L., Xie, H., Wan, L., Liu, Z., Xiong, C. Ultraviolet light aging properties of PVC/CaCO composites (2013) Journal of Applied Polymer Science, 127 (4), pp. 2749-2756.	4
	Guo, J.-G., Zhang, G.-H., Xu, H.-L., Liu, G.-J., Qiang, Y., Synthesis and application of polymeric yellowing inhibitor based on naphthalimide fluorescent brightening agent (2012) Gongneng Cailiao/Journal of Functional Materials, 43 (23), pp. 3269-3273.	5
	Oda, H., An approach to the photostabilization of dyes: The effects of multifunctional stabilizers on the light fastness of acid dye (2011) Sen'i Gakkaishi, 67 (5), pp. 119-124.	6
	Zoua, J., Jiang, L., Nguyen, T.P., Dana, Y., Studies on UV-stability of poly(MMA-co-M12-co-BPMA)/TiO ₂ composite particles prepared by ultrasonically initiated emulsion polymerization (2010) Polymers for Advanced Technologies, 21 (8), pp. 598-605.	7
	Fan, X., Liu, S., Yan, X., Du, X., Chen, L., A continuous process for the production of 2,2,6,6-tetramethylpiperidin-4-ol catalyzed by Cu-Cr/ γ -Al ₂ O ₃ (2010) Catalysis Communications, 11 (11), pp. 960-963.	8
	Kumar, A., Agarwal, M., Singh, A.K., Butcher, R.J. Palladium(II), platinum(II), ruthenium(II) and mercury(II) complexes of potentially tridentate Schiff base ligands of (E, N, O) type (E = S, Se, Te): Synthesis, crystal structures and applications in Heck and Suzuki coupling reactions (2009) Inorganica Chimica Acta, 362 (9), pp. 3208-3218.	9
	Zou, J., Zhao, Y., Yang, M., Dan, Y. Preparation and characterization of poly(MMA-M12-BPMA)/TiO ₂ composite particles (2008) Colloid and Polymer Science, 286 (8-9), pp. 1009-1018.	10
	Zou, J., Zhao, Y., Yang, M., Dan, Y. UV-resistant performance of polystyrene/TiO ₂ composite particles containing organic UV-stabiliser groups (2008) Polymers and Polymer Composites, 16 (3), pp. 209-216.	11
	Zou, J., Zhao, Y., Yang, M., Jiang, L., Dan, Y. Studies on thermal stability and UV-resistant performance of poly(MMA-co-M12-co-BPMA)/TiO ₂ composite particles (2008) E-Polymers, art. no. 48, .	12
	Topalova, L., Nakov, K., Investigation of antioxidation activity of 2,6-di-tert.-butyl-4-methylphenol and 2,2,6,6-tetramethyl-4-piperidone (2006) Oxidation Communications, 29 (1), pp. 12-18.	13
	Zakrzewski, J. Thiophosgene, a building block for stabilizers bearing different types of protecting fragments (2005) Polymer Degradation and Stability, 87 (1), pp. 17-23.	14
	Park, K.K., Lee, H.J., Kim, E.H., Kang, S.K. Facile synthesis and photo-Fries rearrangement of 2-benzoyl-4-benzoyloxyphenol leading to dibenzoyldihydroxybenzene derivatives (2003) Journal of Photochemistry and Photobiology A: Chemistry, 159 (1), pp. 17-21.	15
155	Grabchev, I., Qian, X., Xiao, Y., Zhang, R. Novel heterogeneous PET fluorescent sensors selective for transition metal ions or protons: Polymers regularly labelled with naphthalimide (2002) New Journal of Chemistry, 26 (7), pp. 920-925.	68
	Pablos J.L., Fernández-Alonso S., Catalina F., Corrales T. Reversible Colorimetric and Fluorescence Solid Sensors Based on Aryl Hydrazone Derivatives of 1,8-Naphthalimides for Caustic Media and Biogenic Amine Vapors (2022) Chemosensors, 10 (10), art. no. 417 DOI: 10.3390/chemosensors10100417	1

	Murariu M., Stroea L. Increasing detection sensitivity of fluorescent polymeric sensors containing fluorescein derivatives by Au NPs (2023) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 291, art. no. 122279 DOI: 10.1016/j.saa.2022.122279	2
	Das P.P., Mohanty P., Barick A.K., Mohapatra P., Jali B.R. A Versatile Molecular Probe of Naphthalimide-Derivative for Zn(II) Sensor: A Mini-Review (2023) <i>Trends in Sciences</i> , 20 (7), art. no. 5005 DOI: 10.48048/tis.2023.5005	3
	Pablos, J. L., Hernández, E., Catalina, F., & Corrales, T. (2022). Solid Fluorescence pH Sensors Based on 1, 8-Naphthalimide Copolymers Synthesized by UV Curing. <i>Chemosensors</i> , 10(2), 73.	4
	Oshchepkov, A.S., Oshchepkov, M.S., Oshchepkova, M.V., Al-Hamry, A., Kanoun, O., Kataev, E.A., Naphthalimide-Based Fluorescent Polymers for Molecular Detection, (2021) <i>Advanced Optical Materials</i> , 9 (6), art. no. 2001913,	5
	Steinegger, A., Wolfbeis, O.S., Borisov, S.M., Optical Sensing and Imaging of pH Values: Spectroscopies, Materials, and Applications (2020) <i>Chemical Reviews</i> , 120 (22), pp. 12357-12489.	6
	El-Betany, A.M.M., Kamoun, E.A., James, C., Jangher, A., Aljayyousi, G., Griffiths, P., McKeown, N.B., Gumbleton, M., Auto-fluorescent PAMAM-based dendritic molecules and their potential application in pharmaceutical sciences (2020) <i>International Journal of Pharmaceutics</i> , 579, art. no. 119187,.	7
	Xu, S., Sedgwick, A.C., Elfeky, S.A., Chen, W., Jones, A.S., Williams, G.T., Jenkins, A.T.A., Bull, S.D., Fossey, J.S., James, T.D., A boronic acid-based fluorescent hydrogel for monosaccharide detection (2020) <i>Frontiers of Chemical Science and Engineering</i> , 14 (1), pp. 112-116.	8
	Kholghi Eshkalak, S., Khatibzadeh, M., Kowsari, E., Chinnappan, A., Jayathilaka, W.A.D.M., Ramakrishna, S., Overview of electronic ink and methods of production for use in electronic displays (2019) <i>Optics and Laser Technology</i> , 117, pp. 38-51.	9
	Li, P., Zhang, D., Zhang, Y., Lu, W., Zhang, J., Wang, W., He, Q., Théato, P., Chen, Aggregation-caused quenching-type naphthalimide fluorophores grafted and ionized in a 3d polymeric hydrogel network for highly fluorescent and locally tunable emission (2019) <i>ACS Macro Letters</i> , 8 (8), pp. 937-942.	10
	Hladysh, S., Murmiliuk, A., Vohlídal, J., Zedník, J., Attachment of a 1,8-Naphthalimide Moiety to a Conjugated Polythiophene Efficiently Improves the Sensing Abilities of Naphthalimide-Based Materials (2019) <i>Macromolecular Chemistry and Physics</i> , 220 (3), art. no. 1800436, .	11
	Bharadwaj, D., & Angamuthu, R. (2019). Cryptand based fluorescence signaling systems for transition, inner-transition and main group metal ions: Modulation of the PET process through attachment of electron-withdrawing and electron donating groups. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 369, 1-7.	12
	Gangopadhyay, A., Mahapatra, A.K., hosgene invites selective switch-on fluorescence at ppm concentrations in a Betti base by hindering 2-way PET (2019) <i>New Journal of Chemistry</i> , 43 (29), pp. 11743-11748.	13
	Mohr, G.J., Synthesis of naphthalimide-based indicator dyes with a 2-hydroxyethylsulfonyl function for covalent immobilisation to cellulose (2018) <i>Sensors and Actuators, B: Chemical</i> , 275, pp. 439-445.	14
	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F. Solid fluorescence sensors obtained by functionalization of photocrosslinked water-swollen acrylic membranes with 4-piperazine naphthalimide derivatives (2017) <i>Polymer (United Kingdom)</i> , 124, pp. 139-150.	15
	Peng, H., Shen, K., Mao, S., Shi, X., Xu, Y., Aderinto, S.O., Wu, H. A Highly Selective and Sensitive Fluorescent Turn-on Probe for Al ³⁺ Based on Naphthalimide Schiff Base (2017) <i>Journal of Fluorescence</i> , 27 (3), pp. 1191-1200.	16

	Shaki, H., Khosravi, A., Gharanjig, K. Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: Synthesis, characterisation and photophysical properties (2017) <i>Pigment and Resin Technology</i> , 46 (3), pp. 244-250.	17
	Li, L., Li, H., Liu, G., Pu, S. A novel fluorescent sensor for Al ³⁺ based on a new diarylethene with a naphthalimide unit (2017) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 338, pp. 192-200.	18
	Aderinto, S.O., Zhang, H., Wu, H., Chen, C., Zhang, J., Peng, H., Yang, Z., Wang, F. Synthesis and studies of two proton-receptor fluorescent probes based on 1,8-naphthalimide (2017) <i>Coloration Technology</i> , 133 (1), pp. 40-49.	19
	Saini, A., Kaur, N., Singh, N., A highly fluorescent sensor based on hybrid nanoparticles for selective determination of furosemide in aqueous medium (2016) <i>Sensors and Actuators, B: Chemical</i> , 228, pp. 221-230.	20
	Wu, H.-L., Chen, C.-Y., Zhang, H., Peng, H.-P., Wang, F., Yang, Z.-H., Zhang, J.-W. Two 1,8-naphthalimide-based proton-receptor fluorescent probes for pH determination (2016) <i>Chemical Papers</i> , 70 (4), pp. i-x.	21
	Zhao, Y., Zhang, G., Liu, Z., Guo, C., Peng, C., Pei, M., Li, P., Benzimidazo[2,1-a]benz[de]isoquinoline-7-one-12-carboxylic acid based fluorescent sensors for pH and Fe ³⁺ (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 314, art. no. 9978, pp. 52-59.	22
	Almeida, A.K.A., Monteiro, M.P., Dias, J.M.M., Omena, L., Da Silva, A.J.C., Tonholo, J., Mortimer, R.J., Navarro, M., Jacinto, C., Ribeiro, A.S., De Oliveira, I.N. Synthesis and spectroscopic characterization of a fluorescent pyrrole derivative containing electron acceptor and donor groups (2014) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 128, pp. 812-818.	23
	Sandra Medel Fernández, PhD thesis, <i>Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores</i> Universidad Autónoma de Madrid, Spain, 2014.	24
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V., Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) <i>Russian Chemical Reviews</i> , 83 (2), pp. 155-182.	25
	Gallas, K., Knall, A.-C., Scheicher, S.R., Fast, D.E., Saf, R., Slugovc, C. A modular approach towards fluorescent pH and ascorbic acid probes based on ring-opening metathesis polymerization (2014) <i>Macromolecular Chemistry and Physics</i> , 215 (1), pp. 76-81.	26
	Saini, A., Singh, J., Kaur, R., Singh, N., Kaur, N., Naphthalimide-based organic nanoparticles for aluminium recognition in acidic soil and aqueous media (2014) <i>New Journal of Chemistry</i> , 38 (9), pp. 4580-4586.	27
	El-Betany, A.M.M., Vachova, L., Bezzu, C.G., Pope, S.J.A., McKeown, N.B. The synthesis and study of fluorescent PAMAM-based dendritic molecules (2013) <i>Tetrahedron</i> , 69 (39), pp. 8439-8445.	28
	Hui, G., Huang, W., Song, Y., Chen, D., Zhong, A. Synthesis and characterization of acrylate copolymer containing fluorescein functional group (2013) <i>Korean Journal of Chemical Engineering</i> , 30 (8), pp. 1609-1613.	29
	Wagner, R., Wan, W., Biyikal, M., Benito-Peña, E., Moreno-Bondi, M.C., Lazraq, I., Rurack, K., Sellaergren, B. Synthesis, spectroscopic, and analyte-responsive behavior of a polymerizable naphthalimide-based carboxylate probe and molecularly imprinted polymers prepared thereof (2013) <i>Journal of Organic Chemistry</i> , 78 (4), pp. 1377-1389.	30
	Zheng, S., Lynch, P.L.M., Rice, T.E., Moody, T.S., Gunaratne, H.Q.N., De Silva, A.P. Structural effects on the pH-dependent fluorescence of naphthalenic derivatives and consequences for sensing/switching (2012) <i>Photochemical and Photobiological Sciences</i> , 11 (11), pp. 1675-1681.	31

	Zhang, Y., Feng, S.-B., Wang, K., Yi, X.-H., Wang, H.-S., Pan, Y.-M. Water-solvent method for the synthesis of N-substituted and N-,4-disubstituted 1,8-naphthalimides under microwave irradiation (2012) <i>Synthetic Communications</i> , 42 (20), pp. 3042-3052.	32
	Cabane, E., Zhang, X., Langowska, K., Palivan, C.G., Meier, W. Stimuli-responsive polymers and their applications in nanomedicine (2012) <i>Biointerphases</i> , 7 (1-4), pp. 1-27.	33
	Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J., A new polymerizable fluorescent PET chemosensor of fluoride (F-) based on naphthalimide-thiourea dye (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 90, pp. 85-92.	34
	Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J. Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) <i>Macromolecular Chemistry and Physics</i> , 213 (4), pp. 411-424.	35
	Liu, J., De Silva, A.P., Path-selective photoinduced electron transfer (PET) in a membrane-associated system studied by pH-dependent fluorescence (2012) <i>Inorganica Chimica Acta</i> , 381 (1), pp. 243-246.	36
	Georgiev, N.I., Bojinov, V.B., Nikolov, P.S., The design, synthesis and photophysical properties of two novel 1,8-naphthalimide fluorescent pH sensors based on PET and ICT (2011) <i>Dyes and Pigments</i> , 88 (3), pp. 350-357.	37
	Oelgemöller, M., Kramer, W.H., Synthetic photochemistry of naphthalimides and related compounds (2010) <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 11 (4), pp. 210-244	38
	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	39
	Zhao, C.-S., Liu, X.-L., Yang, M., Fang, J.-Y., Zhang, J.-J., Liu, F.-Q., The preparation of copolymerized fluorescent microspheres of styrene using detergent-free emulsion polymerization (2009) <i>Dyes and Pigments</i> , 82 (2), pp. 134-141.	40
	Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	41
	Panchenko, P.A., Fedorova, O.A., Perevalov, V.P., Jonusauskas, G., Fedorov, Yu.V. Synthesis and spectral properties of 4-amino-and 4-acetylamino-N- aryl naphthalimides containing electron-donating groups in the N-aryl substituent (2009) <i>Russian Chemical Bulletin</i> , 58 (6), pp. 1233-1240.	42
	Chen, J., Tang, R., Luo, Z., Yang, C. Solvatofluorochromism of N-[2-(2-hydroxyethylamino)-ethyl]-1,8-naphthalimide in protic solvent (2009) <i>Journal of Molecular Structure</i> , 917 (2-3), pp. 170-175.	43
	Bojinov, V.B., Panova, I.P., Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) <i>Dyes and Pigments</i> , 80 (1), pp. 61-66.	44
	Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) <i>Dyes and Pigments</i> , 78 (2), pp. 101-110.	45
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 197 (2-3), pp. 281-289	46

Alamiry, M.A.H., Harriman, A., Mallon, L.J., Ulrich, G., Ziessel, R. Energy- and charge-transfer processes in a perylene-BODIPY-pyridine tripartite array (2008) <i>European Journal of Organic Chemistry</i> , (16), pp. 2774-2782.	47
Lei, W., Zhang, Y., Zhu, J., Xia, M., Wang, F. Preparation and performance of 2-acrylamido-2-methyl-propanesulfonic acid/acrylic acid copolymer containing fluorescent group (2008) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 59 (2), pp. 520-525.	48
Liu, Y., Meng, L.Z., Lu, X., Zhang, L., He, Y. Thermo and pH sensitive fluorescent polymer sensor for metal cations in aqueous solution (2008) <i>Polymers for Advanced Technologies</i> , 19 (2), pp. 137-143.	49
Bojinov, V.B., Georgiev, N.I., Nikolov, P.S. Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 193 (2-3), pp. 129-138.	50
Mauri Kostianen, PhD thesis, Multivalent dendrons for high-affinity DNA binding, Helsinki University of Technology, 2008	51
Bojinov, V.B., Simeonov, D.B., Georgiev, N.I. A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) <i>Dyes and Pigments</i> , 76 (1), pp. 41-46.	52
Coronado, J.L.Gu., Martín, E., Montero, L.A., Fierro, J.L.G., De La Vega, J.M.G. Effects of the 3- and 4-methoxy and acetamide substituents and solvent environment on the electronic properties of N-substituted 1,8-naphthalimide derivatives (2007) <i>Journal of Physical Chemistry A</i> , 111 (39), pp. 9724-9732.	53
Bojinov, V.B., Konstantinova, T.N. Fluorescent 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2007) <i>Sensors and Actuators, B: Chemical</i> , 123 (2), pp. 869-876.	54
Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) <i>Dyes and Pigments</i> , 74 (3), pp. 551-560.	55
Basabe-Desmonts, L., Reinhoudt, D.N., Crego-Calama, M. Design of fluorescent materials for chemical sensing (2007) <i>Chemical Society Reviews</i> , 36 (6), pp. 993-1017.	56
Nath, S., Maitra, U. A simple and general strategy for the design of fluorescent cation sensor beads (2006) <i>Organic Letters</i> , 8 (15), pp. 3239-3242.	57
Bojinov, V.B., Simeonov, D.B. Synthesis of novel bifunctional polymer stabilizers-A combination of HALS and UV absorber (2006) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 180 (1-2), pp. 205-212.	58
Prasanna De Silva, A., Magri, D.C. Optical sensing and switching with designed molecules (2005) <i>Chimia</i> , 59 (5), pp. 218-221.	59
Fan, L.-J., Zhang, Y., Jones Jr., W.E., Design and synthesis of fluorescence "turn-on" chemosensors based on photoinduced electron transfer in conjugated polymers (2005) <i>Macromolecules</i> , 38 (7), pp. 2844-2849.	60
Elbert, J.E., Paulsen, S., Robinson, L., Elzey, S., Klein, K., A study of 4-(alkylamino)amino substituted 1,8-naphthalimide fluoroionophores (2005) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 169 (1), pp. 9-19.	61

	Callan, J.F., De Silva, A.P., Ferguson, J., Huxley, A.J.M., O'Brien, A.M. Fluorescent photoionic devices with two receptors and two switching mechanisms: Applications to pH sensors and implications for metal ion detection (2004) <i>Tetrahedron</i> , 60 (49), pp. 11125-11131.	62
	Bojinov, V., Ivanova, G., Simeonov, D., Synthesis and photophysical investigations of novel polymerizable blue emitting fluorophores - Combination of a hindered amine with a benzo[de]isoquinoline-1,3-dione (2004) <i>Macromolecular Chemistry and Physics</i> , 205 (9), pp. 1259-1268.	63
	Sebok-Nagy, K., Biczók, L., Effect of protonation and hydrogen bonding on the fluorescent properties and exciplex formation of N-(4-pyridyl)-1,2-naphthalimide (2004) <i>Photochemical and Photobiological Sciences</i> , 3 (4), pp. 389-395.	64
	Bojinov, V.B., Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials (2004) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 162 (1), pp. 207-212.	65
	Fan, Li-Juan; Zhang, Yan; Lin, Yi-Hsien; Jones, Wayne E., Jr., Polymer Preprints (American Chemical Society, Division of Polymer Chemistry) 44 (2003) 507	66
	Prasanna de Silva, A.Goligher, H.Q. Gunaratne, T. Rice, <i>ARKIVOC</i> 2003 (vii) 229.	67
	Gunnlaugsson, T., McCoy, C.P., Morrow, R.J., Phelan, C., Stomeo, F. Towards the development of controllable and reversible `on-off` luminescence switching in soft-matter; synthesis and spectroscopic investigation of 1,8-naphthalimide-based PET (photoinduced (2003) <i>Arkivoc</i> , 2003 (7), pp. 216-228.	68
156	Bojinov, V.B., Grabchev, I. Synthesis of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxyphenylbenzotriazole 1,3,5-triazine derivatives as stabilizers for polymers (2001) <i>Polymer Degradation and Stability</i>, 74 (3), pp. 543-550.	23
	Miladinova P.Triazines and their applications (2023) <i>Advances in Materials Science Research</i> , 67, pp. 135 – 190 DOCUMENT TYPE: Book chapter	1
	Chen, H., Liu, H., Chen, M., Ge, P., Chen, S., Yuan, H., Preparation of thermostable and compatible citrate-based polyesters for enhancing the ultraviolet shielding performance of thermoplastic resin (2021) <i>Polymer Chemistry</i> , 12 (13), pp. 1939-1949.	2
	Cui, Z.-H., Xia, G., Chen, W.-G., Jiang, H., Yang, L., Zuo, Z.-W., Synthesis of novel multifunctional photostabilizers containing UVA and HALS moieties and their effects on polymers and dyes (2020) <i>Journal of Vinyl and Additive Technology</i> , 26 (3), pp. 259-267.	3
	Liu, C., Ren, X., Synthesis and characterization of controlled benzotriazole light stabilizer by RAFT polymerization and its application (2018) <i>Journal of Polymer Research</i> , 25 (4), art. no. 97, .	4
	Almalki, A.S.A., Refat, M.S., Synthesis and Photostability of 2-(4-isobutoxyphenyl)-6-Hydrazino-1,8-naphthalimide as fluorescence dye and its selenium nanoscale complex doped in polymethyl methacrylate polymeric sheet exposed to UV-Vis Radiation (2017) <i>Journal of Computational and Theoretical Nanoscience</i> , 14 (9), pp. 4616-4623.	5
	桂思喆, 原燕燕, 罗浩, 刘娜, & 陈立功. (2017). 双功能受阻胺光稳定剂的合成, 表征及性能评价. <i>化学工业与工程</i> , 34(5), 61-64.	6
	Refat, M.S., Adam, A.A., Saad, H.A., Naglah, A.M., Al-Omar, M.A., Charge-transfer complexation and photostability characteristics of iodine with bis-1,8-naphthalimide as a photosensitive biologically active units in solution and in the solid state: Linear correlation of photostability and dissociation energy (2015) <i>International Journal of Electrochemical Science</i> , 10 (8), pp. 6405-6421.	7

Miladinova, P.M., Konstantinova, T.N., Photo stabilizers for polymers - new trends (2015) Journal of Chemical Technology and Metallurgy, 50 (3), pp. 229-239.	8
Refat, M.S., Ismail, L.A., Adam, A.M.A., Shedding light on the photostability of two intermolecular charge-transfer complexes between highly fluorescent bis-1,8-naphthalimide dyes and some π -acceptors: A spectroscopic study in solution and solid states (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 134, pp. 288-301.	9
Gou, X., Liu, D., Hua, C., Zhao, J., Zhang, W. Synthesis and properties of multifunctional hindered amine light stabilizers (2014) Heterocyclic Communications, 20 (1), pp. 15-20.	10
Refat, M.S., Abdel-Hafez, S.H. Charge-transfer complex of 4-cyano-5,6-diphenylpyridazine-3(2)selenone with picric acid: Infrared, Raman, spectrophotometric, and photostability studies (2014) Russian Journal of General Chemistry, 84 (2), pp. 326-334.	11
Xiao, F., Zhou, Y., Yang, W. Synthesis of piperazine-1,4-dipropanoic acid Di(1,2,2,6,6-pentamethyl-4-piperidine)yl ester as a photostabilizer (2014) Russian Journal of General Chemistry, 84 (11), pp. 2218-2221.	12
You, B., Zhou, D., Zhang, S., Yang, F., Ren, X. Preparation of core-shell nanoparticle-based hindered amine stabilizer and its application in polyoxymethylene (2012) Journal of Applied Polymer Science, 126 (4), pp. 1291-1299.	13
You, B., Zhou, D.-J., Zhang, S.-L., Yang, F., Ren, X.-C. Preparation of UV-stabilized core-shell elastomer (2012) Sichuan Daxue Xuebao (Gongcheng Kexue Ban)/Journal of Sichuan University (Engineering Science Edition), 44 (3), pp. 170-173.	14
You, B., Zhou, D., Yang, F., Ren, X. Synthesis and characterization of core-shell polyacrylate particles containing hindered amine light stabilizers (2011) Colloids and Surfaces A: Physicochemical and Engineering Aspects, 392 (1), pp. 365-370.	15
Zhang, Y., Shao, Y., Liu, W., Lü, L. Synthesis and properties of s-triazines light stabilizer containing hindered amine (2011) Shiyou Huagong/Petrochemical Technology, 40 (6), pp. 640-643.	16
Refat, M.S., Synthesis, spectroscopic characterization, thermal, and photostability studies of 2-(2'-hydroxy-5'-phenyl)-5-aminobenzotriazole complexes (2010) Journal of Thermal Analysis and Calorimetry, 102 (3), pp. 1095-1103.	17
Zhang, X., Zhao, T., Pi, H., Guo, S. Mechanochemical preparation of a novel polymeric photostabilizer for poly(vinyl chloride) (2010) Journal of Applied Polymer Science, 116 (5), pp. 3079-3086.	18
Huang, P.-M., Deng, Y. 4-Amino-2,2,6,6-tetra-methyl-piperidin-1-ium chloride monohydrate (2007) Acta Crystallographica Section E: Structure Reports Online, 63 (10),	19
Jia, H., Wang, H., Chen, W. The combination effect of hindered amine light stabilizers with UV absorbers on the radiation resistance of polypropylene (2007) Radiation Physics and Chemistry, 76 (7), pp. 1179-1188.	20
Topalova, L., Nakov, K., Investigation of antioxidation activity of 2,6-di-tert.-butyl-4-methylphenol and 2,2,6,6-tetramethyl-4-piperidone (2006) Oxidation Communications, 29 (1), pp. 12-18.	21
Zakrzewski, J., Thiophosgene, a building block for stabilizers bearing different types of protecting fragments (2005) Polymer Degradation and Stability, 87 (1), pp. 17-23.	22

	Jipa, S., Zaharescu, T., Gigante, B., Santos, C., Setnescu, R., Setnescu, T., Dumitru, M., Gorghiu, L.M., Kappel, W., Mihalcea, I., Chemiluminescence investigation of thermo-oxidative degradation of polyethylenes stabilized with fullerenes (2003) <i>Polymer Degradation and Stability</i> , 80 (2), pp. 209-216.	23
157	Bojinov, V., Grabchev, I. A new method for synthesis of 4-allyloxy-1,8-naphthalimide derivatives for use as fluorescent brighteners (2001) <i>Dyes and Pigments</i>, 51 (1), pp. 57-61.	27
	Hou A., Chen Z., Zheng C., Liu Z., Hu L., Xie K., Gao A. Multi-functional fluorescence cellulose composites based on a modified amphiphilic waterborne polyurethane by covalent suspension of the triazine groups (2021) <i>Progress in Organic Coatings</i> , 158, art. no. 106386 DOI: 10.1016/j.porgcoat.2021.106386	1
	Hou, A., Chen, Z., Zheng, C., Liu, Z., Hu, L., Xie, K., & Gao, A. (2021). Multi-functional fluorescence cellulose composites based on a modified amphiphilic waterborne polyurethane by covalent suspension of the triazine groups. <i>Progress in Organic Coatings</i> , 158, 106386.	2
	Nicolescu, A., Airinei, A., Georgescu, E., Georgescu, F., Tigoianu, R., Oancea, F., Deleanu, C., Synthesis, photophysical properties and solvatochromic analysis of some naphthalene-1,8-dicarboxylic acid derivatives (2020) <i>Journal of Molecular Liquids</i> , 303, art. no. 112626, .	3
	Wu, S., Lin, H., Zhang, S., Liu, W., Liu, J., Wu, Z., Wu, D., Effects of naphthoxy side groups on functionalities of linear polyphosphazenes: Fluorescence, ion response and degradability (2020) <i>Polymer</i> , 191, art. no. 122251, .	4
	Udhayakumari, D., Various sensing mechanisms for the design of naphthalimide based chemosensors emerging in recent years (2020) <i>Recent Innovations in Chemical Engineering</i> , 13 (4), pp. 262-289.	5
	Pei, J., Zhang, G., Guo, M., Synthesis of 1,8-Naphthalimide Water-Based Fluorescent Polymer and Application in High Yield Pulp (2019) <i>Gaofenzi Cailiao Kexue Yu Gongcheng/Polymeric Materials Science and Engineering</i> , 35 (6), pp. 16-22.	6
	Li, C., Han, X., Mao, S., Aderinto, S.O., Shi, X., Shen, K., Wu, H. A new, highly potent 1,8-naphthalimide-based fluorescence turn-off chemosensor capable of detecting Cu(II) ions in real-world water samples (2018) <i>Coloration Technology</i> , 134 (3), pp. 230-239.	7
	Jin, Q., Hu, Y., Shen, J., Li, B., Kan, C., A novel 1,8-naphthalimide green fluorescent dye and its corresponding intrinsically fluorescent polyurethane latexes (2017) <i>Journal of Coatings Technology Research</i> , 14 (3), pp. 571-582.	8
	Aderinto, S.O., Xu, Y., Peng, H., Wang, F., Wu, H., Fan, X. A highly Selective Fluorescent Sensor for Monitoring Cu ²⁺ Ion: Synthesis, Characterization and Photophysical Properties (2017) <i>Journal of Fluorescence</i> , 27 (1), pp. 79-87.	9
	Vongnam, K., Muangnoi, C., Rojsitthisak, P., Sukwattanasinitt, M., Rashatasakhon, P. A highly selective turn-on fluorescent sensor for glucosamine from amidoquinoline-naphthalimide dyads (2016) <i>Biosensors and Bioelectronics</i> , 86, pp. 472-476.	10
	Arunchai, R., Sudyoadsuk, T., Prachumrak, N., Namuangruk, S., Promarak, V., Sukwattanasinitt, M., Rashatasakhon, P. Synthesis and characterization of new triphenylamino-1,8-naphthalimides for organic light-emitting diode applications (2015) <i>New Journal of Chemistry</i> , 39 (4), pp. 2807-2814.	11
	Aad, R., Couteau, C., Blaize, S., Chastaing, E., Soyer, F., Divay, L., Galindo, C., Le Barny, P., Sallet, V., Sartet, C., Lussan, A., Galtier, P., Rocha, L., Simic, V., Léronel, G. Efficient Pump Photon Recycling via Gain-Assisted Waveguiding Energy Transfer (2014) <i>ACS Photonics</i> , 1 (3), pp. 246-253.	12
	Patil, V.S., Padalkar, V.S., Sekar, N., 2-methyl-4-oxo-N-(4-oxo-2-phenyl substituted-1,3-thiazolidin-3-yl)-3,4- dihydroquinazoline-5-carboxamides - A new range of fluorescent whiteners: Synthesis and photophysical characterization (2014) <i>Journal of Fluorescence</i> , 24 (4), pp. 1077-1086.	13

	Ivanov, I.P., Dimitrova, M.B., Tasheva, D.N., Cheshmedzhieva, D.V., Lozanov, V.S., Ilieva, S.V. Synthesis, structural analysis and application of a series of solid-state fluorochromes - Aryl hydrazones of 4-hydrazino-N-hexyl-1,8-naphthalimide (2013) Tetrahedron, 69 (2), pp. 712-721.	14
	Lu, L., He, L., One-step synthesis, characterization and X-ray analysis of benzo[de]benzo[4,5]imidazo[2,1-a]isoquinolin-7-ones (2012) Journal of Molecular Structure, 1026, pp. 1-7.	15
	Liu, L., Zhang, G., Preparation and properties of polymerizable fluorescent materials (2011) Gaofenzi Cailiao Kexue Yu Gongcheng/Polymeric Materials Science and Engineering, 27 (12), pp. 4-8.	16
	Mia Ahokas, PhD thesis, Enhancing performance of paper coatings by tailor-made plastic pigments, Abo Akademi University Turku/Abo, Finland 2011	17
	Konstantinova, T.N., Miladinova, P.M., Synthesis and properties of some fluorescent 1,8-naphthalimide derivatives and their copolymers with methyl methacrylate (2009) Journal of Applied Polymer Science, 111 (4), pp. 1991-1998.	18
	Hamel, M., Simic, V., Normand, S., Fluorescent 1,8-naphthalimides-containing polymers as plastic scintillators. An attempt for neutron-gamma discrimination (2008) Reactive and Functional Polymers, 68 (12), pp. 1669-1679.	19
	Miao, L., Yao, Y., Yang, F., Wang, Z., Li, W., Hu, J. A TDDFT and PCM-TDDFT studies on absorption spectra of N-substituted 1,8-naphthalimides dyes (2008) Journal of Molecular Structure: THEOCHEM, 865 (1-3), pp. 79-87.	20
	Jiang, W., Sun, Y., Wang, X., Wang, Q., Xu, W. Synthesis and photochemical properties of novel 4-diarylamino-1,8-naphthalimide derivatives (2008) Dyes and Pigments, 77 (1), pp. 125-128.	21
	Wu, Z., Meng, L., Progress in fluorescent polymers (2007) Progress in Chemistry, 19 (9), pp. 1381-1392.	22
	Patent WO2007062002A2, Fluorescent brighteners and compositions thereof, methods of preparation and uses, 2007.	23
	Shamsipur, M., Yeganeh-Faal, A., Chaichi, M.J., Tajbakhsh, M., Parach, A. A study of peroxyoxalate-chemiluminescence of 4,4'-bis{[4,6-bis (2-hydroxyethyl)amino-1,3,5-triazin-2-yl]amino}stilbene-2,2'-disulfonic acid-disodium salt as a novel blue fluorescer (2007) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 66 (3), pp. 546-551.	24
	Shamsipur, M., Yeganeh-Faal, A., Chaichi, M.J., Tajbakhsh, M., Parach, A. A study of chemiluminescence from reaction of bis(2,4,6-trichlorophenyl)oxalate, hydrogen peroxide and an optical brightener 5-(3-anilino-5-chloroanilino)-2-[(E)-2-[4-(3-anilino-5-chloroanilino)-2-sulfophenyl]-1-ethenyl]-1-benzenesulfonic acid (2007) Dyes and Pigments, 72 (1), pp. 113-118.	25
	Magalhães, J.L., Pereira, R.V., Triboni, E.R., Berci Filho, P., Gehlen, M.H., Nart, F.C. Solvent effect on the photophysical properties of 4-phenoxy-N-methyl-1,8-naphthalimide (2006) Journal of Photochemistry and Photobiology A: Chemistry, 183 (1-2), pp. 165-170.	26
	Gunnlaugsson, T., McCoy, C.P., Morrow, R.J., Phelan, C., Stomeo, F., Towards the development of controllable and reversible 'on-off' luminescence switching in soft-matter; synthesis and spectroscopic investigation of 1,8-naphthalimide-based PET (photoinduced) (2003) Arkivoc, 2003 (7), pp. 216-228.	27
158	Grabchev, I., Bojinov, V., Petkov, C. Synthesis and photophysical properties of polymerizable 1,8-naphthalimide dyes and their copolymers with styrene (2001) Dyes and Pigments, 51 (1), pp. 1-8.	20

	Abdel Gawad S.A., Mansour S., El-Baradie B.Y., El-Mekawey F.M. Studies on spectro photophysical properties of PBBO-laser dye (2022) <i>Journal of Molecular Structure</i> , 1259, art. no. 132660 DOI: 10.1016/j.molstruc.2022.132660	1
	Abdel Gawad S.A., El-Daly S.A., Sakr M.A.S. Spectroscopic, NBO, DFT, and TD-DFT investigation of 7-(Dimethylamino)-4-(Trifluoromethyl)Coumarin (C152) (2023) <i>Molecular Crystals and Liquid Crystals</i> , 754 (1), pp. 98 - 112 DOI: 10.1080/15421406.2022.2096554	2
	Gawad, S. A., Mansour, S., El-Baradie, B. Y., & El-Mekawey, F. M. (2022). Studies on Spectro photophysical properties of PBBO-laser dye. <i>Journal of Molecular Structure</i> , 132660.	3
	Gawad, S. A. A., & Sakr, M. A. (2022). Spectroscopic investigation, DFT and TD-DFT calculations of 7-(Diethylamino) Coumarin (C466). <i>Journal of Molecular Structure</i> , 1248, 131413.	4
	Hosseinnezhad, M., Gharanjig, K., Moradian, S., Tafaghodi, S., Synthesis and application of some novel fluorescent heterocyclic disperse dyestuffs based on phenothiazine on polyester (2019) <i>Arabian Journal of Chemistry</i> , 12 (8), pp. 2069-2076.	5
	Pilehkouhi, M., Shaki, H., Khosravi, A., Khorasani, M., Zamani, E. Synthesis and Characterization of a Fluorescent Water-Borne Polyurethane Based on a Novel Naphthalimide Dye (2018) <i>Journal of Macromolecular Science, Part B: Physics</i> , 57 (2), pp. 151-167.	6
	Bao, Z., Lu, C., Qin, C., Tang, S., Dai, L., Chen, G., Mei, F. Preparation of fluorescent polyacrylonitrile nanofiber membrane based on polymerizable 1,8-naphthalimide fluorescent disperse dye (2017) <i>Fibers and Polymers</i> , 18 (6), pp. 1017-1024.	7
	Shaki, H., Khosravi, A., Gharanjig, K. Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: Synthesis, characterisation and photophysical properties (2017) <i>Pigment and Resin Technology</i> , 46 (3), pp. 244-250.	8
	Refat, M.S., Killa, H.M.A., Fetoo, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8- naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	9
	Panah, H.S., Khosravi, A., Gharanjig, K., Khorassani, M., Zadeh, M.K., Taromi, F.A. Synthesis and characterization of new fluorescent polymerizable dyes based on naphthalimide (2010) <i>Iranian Polymer Journal (English Edition)</i> , 19 (7), pp. 491-500.	10
	Sekar, N., Polymerisable naphthalimide dyes - Some developments (2009) <i>Colourage</i> , 56 (10), pp. 58-60.	11
	Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	12
	Miao, L., Yao, Y., Yang, F., Wang, Z., Li, W., Hu, J., A TDDFT and PCM-TDDFT studies on absorption spectra of N-substituted 1,8-naphthalimides dyes (2008) <i>Journal of Molecular Structure: THEOCHEM</i> , 865 (1-3), pp. 79-87	13
	Jin, Z., Xu, Q., Li, N., Lu, J., Xia, X., Yan, F., Wang, L., Facile di-color emission tuning of poly[1-(4-vinylstyryl)naphthalene] with naphthalimide end group via ATRP (2008) <i>European Polymer Journal</i> , 44 (6), pp. 1752-1757.	14
	Wu, Z., Meng, L., Progress in fluorescent polymers (2007) <i>Progress in Chemistry</i> , 19 (9), pp. 1381-1392.	15
	Allen, N.S., Polymer photochemistry (2007) <i>Photochemistry</i> , 36, pp. 232-297.	16

	Allen, N.S., Polymer Photochemistry (2005) Photochemistry, 35, pp. 206-271.	17
	ПАТЕНТ (L'Oreal, Fr.). T. Luukas, Monomers having 1,8-naphthalenedicarboxylic acid imides with optical properties, polymers comprising them, and use. FR 2868069 (2005)	18
	ПАТЕНТ (L'Oreal, Fr.). T. Luukas, L. Bertrand, Nonaqueous dispersions of polymers based on monomers having 1,8-naphthalenedicarboxylic acid imides with optical properties for cosmetics. (2006) WO 2006005824	19
	Gunnlaugsson, T., McCoy, C.P., Morrow, R.J., Phelan, C., Stomeo, F. Towards the development of controllable and reversible `on-off luminescence switching in soft-matter; synthesis and spectroscopic investigation of 1,8-naphthalimide-based PET (photoinduced (2003) Arkivoc, 2003 (7), pp. 216-228.	20
159	Grabchev, I., Bojinov, V., Betcheva, R. Spectrophotometric investigation of the copolymerization of styrene or methyl methacrylate with 1, 8-naphthalimide dyes (2001) Journal of Applied Polymer Science, 81 (10), pp. 2463-2470.	8
	Hladysh, S., Murmiliuk, A., Vohlídal, J., Zedník, J., Attachment of a 1,8-Naphthalimide Moiety to a Conjugated Polythiophene Efficiently Improves the Sensing Abilities of Naphthalimide-Based Materials (2019) Macromolecular Chemistry and Physics, 220 (3), art. no. 1800436, .	1
	Safabakhsh, B., Khosravi, A., Gharanjig, K., Kowsari, E., Khorassani, M., Tafaghodi, S. Synthesis of a novel fluorescent coloured copolymer based on 4-butylthio-1,8-naphthalimide (2012) Coloration Technology, 128 (3), pp. 218-222.	2
	Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J., Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) Macromolecular Chemistry and Physics, 213 (4), pp. 411-424.	3
	Sakayori, K., Dai Nippon Printing Co Ltd, 2012. Photoradical polymerization initiator, radical generator, photosensitive compound and photosensitive resin composition containing these materials and product or its accessory portions using the composition. U.S. Patent 8,211,613.	4
	Panah, H.S., Khosravi, A., Gharanjig, K., Khorassani, M., Zadeh, M.K., Taromi, F.A. Synthesis and characterization of new fluorescent polymerizable dyes based on naphthalimide (2010) Iranian Polymer Journal (English Edition), 19 (7), pp. 491-500.	5
	Hu, Y., Wang, B., Su, Z. Photophysical properties of a new norfloxacin-containing polymer for protons and Fe ³⁺ Sensing (2010) Journal of Macromolecular Science, Part A: Pure and Applied Chemistry, 47 (2), pp. 166-171.	6
	Hu, Y., Wang, B., Su, Z., Synthesis and properties of a new green water-soluble polymer for proton and metal-cation sensing (2009) Journal of Applied Polymer Science, 111 (4), pp. 1931-1935.	7
	Jin, Z., Lu, J., Xu, Q., Wang, L., Xia, X., Synthesis and photophysical properties of fluorescent polystyrene containing 1,8-naphthalimide via atom transfer polymerization (2007) E-Polymers, pp. 1-8.	8
160	Grabchev, I., Betcheva, R. Copolymerization and photostabilization of methylmethacrylate with 1,8-naphthalimide fluorescent brighteners (2001) Journal of Photochemistry and Photobiology A: Chemistry, 142 (1), pp. 73-78.	47
	Marzieh Rabiei, Mozhgan Hosseinezhad, Hanieh Shaki, Ali Hamidi, Soha Dehsorkhi, Synthesis and Photophysical Properties of the New Dyes Contained Benzenesulfonamide and 1,8-Naphthalimide, Int. J. Adv. Sci. Eng. Vol.5 No.3 966-974 (2019).	1

	Panchenko, P.A., Arkhipova, A.N., Fedorova, O.A., Fedorov, Y.V., Zakharko, M.A., Arkhipov, D.E., Jonusauskas, G., Controlling photophysics of styrylnaphthalimides through TICT, fluorescence and: E, Z -photoisomerization interplay (2017) <i>Physical Chemistry Chemical Physics</i> , 19 (2), pp. 1244-1256.	2
	Panchenko, P.A., Grin, M.A., Fedorova, O.A., Zakharko, M.A., Pritmov, D.A., Mironov, A.F., Arkhipova, A.N., Fedorov, Y.V., Jonusauskas, G., Yakubovskaya, R.I., Morozova, N.B., Ignatova, A.A., Feofanov, A.V., A novel bacteriochlorin-styrylnaphthalimide conjugate for simultaneous photodynamic therapy and fluorescence imaging (2017) <i>Physical Chemistry Chemical Physics</i> , 19 (44), pp. 30195-30206.	3
	Shaki, H., Khosravi, A., Gharanjig, K., Mahboubi, A., Investigation of synthesis, characterization, photophysical and biological properties of novel antimicrobial fluorescent naphthalimide derivatives (2016) <i>Materials Technology</i> , 31 (6), pp. 322-331.	4
	Zhao, Y., Zhang, G., Liu, Z., Guo, C., Peng, C., Pei, M., Li, P. Benzimidazo[2,1-a]benz[de]isoquinoline-7-one-12-carboxylic acid based fluorescent sensors for pH and Fe ³⁺ . (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 314, art. no. 9978, pp. 52-59.	5
	Fernández-Alonso, S., T. Corrales, J. L. Pablos, and F. Catalina. "Surface modification of poly (ethylene-butyl acrylate) copolymers by microwave methodology and functionalization with 4-dimethylamino-N-(2-hydroxyethyl)-1, 8-naphthalimide for acidity sensing." <i>Reactive and Functional Polymers</i> 107 (2016): 78-86.	6
	Panchenko, P.A., Fedorov, Y.V., Fedorova, O.A., Jonusauskas, G., FRET versus PET: Ratiometric chemosensors assembled from naphthalimide dyes and crown ethers (2015) <i>Physical Chemistry Chemical Physics</i> , 17 (35), pp. 22749-22757	7
	Arunchai, R., Sudyoasuk, T., Prachumrak, N., Namuangruk, S., Promarak, V., Sukwattanasinitt, M., Rashatasakhon, P., Synthesis and characterization of new triphenylamino-1,8-naphthalimides for organic light-emitting diode applications (2015) <i>New Journal of Chemistry</i> , 39 (4), pp. 2807-2814.	8
	Wu, Y., Ren, H., Wu, Y., Wang, B., Theoretical study of energy gaps for naphthalimide-based charge transfer compounds (2015) <i>Acta Chimica Sinica</i> , 73 (1), pp. 53-59.	9
	Fedorova, O.A., Sergeeva, A.N., Panchenko, P.A., Fedorov, Yu.V., Erko, F.G., Berthet, J., Delbaere, S., Isomeric naphthalimides bearing pyran units: Insight into mutual relation between structure and photochromic properties (2015) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 303-304, pp. 28-35.	10
	Panchenko, P.A., Sergeeva, A.N., Fedorova, O.A., Fedorov, Y.V., Reshetnikov, R.I., Schelkunova, A.E., Grin, M.A., Mironov, A.F., Jonusauskas, G., Spectroscopical study of bacteriopurpurinimide-naphthalimide conjugates for fluorescent diagnostics and photodynamic therapy (2014) <i>Journal of Photochemistry and Photobiology B: Biology</i> , 133, pp. 140-144.	11
	Rouhani, S., Gharanjig, K., Nezhad, M.H. Facile synthesis of 4-nitro-N-substituted-1,8-naphthalimide derivatives using ultrasound in aqueous media (2014) <i>Green Chemistry Letters and Reviews</i> , 7 (2), pp. 174-178.	12
	Dodangeh, M., Gharanjig, K., Arami, M. Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) <i>IEEE Sensors Journal</i> , 14 (8), art. no. 6803856, pp. 2889-2896.	13
	Sun, J., Sanow, L.P., Sun, S.-S., Zhang, C. Dicyano-substituted poly(phenylenevinylene) (DiCN-PPV) and the effect of cyano substitution on photochemical stability (2013) <i>Macromolecules</i> , 46 (11), pp. 4247-4254.	14
	GÜNDOĞDU HIZLİATEŞ, C. E. V. H. E. R. "Yeni karbazol oksazolon türevlerinin sentezi ve spektroskopik özelliklerinin incelenmesi." PhD diss., DEÜ Fen Bilimleri Enstitüsü, 2013.	15
	Panchenko, P.A., Fedorov, Y.V., Fedorova, O.A., Jonusauskas, G. Comparative analysis of the PET and ICT sensor properties of 1,8-naphthalimides containing aza-15-crown-5 ether moiety (2013) <i>Dyes and Pigments</i> , 98 (3), pp. 347-357.	16

	Wang, M.-Y., Wan, M.-S., Chen, J.-Z., Cao, C.-B. Synthesis and properties of DSD acid-triazine structure containing acylamino fluorescent brighteners (2012) Xiandai Huagong/Modern Chemical Industry, 32 (10), pp. 46-49.	17
	USA patent 2012, US 8,183,310 B2, Fluorescent brighteners, methods of preparation thereof, fluorescent brightener compositions, and methods of preparation and uses thereof, Naik, S.N., Dhalla, A.M. and Chauhan, Y.B., Sabic Innovative Plastics IP BV, 2012.	18
	Zhou, J., Zhang, X., Dai, J., Li, J. Synthesis and fluorescent performance of fluorescein-functionalized waterborne polyurethane (2012) Journal of Macromolecular Science, Part A: Pure and Applied Chemistry, 49 (10), pp. 890-896.	19
	Hu, X.-H., Zhang, X.-Y., Dai, J.-B., Liu, J. Synthesis and fluorescent investigations of VBL-based waterborne polyurethane dye (2011) Journal of Luminescence, 131 (10), pp. 2160-2165.	20
	Hu, X.H., Zhang, X.Y., Dai, J.B. Synthesis and characterization of a novel waterborne stilbene-based polyurethane fluorescent brightener (2011) Chinese Chemical Letters, 22 (8), pp. 997-1000.	21
	Koyuncu, F.B., Koyuncu, S., Ozdemir, E. A new donor-acceptor carbazole derivative: Electrochemical polymerization and photo-induced charge transfer properties (2011) Synthetic Metals, 161 (11-12), pp. 1005-1013.	22
	Refat, M.S., Killa, H.M.A., Fetoo, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) Journal of Molecular Structure, 983 (1-3), pp. 122-132.	23
	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496	24
	Koyuncu, F.B., Koyuncu, S., Ozdemir, E. A novel donor-acceptor polymeric electrochromic material containing carbazole and 1,8-naphthalimide as subunit (2010) Electrochimica Acta, 55 (17), pp. 4935-4941.	25
	Naik, Shantaram Narayan, Adil Minoo Dhalla, and Yogendrasinh Bharatsinh Chauhan. "Fluorescent brighteners, methods of preparation thereof, fluorescent brightener compositions, and methods of preparation and uses thereof." U.S. Patent 7,608,715, issued October 27, 2009.	26
	Sekar, N., Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	27
	Ishchenko, A.A., Grabchuk, G.P., Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) Theoretical and Experimental Chemistry, 45 (3), pp. 143-167.	28
	Georgiev, N.I., Bojinov, V.B., Nikolov, P.S., Design and synthesis of a novel pH sensitive core and peripherally 1,8-naphthalimide-labeled PAMAM dendron as light harvesting antenna (2009) Dyes and Pigments, 81 (1), pp. 18-26.	29
	Bojinov, V.B., Panova, I.P., Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) Dyes and Pigments, 80 (1), pp. 61-66.	30
	Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) Dyes and Pigments, 78 (2), pp. 101-110.	31

Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) Journal of Photochemistry and Photobiology A: Chemistry, 197 (2-3), pp. 281-289.	32
Bojinov, V.B., Georgiev, N.I., Nikolov, P.S. Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) Journal of Photochemistry and Photobiology A: Chemistry, 193 (2-3), pp. 129-138.	33
Bojinov, V.B., Simeonov, D.B., Georgiev, N.I. A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) Dyes and Pigments, 76 (1), pp. 41-46.	34
Wu, Z., Meng, L., Progress in fluorescent polymers (2007) Progress in Chemistry, 19 (9), pp. 1381-1392.	35
Bojinov, V.B., Konstantinova, T.N., Fluorescent 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2007) Sensors and Actuators, B: Chemical, 123 (2), pp. 869-876.	36
Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) Dyes and Pigments, 74 (3), pp. 551-560.	37
Patent WO2007062002A2, Fluorescent brighteners and compositions thereof, methods of preparation and uses, 2005.	38
ПАТЕНТ (L'Oreal, Fr.). T. Luukas, Monomers having 1,8-naphthalenedicarboxylic acid imides with optical properties, polymers comprising them, and use. FR 2868069 (2005)	39
Cao, C., Han, H., Wang, D., Zhang, C., Zhu, Y., Synthesis and properties of quaternary ammonium salt fluorescent brighteners (2006) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 57 (12), pp. 3010-3015.	40
Becker, M.R., Stefani, V., Forte, M.M.C., Novel fluorescent copolymers of styrene with benzazole chromophores (2006) Reactive and Functional Polymers, 66 (12), pp. 1664-1669.	41
Bojinov, V., Synergistic efficiency of combined HALS-UV absorber polymerizable stabilizers (2006) Journal of Applied Polymer Science, 102 (3), pp. 2408-2415.	42
Bojinov, V. and Panova, I., 2006. Synthesis of novel fluorophores—combination of hindered amine and UV absorber in the molecule of benzo [de] isoquinoline-1, 3-dione. J. Univ. Chem. Technol. Met.(Sofia), 41, pp.277-284.	43
Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	44
McAdam, C.J., Morgan, J.L., Murray, R.E., Robinson, B.H., Simpson, J., Synthesis and fluorescence properties of new enaminenaphthalimides (2004) Australian Journal of Chemistry, 57 (6), pp. 525-530.	45
Bojinov, V., Ivanova, G., Simeonov, D., Synthesis and photophysical investigations of novel polymerizable blue emitting fluorophores - Combination of a hindered amine with a benzo[de]isoquinoline-1,3-dione (2004) Macromolecular Chemistry and Physics, 205 (9), pp. 1259-1268.	46

	Bojinov, V.B., Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials (2004) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 162 (1), pp. 207-212.	47
161	Grabchev, I., Moneva, I., Kozlov, A., Elyashevich, G. Orientation of pores in microporous polyethylene films as determined by polarized absorption spectroscopy (2001) <i>Materials Research Innovations</i>, 4 (5-6), pp. 301-305.	9
	Shivraj, Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A., Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) <i>Photochemical and Photobiological Sciences</i> , 17 (4), pp. 453-464.	1
	Cao, L., Zhang, D., Xu, L., Fang, Z., Jiang, X.-F., Lu, F., Perylenediimide–Benzanthrone Dyad: Organic Chromophores with Enhanced Third-Order Nonlinear-Optical Activities (2017) <i>European Journal of Organic Chemistry</i> , 2017 (17), pp. 2495-2500.	2
	Cao, L., Xu, L., Zhang, D., Zhou, Y., Zheng, Y., Fu, Q., Jiang, X.-F., Lu, F., D-A dyad and D-A-D triad incorporating triphenylamine, benzanthrone and perylene diimide: Synthesis, electrochemical, linear and nonlinear optical properties (2017) <i>Chemical Physics Letters</i> , 682, pp. 133-139.	3
	Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) <i>Bulgarian Chemical Communications</i> , 49, pp. 67-73.	4
	Mukhina, M.V., Maslov, V.G., Baranov, A.V., Artemyev, M.V., Orlova, A.O., Fedorov, A.V. Anisotropy of optical transitions in ordered ensemble of CdSe quantum rods (2013) <i>Optics Letters</i> , 38 (17), pp. 3426-3428.	5
	Gutten, Ondrej. "Computer modeling of interactions of nitroaromatic compounds with nitroreductases.", Bachelor's thesis, Charles University, Prague (2008).	6
	Nagy, Eszter. DNA lesions and carcinogenicity from the urban air pollutants 2-and 3-nitrobenzanthrone. Biovetenskap och näringslära/Biosciences and Nutrition, 2006. Karolinska Institutet, Huddinge, Department: Biosciences and Nutrition, PhD thesis	7
	Arlt, V.M., 3-Nitrobenzanthrone, a potential human cancer hazard in diesel exhaust and urban air pollution: A review of the evidence (2005) <i>Mutagenesis</i> , 20 (6), pp. 399-410.	8
	Brostow, Witold, Victor M. Castaño, Dilip Das-Gupta, Michael Hess, and Magdalena Jaklewicz. "POLYCHAR-9 Worldwide Forum on Polymer Applications and Theory in 2001." (2002): 240-242.	9
162	Grabchev, I., Bojinov, V. Photophysical and photochemical properties of blue fluorescent polystyrene (2001) <i>Journal of Photochemistry and Photobiology A: Chemistry</i>, 139 (2-3), pp. 157-160.	20
	Panchenko, P.A., Ignatov, P.A., Zakharko, M.A., Fedorov, Y.V., Fedorova, O.A., A fluorescent PET chemosensor for Zn ²⁺ cations based on 4-methoxy-1,8-naphthalimide derivative containing salicylideneamino receptor group (2020) <i>Mendeleev Communications</i> , 30 (1), pp. 55-58.	1
	El-Shenawy, A.I., Ahmed, I.F.E., Refat, M.S., Fabrication of Semiconductor Polymer Membranes Combined with a Colored Charge Transfer Complexes Used in the Manufacture of Solar Cells as a Source of Alternative Energy (2019) <i>Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis</i> , 39 (7), pp. 2307-2315.	2
	Panchenko, P.A., Leichu, N.V., Fedorov, Y.V., Fedorova, O.A., Crown-containing 4-methoxy-1,8-naphthalimide derivatives as a basis for the construction of fluorescent pet chemosensors for metal cations (2019) <i>Macrocyclics</i> , 12 (3), pp. 319-323.	3

	Ko, K.-Y., Baek, S.-S., Hwang, S.-H., Synthesis of imide-based methacrylic monomers and their copolymerization with methyl methacrylate: monomer reactivity ratios and heat resistance properties (2018) <i>Polymer International</i> , 67 (7), pp. 957-963.	4
	Ghosh, S., Manna, R., Epoxy-based polymer bearing triphenylamine units: A highly selective fluorescent chemosensor for Hg ²⁺ ions (2014) <i>RSC Advances</i> , 4 (11), pp. 5798-5802.	5
	Li, B.-T., Jiang, Y.-M., Wang, J.-S., Zhang, H., Jin, Q.-J., Kan, C.-Y., Preparation and properties of a new polymerizable anthraquinone dye and its covalently colored polymer latex (2013) <i>Acta Polymerica Sinica</i> , (11), pp. 1445-1452.	6
	Li, B., Shen, J., Jiang, Y., Wang, J., Kan, C., Preparation and properties of covalently colored polymer latex based on a new anthraquinone monomer (2013) <i>Journal of Applied Polymer Science</i> , 129 (3), pp. 1484-1490.	7
	Li, B., Shen, J., Liang, R., Ji, W., Kan, C., Synthesis and characterization of covalently colored polymer latex based on new polymerizable anthraquinone dyes (2012) <i>Colloid and Polymer Science</i> , 290 (18), pp. 1893-1900.	8
	Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементоорганической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	9
	Hu, X.-H., Zhang, X.-Y., Dai, J.-B., Synthesis and cured film property of waterborne polyurethane dye based on eriochrome black T (2011) <i>Gongneng Cailiao/Journal of Functional Materials</i> , 42 (2), pp. 351-354.	10
	Cigán, M., Gáplovský, A., Gajdoš, P., Magdolen, P., Zahradník, P., Vetríková, Z., Photophysical properties and photostability of novel benzothiazole-based D- π -A- π -D systems (2010) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 77 (5), pp. 984-993.	11
	Nakatani, Keitaro, Ecole Normal Superior de Cachan Francia, and Rubén Arroyo Murillo. "Propiedades ópticas de materiales orgánicos; fotocromismo en compuestos tipo diariletenos y fotoluminiscencia en copolímeros modificados. Tesis que presenta: IQ José Alejandro Piedras Pérez." (2010).	12
	Maki, Y., Mori, H., Endo, T., Synthesis of well-defined alternating copolymers by RAFT copolymerization of N-vinylnaphthalimide (2008) <i>Macromolecules</i> , 41 (22), pp. 8397-8404.	13
	Wängler, C., Moldenhauer, G., Saffrich, R., Knapp, E.-M., Beijer, B., Schnölzer, M., Wängler, B., Eisenhut, M., Haberkorn, U., Mier, W., PAMAM structure-based multifunctional fluorescent conjugates for improved fluorescent labelling of biomacromolecules (2008) <i>Chemistry - A European Journal</i> , 14 (27), pp. 8116-8130.	14
	Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 17 (3), pp. 547-559.	15
	Wu, Zhaoqiang, and Lingzhi Meng. "Progress in fluorescent polymers." <i>Progress in Chemistry</i> 19, no. 9 (2007): 1381.	16
	Becker, Márcia Regina. "Síntese de monômeros e copolímeros para aplicação em dispositivos ópticos." Universidade Federal do Rio Grande do Sul, Escola de Engenharia, Porto Alegre, (2007), PhD thesis.	17
	Cao, C., Han, H., Wang, D., Zhang, C., Zhu, Y., Synthesis and properties of quaternary ammonium salt fluorescent brighteners (2006) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 57 (12), pp. 3010-3015.	18

	Becker, M.R., Stefani, V., Forte, M.M.C., Novel fluorescent copolymers of styrene with benzazole chromophores (2006) <i>Reactive and Functional Polymers</i> , 66 (12), pp. 1664-1669.	19
	Triboni, E.R., Berlinck, R.G.S., Politi, M.J., Berci, P.F., Synthesis of 4-alkoxy-N-substituted-1,8-naphthalimides (2004) <i>Journal of Chemical Research</i> , (7), pp. 508-509.	20
163	Grabchev, I., Petkov, C., Bojinov, V. Synthesis and absorption properties of some new bis-1, 8-naphthalimides (2001) <i>Dyes and Pigments</i>, 48 (3), pp. 239-244.	14
	De S., Das G. Exploring the Aggregation and Light-Harvesting Aptitude of Naphthalimide-Based Amphiphile and Non-amphiphile AIEgen (2022) <i>Langmuir</i> , 38 (19), pp. 6158 - 6163, DOI: 10.1021/acs.langmuir.2c00517	1
	Grundzi, A. (2021). <i>Squaramide-Naphthalimide Conjugates as Potential Self-Assembled Materials and as Dna Binders</i> (Doctoral dissertation, National University of Ireland, Maynooth (Ireland)).	2
	Fernández, Pablo Marín. "Encapsulación de fármacos en poli (N-vinilcaprolactama) mediante tecnología de fluidos supercríticos." (2019), CSIC, Spain. PhD thesis	3
	Wei, S., Li, X., Fan, C., Liu, G., Pu, S., A multiple switching diarylethene dimer with a bis(benzylene)amine-linked naphthalimide unit (2017) <i>Tetrahedron</i> , 73 (43), pp. 6164-6171.	4
	Refat, M.S., Ismail, L.A., Adam, A.M.A. Shedding light on the photostability of two intermolecular charge-transfer complexes between highly fluorescent bis-1,8-naphthalimide dyes and some π -acceptors: A spectroscopic study in solution and solid states (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 134, pp. 288-301.	5
	Refat, M.S., Adam, A.A., Saad, H.A., Naglah, A.M., Al-Omar, M.A. Charge-transfer complexation and photostability characteristics of iodine with bis-1,8-naphthalimide as a photosensitive biologically active units in solution and in the solid state: Linear correlation of photostability and dissociation energy (2015) <i>International Journal of Electrochemical Science</i> , 10 (8), pp. 6405-6421.	6
	Yang, L., Yang, W., Xu, D., Zhang, Z., Liu, A. A highly selective and sensitive Fe ³⁺ fluorescent sensor by assembling three 1,8-naphthalimide fluorophores with a tris(aminoethylamine) ligand (2013) <i>Dyes and Pigments</i> , 97 (1), pp. 168-174.	7
	Cherreddy, N.R., Thennarasu, S., Mandal, A.B. A highly selective and efficient single molecular FRET based sensor for ratiometric detection of Fe ³⁺ ions (2013) <i>Analyst</i> , 138 (5), pp. 1334-1337.	8
	Ott, I., Xu, Y., Qian, X., Fluorescence properties and antiproliferative effects of mono-, bis-, and tris- thiophenyl naphthalimides: Results of a comparative pilot study (2011) <i>Journal of Photochemistry and Photobiology B: Biology</i> , 105 (1), pp. 75-80.	9
	Ferreira, R., Baleizão, C., Muñoz-Molina, J.M., Berberan-Santos, M.N., Pischel, U. Photophysical study of bis(naphthalimide)-amine conjugates: Toward molecular design of excimer emission switching (2011) <i>Journal of Physical Chemistry A</i> , 115 (6), pp. 1092-1099.	10
	Oelgemöller, M., Kramer, W.H., Synthetic photochemistry of naphthalimides and related compounds (2010) <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 11 (4), pp. 210-244.	11
	Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496, PhD thesis	12

	Yang, H., Lao, Y.-N., Chen, J.-M., Wu, H.-X., Yang, S.-P., Syntheses, structure and photoluminescence properties of silver(I) complexes with naphthalene iminoimides (2009) <i>European Journal of Inorganic Chemistry</i> , (19), pp. 2817-2824.	13
	Huang, K.S., Haddadin, M.J., Kurth, M.J., Imidazopyridinium and pyridopyrimidium bromides: Synthesis and hydrolysis (2002) <i>Journal of Organic Chemistry</i> , 67 (7), pp. 2382-2385.	14
164	Grabchev, I., Bojinov, V., Moneva, I. Synthesis and application of fluorescent dyes based on 3-amino benzanthrone (2001) <i>Dyes and Pigments</i>, 48 (2), pp. 143-150.	29
	Maļeckis A., Cvetinska M., Griškāns E., Dmitrijevs K., Traskovskis K., Belyakov S., Kirilova E. Benzanthrone sulfides: synthesis, solvatochromism characterization and analysis of experimental photophysical parameters and theoretical calculations (2023) <i>Dyes and Pigments</i> , 219, art. no. 111599 DOI: 10.1016/j.dyepig.2023.111599	1
	Maļeckis A., Cvetinska M., Kirjušina M., Mežaraupe L., Kecko S., Gavarāne I., Kiyan V., Lider L., Pavlova V., Savicka M., Belyakov S., Kirilova E. A Comparative Study of New Fluorescent Anthraquinone and Benzanthrone α -Aminophosphonates: Synthesis, Spectroscopy, Toxicology, X-ray Crystallography, and Microscopy of <i>Opisthorchis felineus</i> (2024) <i>Molecules</i> , 29 (5), art. no. 1143 DOI: 10.3390/molecules29051143	2
	Maļeckis A., Cvetinska M., Puckins A., Osipovs S., Sirokova J., Belyakov S., Kirilova E. Synthesis and Properties of New 3-Heterylamino-Substituted 9-Nitrobenzanthrone Derivatives (2023) <i>Molecules</i> , 28 (13), art. no. 5171 DOI: 10.3390/molecules28135171	3
	Altaf, Y., Ullah, S., Khan, F. A., Maalik, A., Rubab, S. L., & Hashmi, M. A. (2021). Finding New Precursors for Light Harvesting Materials: A Computational Study of the Fluorescence Potential of Benzanthrone Dyes. <i>ACS omega</i> , 6(47), 32334-32341.	4
	Kiseļeva, V., Avotiņa, L., Zariņš, A., Petjukevičs, A., Pučkins, A., Škute, N., Kirilova, E., Thermal And Spectroscopic Study Of Chromium Complex With Benzanthrone Amidine Derivative (2021) <i>Journal of Chemical Technology and Metallurgy</i> , 56 (3), pp. 595-602.	5
	Zhytniakivska, O., Molecular dynamics simulation of the interaction between benzanthrone dye and model lipid membranes (2020) <i>East European Journal of Physics</i> , 2020 (3), pp. 134-140.	6
	Altaf, Y. (2019). <i>Computational Chemistry of Compounds with Donor-Acceptor Interactions</i> (Doctoral dissertation, Open Access Victoria University of Wellington Te Herenga Waka).	7
	Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) <i>Bulgarian Chemical Communications</i> , 49, pp. 67-73.	8
	Gürlük, M., Abdulkadir, H.A., Akkuş, M.S., Akkurt, F., Alicilar, A., Comparison of guest–host liquid crystal systems doped with azo or anthraquinone dyes (2017) <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 41 (1), pp. 1-5.	9
	Cao, L., Xu, L., Zhang, D., Zhou, Y., Zheng, Y., Fu, Q., Jiang, X.-F., Lu, F., D-A dyad and D-A-D triad incorporating triphenylamine, benzanthrone and perylene diimide: Synthesis, electrochemical, linear and nonlinear optical properties (2017) <i>Chemical Physics Letters</i> , 682, pp. 133-139.	10
	Cao, L., Zhang, D., Xu, L., Fang, Z., Jiang, X.-F., Lu, F., Perylenediimide–Benzanthrone Dyad: Organic Chromophores with Enhanced Third-Order Nonlinear-Optical Activities (2017) <i>European Journal of Organic Chemistry</i> , 2017 (17), pp. 2495-2500.	11
	Rather, L.J., Shahid-ul-Islam, Mohammad, F., Study on the application of Acacia nilotica natural dye to wool using fluorescence and FT-IR spectroscopy (2015) <i>Fibers and Polymers</i> , 16 (7), pp. 1497-1505.	12

	Akman, A., Akkurt, F., Alicilar, A., Effects on molecular orientation and phase transition of addition of carbon nanotubes into liquid crystalline matrix (2014) <i>Liquid Crystals</i> , 41 (4), pp. 603-609.	13
	Akkurt, F., Characterisation of azo dye and carbon nanoparticle-doped guest-host liquid crystalline matrix (2014) <i>Liquid Crystals</i> , 41 (9), pp. 1269-1276.	14
	Zhytniakivska, O., Trusova, V., Gorbenko, G., Kirilova, E., Kalnina, I., Kirilov, G., Kinnunen, P., Newly synthesized benzanthrone derivatives as prospective fluorescent membrane probes (2014) <i>Journal of Luminescence</i> , 146, pp. 307-313.	15
	Şen, E., Kaya, N., Alicilar, A., Guest-host interaction of some chloroanthraquinone dyes doped in liquid crystalline matrix and effect of addition of carbon nanotube (2013) <i>Journal of Molecular Liquids</i> , 186, pp. 33-38.	16
	Umeda, R., Namba, T., Yoshimura, T., Nakatsukasa, M., Nishiyama, Y., Selective introducing of aryl and amino groups: Reaction of benzanthrone and organometallic reagents (2013) <i>Tetrahedron</i> , 69 (5), pp. 1526-1531.	17
	Alicilar, A., Kaya, N., Akkurt, F., Phase transitions and molecular orientation in nematic liquid crystals doped with blue-red dye mixtures and carbon nanotubes (2013) <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 21 (3), pp. 258-272.	18
	Trusova, V.M., Kirilova, E., Kalnina, I., Kirilov, G., Zhytniakivska, O.A., Fedorov, P.V., Gorbenko, G.P., Novel benzanthrone aminoderivatives for membrane studies (2012) <i>Journal of Fluorescence</i> , 22 (3), pp. 953-959.	19
	Vus, K., Trusova, V., Gorbenko, G., Kirilova, E., Kirilov, G., Kalnina, I., Kinnunen, P. Novel aminobenzanthrone dyes for amyloid fibril detection (2012) <i>Chemical Physics Letters</i> , 532, pp. 110-115.	20
	K . O. Vus, V. M. Trusova, G. P. Gorbenko, E. Kirilova, G. Kirilov, Evaluation of viscosity sensitivity of benzanthrone dyes, Шевченківська Весна: Біологічні Науки. 19-23., 2012	21
	Kaya, N., The orientational behaviour of some aminoanthraquinone dyes in E8 and ZLI-1132 nematic solvents and effect of addition of carbon nanotubes (2011) <i>Liquid Crystals</i> , 38 (1), pp. 1-7.	22
	Lu, B., Xu, J., Fan, C., Miao, H., Shen, L., Electrochemical polymerization of benzanthrone and characterization of its excellent green-light-emitting polymer (2009) <i>Journal of Physical Chemistry B</i> , 113 (1), pp. 37-48.	23
	Staneva, D., Betcheva, R., Chovelon, J.-M., Fluorescent benzo[de]anthracen-7-one pH-sensor in aqueous solution and immobilized on viscose fabrics (2006) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 183 (1-2), pp. 159-164.	24
	Zhang, X., Yamaguchi, R., Moriyama, K., Kadowaki, M., Kobayashi, T., Ishi-i, T., Thiemann, T., Mataka, S., Highly dichroic benzo-2,1,3-thiadiazole dyes containing five linearly π -conjugated aromatic residues, with fluorescent emission ranging from green to red, in a liquid crystal guest-host system (2006) <i>Journal of Materials Chemistry</i> , 16 (8), pp. 736-740.	25
	Staneva, D., Betcheva, R., Synthesis and functional properties of new optical pH sensor based on benzo[de]anthracen-7-one immobilized on the viscose (2006) <i>Dyes and Pigments</i> , 74 (1), pp. 148-153.	26
	Arlt, V.M., 3-Nitrobenzanthrone, a potential human cancer hazard in diesel exhaust and urban air pollution: A review of the evidence (2005) <i>Mutagenesis</i> , 20 (6), pp. 399-410.	27
	Matsui, M., Suzuki, M., Mizuno, K., Funabiki, K., Okada, S., Kobayashi, T., Kadowaki, M., Application of polyfluorophenazines to dichroic fluorescent dyes in guest-host liquid crystal displays (2004) <i>Liquid Crystals</i> , 31 (11), pp. 1463-1467.	28

	Zhang, X., Gorohmaru, H., Kadowaki, M., Kobayashi, T., Ishi-I, T., Thlemann, T., Mataka, S., Benzo-2,1,3-thiadiazole-based, highly dichroic fluorescent dyes for fluorescent host-guest liquid	29
165	Grabchev, I., Moneva, I., Wolarz, E., Bauman, D., Stoyanov, S. Spectral properties of 3-benzanthrone derivative dyes in isotropic solvents, polymer film and liquid crystal (2001) Zeitschrift fur Naturforschung - Section A Journal of Physical Sciences, 56 (3-4), pp. 291-296.	9
	Fridmans R., Puckins A., Osipovs S., Belyakov S., Kirilova E. 3-[4-(2-Phenylethyl)piperazin-1-yl]-7H-benzo[de]anthracen-7-one (2023) MolBank, 2023 (1), art. no. M1607 DOI: 10.3390/M1607	1
	Thomas A., Patil P.S., Siddlingeshwar B., Manohara S.R., Gummagol N.B., Krishna Chaitanya G., M.Kirilova E. Nonlinear optical properties of benzanthrone derivatives with N'-methylpiperazin-1-yl and N'-phenylpiperazin-1-yl substituents: Experimental and quantum chemical study (2022) Optics and Laser Technology, 156, art. no. 108616 DOI: 10.1016/j.optlastec.2022.108616	2
	Thomas A., Kirilova E.M., Nagesh B.V., Manohara S.R., Siddlingeshwar B., Belyakov S.V. Synthesis, solvatochromism and DFT study of pyridine substituted benzanthrone with ICT characteristi(2022) Journal of Molecular Structure, 1262, art. no. 132971 DOI: 10.1016/j.molstruc.2022.132971	3
	Orlova, N., Nikolajeva, I., Pučkins, A., Belyakov, S., Kirilova, E., Heterocyclic schiff bases of 3-aminobenzanthrone and their reduced analogues: Synthesis, properties and spectroscopy (2021) Molecules, 26 (9), art. no. 2570, .	4
	Kirilova, A., Pučkins, A., Belyakov, S., & Kirilova, E. (2021). 3-[N-(4-Methoxybenzyl) amino] benzo [de] anthracen-7-one. <i>Molbank</i> , 2021(4), M1287.	5
	Shivraj, Siddlingeshwar, B., Thomas, A., Kirilova, E.M., Divakar, D.D., Alkheraif, A.A., Experimental and theoretical insights on the effect of solvent polarity on the photophysical properties of a benzanthrone dye (2019) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 218, pp. 221-228.	6
	Shivraj, Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A., Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) Photochemical and Photobiological Sciences, 17 (4), pp. 453-464.	7
	Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) Bulgarian Chemical Communications, 49, pp. 67-73.	8
	Kapusta, P., Machalický, O., Hrdina, R., Neprašs, M., Zimmt, M.B., Fidler, V., Photophysics of 3-substituted benzanthrone: Substituent and solvent control of intersystem crossing, (2003) Journal of Physical Chemistry A, 107 (46), pp. 9740-9746.	9
166	Grabchev, I. Photochemistry of some polymerizable fluorescent brighteners(2000) Journal of Photochemistry and Photobiology A: Chemistry, 135 (1), pp. 41-44.	24
	Dekanić, T., Pušić, T., Soljačić, I., Vojnović, B., & Valh, J. V. (2021). The Influence of Iron Ions on Optical Brighteners and Their Application to Cotton Fabrics. <i>Materials</i> , 14(17), 4995.	1
	Bani Ali, E., Kazemi, M., Ali Ghasemzadeh, M., A Novel Preparation of Blankophor R Nanoparticles by Reverse Microemulsion Method (2020) Polycyclic Aromatic Compounds, 40 (5), pp. 1595-1605.	2
	Batool, I., Jabeen, F., Vellore, N. A., Shabir, G., & Saeed, A. (2020). Identification of novel thiourea-stilbene-triazine conjugates as persuasive lymphoid tyrosine phosphatase inhibitors. <i>Journal of Heterocyclic Chemistry</i> , 57(9), 3400-3411.	3

	Ali, E. B., Kazemi, M., & Ghasemzadeh, M. A. (2019). A Novel Preparation of Blankophor R Nanoparticles by Reverse Microemulsion Method. <i>Polycyclic Aromatic Compounds</i> .	4
	Guo, M., Zhang, G., Du, L., Zheng, H., Liu, G., Li, Y., Multifunctional water-soluble polymeric fluorescent whitening agents based on 4,4'-Bis (1,3,5-Triazinyl)- Diamino Stilbene-2,2'-disulfonic acid structure (2017) <i>BioResources</i> , 12 (4), pp. 8901-8919.	5
	El-Sedik, M., Aysha, T., & Youssef, Y. (2017). Synthesis, photophysical properties, and application of optical brighteners based on stilbene-oxadiazole derivatives. <i>Coloration Technology</i> , 133(2), 122-127.	6
	Wan, M., Hua, L., Zeng, Y., Jiao, P., Xie, D., Tong, Z., Wu, G., Zhou, Y., Tang, Q., Mo, F. Synthesis and properties of novel stilbene-twelve alkyl quaternary ammonium salts as antibacterial optical whitening agents (2017) <i>Cellulose</i> , 24 (8), pp. 3209-3218.	7
	Zhang, G., Zheng, H., Guo, M., Du, L., Liu, G., Liu, J., A novel polymeric fluorescent brightener agent based on 4,4'-diamino-stilbene-2,2'-disulfonic acid-triazine structure: synthesis, characterization, photo-property, and performance on paper as light stabilizer, fluorescent brightener, and surface-sizing agent (2016) <i>Journal of Wood Science</i> , 62 (6), pp. 526-536.	8
	Wang, M., Wan, M., Cao, C., Synthesis and properties of the composite DSD acid-triazine structure containing long-chain quaternary ammonium fluorescent brighteners (2013) <i>Applied Mechanics and Materials</i> , 261-262, pp. 83-86.	9
	Liu, J., A study of the optical properties of triazene-cinnamic acid polymeric fluorescent brighteners (2012) <i>Applied Mechanics and Materials</i> , 184-185, pp. 868-871.	10
	Wang, M.-Y., Wan, M.-S., Chen, J.-Z., Cao, C.-B., Synthesis and properties of DSD acid-triazine structure containing acylamino fluorescent brighteners (2012) <i>Xiandai Huagong/Modern Chemical Industry</i> , 32 (10), pp. 46-49.	11
	Hussain, M., Shamey, R., Hinks, D., El-Shafei, A., Ali, S.I., Synthesis of novel stilbene-alkoxysilane fluorescent brighteners, and their performance on cotton fiber as fluorescent brightening and ultraviolet absorbing agents (2012) <i>Dyes and Pigments</i> , 92 (3), pp. 1231-1240.	12
	Liu, J., Zhang, G.-H., Synthesis and optical properties of fluorescent brighteners modified by chitosan (2011) <i>Gongneng Cailiao/Journal of Functional Materials</i> , 42 (4),	13
	Miljković, M.N., Purenović, M.M., Novaković, M.K., Randjelović, S.S., Influence of the fluorescent brightener periblanco on the degree of whiteness of knitted cotton fabric (2011) <i>Hemijaska Industrija</i> , 65 (1), pp. 61-66.	14
	Liu, J., Zhang, G.-H., Xie, P., Synthesis and optical properties of new amphoteric quaternary ammonium salt fluorescent brighteners (2010) <i>Gao Xiao Hua Xue Gong Cheng Xue Bao/Journal of Chemical Engineering of Chinese Universities</i> , 24 (5), pp. 836-841.	15
	Hanyz, I., Ion, R.M., Nuta, A., Wróbel, D. Spectral characterization of selected stilbentriazine dyes - Structural trans-cis isomerisation (2008) <i>Journal of Molecular Structure</i> , 887 (1-3), pp. 165-171.	16
	Lu, H.-F., Yan, B. Molecular design and fluorescent whitening emission from novel lanthanide activated organic-inorganic covalently hybrid micro-particles (2008) <i>Journal of Fluorescence</i> , 18 (5), pp. 763-769.	17
	G. Strat, I. Grecu, S. Gurlui, M. Strat, V. Grecu, I. Lihtetchi, S. Stratulat, Fluorescence studies of the self - organization phenomena in film state and solutions of some polyurethanes, <i>Journal of optoelectronics and advanced materials</i> . 2008, 10, (6), 1519 - 1521	18

	Mansour, A.F., Ahmed, R.M., Bassyouni, A.H., Nasr, G.M. Optical spectroscopic studies of perylene dye doped in copolymer of ST/MMA as solar collector (2007) International Journal of Polymeric Materials and Polymeric Biomaterials, 56 (6), pp. 651-662.	19
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	20
	Buruiana, E.C., Buruiana, T., Strat, G., Strat, M., Synthesis and fluorescence of polyurethane cationomers N-modified with a stilbene chromophore (2004) Journal of Photochemistry and Photobiology A: Chemistry, 162 (1), pp. 23-31	21
	Horspool, W.M., Photochemistry of Alkenes, Alkynes and Related Compounds (2002) Photochemistry, 33, pp. 119-154.	22
	Pratt, A.C., Photoreactions of Compounds Containing Heteroatoms Other than Oxygen (2002) Photochemistry, 33, pp. 242-306.	23
	Buruiana, E.C., Buruiana, T., Strat, G., Strat, M., Synthesis and optical properties of new polyurethane cationomers with anchored stilbene chromophores (2002) Journal of Polymer Science, Part A: Polymer Chemistry, 40 (11), pp. 1918-1928.	24
167	Grabchev, I., Philipova, T. Photophysical and photochemical properties of some triazine-stilbene fluorescent brighteners (2000) Dyes and Pigments, 44 (3), pp. 175-180.	38
	Wang Z., Zhang G., Guo M., Ni M., Han X., Tong X., Feng P. Preparation of Fluorescent Emulsion by Reactive Emulsifier and Its Application in Papermaking [反应型乳化剂制备荧光乳液及其在纸张中的应用](2022) Chung-kuo Tsao Chih/China Pulp and Paper, 41 (4), pp. 76 – 84 DOI: 10.11980/j.issn.0254-508X.2022.04.011	1
	Liu X., Li T., Hu C., Wang Y., Li G., Dong W., Qiao J. Using novel polymer microspheres as an efficient UV filter and blue light converter for constructing multifunctional transparent polyvinyl alcohol films (2023) Colloids and Surfaces A: Physicochemical and Engineering Aspects, 666, art. no. 131236 DOI: 10.1016/j.colsurfa.2023.131236	2
	Dumur F. Recent advances on visible light Thiophene-based photoinitiators of polymerization (2022) European Polymer Journal, 169, art. no. 111120 DOI: 10.1016/j.eurpolymj.2022.111120 DOCUMENT TYPE: Review	3
	Pishgar, M., Gharanjig, K., Yazdanshenas, M.E., Farizadeh, K., Rashidi, A., Synthesis and characterization of novel fluorescent reactive dyes for dyeing of cotton fabrics (2021) Journal of the Textile Institute, .	4
	Zuo, X.-L., Wu, C., Yang, L., Huang, A.-R., Dong, Z.-G., Wang, T.-F., Xu, F., Zhang, D.-H., Guo, J.-B., Yang, Y.-Y., Fluorescent brighteners in thiol-acrylate polymerizations: Sunlight-cured coatings and LED-assisted multifunctional intelligent nanoparticles synthesis (2020) Progress in Organic Coatings, 148, art. no. 105829, .	5
	Bani Ali, E., Kazemi, M., Ali Ghasemzadeh, M., A Novel Preparation of Blankophor R Nanoparticles by Reverse Microemulsion Method (2020) Polycyclic Aromatic Compounds, 40 (5), pp. 1595-1605.	6
	Batool, I., Jabeen, F., Vellore, N.A., Shabir, G., Saeed, A., Identification of novel thiourea-stilbene-triazine conjugates as persuasive lymphoid tyrosine phosphatase inhibitors (2020) Journal of Heterocyclic Chemistry, 57 (9), pp. 3400-3411.	7
	Fernandes, G.E., Ugwu, C., Cu ²⁺ sensing via noncovalent complexes of fluorescent whitening agents and imidazole-based polymeric dye transfer inhibitors (2020) Journal of Applied Polymer Science, 137 (17), art. no. 48915,	8

	Zuo, X., Wu, C., Huang, A., Luo, J., Li, Z., Wang, M., Zhou, Y., Yu, H., Guo, J., Visible-light-sensitive Versatile Fluorescent Brightener-based Photoinitiating Systems (2020) Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities, 41 (4), pp. 811-820.	9
	Wan, M., Hua, L., Zeng, Y., Jiao, P., Xie, D., Tong, Z., Wu, G., Zhou, Y., Tang, Q., Mo, F. Synthesis and properties of novel stilbene-twelve alkyl quaternary ammonium salts as antibacterial optical whitening agents (2017) Cellulose, 24 (8), pp. 3209-3218.	10
	El-Sedik, M., Aysha, T., Youssef, Y., Synthesis, photophysical properties, and application of optical brighteners based on stilbene-oxadiazole derivatives (2017) Coloration Technology, 133 (2), pp. 122-127.	11
	Gutiérrez-Arzaluz, L., Rocha-Rinza, T., Cortés-Guzmán, F., Stilbene photoisomerization driving force as revealed by the topology of the electron density and QTAIM properties (2015) Computational and Theoretical Chemistry, 1053, pp. 214-219.	12
	He, H., Chen, R., He, J., Wang, J., The effects of L-histidine on the light and perspiration stability of 4,4'-diamino-stilbene-2,2'-disulfonic acid-based fluorescent whiteness agents on cotton fabrics (2015) Textile Research Journal, 85 (7), pp. 775-782.	13
	Chen, R., Qu, J., Zhao, Q., He, J., Environmental impact on the light and perspiration stability of triazinylstilbene fluorescent brighteners on cotton fabrics (2014) Fibers and Polymers, 15 (9), pp. 1915-1920.	14
	Chen, R., Qu, J., Yang, D., He, J., Light and perspiration stability of triazinylstilbene fluorescent brighteners on cotton fabrics (2014) Textile Research Journal, 84 (7), pp. 772-782.	15
	Zhao, Q., Sun, J., Liu, B., He, J., Coloring properties of novel 1,4-distyrylbenzene and 4,4'-distyrylbiphenyl fluorescent brighteners and their arrangement in cotton and polyester fiber (2014) Cellulose, 21 (4), pp. 2937-2950.	16
	Jalili, S., Molani, F., Schofield, J., First principles study on energetic, structural, and electronic properties of defective g-C ₃ N ₂ nanotubes (2014) Journal of Theoretical and Computational Chemistry, 13 (4), art. no. 1450021, .	17
	Wan, M., Zhou, S., Jiao, P., Cao, C., Guo, J., Synthesis, physical properties and cytotoxicity of stilbene-triazine derivatives containing amino acid groups as fluorescent whitening agents (2013) Journal of Fluorescence, 23 (5), pp. 1099-1105.	18
	Jung, J., Kang, Y., The synthesis and properties of asymmetrically substituted 4,4'-bis(1,3,5-triazine-6-yl)diaminostilbene-2,2'-disulfonic acid derivatives as fluorescent brighteners [II] (2013) Bulletin of the Korean Chemical Society, 34 (7), pp. 2131-2137.	19
	Mishra, A., Chatterjee, S., Krishnamoorthy, G., Intramolecular charge transfer emission of trans-2-[4'-(dimethylamino)styryl]benzimidazole: Effect of solvent and pH (2013) Journal of Photochemistry and Photobiology A: Chemistry, 260, pp. 50-58.	20
	Wang, M., Wan, M., Cao, C., Synthesis and properties of the composite DSD acid-triazine structure containing long-chain quaternary ammonium fluorescent brighteners (2013) Applied Mechanics and Materials, 261-262, pp. 83-86.	21
	Chen, J., Wan, M., Cao, C., Sun, D., Sun, S., Synthesis and properties of new anionic fluorescent brighteners (2011) Advanced Materials Research, 332-334, pp. 188-191.	22
	Liu, J., Zhang, G.-H., Synthesis and photoproperties of fluorescent brighteners modified by polyaminamide (2011) Advanced Materials Research, 233-235, pp. 3064-3067.	23
	Liu, J., Zhang, G.-H., Synthesis and optical properties of fluorescent brighteners modified by chitosan (2011) Gongneng Cailiao/Journal of Functional Materials, 42 (4),	24

	Miljković, M.N., Purenović, M.M., Novaković, M.K., Randjelović, S.S., Influence of the fluorescent brightener periblanco on the degree of whiteness of knitted cotton fabric (2011) <i>Hemijaska Industrija</i> , 65 (1), 61-66.	25
	Liu, J., Zhang, G.-H., The synthesis and study on optical characteristics of the asymmetrical polymerizable fluorescent brighteners (2011) <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 60 (2), pp. 199-211.	26
	Liu, J., Zhang, G.-H., Xie, P., Synthesis and optical properties of new amphoteric quaternary ammonium salt fluorescent brighteners (2010) <i>Gao Xiao Hua Xue Gong Cheng Xue Bao/Journal of Chemical Engineering of Chinese Universities</i> , 24 (5), pp. 836-841.	27
	Liu, J., Zhang, G.-H., Synthesis and properties of polymeric fluorescent brighteners modified by N-triazene-maleimide (2010) <i>Gaofenzi Cailiao Kexue Yu Gongcheng/Polymeric Materials Science and Engineering</i> , 26 (9), pp. 12-15.	28
	Plášek, J., Hošková, B., Solvatochromic effect in the optical spectra of calcofluor and its relation to fluorescent staining of yeast cell walls (2010) <i>Journal of Fluorescence</i> , 20 (1), pp. 343-352.	29
	Ho, Y.W., Yao, W.H., The synthesis and spectral characteristics of novel 6-(2-substituted-1,3,4-oxadiazol-5-yl)-2-phenylthieno[2,3-d]pyrimidine fluorescent compounds derived from 5-cyano-1,6-dihydro-4-methyl-2-phenyl-6-thioxopyrimidine (2009) <i>Dyes and Pigments</i> , 82 (1), pp. 6-12.	30
	Xu, Changhai. PhD thesis, The Chemistry and Perception of Fluorescent White Materials, North Carolina State University, USA, 2009.	31
	Hanyz, I., Ion, R.M., Nuta, A., Wróbel, D., Spectral characterization of selected stilbentriazine dyes - Structural trans-cis isomerisation (2008) <i>Journal of Molecular Structure</i> , 887 (1-3), pp. 165-171.	32
	Um, S.-I., The synthesis and properties of benzoxazole fluorescent brighteners for application to polyester fibers (2007) <i>Dyes and Pigments</i> , 75 (1), pp. 185-188.	33
	Shamsipur, M., Yeganeh-Faal, A., Chaichi, M.J., Tajbakhsh, M., Parach, A., A study of chemiluminescence from reaction of bis(2,4,6-trichlorophenyl)oxalate, hydrogen peroxide and an optical brightener 5-(3-anilino-5-chloroanilino)-2-[(E)-2-[4-(3-anilino-5-chloroanilino)-2-sulphophenyl]-1-ethenyl]-1-benzenesulfonic acid (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 113-118.	34
	Um, S.-I., Lee, J.-K., Kang, Y., Baek, D.-J., The synthesis and properties of triazine-stilbene fluorescent brighteners containing the phenolic antioxidant [II] (2006) <i>Dyes and Pigments</i> , 70 (2), pp. 84-90.	35
	Um, S.I., Lee, J.-K., Kang, Y., Baek, D.-J. The synthesis and properties of triazine-stilbene fluorescent brighteners containing the phenolic antioxidant (2005) <i>Dyes and Pigments</i> , 64 (2), pp. 93-99.	36
	Lee, J.-K., Um, S.-I., Kang, Y., Baek, D.-J., The synthesis and properties of asymmetrically substituted 4,4'-bis(1,3,5-triazin-6-yl)diaminostilbene-2,2'-disulfonic acid derivatives as fluorescent brighteners (2005) <i>Dyes and Pigments</i> , 64 (1), pp. 25-30.	37
	Pratt, A.C., Photoreactions of Compounds Containing Heteroatoms Other than Oxygen (2002) <i>Photochemistry</i> , 33, pp. 242-306.	38
168	Grabchev, I., Bojinov, V. Photoisomerization of triazine-stilbene fluorescent brighteners in solution and in their copolymers with styrene (2000) <i>Zeitschrift für Naturforschung - Section A Journal of Physical Sciences</i>, 55 (9-10), pp. 833-836.	3

	Allen, N.S., Polymer Photochemistry (2004) Photochemistry, 34, pp. 197-266.	1
	Pratt, A.C., Photoreactions of Compounds Containing Heteroatoms Other than Oxygen (2002) Photochemistry, 33, pp. 242-306.	2
	Buruiana, E.C., Buruiana, T., Strat, G., Strat, M., Synthesis and optical properties of new polyurethane cationomers with anchored stilbene chromophores (2002) Journal of Polymer Science, Part A: Polymer Chemistry, 40 (11), pp. 1918-1928.	3
169	Grabchev, I., Bojinov, V. Synthesis and characterization of fluorescent polyacrylonitrile copolymers with 1,8-naphthalimide side chains (2000) Polymer Degradation and Stability, 70 (2), pp. 147-153.	46
	Sciascia L., Lenaz D., Rotaru A., Princivalle F., Parisi F. An innovative method for highly-efficient fabrication of carbon fiber precursors via acrylonitrile emulsion copolymerization coupled to a chemical oscillator (2023) Surfaces and Interfaces, 37, art. no. 102686 DOI: 10.1016/j.surfin.2023.102686	1
	Gong C., Xiao B., Hu X., Xian Y., Wang P., Yang Y., Luo X., Li M., Liu J., Ding Y., Xu P., Liu C. A waterborne polyurethane-based hybrid fluorescent silicon quantum dot (2022) Journal of Applied Polymer Science, 139 (35), art. no. e52824 DOI: 10.1002/app.52824	2
	Li, M., Hu, X., Xian, Y., Liu, X., Liu, M., Li, G., ... & Wang, P. (2021). A Waterborne Polyurethane-Based Dye with Green Fluorescence Excited by Visible Light. <i>ChemistrySelect</i> , 6(24), 5954-5960.	3
	Popescu, V., Astane, D.-G., Burlica, R., Popescu, A., Munteanu, C., Ciolacu, F., Ursache, M., Ciobanu, L., Cocean, A., Sustainable and cleaner microwave-assisted dyeing process for obtaining eco-friendly and fluorescent acrylic knitted fabrics (2019) Journal of Cleaner Production, 232, pp. 451-461.	4
	Zamani, E., Yahyaei, H., Khosravi, A., Mohseni, M., Shaki, H., Synthesis and Characterization of a Novel Self-colored Fluorescent Polycarbonate Urethane based on the 1,8-Naphthalimide Group (2019) Journal of Macromolecular Science, Part B: Physics, 58 (9), pp. 772-781.	5
	El-Shenawy, A.I., Ahmed, I.F.E., Refat, M.S., Fabrication of Semiconductor Polymer Membranes Combined with a Colored Charge Transfer Complexes Used in the Manufacture of Solar Cells as a Source of Alternative Energy (2019) Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis, 39 (7), pp. 2307-2315.	6
	Wang, H., Zhang, X., Li, J., Structure and Fluorescent Performance of Waterborne Polyurethane-Acrylate Based on a Carbazole Derivative (2018) Advances in Polymer Technology, 37 (2), pp. 498-503.	7
	Pilehkouhi, M., Shaki, H., Khosravi, A., Khorasani, M., Zamani, E. Synthesis and Characterization of a Fluorescent Water-Borne Polyurethane Based on a Novel Naphthalimide Dye (2018) Journal of Macromolecular Science, Part B: Physics, 57 (2), pp. 151-167.	8
	Almalki, A.S.A., Refat, M.S. Synthesis and Photostability of 2-(4-isobutoxyphenyl)-6-Hydrazino-1,8-naphthalimide as fluorescence dye and its selenium nanoscale complex doped in polymethyl methacrylate polymeric sheet exposed to UV-Vis Radiation (2017) Journal of Computational and Theoretical Nanoscience, 14 (9), pp. 4616-4623.	9
	Zamani, E., Shaki, H., Rafizadeh, M., Khosravi, A., Pilehkouhi, M. Synthesis and characterization of novel self-colored PET (polyethylene terephthalate) by step-growth polymerization containing dye based on 1,8-naphthalimide group (2017) Fibers and Polymers, 18 (8), pp. 1431-1437.	10
	Bao, Z., Lu, C., Qin, C., Tang, S., Dai, L., Chen, G., Mei, F. Preparation of fluorescent polyacrylonitrile nanofiber membrane based on polymerizable 1,8-naphthalimide fluorescent disperse dye (2017) Fibers and Polymers, 18 (6), pp. 1017-1024.	11

	Jin, Q., Hu, Y., Shen, J., Li, B., Kan, C. A novel 1,8-naphthalimide green fluorescent dye and its corresponding intrinsically fluorescent polyurethane latexes (2017) <i>Journal of Coatings Technology Research</i> , 14 (3), pp. 571-582.	12
	Jin, Q., Li, B., Zhang, H., Li, L., Shen, J., Kan, C. Investigation of covalently colored polyurethane latexes based on novel anthraquinone polyurethane chain extenders (2017) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 54 (1), pp. 52-59.	13
	Shaki, H., Khosravi, A., Gharanjig, K. Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: Synthesis, characterisation and photophysical properties (2017) <i>Pigment and Resin Technology</i> , 46 (3), pp. 244-250.	14
	El-Molla, S., Mansour, A.F., Hammad, A.E. Enhancement of Fluorescence and Photostability Based on Interaction of Fluorescent Dyes with Silver Nanoparticles for Luminescent Solar Concentrators (2017) <i>Journal of Nanomaterials</i> , 2017, art. no. 9701251, .	15
	Jin, Q., Li, B., Zhang, H., Li, L., Shen, J., Kan, C., Investigation of covalently colored polyurethane latexes based on novel anthraquinone polyurethane chain extenders (2017) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 54 (1), pp. 52-59.	16
	Abdel-Kader, N.S., El-Ansary, A.L., El-Tayeb, T.A., Elnagdi, M.M.F., Synthesis and characterization of Schiff base complexes derived from cephradine: Fluorescence, photostability and photobiological applications (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 321, pp. 223-237.	17
	Hu, Y., Shen, B., Li, B., Xu, M., Jiang, G., Kan, C., Preparation and properties of a novel polymerizable amphiphilic anthraquinone derivative and its cationic colored copolymer latexes (2016) <i>RSC Advances</i> , 6 (44), pp. 37765-37772.	18
	Arunchai, R., Sudyoasuk, T., Prachumrak, N., Namuangruk, S., Promarak, V., Sukwattanasinitt, M., Rashatasakhon, P., Synthesis and characterization of new triphenylamino-1,8-naphthalimides for organic light-emitting diode applications (2015) <i>New Journal of Chemistry</i> , 39 (4), pp. 2807-2814.	19
	Refat, M.S., Ismail, L.A., Adam, A.M.A., Shedding light on the photostability of two intermolecular charge-transfer complexes between highly fluorescent bis-1,8-naphthalimide dyes and some π -acceptors: A spectroscopic study in solution and solid states (2015) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 134, pp. 288-301.	20
	Jin, Q.-J., Xu, M., Huang, X.-Y., Li, B.-T., Wang, J.-S., Kan, C.-Y., Synthesis and properties of naphthalimide fluorescent dye and covalent fluorescent polyurethane emulsion (2015) <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 31 (5), pp. 989-997.	21
	Jin, Q.-J., Li, B.-T., Wang, J.-S., Shen, J., Yang, H., Kan, C.-Y., Preparation and properties of an anthraquinone blue chain extender and blue polyurethane-acrylic latex prepared using the chain extender (2015) <i>Acta Polymerica Sinica</i> , (5), pp. 610-616.	22
	Refat, M.S., Adam, A.A., Saad, H.A., Naglah, A.M., Al-Omar, M.A., Charge-transfer complexation and photostability characteristics of iodine with bis-1,8-naphthalimide as a photosensitive biologically active units in solution and in the solid state: Linear correlation of photostability and dissociation energy (2015) <i>International Journal of Electrochemical Science</i> , 10 (8), pp. 6405-6421.	23
	Choppawa, T., Sukwattanasinitt, M., Sahasithiwat, S., Ruangpornvisuti, V., Rashatasakhon, P., Substituent effect on quantum efficiency in 4-aryloxy-N-(2',6'- diisopropylphenyl)-1,8-naphthalimides: Experimental and computational investigations (2014) <i>Dyes and Pigments</i> , 109, pp. 175-180.	24
	Ma, Y., Tang, Q.Y., Wang, L.H., Yao, C., Synthesis and enhanced properties of fluorescence-based polyurethane films by covalently bonding 1,8-naphthalimide (2014) <i>Asian Journal of Chemistry</i> , 26 (14), pp. 4307-4312.	25
	Refat, M.S., Abdel-Hafez, S.H., Charge-transfer complex of 4-cyano-5,6-diphenylpyridazine-3(2)selenone with picric acid: Infrared, Raman, spectrophotometric, and photostability studies (2014) <i>Russian Journal of General Chemistry</i> , 84 (2), pp. 326-334.	26

Li, B.-T., Jiang, Y.-M., Wang, J.-S., Zhang, H., Jin, Q.-J., Kan, C.-Y. Preparation and properties of a new polymerizable anthraquinone dye and its covalently colored polymer latex (2013) <i>Acta Polymerica Sinica</i> , (11), pp. 1445-1452.	27
Li, B., Shen, J., Jiang, Y., Wang, J., Kan, C., Preparation and properties of covalently colored polymer latex based on a new anthraquinone monomer (2013) <i>Journal of Applied Polymer Science</i> , 129 (3), pp. 1484-1490.	28
Li, B., Shen, J., Liang, R., Ji, W., Kan, C. Synthesis and characterization of covalently colored polymer latex based on new polymerizable anthraquinone dyes (2012) <i>Colloid and Polymer Science</i> , 290 (18), pp. 1893-1900.	29
Zhou, J., Zhang, X., Dai, J., Li, J., Synthesis and fluorescent performance of fluorescein-functionalized waterborne polyurethane (2012) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 49 (10), pp. 890-896.	30
Li, B., Shen, J., Ji, W., Cheng, G., Kan, C., Preparation of covalently-colored polymer latex via batch emulsion polymerization (2012) <i>Chinese Journal of Chemistry</i> , 30 (10), pp. 2338-2342.	31
Sivkova, R., Vohlřdal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J. Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) <i>Macromolecular Chemistry and Physics</i> , 213 (4), pp. 411-424.	32
Refat, M.S., Killa, H.M.A., Mansour, A.F., Ibrahim, M.Y., Fetooh, H. Cu(II), Co(II), and Mn(II) complexes of rhodamine C and rhodamine 640 perchlorate: Synthesis, spectroscopic, thermal, fluorescence, and photostability studies (2011) <i>Journal of Chemical and Engineering Data</i> , 56 (9), pp. 3493-3503.	33
Hu, X.H., Zhang, X.Y., Dai, J.B., Synthesis and characterization of a novel waterborne stilbene-based polyurethane fluorescent brightener (2011) <i>Chinese Chemical Letters</i> , 22 (8), pp. 997-1000.	34
Refat, M.S., Killa, H.M.A., Mansour, A.F., Fetooh, H. Synthesis, spectroscopic, thermal, and photostability studies of 2-aminobenzaldehyde phenylhydrazone (2ABPH) as fluorescent dye and their Cu(II), Co(II), and Mn(II) complexes (2011) <i>Synthesis and Reactivity in Inorganic, Metal-Organic and Nano-Metal Chemistry</i> , 41 (3), pp. 295-308.	35
Refat, M.S., Synthesis, spectroscopic characterization, thermal, and photostability studies of 2-(2'-hydroxy-5'-phenyl)-5-aminobenzotriazole complexes (2010) <i>Journal of Thermal Analysis and Calorimetry</i> , 102 (3), pp. 1095-1103.	36
Refat, M.S., Killa, H.M.A., Fetooh, H., Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	37
Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 17 (3), pp. 547-559.	38
Wu, Z., Meng, L., Progress in fluorescent polymers (2007) <i>Progress in Chemistry</i> , 19 (9), pp. 1381-1392.	39
Bagatin, I.A., Cruz, A.T., Toma, H.E., Politi, M.J., Demets, G.J.-F. Synthesis of a naphthalimide functionalized calix[4]arene; a host type fluorophore for inclusion compounds in organic medium (2005) <i>Journal of Inclusion Phenomena</i> , 52 (3-4), pp. 189-193.	40
Mansour, A.F., Killa, H.M.A., El-Wanees, S.A., El-Sayed, M.Y. Laser dyes doped with poly(ST-Co-MMA) as fluorescent solar collectors and their field performance (2005) <i>Polymer Testing</i> , 24 (4), pp. 519-525	41
Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 56 (3), pp. 375-381.	42

	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (9), pp. 1723-1729.	43
	Allen, N.S., Polymer Photochemistry (2004) Photochemistry, 34, pp. 197-266.	44
	Wang, J., Kan, C., Liu, D., Study on synthesis and properties of self-yellowished latexes with pendant azo groups (2003) Acta Polymerica Sinica, (3), pp. 445-447.	45
	Pourjavadi, A., Marandi, G.B., Selective preparation of fluorescent 1,8-naphthalimides using acidic alumina under microwave irradiation (2001) Journal of Chemical Research - Part S, (11), pp. 485-487.	46
170	Grabchev, I., Philipova, T. Copolymerization of acrylonitrile with some monomeric 1,8-naphthalimide fluorescent brighteners (2000) Designed Monomers and Polymers, 3 (4), pp. 479-488.	9
	Zivic, N., Bouzrati-Zerrelli, M., Villotte, S., Morlet-Savary, F., Dietlin, C., Dumur, F., Gigmes, D., Fouassier, J.P., Lalevée, J., A novel naphthalimide scaffold based iodonium salt as a one-component photoacid/photoinitiator for cationic and radical polymerization under LED exposure (2016) Polymer Chemistry, 7 (37), pp. 5873-5879.	1
	Tegafaw, T., Xu, W., Ahmad, Md.W., Xu, M., Chang, Y., Chae, K.S., Kim, T.J., Lee, G.H., Fluorescent brightener 28-coated Fe ₃ O ₄ nanoparticles: Synthesis, characterization, and fluorescent properties (2016) Journal of Nanoscience and Nanotechnology, 16 (10), pp. 10986-10990.	2
	Mokbel, H., Toufaily, J., Hamieh, T., Dumur, F., Campolo, D., Gigmes, D., Pierre Fouassier, J., Ortyl, J., Lalevée, J., Specific cationic photoinitiators for near UV and visible LEDs: Iodonium versus ferrocenium structures (2015) Journal of Applied Polymer Science, 132 (46), art. no. 42759, .	3
	Xiao, P., Dumur, F., Graff, B., Zhang, J., Morlet-Savary, F., Gigmes, D., Fouassier, J.P., Lalevée, J., Blue LED light-sensitive benzo pyrazolo (or imidazo) isoquinolinone derivatives in high-performance photoinitiating systems for polymerization reactions (2014) Journal of Polymer Science, Part A: Polymer Chemistry, 53 (4), pp. 567-575	4
	Lalevée, J., Morlet-Savary, F., Dietlin, C., Graff, B., Fouassier, J.-P., Photochemistry and radical chemistry under low intensity visible light sources: Application to photopolymerization reactions (2014) Molecules, 19 (9), pp. 15026-15041.	5
	Xiao, P., Dumur, F., Graff, B., Gigmes, D., Fouassier, J.P., Lalevée, J., Blue light sensitive dyes for various photopolymerization reactions: Naphthalimide and naphthalic anhydride derivatives. (2014) Macromolecules, 47 (2), pp. 601-608.	6
	Xiao, P., Dumur, F., Frigoli, M., Tehfe, M.-A., Graff, B., Fouassier, J.P., Gigmes, D., Lalevée, J., Naphthalimide based methacrylated photoinitiators in radical and cationic photopolymerization under visible light (2013) Polymer Chemistry, 4 (21), pp. 5440-5448.	7
	Esquivel-Guzmán, J.A., Zaragoza-Galán, G., Ortíz-Palacios, J., Rivera, E., Synthesis and characterization of novel polymers bearing fluorescein units: Thermal and optical properties (2012) Designed Monomers and Polymers, 15 (6), pp. 561-574.	8
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners, (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	9
171	Grabchev, I., Moneva, I., Bojinov, V., Guittonneau, S., Synthesis and properties of fluorescent 1,8-naphthalimide dyes for application in liquid crystal displays (2000) Journal of Materials Chemistry, 10 (6), pp. 1291-1296.	128

	Mosleh N., Hardaker L., Bartolini R., Sun X. Reaction-Based Multisignal Detection of Palladium with High Sensitivity, Selectivity, and Reliability (2024) ACS Applied Optical Materials, 2 (1), pp. 173 – 180 DOI: 10.1021/acsaom.3c00391	1
	Desai V., Sharma V.S., Rathod S.L., Sharma A.S., Mali H.A., Shah R.R., Shrivastav P.S. Thiactalixarene Appended Azo-based Supramolecular Systems: Self-assembly and Photo Tuning Reversible Liquid Crystalline Properties (2023) ChemPhysChem, 24 (9), art. no. e202200803 DOI: 10.1002/cphc.202200803	2
	Luo S., Yang G., Zhang M., Lu L., Mo X., Irfan M., Zeng Z. Difluoromethoxyl bridged substituted 2-cyano-pyrrole based pure organic luminescent liquid crystals towards white light emitting single-molecule (2023) Liquid Crystals, 50 (11-12), pp. 1699 – 1708 DOI: 10.1080/02678292.2023.2203123	3
	Katariya K.D., Nakum K.J., Soni R., Soman S.S., Nada S., Hagar M. Coumarin Schiff base derivatives: Synthesis, mesomorphic properties, photophysical properties and DFT studies (2023) Journal of Molecular Structure, 1278, art. no. 134934 DOI: 10.1016/j.molstruc.2023.134934	4
	Muthamma K., Pallavi B.E., Sunil D., Kulkarni S.D., Wagle S., Kekuda D. Water-based flexographic ink with tamper detection fluorescence for security printing applications (2022) Colloids and Surfaces A: Physicochemical and Engineering Aspects, 653, art. no. 129910 DOI: 10.1016/j.colsurfa.2022.129910	5
	Wang C., Zhang X. Formaldehyde in biological systems: Involving sources, related diseases and reaction-based fluorescent detection (2023) TrAC - Trends in Analytical Chemistry, 168, art. no. 117298 DOI: 10.1016/j.trac.2023.117298 DOCUMENT TYPE: Review	6
	Mateus D.B.G., Paula de Lima Batista A., da Silva Souza S., Jean-François Demets G., Nikolaou S. Solvatochromism and solution π -stacking of N-(4-pyridyl)-1,8-naphthalimide and its corresponding triruthenium coordination complex (2023) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 292, art. no. 122420 DOI: 10.1016/j.saa.2023.122420	7
	Tassone J.P., Lundrigan T., Ashton T.D., Stradiotto M. Nickel-Catalyzed C-N Cross-Coupling of 4-Chloro-1,8-naphthalimides and Bulky, Primary Alkylamines at Room Temperature (2022) Journal of Organic Chemistry, 87 (9), pp. 6492 – 6498 DOI: 10.1021/acs.joc.2c00417	8
	Donoso B., Bonal V., Torres-Moya I., Boj P.G., Quintana J.A., Villalvilla J.M., Herrera J., Prieto P., Díaz-García M.A. Donor-acceptor naphthalimides and peryleneimides for all-solution-processed thin film lasers (2022) Journal of Materials Chemistry C, 10 (42), pp. 16004 – 16015 DOI: 10.1039/d2tc03081k	9
	Shaikh S.A., Bhat S.S., Revankar V.K., Naveen S., Mahesha, Lokanath N.K., Kumbar V. Dinuclear copper(II) complexes bridged with acetate and nitrate anions: Study of protein binding and in-vitro anticancer activity (2024) Inorganica Chimica Acta, 559, art. no. 121799 DOI: 10.1016/j.ica.2023.121799	10
	Zagranyarski, Y., Mutovska, M., Petrova, P., Tomova, R., Ivanov, P., Stoyanov, S., Dioxin-annulated 1,8-naphthalimides – Synthesis, spectral and electrochemical properties, and application in OLED (2021) Dyes and Pigments, 184, art. no. 108585, .	11
	Venkatesh, S., Yadav, P.K., Hasija, D.C., Patil, V.R., Ramana, M.M.V., Novel blue-light emitting fluorescent liquid crystals based on 4, 4'-(2-(tert-butyl)- anthracene-9, 10-diyl)diphenol and their optical behavior (2020) Journal of Molecular Liquids, 310, art. no. 113265, .	12
	Traven, V.F., Cheptsov, D.A., Sensory effects of fluorescent organic dyes (2020) Russian Chemical Reviews, 89 (7), art. no. 713, 713-749.	13
	Li, X., Guo, Y., Xu, T., Fang, M., Xu, Q., Zhang, F., Wu, Z., Li, C., Zhu, W., A highly sensitive naphthalimide-based fluorescent probe for detection of Cu ²⁺ via selective hydrolysis reaction and its application in practical samples (2020) Journal of the Chinese Chemical Society, 67 (6), pp. 1070-1077.	14
	Nicolescu, A., Airinei, A., Georgescu, E., Georgescu, F., Tigoianu, R., Oancea, F., Deleanu, C., Synthesis, photophysical properties and solvatochromic analysis of some naphthalene-1,8-dicarboxylic acid derivatives (2020) Journal of Molecular Liquids, 303, art. no. 112626, .	15

	Chen, M.-T., Zhang, Y., Vysotsky, M.O., Lindner, J.O., Li, M.-H., Lin, M.-J., Würthner, F., 1,1-bi(2-naphthol-4,5-dicarboximide)s: Blue emissive axially chiral scaffolds with aggregation-enhanced emission properties (2019) <i>Organic Chemistry Frontiers</i> , 6 (22), pp. 3731-3740.	16
	Ghosh, C., Nandi, A., Basu, S., Lipid Nanoparticle-Mediated Induction of Endoplasmic Reticulum Stress in Cancer Cells (2019) <i>ACS Applied Bio Materials</i> , 2 (9), pp. 3992-4001.	17
	Martínez-Edo, G., Llinàs, M.C., Borrós, S., Sánchez-García, D., Isothiocyanate-functionalized mesoporous silica nanoparticles as building blocks for the design of nanovehicles with optimized drug release profile (2019) <i>Nanomaterials</i> , 9 (9), art. no. 1219, .	18
	Kumari, R., Sunil, D., Ningthoujam, R.S., Naphthalimides in fluorescent imaging of tumor hypoxia – An up-to-date review (2019) <i>Bioorganic Chemistry</i> , 88, art. no. 102979, . Review	19
	Rabiei, M., Hosseinneshad, M., Shaki, H., Hamidi, A., & Dehsorkhi, S. (2019). Synthesis and photophysical properties of the new dyes contained benzenesulfonamide and 1, 8-naphthalimide. <i>International Journal of Advanced Science and Engineering</i> , 5(2), 966-974.	20
	Cui, Z., Zhang, H., Li, B., Jiang, Z., Zhang, Y., Li, Z., New Type of Eco-Friendly Polymeric Dye by Covalently Bonding Anthraquinone into Polyphenylsulfone (2019) <i>Macromolecular Materials and Engineering</i> , 304 (4), art. no. 1800692, .	21
	Ungati, H., Govindaraj, V., Nair, C.R., Muges, G., Halogen-Mediated Membrane Transport: An Efficient Strategy for the Enhancement of Cellular Uptake of Synthetic Molecules (2019) <i>Chemistry - A European Journal</i> , 25 (13), pp. 3391-3399.	22
	Hladysh, S., Murmiliuk, A., Vohlidal, J., Zedník, J., Attachment of a 1,8-Naphthalimide Moiety to a Conjugated Polythiophene Efficiently Improves the Sensing Abilities of Naphthalimide-Based Materials (2019) <i>Macromolecular Chemistry and Physics</i> , 220 (3), art. no. 1800436, .	23
	Dirksen, E. (2019). <i>Synthese neuerartiger Acceptor-substituierter Phenothiazine als Systeme für photoinduzierten intramolekularen Elektronentransfer</i> (Doctoral dissertation, Universitäts- und Landesbibliothek der Heinrich-Heine-Universität Düsseldorf).	24
	Hazarika, S., Rajkonwar, C., Laser induced fluorescence resonance energy transfer for detection of arsenic in water (2019) <i>Laser Physics</i> , 29 (1), art. no. 015601, .	25
	Yang, T., Zuo, Y., Zhang, Y., Gou, Z., Wang, X., Lin, W., Novel fluorene-based fluorescent probe with excellent stability for selective detection of SCN ⁻ and its applications in paper-based sensing and bioimaging (2019) <i>Journal of Materials Chemistry B</i> , 7 (30), pp. 4649-4654.	26
	Guimarães, V.G., Wang, J., Planitzer, S., Fodor-Csorba, K., Zola, R.S., Jákli, A., Fast Electro-Optical Switching of Dichroic Dye-Doped Antiferroelectric Liquid Crystals Without Polarizers (2018) <i>Physical Review Applied</i> , 10 (6), art. no. 064008, .	27
	Beebejaun-Boodoo, B.M.P., Erasmus, R., Rademeyer, M., Tetrahalometallate salts of: N - (4-picolinium)-1,8-naphthalimide: Structures and solid-state fluorescence (2018) <i>CrystEngComm</i> , 20 (33), pp. 4875-4887.	28
	Reddy TS, Hwang J, Choi Myung-Seok, Aggregation induced emission properties of naphthalimide-coumarin conjugates with various intermolecular linkages, <i>Dyes and Pigments</i> (2018), doi: 10.1016/j.dyepig.2018.05.076	29
	A. Bendahou, Z. Khouba, T. Benabdallah, U. Maschke, Mesophase study of pure and doped cyanobiphenyl liquid crystals with salen-type systems, <i>Liquid Crystals</i> , 2018, DOI: 10.1080/02678292.2018.1435827	30

	Huang, G., Li, C., Han, X., Aderinto, S.O., Shen, K., Mao, S., Wu, H. Sensitive and selective detection of Cu(II) ion: A new effective 1,8-naphthalimide-based fluorescence ‘turn off’ sensor (2018) <i>Luminescence</i> , 33 (4), pp. 660-669.	31
	Dodangeh, M., Mohammadian, M., & Aryabadie, S. (2018). A novel fluorescent disperse dye based on N-polyamidoamine dendrimer-1, 8-naphthalimide: synthesis, characterization and dyeing properties on polyester fibres. <i>J. Text. Sci. Eng</i> , 8, 1000363.	32
	Aderinto, S.O. A New, Highly Potent 1,8-Naphthalimide-based Fluorescence “Turn off” Chemosensor Capable of Cu ²⁺ Detection in China's Yellow River Water Samples (2017) <i>Journal of the Chinese Chemical Society</i> , 64 (12), pp. 1432-1445.	33
	Kim, K.-W., Kim, G.-H., Park, C.-E., Choi, J.-H., 1,8-Naphthalimide Derivatives Containing Ethynyl Linkage and Blue Light Emitting Properties (2017) <i>Bulletin of the Korean Chemical Society</i> , 38 (8), pp. 956-959.	34
	Bao, Z., Lu, C., Qin, C., Tang, S., Dai, L., Chen, G., Mei, F., Preparation of fluorescent polyacrylonitrile nanofiber membrane based on polymerizable 1,8-naphthalimide fluorescent disperse dye (2017) <i>Fibers and Polymers</i> , 18 (6), pp. 1017-1024.	35
	Shaki, H., Khosravi, A., Gharanjig, K., Novel self-coloured polymers based on new fluorescent naphthalimide derivatives: Synthesis, characterisation and photophysical properties (2017) <i>Pigment and Resin Technology</i> , 46 (3), pp. 244-250.	36
	Maltseva, E., Amirjalayer, S., Buma, W.J., Vibrationally-resolved spectroscopic studies of electronically excited states of 1,8-naphthalic anhydride and 1,8-naphthalimide: A delicate interplay between one $\pi\pi^*$ and two $n\pi^*$ states (2017) <i>Physical Chemistry Chemical Physics</i> , 19 (8), pp. 5861-5869.	37
	Lu, Y.-T., Chen, T.-L., Chang, K.-S., Chang, C.-M., Wei, T.-Y., Liu, J.-W., Hsiao, C.-A., Shih, T.-L., Synthesis of novel C4-benzazole naphthalimide derivatives with potent anti-tumor properties against murine melanoma (2017) <i>Bioorganic and Medicinal Chemistry</i> , 25 (2), pp. 789-794.	38
	Chandra, F., Mallick, S., Koner, A.L., Spectroscopic investigation of bio-mimetic solvolysis of 6-(N, N -dimethylamino)-2,3-naphthalic anhydride in confined nanocavities (2017) <i>Physical Chemistry Chemical Physics</i> , 19 (6), pp. 4337-4344.	39
	Lu, Y.-T., Chen, T.-L., Chang, K.-S., Chang, C.-M., Wei, T.-Y., Liu, J.-W., Hsiao, C.-A., Shih, T.-L., Synthesis of novel C4-benzazole naphthalimide derivatives with potent anti-tumor properties against murine melanoma (2017) <i>Bioorganic and Medicinal Chemistry</i> , 25 (2), pp. 789-794.	40
	Sánchez, S., Woo, A. Y. Y., & Baumgartner, T. (2017). Electron-accepting π -conjugated species with 1, 8-naphthalic anhydride or diketophosphanyl units. <i>Materials Chemistry Frontiers</i> , 1(11), 2324-2334.	41
	Devi, K., & Sarma, R. J. (2017). Naphthalimide-Containing Isomeric Urea Derivatives Mechanoluminescence and Fluoride Recognition, <i>ChemPhotoChem</i> , 1(11), 524-531.	42
	Fernández-Alonso, S., Corrales, T., Pablos, J.L., Catalina, F., Surface modification of poly(ethylene-butyl acrylate) copolymers by microwave methodology and functionalization with 4-dimethylamino-N-(2-hydroxyethyl)-1,8-naphthalimide for acidity sensing (2016) <i>Reactive and Functional Polymers</i> , 107, pp. 78-86.	43
	Singh, N., Srivastava, R., Singh, A., Singh, R.K., Synthesis and Photophysical Studies on Naphthalimide Derived Fluorophores as Markers in Drug Delivery (2016) <i>Journal of Fluorescence</i> , 26 (4), pp. 1431-1438.	44
	Gerbach, T., Schmitt, H.-C., Fischer, I., Mitrić, R., Petersen, J., Dynamics of Isolated 1,8-Naphthalimide and N-Methyl-1,8-naphthalimide: An Experimental and Computational Study (2016) <i>Journal of Physical Chemistry A</i> , 120 (13), pp. 2089-2095.	45

	Mallick, S., Pal, K., Koner, A.L., Probing microenvironment of micelle and albumin using diethyl 6-(dimethylamino)naphthalene-2,3-dicarboxylate: An electroneutral solvatochromic fluorescent probe (2016) Journal of Colloid and Interface Science, 467, pp. 81-89.	46
	Mallick, S., Chandra, F., Koner, A.L., A ratiometric fluorescent probe for detection of biogenic primary amines with nanomolar sensitivity (2016) Analyst, 141 (3), pp. 827-831.	47
	PhD thesis, Khaoula Jemli. Synthèse et auto-assemblage de molécules de perovskite pour la photonique et le marquage. Université Paris-Saclay, 2016. Français. NNT : 2016SACLN009	48
	Dodangeh, M., Gharanjig, K., Arami, M., A novel Ag ⁺ cation sensor based on polyamidoamine dendrimer modified with 1,8-naphthalimide derivatives (2016) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 154, pp. 207-214.	49
	Zhao, Y., Zhang, G., Liu, Z., Guo, C., Peng, C., Pei, M., Li, P. Benzimidazo[2,1-a]benz[de]isoquinoline-7-one-12-carboxylic acid based fluorescent sensors for pH and Fe ³⁺ ; (2016) Journal of Photochemistry and Photobiology A: Chemistry, 314, art. no. 9978, pp. 52-59.	50
	Liu, H.-Y., Chen, L.-F., Wang, H.-Y., Wan, Y., Wu, H. Synthesis and photophysical properties of novel fluorescent materials containing 2,4,6-triphenylpyridine and 1,8-naphthalimide units using Suzuki reaction (2016) RSC Advances, 6 (97), pp. 94833-94839.	51
	Reddy, T.S., Maragani, R., Dhokale, B., Mobin, S.M., Misra, R., Heteroatom-connected ferrocenyl substituted naphthalimides (2016) RSC Advances, 6 (10), pp. 7746-7754.	52
	Gellerman, G., Recent developments in the synthesis and applications of anticancer amonafide derivatives. A mini review (2016) Letters in Drug Design and Discovery, 13 (1), pp. 47-63.	53
	Sims, M.T., Abbott, L.C., Cowling, S.J., Goodby, J.W., Moore, J.N. Experimental and molecular dynamics studies of anthraquinone dyes in a nematic liquid-crystal host: A rationale for observed alignment trends (2016) Physical Chemistry Chemical Physics, 18 (30), pp. 20651-20663.	54
	Elgemeie, G.H., Masoud, D.M., Recent trends in microwave assisted synthesis of fluorescent dyes (2016) Pigment and Resin Technology, 45 (6), pp. 381-407.	55
	Kurosawa, T., Higashihara, T., Ueda, M., CHAPTER 2: Organic resistor memory devices (2016) RSC Polymer Chemistry Series, 2016-January (18), pp. 54-100.	56
	Oshchepkova, M.V., Oshchepkov, A.S., Zaborina, O.E., Fedorova, O.A., Fedorov, Y.V., Lozinsky, V.I., Fluorescent cryogels based on copolymers of N,N-dimethylacrylamide and allyl derivatives of 1,8-naphthalimide (2015) Polymer Science - Series B, 57 (6), pp. 631-637.	57
	Gerbich, T., Schmitt, H.-C., Fischer, I., Petersen, J., Albert, J., Mitrić, R. Time-Resolved Study of 1,8-Naphthalic Anhydride and 1,4,5,8-Naphthalene-tetracarboxylic Dianhydride (2015) Journal of Physical Chemistry A, 119 (23), pp. 6006-6016.	58
	El-Sayed, M.Y., Refat, M.S., Structural and spectroscopic characterizations on the charge-transfer interactions of the second generation poly(propylene amine) dendrimers with iodine and picric acid acceptors (2015) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 137, pp. 1270-1279.	59
	Nawimanage, Rasika Ranatunga, PhD thesis, "Synthesis, Characterization, and Evaluation of Small Molecule-based Fluorogenic Probes for the Detection of Cellular Thols" (2015), Louisiana State University 3843. https://digitalcommons.lsu.edu/gradschool_dissertations/3843	60

Gudeika, D., Grazulevicius, J.V., Volyniuk, D., Butkute, R., Juska, G., Miasojedovas, A., Gruodis, A., Jursenas, S., Structure-properties relationship of the derivatives of carbazole and 1,8-naphthalimide: Effects of the substitution and the linking topology (2015) <i>Dyes and Pigments</i> , 114 (C), pp. 239-252.	61
Nath, J.K., Baruah, J.B., Cyclic aromatic imides as a potential class of molecules for supramolecular interactions (2015) <i>CrystEngComm</i> , 17 (45), pp. 8575-8595.	62
Zhou, J., Chang, A., Wang, L., Liu, Y., Liu, X., Shangguan, D. Effect of side chains on DNA binding, cell permeability, nuclear localization and cytotoxicity of 4-aminonaphthalimides (2014) <i>Organic and Biomolecular Chemistry</i> , 12 (45), pp. 9207-9215.	63
Wang, Y., Gao, H., Yang, P., Nie, G.-H., Song, X.-J. Theoretical study on the electronic structures and spectral properties of 1,8-naphthalimide derivatives (2014) <i>Jiegou Huaxue</i> , 33 (6), pp. 813-820.	64
Alva Yuen Yiu Wo, MMS thesis, Structure-Property Studies of Conjugated 1,8-Naphthalic Anhydrides, University of Calgary, Canada, 2014.	65
Zhao, P.-S., Jing, L., Li, Y.-F., Zhu, Y., Wang, J., Jian, F.-F. Comparative studies on two 1,8-naphthalimide derivatives with experimental and theoretical methods (2014) <i>Jiegou Huaxue</i> , 33 (5), pp. 676-686.	66
Kee Shin Yiing. MSc thesis, Studies on new luminescent polymers for luminescent solar concentrator. Universiti Tunku Abdul Rahman, 2014.	67
Wang, Y., Tang, H.W., Nie, G.H., Electronic Structures and Spectral Properties of 4-Thiophene-1,8-Naphthalimide Derivatives (2014) <i>Advanced Materials Research</i> , 887-888, pp. 422-425.	68
Lin, W.-P., Liu, S.-J., Gong, T., Zhao, Q., Huang, W., Polymer-based resistive memory materials and devices (2014) <i>Advanced Materials</i> , 26 (4), pp. 570-606.	69
Ghosh, S., Biswas, S., Mondal, M., Basu, S., Photophysical properties of 1,8-naphthalic anhydride in aprotic solvents: An electron acceptor in excited state (2014) <i>Journal of Luminescence</i> , 145, pp. 410-419.	70
Rouhani, S., Gharanjig, K., Nezhad, M.H., Facile synthesis of 4-nitro-N-substituted-1,8-naphthalimide derivatives using ultrasound in aqueous media (2014) <i>Green Chemistry Letters and Reviews</i> , 7 (2), pp. 174-178.	71
Dodangeh, M., Gharanjig, K., Arami, M., Synthesis, characterization, and photo-physical properties of dendrimers modified with 1,8-naphthalimide derivatives as novel fluorescent pH sensors (2014) <i>IEEE Sensors Journal</i> , 14 (8), art. no. 6803856, pp. 2889-2896.	72
Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014.	73
Lim, D.J., Oh, S.M., Kim, B.Y., Park, J.K., Kang, I.-K., Seo, K.-H., Oh, D.H. Synthesis of naphthalimidopropyl acrylate and GMA copolymers and their physical properties (2014) <i>Polymer (Korea)</i> , 38 (4), pp. 535-543.	74
Fleming, C.L., Ashton, T.D., Pfeffer, F.M., Synthesis of 4-amino substituted 1,8-naphthalimide derivatives using palladium-mediated amination (2014) <i>Dyes and Pigments</i> , 109, pp. 135-143.	75
Buchs, J., Gäbler, M., Janietz, D., Sawade, H., Coumarin-based emissive liquid crystals (2014) <i>Liquid Crystals</i> , 41 (11), pp. 1605-1618.	76

D'Agostino, S., Grepioni, F., Braga, D., Moreschi, D., Fattori, V., Delchiaro, F., Di Motta, S., Negri, F., Exciton coupling in molecular salts of 2-(1,8-naphthalimido)ethanoic acid and cyclic amines: Modulation of the solid-state luminescence (2013) <i>CrystEngComm</i> , 15 (48), pp. 10470-10480.	77
Oguzhan, E., Bilgili, H., Baycan Koyuncu, F., Ozdemir, E., Koyuncu, S. A new processable donor-acceptor polymer displaying neutral state yellow electrochromism (2013) <i>Polymer (United Kingdom)</i> , 54 (23), pp. 6283-6292.	78
Bekere, L., Gachet, D., Lokshin, V., Marine, W., Khodorkovsky, V., Synthesis and spectroscopic properties of 4-amino-1,8-naphthalimide derivatives involving the carboxylic group: A new molecular probe for ZnO nanoparticles with unusual fluorescence features (2013) <i>Beilstein Journal of Organic Chemistry</i> , 9, pp. 1311-1318.	79
Bardajee, G.R., Microwave-assisted solvent-free synthesis of fluorescent naphthalimide dyes (2013) <i>Dyes and Pigments</i> , 99 (1), pp. 52-58.	80
Jin, R., Tang, S., Theoretical investigation into optical and electronic properties of 1,8-naphthalimide derivatives (2013) <i>Journal of Molecular Modeling</i> , 19 (4), pp. 1685-1693.	81
Zhou, J., Fang, C., Chang, T., Liu, X., Shangguan, D., A pH sensitive ratiometric fluorophore and its application for monitoring the intracellular and extracellular pHs simultaneously (2013) <i>Journal of Materials Chemistry B</i> , 1 (5), pp. 661-667.	82
Stoyanov, S., Petrov, P., Stoyanova, M., Dangelov, M., Shivachev, B., Nikolova, R., Petkov, I., 4-Amino-3-nitro naphthalimides-structures and spectral properties (2012) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 250, pp. 92-98.	83
Camurlu, P., Eren, E., Gültekin, C., A Solution-processible, n-dopable polypyrrole derivative (2012) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 50 (23), pp. 4847-4853.	84
Sergeeva, A.N., Panchenko, P.A., Fedorov, Yu.V., Fedorova, O.A. Synthesis and sensor properties of crown-containing derivatives of 4-(1,5-diphenyl- Δ 2-pyrazolin-3-yl)-1,8-naphthalimide (2012) <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 48 (5), pp. 524-533.	85
Wang, H.-Y., Zhang, X.-X., Shi, J.-J., Chen, G., Xu, X.-P., Ji, S.-J., Synthesis, spectroscopic characteristic of novel fluorescent dyes of pyrazoline compounds (2012) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 93, pp. 343-347	86
Song, J.-H., Wu, M., Yu, Y.-H., Chen, Q., Xu, M., Synthesis and fluorescence properties of polymerizable 1, 8-naphthalimide derivatives doped polysiloxane materials (2012) <i>Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities</i> , 33 (6), pp. 1339-1343.	87
Wei, S., Sun, Y., Yin, C., Tan, C., Yao, F., Liu, L., Hu, X., Fan, J. Synthesis and properties of 4-(2-dimethylaminoethoxy)-N-octadecyl-1,8- naphthalimide-based fluorescent dye (2012) <i>Chemistry Bulletin / Huaxue Tongbao</i> , 75 (4), pp. 335-340	88
Huang, X., Fang, Y., Li, X., Xie, Y., Zhu, W., Novel dyes based on naphthalimide moiety as electron acceptor for efficient dye-sensitized solar cells (2011) <i>Dyes and Pigments</i> , 90 (3), pp. 297-303.	89
Erten-Ela, S., Ozcelik, S., Eren, E., Synthesis and photophysical characterizations of thermal - stable naphthalene benzimidazoles (2011) <i>Journal of Fluorescence</i> , 21 (4), pp. 1565-1573.	90
Koyuncu, F.B., Koyuncu, S., Ozdemir, E., A new donor-acceptor carbazole derivative: Electrochemical polymerization and photo-induced charge transfer properties (2011) <i>Synthetic Metals</i> , 161 (11-12), pp. 1005-1013.	91

	Tanaka, T., Ashida, T., Matsumoto, S., Highly dichroic and luminescent triphenodioxazine dyes (2011) <i>Chemistry Letters</i> , 40 (6), pp. 573-575.	92
	Li, H., Li, N., Sun, R., Gu, H., Ge, J., Lu, J., Xu, Q., Xia, X., Wang, L., Dynamic random access memory devices based on functionalized copolymers with pendant hydrazine naphthalimide group (2011) <i>Journal of Physical Chemistry C</i> , 115 (16), pp. 8288-8294.	93
	Kovářová, A., Svoboda, J., Novotná, V., Glogarová, M., Salamonczyk, M., Pociecha, D., Gorecka, E., [2]benzothiophene bent-shaped liquid crystals (2010) <i>Liquid Crystals</i> , 37 (12), pp. 1501-1513.	94
	Refat, M.S., Killa, H.M.A., Fetoh, H., Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	95
	Koyuncu, F.B., Koyuncu, S., Ozdemir, E. A novel donor-acceptor polymeric electrochromic material containing carbazole and 1,8-naphthalimide as subunit (2010) <i>Electrochimica Acta</i> , 55 (17), pp. 4935-4941.	96
	Niu, C., Li, L., Qin, P., Zeng, G., Zhang, Y., Determination of water content in organic solvents by naphthalimide derivative fluorescent probe (2010) <i>Analytical Sciences</i> , 26 (6), pp. 671-674.	97
	Shi, W., Wei, M., Evans, D.G., Duan, X., Tunable photoluminescence properties of fluorescein in a layered double hydroxide matrix and its application in sensors (2010) <i>Journal of Materials Chemistry</i> , 20 (19), pp. 3901-3909.	98
	Manna, A., Chakravorti, S., Charge transfer in 1,8-naphthalimide: A combined theoretical and experimental approach (2010) <i>Photochemistry and Photobiology</i> , 86 (1), pp. 47-54.	99
	Salamonczyk, M., Kovarova, A., Svoboda, J., Pociecha, D., Gorecka, E., Switchable fluorescent liquid crystals (2009) <i>Applied Physics Letters</i> , 95 (17), art. no. 171901, .	100
	Khouba, Z., Benabdallah, T., Maschke, U., Spectrophotometric study of liquid crystals containing pentadentate Schiff base type systems (2009) <i>Physics Procedia</i> , 2 (3), pp. 1305-1311.	101
	Liu, Y., Wang, H.-Y., Chen, G., Xu, X.-P., Ji, S.-J., Synthesis and properties of novel 'ethyne-linked' compounds containing carbazole and 1, 8-naphthalimide groups (2009) <i>Australian Journal of Chemistry</i> , 62 (8), pp. 934-940.	102
	Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	103
	Triboni, E.R., Artur, J.C., Filho, P.B., Cuccovia, L.M., Politi, M.J. Aromatic nitro substitution reaction between 4-nitro-N-n-butyl-1,8-naphthalimide and n-heptanethiol in water-methanol binary mixtures (2009) <i>Journal of Physical Organic Chemistry</i> , 22 (7), pp. 703-708.	104
	Khouba, Z., Benabdallah, T., Maschke, U., Dispersion of pentadentate schiff bases and their transition metal complexes in liquid crystals (2009) <i>Molecular Crystals and Liquid Crystals</i> , 502, pp. 121-129.	105
	Gryko, D.T., Wyrostek, D., Nowak-Król, A., Abramczyk, K., Rogacki, M.K. Straightforward transformation of pentafluorobenzaldehyde into 4-aryloxy-2,3,5,6-tetrafluorobenzaldehydes (2008) <i>Synthesis</i> , (24), art. no. Z19508SS, pp. 4028-4032.	106
	Hu, Y., Wang, B., Su, Z., Synthesis and photophysical properties of a novel green fluorescent polymer for Fe ³⁺ sensing (2008) <i>Polymer International</i> , 57 (12), pp. 1343-1350.	107

Feng, G.-L., Ji, S.-J., Geng, L.-J., Bian, B., Liu, Y., Synthesis and optical properties of novel compounds containing carbazole and 1,8-naphthalimide groups (2008) <i>Journal of Chemical Research</i> , (3), pp. 137-140.	108
Shu, T., Wu, J., Lu, M., Chen, L., Yi, T., Li, F., Huang, C. Tunable red-green-blue fluorescent organogels on the basis of intermolecular energy transfer (2008) <i>Journal of Materials Chemistry</i> , 18 (8), pp. 886-893.	109
Bian, B., Ji, S.-J., Shi, H.-B., Synthesis and fluorescent property of some novel bischromophore compounds containing pyrazoline and naphthalimide groups (2008) <i>Dyes and Pigments</i> , 76 (2), pp. 348-352.	110
Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 17 (3), pp. 547-559.	111
Conrad Siegers, PhD thesis, "Light Harvesting via Energy Transfer in the Dye Solar Cell" Albert-Ludwigs-Universität Freiburg im Breisgau (2007).	112
Vincent Souchon, PhD thesis, Ingénierie moléculaire et fluorescence pour la reconnaissance de cations toxiques, L'école Normale Supérieure de Cachan, Cachan, France.	113
Siegers, C., Hohl-Ebinger, J., Zimmermann, B., Würfel, U., Mülhaupt, R., Hinsch, A., Haag, R., A dyadic sensitizer for dye solar cells with high energy-transfer efficiency in the device (2007) <i>ChemPhysChem</i> , 8 (10), pp. 1548-1556.	114
Meng, X., Zhu, W., Guo, Z., Wang, J., Tian, H., Highly stable and fluorescent switching spirooxazines (2006) <i>Tetrahedron</i> , 62 (42), pp. 9840-9845.	115
Magalhães, J.L., Pereira, R.V., Triboni, E.R., Berci Filho, P., Gehlen, M.H., Nart, F.C. Solvent effect on the photophysical properties of 4-phenoxy-N-methyl-1,8-naphthalimide (2006) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 183 (1-2), pp. 165-170.	116
Martín, E., Torres-Costa, V., Martín-Palma, R.J., Bousoño, C., Tutor-Sánchez, J., Martínez-Duart, J.M., Photoluminescence of naphthalimide derivatives deposited onto nanostructured porous silicon (2006) <i>Journal of the Electrochemical Society</i> , 153 (8), art. no. 043608JES, .	117
Zhang, X., Yamaguchi, R., Moriyama, K., Kadowaki, M., Kobayashi, T., Ishi-i, T., Thiemann, T., Mataka, S., Highly dichroic benzo-2,1,3-thiadiazole dyes containing five linearly π -conjugated aromatic residues, with fluorescent emission ranging from green to red, in a liquid crystal guest-host system (2006) <i>Journal of Materials Chemistry</i> , 16 (8), pp. 736-740.	118
Lin, H.-C., Tsai, C.-M., Huang, G.-H., Tao, Y.-T., Synthesis and characterization of light-emitting H-bonded complexes and polymers containing bis(pyridyl) emitting acceptors (2006) <i>Macromolecules</i> , 39 (2), pp. 557-568.	119
Lin, H.-C., Tsai, C.-M., Huang, G.-H., Lin, J.-M., Synthesis and characterization of light-emitting oligo(p-phenylene- vinylene)s and polymeric derivatives containing three- and five-conjugated phenylene rings (2006) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 44 (2), pp. 783-800.	120
Vázquez, M.E., Blanco, J.B., Imperiali, B., Photophysics and biological applications of the environment-sensitive fluorophore 6-N,N-dimethylamino-2,3-naphthalimide (2005) <i>Journal of the American Chemical Society</i> , 127 (4), pp. 1300-1306.	121
Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 179 (9), pp. 1723-1729.	122

	Zhang, X., Gorohmaru, H., Kadowaki, M., Kobayashi, T., Ishi-I, T., Thlemann, T., Mataka, S., Benzo-2,1,3-thiadiazole-based, highly dichroic fluorescent dyes for fluorescent host-guest liquid crystal displays (2004) <i>Journal of Materials Chemistry</i> , 14 (12), pp. 1901-1904.	123
	Du, P., Zhu, W.-H., Xie, Y.-Q., Zhao, F., Ku, C.-F., Cao, Y., Chang, C.-P., Tian, H. Dendron-functionalized macromolecules: Enhancing core luminescence and tuning carrier injection (2004) <i>Macromolecules</i> , 37 (12), pp. 4387-4398.	124
	Jia, L., Zhang, Y., Guo, X., Qian, X., A novel chromatism switcher with double receptors selectively for Ag ⁺ in neutral aqueous solution: 4,5-diaminoalkeneamino-N-alkyl-1,8-naphthalimides (2004) <i>Tetrahedron Letters</i> , 45 (20), pp. 3969-3973.	125
	Zhu, W., Minami, N., Kazaoui, S., Kim, Y., Fluorescent chromophore functionalized single-wall carbon nanotubes with minimal alteration to their characteristic one-dimensional electronic states? (2003) <i>Journal of Materials Chemistry</i> , 13 (9), pp. 2196-2201.	126
	Zhu, W., Hu, M., Yao, R., Tian, H., A novel family of twisted molecular luminescent materials containing carbazole unit for single-layer organic electroluminescent devices (2003) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 154 (2-3), pp. 169-177.	127
	Tian, H., Gan, J., Chen, K., He, J., Qun, L.S., Xiao, Y.H., Positive and negative fluorescent imaging induced by naphthalimide polymers (2002) <i>Journal of Materials Chemistry</i> , 12 (5), pp. 1262-1267.	128
172	Grabchev, I., Moneva, I. Synthesis and properties of vinylic copolymers with fluorescent moieties as optical brighteners for liquid crystals (1999) <i>Journal of Applied Polymer Science</i>, 74 (1), pp. 151-157.	23
	Luo F., Luo X., Wang L., Qu Y., Yin X.-B. The Design and Applications of 1,8-naphthalimide-poly(amidoamine) Dendritic Platforms (2023) <i>Current Organic Chemistry</i> , 27 (13), pp. 1164 – 1178 DOI: 10.2174/1385272827666230911115827 DOCUMENT TYPE: Review	1
	Zhao, S., Qin, Z., Gong, S., Qin, L., Zhao, B., Guo, Q., Pan, K., White light emitting nanofibers constructed by electrospinning: advances and perspectives (2021) <i>Journal of Materials Chemistry C</i> , 9 (15), pp. 5036-5054.	2
	Panchenko, P.A., Fedorov, Y.V., Fedorova, O.A., Jonusauskas, G., FRET versus PET: Ratiometric chemosensors assembled from naphthalimide dyes and crown ethers (2015) <i>Physical Chemistry Chemical Physics</i> , 17 (35), pp. 22749-22757.	3
	Lin, Z., Zhang, J., Ma, H., Yao, Z., Preparation and properties of polymerizable 1,8-naphthalimide fluorescent dye grafted linear low-density polyethylene (2015) <i>Journal of Applied Polymer Science</i> , 132 (26), 42172 .	4
	Селектор София Львовна, Структурные превращения, фотофизические и редокс процессы в организованных ультратонких пленках сопряженных органических соединений, Институт физической химии и электрохимии им. А.Н. Фрумкина РАН диссертация на соискание ученой степени доктора химических наук, Москва-2014.	5
	Panchenko, P.A., Fedorov, Y.V., Fedorova, O.A., Jonusauskas, G., Comparative analysis of the PET and ICT sensor properties of 1,8-naphthalimides containing aza-15-crown-5 ether moiety (2013) <i>Dyes and Pigments</i> , 98 (3), pp. 347-357.	6
	Zhou, J., Zhang, X., Dai, J., Li, J., Synthesis and fluorescent performance of fluorescein-functionalized waterborne polyurethane (2012) <i>Journal of Macromolecular Science, Part A: Pure and Applied Chemistry</i> , 49 (10), pp. 890-896.	7
	Hu, X.-H., Zhang, X.-Y., Dai, J.-B., Liu, J., Synthesis and fluorescent investigations of VBL-based waterborne polyurethane dye (2011) <i>Journal of Luminescence</i> , 131 (10), pp. 2160-2165.	8

	Hu, X.H., Zhang, X.Y., Dai, J.B., Synthesis and characterization of a novel waterborne stilbene-based polyurethane fluorescent brightener (2011) Chinese Chemical Letters, 22 (8), pp. 997-1000.	9
	Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементарной органической химии, Им. А.Х. Несмеянова, РАН Москва, 2011,	10
	Sekar, N., Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	11
	Bojinov, V.B., Panova, I.P. Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) Dyes and Pigments, 80 (1), pp. 61-66.	12
	Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) Dyes and Pigments, 78 (2), pp. 101-110.	13
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) Journal of Photochemistry and Photobiology A: Chemistry, 197 (2-3), pp. 281-289.	14
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) Journal of Photochemistry and Photobiology A: Chemistry, 193 (2-3), pp. 129-138.	15
	Bojinov, V.B., Simeonov, D.B., Georgiev, N.I., A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) Dyes and Pigments, 76 (1), pp. 41-46.	16
	Bojinov, V.B., Konstantinova, T.N., Fluorescent 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2007) Sensors and Actuators, B: Chemical, 123 (2), pp. 869-876.	17
	Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) Dyes and Pigments, 74 (3), pp. 551-560.	18
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	19
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (9), pp. 1723-1729.	20
	Bojinov, V., Ivanova, G., Simeonov, D., Synthesis and photophysical investigations of novel polymerizable blue emitting fluorophores - Combination of a hindered amine with a benzo[de]isoquinoline-1,3-dione (2004) Macromolecular Chemistry and Physics, 205 (9), pp. 1259-1268.	21
	Bojinov, V.B., Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials (2004) Journal of Photochemistry and Photobiology A: Chemistry, 162 (1), pp. 207-212.	22
	Bojinov, V., Synthesis and properties of adducts of a hindered amine and 2-hydroxyphenylbenzotriazole as novel polymer stabilizers (2002) Photochemical and Photobiological Sciences, 1 (5), pp. 340-346.	23

173	Grabchev, I., Philipova, T. Fluorescent polyacrylonitrile with 1,8-naphthalimide side chains (1999) Angewandte Makromolekulare Chemie, 269, pp. 49-53. https://doi.org/	9	
	Wang, J., Kan, C., Liu, D., Study on synthesis and properties of self-yellowished latexes with pendant azo groups (2003) Acta Polymerica Sinica, (3), pp. 445-447.	1	
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	2	
	Zhengneng, J., Najun, L., Jianmei, L., Qingfeng, X., Xuwei, X., Jianfeng, G., Lihua, W., Synthesis, third-order nonlinear optical (NLO) properties of polystyrene containing 1,8-naphthalimide chromophores in the side chain (2010) E-Polymers, art. no. 060.	3	
	Hu, X.H., Zhang, X.Y., Dai, J.B., Synthesis and characterization of a novel waterborne stilbene-based polyurethane fluorescent brightener (2011) Chinese Chemical Letters, 22 (8), pp. 997-1000.	4	
	Hu, X.-H., Zhang, X.-Y., Dai, J.-B., Liu, J., Synthesis and fluorescent investigations of VBL-based waterborne polyurethane dye (2011) Journal of Luminescence, 131 (10), pp. 2160-2165.	5	
	Zhou, J., Zhang, X., Dai, J., Li, J., Synthesis and fluorescent performance of fluorescein-functionalized waterborne polyurethane (2012) Journal of Macromolecular Science, Part A: Pure and Applied Chemistry, 49 (10), pp. 890-896.	6	
	Guo, M., Zhang, G., Du, L., Zheng, H., Liu, G., & Li, Y. (2017). Multifunctional Water-soluble Polymeric Fluorescent Whitening Agents Based on 4, 4'-Bis (1, 3, 5-Triazinyl)-Diamino Stilbene-2, 2'-Disulfonic Acid Structure. <i>BioResources</i> , 12(4), 8901-8919.	7	
	Bao, Z., Lu, C., Qin, C., Tang, S., Dai, L., Chen, G., Mei, F., Preparation of fluorescent polyacrylonitrile nanofiber membrane based on polymerizable 1,8-naphthalimide fluorescent disperse dye (2017) Fibers and Polymers, 18 (6), pp. 1017-1024.	8	
	Lee, H. J., Yonekura, Y., Kim, N., Yoshida, J. I., & Kim, H. (2021). Regioselective Synthesis of α -Functional Stilbenes via Precise Control of Rapid cis–trans Isomerization in Flow. <i>Organic Letters</i> , 23(8), 2904-2910.	9	
174	Grabchev, I.K., Bojinov, V.B., Moneva, I.T. Functional properties of azomethine substituted benzanthrone dyes for use in nematic liquid crystals (1998) Journal of Molecular Structure, 471 (1-3), pp. 19-25. https://doi.org/ 10.1016/S0022-2860(98)00400-1	26	
	Zhang, X., Gorohmaru, H., Kadowaki, M., Kobayashi, T., Ishi-I, T., Thiemann, T., Mataka, S., Benzo-2,1,3-thiadiazole-based, highly dichroic fluorescent dyes for fluorescent host-guest liquid crystal displays (2004) Journal of Materials Chemistry, 14 (12), pp. 1901-1904.	1	
	Vidal, B.C., Mello, M.L.S., Supramolecular order following binding of the dichroic birefringent sulfonic dye Ponceau SS to collagen fibers (2005) Biopolymers, 78 (3), pp. 121-128.	2	
	Zhang, X., Yamaguchi, R., Moriyama, K., Kadowaki, M., Kobayashi, T., Ishi-i, T., Thiemann, T., Mataka, S., Highly dichroic benzo-2,1,3-thiadiazole dyes containing five linearly π -conjugated aromatic residues, with fluorescent emission ranging from green to red, in a liquid crystal guest-host system (2006) Journal of Materials Chemistry, 16 (8), pp. 736-740.	3	
	Ma, Z., Xiang, Z., Luo, T., Lu, K., Xu, Z., Chen, J., Yang, Z., Synthesis of functionalized quinolines via Ugi and Pd-catalyzed intramolecular arylation reactions (2006) Journal of Combinatorial Chemistry, 8 (5), pp. 696-704.	4	
	Iwan, A., Janeczek, H., Jarzabek, B., Rannou, P., Mesomorphic behavior of symmetrical and unsymmetrical azomethines with two imine groups (2009) Materials, 2 (1), pp. 38-61.	5	

	Iwan, A., Janeczek, H., Domanski, M., Rannou, P., Synthesis, characterization and mesomorphic properties of new unsymmetrical azomethine-type liquid crystals derived from 4-biphenyl carboxaldehyde (2010) <i>Journal of Molecular Liquids</i> , 151 (1), pp. 30-38.	6	
	K. O. Vus, V. M. Trusova, G. P. Gorbenko, E. Kirilova, G. Kirilov, Evaluation of viscosity sensitivity of benzanthrone dyes, <i>Шевченківська Весна: Біологічні Науки</i> . 19-23., 2012	7	
	Khanmohammadi, H., Khodam, F., Solvatochromic and electrochemical properties of new thermally stable azo-azomethine dyes with N2S2O donor set of atoms (2013) <i>Journal of Molecular Liquids</i> , 177, pp. 198-203.	8	
	O.A. Zhytniakivska, M.S. Giryh, G.P. Gorbenko, E.M. Kirilova, G.K. Kirilov, P.K.J. Kinnunen, On the possibility of theoretical prediction of benzanthrone dye lipophilicity, <i>Біофізичний Вісник</i> , 2013, 30 (2), 15-22.	9	
	Misra, A.K., Tripathi, P.K., Manohar, R., Goldstone and soft modes for fluorescent dye doped ferroelectric liquid crystal (2013) <i>Journal of Non-Crystalline Solids</i> , 376, pp. 7-11.	10	
	Zhytniakivska, O., Trusova, V., Gorbenko, G., Kirilova, E., Kalnina, I., Kirilov, G., Kinnunen, P., Newly synthesized benzanthrone derivatives as prospective fluorescent membrane probes (2014) <i>Journal of Luminescence</i> , 146, pp. 307-313.	11	
	Zhytniakivska, O., Trusova, V., Gorbenko, G., Kirilova, E., Kalnina, I., Kirilov, G., Molotkovsky, J., Tulkki, J., Kinnunen, P., Location of novel benzanthrone dyes in model membranes as revealed by resonance energy transfer (2014) <i>Journal of Fluorescence</i> , 24 (3), pp. 899-907.	12	
	Zhao, D., Qin, A., Leung, C.W.T., Tang, B.Z., Light-emitting liquid-crystal displays constructed from AIE luminogens (2014) <i>Proceedings of SPIE - The International Society for Optical Engineering</i> , 9182, art. no. 918207.	13	
	Akman, A., Akkurt, F., Alicilar, A., Effects on molecular orientation and phase transition of addition of carbon nanotubes into liquid crystalline matrix (2014) <i>Liquid Crystals</i> , 41 (4), pp. 603-609.	14	
	Miladinova, P.M., Synthesis of a new benzanthrone probe for Ph determination based on PET and ICT (2016) <i>Journal of Chemical Technology and Metallurgy</i> , 51 (6), pp. 667-676.	15	
	Ryzhova, O., Vus, K., Trusova, V., Kirilova, E., Kirilov, G., Gorbenko, G., Kinnunen, P., Novel benzanthrone probes for membrane and protein studies (2016) <i>Methods and Applications in Fluorescence</i> , 4 (3), art. no. 034007.	16	
	Miladinova, P.M., Zhekov, D.D., Georgiev, N.I., Synthesis of a new pet based benzanthrone probe for determination of pH and cuprum (II) ION (2017) <i>Journal of Chemical Technology and Metallurgy</i> , 52 (5), pp. 892-901.	17	
	Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) <i>Bulgarian Chemical Communications</i> , 49, pp. 67-73.	18	
	Shivraj, Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A. Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) <i>Photochemical and Photobiological Sciences</i> , 17 (4), pp. 453-464.	19	
	Shivraj, Siddlingeshwar, B., Thomas, A., Kirilova, E.M., Divakar, D.D., Alkheraif, A.A., Experimental and theoretical insights on the effect of solvent polarity on the photophysical properties of a benzanthrone dye (2019) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 218, pp. 221-228.	20	

	Orlova, N., Nikolajeva, I., Pučkins, A., Belyakov, S., Kirilova, E., Heterocyclic schiff bases of 3-aminobenzanthrone and their reduced analogues: Synthesis, properties and spectroscopy (2021) <i>Molecules</i> , 26 (9), art. no. 2570.	21	
	Kiseļeva, V., Avotiņa, L., Zariņš, A., Petjukevičs, A., Pučkins, A., Škute, N., Kirilova, E., Thermal And Spectroscopic Study Of Chromium Complex With Benzanthrone Amidine Derivative (2021) <i>Journal of Chemical Technology and Metallurgy</i> , 56 (3), pp. 595-602.	22	
	Kirilova, A., Pučkins, A., Belyakov, S., Kirilova, E. 3-[n-(4-methoxybenzyl)amino]benzo[de]anthracen-7-one. (2021) <i>MolBank</i> , 2021(4), M1287.	23	
	Ibrahim, S.A., Rizk, H.F. New class of magenta dyestuffs based on azomethine pyrazolone disperse dyes: Synthesis, characterization, and dyeing performance on polyester fabrics with ultraviolet protection and pH-dependent properties. (2022) <i>Textile Research Journal</i> , 92(15-16), pp. 2849-2861.	24	
	Thomas A., Kirilova E.M., Nagesh B.V., Krishna Chaitanya G., Philip R., Manohara S.R., Sudeeksha H.C., Siddlingeshwar B. Influence of nitro group on solvatochromism, nonlinear optical properties of 3-morpholinobenzanthrone: Experimental and theoretical study. (2023) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 437, art. no. 114434.	25	
	Maļeckis A., Cvetinska M., Puckins A., Osipovs S., Sirokova J., Belyakov S., Kirilova E. Synthesis and Properties of New 3-Heterylamino-Substituted 9-Nitrobenzanthrone Derivatives. (2023) <i>Molecules</i> , 28 (13), art. no. 5171.	26	
175	Grabchev, I. Photophysical characteristics of polymerizable 1,8-naphthalimide dyes and their copolymers with styrene or methylmethacrylate (1998) <i>Dyes and Pigments</i>, 38 (4), pp. 219-226. https://doi.org/ 10.1016/S0143-7208(97)00117-4	23	
	Prasanna De Silva, A., Rice, T.E., A small supramolecular system which emulates the unidirectional, path-selective photoinduced electron transfer (PET) of the bacterial photosynthetic reaction centre (PRC) (1999) <i>Chemical Communications</i> , (2), pp. 163-164.	1	
	De Silva, A.P., Goligher, A., Gunaratne, H.Q.N., Rice, T.E., The pH-dependent fluorescence of pyridylmethyl-4-amino-1,8-naphthalimides (2003) <i>Arkivoc</i> , 2003 (7), pp. 229-243.	2	
	Gunnlaugsson, T., McCoy, C.P., Morrow, R.J., Phelan, C., Stomeo, F., Towards the development of controllable and reversible 'on-off' luminescence switching in soft-matter; synthesis and spectroscopic investigation of 1,8-naphthalimide-based PET (photoinduced) (2003) <i>Arkivoc</i> , 2003 (7), pp. 216-228.	3	
	Hu, X.H., Zhang, X.Y., Dai, J.B., Xu, G.W., Synthesis and characterization of a novel aqueous dispersion poly[urethane-(disperse blue 14)-urethane] dye (2004) <i>Chinese Chemical Letters</i> , 15 (5), pp. 515-517.	4	
	Патент (L'Oreal, Fr.). T. Luukas, Monomers having 1,8-naphthalenedicarboxylic acid imides with optical properties, polymers comprising them, and use. FR 2868069 (2005).	5	
	Mei, C., Tu, G., Zhou, Q., Cheng, Y., Xie, Z., Ma, D., Geng, Y., Wang, L., Green electroluminescent polyfluorenes containing 1,8-naphthalimide moieties as color tuner (2006) <i>Polymer</i> , 47 (14), pp. 4976-4984.	6	
	Wu, Z., Meng, L., Progress in fluorescent polymers (2007) <i>Progress in Chemistry</i> , 19 (9), pp. 1381-1392.	7	
	Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 17 (3), pp. 547-559.	8	

	Ishchenko, A.A., Grabchuk, G.P., Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) Theoretical and Experimental Chemistry, 45 (3), pp. 143-167.	9	
	Sekar, N., Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	10	
	Panah, H.S., Khosravi, A., Gharanjig, K., Khorassani, M., Zadeh, M.K., Taromi, F.A. Synthesis and characterization of new fluorescent polymerizable dyes based on naphthalimide (2010) Iranian Polymer Journal (English Edition), 19 (7), pp. 491-500.	11	
	Refat, M.S., Killa, H.M.A., Fetooh, H., Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) Journal of Molecular Structure, 983 (1-3), pp. 122-132.	12	
	Shaki, H., Gharanjig, K., Rouhani, S., Khosravi, A., Synthesis and photophysical properties of some novel fluorescent dyes based on naphthalimide derivatives (2010) Journal of Photochemistry and Photobiology A: Chemistry, 216 (1), pp. 44-50.	13	
	Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Елеменорганической химии, Им. А.Х. Несмеянова, РАН Москва, 2011.	14	
	M. Sani Gumel, M. Kabir Yakubu, M. Bala Ibrahim, R. Kumar Synthesis and Characterisation of Colorants Derived from 1,4-Diamino Anthraquinone Polyamides, Advances in Chemical Engineering and Science, 2012, 2, 300-308.	15	
	Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J., A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 85-92.	16	
	Safabakhsh, B., Khosravi, A., Gharanjig, K., Kowsari, E., Khorassani, M., Tafaghodi, S. Synthesis of a novel fluorescent coloured copolymer based on 4-butylthio-1,8-naphthalimide (2012) Coloration Technology, 128 (3), pp. 218-222.	17	
	Stoyanov, S., Petrov, P., Stoyanova, M., Dangalov, M., Shivachev, B., Nikolova, R., Petkov, I., 4-Amino-3-nitro naphthalimides-structures and spectral properties (2012) Journal of Photochemistry and Photobiology A: Chemistry, 250, pp. 92-98.	18	
	Селектор София Львовна, Структурные превращения, фотофизические и редокс процессы в организованных ультратонких пленках сопряженных органических соединений, Институт физической химии и электрохимии им. А.Н. Фрумкина РАН диссертация на соискание ученой степени доктора химических наук, Москва-2014.	19	
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V., Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) Russian Chemical Reviews, 83 (2), pp. 155-182.	20	
	Sandra Medel Fernández, PhD thesis, Polímeros hiperramificados fluorescentes. Síntesis, propiedades y aplicaciones como sensores Universidad Autónoma de Madrid, Spain, 2014.	21	
	Gopikrishna, P., Das, D., Iyer, P.K., Synthesis and characterization of color tunable, highly electroluminescent copolymers of polyfluorene by incorporating the N-phenyl-1,8-naphthalimide moiety into the main chain (2015) Journal of Materials Chemistry C, 3 (36), pp. 9318-9326.	22	
	Bonardi, A.-H., Zahouily, S., Dietlin, C., Graff, B., Morlet-Savary, F., Ibrahim-Ouali, M., Gimes, D., Hoffmann, N., Dumur, F., Lalevée, J., New 1,8-naphthalimide derivatives as photoinitiators for free-radical polymerization upon visible light (2019) Catalysts, 9 (8), art. no. 637.	23	

176	Grabchev, I., Moneva, I. Synthesis and properties of benzanthrone derivatives as luminophore dyes for liquid crystals (1998) Dyes and Pigments, 37 (2), pp. 155-165. https://doi.org/10.1016/s0143-7208(97)00050-8	28	
	Staneva, D., Betcheva, R., Synthesis and functional properties of new optical pH sensor based on benzo[de]anthracen-7-one immobilized on the viscose (2006) Dyes and Pigments, 74 (1), pp. 148-153.	1	
	Staneva, D., Betcheva, R., Chovelon, J.-M., Fluorescent benzo[de]anthracen-7-one pH-sensor in aqueous solution and immobilized on viscose fabrics (2006) Journal of Photochemistry and Photobiology A: Chemistry, 183 (1-2), pp. 159-164.	2	
	Sekar, N., Liquid crystalline fluorescent dyes (2009) Colourage, 56 (5), pp. 80-82.	3	
	Kirilova, E.M., Belyakov, S.V., Kirilov, G.K., Kalnina, I., Gerbreder, V., Luminescent properties and crystal structure of novel benzanthrone dyes (2009) Journal of Luminescence, 129 (12), pp. 1827-1830.	4	
	Elena Kirilova, Irena Ivanova Novel Benzanthrone Dyes: Synthesis and Comparison of Luminescent Properties, Scientific Journal of Riga Technical University, 2011, 23, 29-33.	5	
	Cheng, G., An inorganic-organic hybrid precursor strategy for the synthesis of zirconium diboride powders (2013) International Journal of Refractory Metals and Hard Materials, 36, pp. 149-153.	6	
	Gonta, S., Utinans, M., Kirilov, G., Belyakov, S., Ivanova, I., Fleisher, M., Savenkov, V., Kirilova, E., Fluorescent substituted amidines of benzanthrone: Synthesis, spectroscopy and quantum chemical calculations (2013) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 101, pp. 325-334.	7	
	Umeda, R., Namba, T., Yoshimura, T., Nakatsukasa, M., Nishiyama, Y., Selective introducing of aryl and amino groups: Reaction of benzanthrone and organometallic reagents (2013) Tetrahedron, 69 (5), pp. 1526-1531.	8	
	С.П. Белов, И.В. Комлев, Э.Е. Нифантьев, Тонкослойная хроматография красителей красного диапазона и полупродуктов, Научно-технический вестник Брянского государственного университета, 2015, №1, 8.	9	
	Miladinova, P.M., Synthesis of a new benzanthrone probe for Ph determination based on PET and ICT (2016) Journal of Chemical Technology and Metallurgy, 51 (6), pp. 667-676.	10	
	Ryzhova, O., Vus, K., Trusova, V., Kirilova, E., Kirilov, G., Gorbenko, G., Kinnunen, P. Novel benzanthrone probes for membrane and protein studies (2016) Methods and Applications in Fluorescence, 4 (3), art. no. 034007.	11	
	Cao, L., Zhang, D., Xu, L., Fang, Z., Jiang, X.-F., Lu, F. Perylene diimide-Benzanthrone Dyad: Organic Chromophores with Enhanced Third-Order Nonlinear-Optical Activities (2017) European Journal of Organic Chemistry, 2017 (17), pp. 2495-2500.	12	
	Miladinova, P.M., Todorova, D.A., Synthesis and photophysical properties of a novel benzanthrone pH sensor based on internal charge transfer (2017) Bulgarian Chemical Communications, 49, pp. 67-73.	13	
	Liu, Y., Geng, R., Cui, Y., Peng, S., Chang, X., Han, K., Yu, M. A novel liquid hybrid precursor method via sol-gel for the preparation of ZrB ₂ films (2017) Materials and Design, 128, pp. 80-85.	14	
	Kirilova, E.M., Puckins, A.I., Romanovska, E., Fleisher, M., Belyakov, S.V. Novel amidine derivatives of benzanthrone: Effect of bromine atom on the spectral parameters (2018) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 202, pp. 41-49.	15	

	Shivraj, Siddlingeshwar, B., Kirilova, E.M., Belyakov, S.V., Divakar, D.D., Alkheraif, A.A. Photophysical properties of benzanthrone derivatives: Effect of substituent, solvent polarity and hydrogen bonding (2018) <i>Photochemical and Photobiological Sciences</i> , 17 (4), pp. 453-464.	16	
	Miladinova, P. Synthesis and energy transfer properties of fluorescence sensing bifluorophore based on 2-aminodimethylterephthalate and 3-aminobenzanthrone (2018) <i>Journal of Chemical Technology and Metallurgy</i> , 53 (2), pp. 139-149.	17	
	Shivraj, Siddlingeshwar, B., Thomas, A., Kirilova, E.M., Divakar, D.D., Alkheraif, A.A., Experimental and theoretical insights on the effect of solvent polarity on the photophysical properties of a benzanthrone dye (2019) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 218, pp. 221-228.	18	
	Kirilova, E., Mickevica, I., Mezaraupe, L., Pučkins, A., Rubenina, I., Osipovs, S., Kokina, I., Bulanovs, A., Kirjusina, M., Gavarane, I., Novel dye for detection of callus embryo by confocal laser scanning fluorescence microscopy (2019) <i>Luminescence</i> , 34 (3), pp. 353-359.	19	
	Orlova, N., Nikolajeva, I., Pučkins, A., Belyakov, S., Kirilova, E., Heterocyclic schiff bases of 3-aminobenzanthrone and their reduced analogues: Synthesis, properties and spectroscopy (2021) <i>Molecules</i> , 26 (9), art. no. 2570.	20	
	Maļeckis, A., Avotiņa, L., Ķizāne, G., Pučkins, A., Osipovs, S., & Kirilova, E. (2021). New Fluorescent Heterocyclic Compounds Derived From 3-Cyanobenzanthrone. <i>Polycyclic Aromatic Compounds</i> , 1-13.	21	
	Kirilova, A., Pučkins, A., Belyakov, S., Kirilova, E. 3-[n-(4-methoxybenzyl)amino]benzo[de]anthracen-7-one. (2021) <i>MolBank</i> , 2021(4), M1287.	22	
	Maļeckis A., Avotiņa L., Ķizāne G., Pučkins A., Osipovs S., Kirilova E. New Fluorescent Heterocyclic Compounds Derived From 3-Cyanobenzanthrone. (2022) <i>Polycyclic Aromatic Compounds</i> , 42 (8), pp. 5508 – 5520.	23	
	Maļeckis, A., Griškjāns, E., Cvetinska, M., Kirilova, E. 3-(Phenylethynyl)-7H-benzo[de]anthracen-7-one. (2022) <i>MolBank</i> , 2022(3), M1442.	24	
	Maļeckis A., Griškjāns E., Cvetinska M., Savicka M., Belyakov S., Kirilova E. Synthesis, characterization, spectroscopic studies and evaluation of toxicological effect on growth of wheat sprouts (<i>Triticum aestivum</i>) of new benzanthrone α -aryl- α -aminophosphonates. (2023) <i>Journal of Molecular Structure</i> , 1277, art. no. 134838.	25	
	Maļeckis A., Cvetinska M., Griškjāns E., Dmitrijevs K., Traskovskis K., Belyakov S., Kirilova E. Benzanthrone sulfides: synthesis, solvatochromism characterization and analysis of experimental photophysical parameters and theoretical calculations. (2023) <i>Dyes and Pigments</i> , 219, art. no. 111599.	26	
	Maļeckis, A., Cvetinska, M., Griškjāns, E., Kirilova, E. Exploring Dual Solvatochromic Traits in Novel Fluorescent Benzanthrone Ethynyl Derivatives. (2024) <i>Journal of Solution Chemistry</i> , Article in Press	27	
	Maļeckis A., Cvetinska M., Kirjušina M., Mežaraupe L., Kecko S., Gavarāne I., Kiyan V., Lider L., Pavlova V., Savicka M., Belyakov S., Kirilova E. A Comparative Study of New Fluorescent Anthraquinone and Benzanthrone α -Aminophosphonates: Synthesis, Spectroscopy, Toxicology, X-ray Crystallography, and Microscopy of <i>Opisthorchis felinus</i> . (2024) <i>Molecules</i> , 29 (5), art. no. 1143.	28	
177	Grabchev, I., Philipova, Tz. Synthesis, spectral properties and application of some reactive anthraquinone dyes (1998) <i>Dyes and Pigments</i>, 39 (2), pp. 89-95. https://doi.org/10.1016/S0143-7208(97)00084-3	11	
	Yang, X.-B., Ding, S.-T., Yang, Y.-S., Zhou, X.-H., A review of near-infrared laser protective dyes (2002) <i>Chinese Journal of Organic Chemistry</i> , 22 (1), pp. 33-41.	1	

	Şahin, N.G., Akkurt, F., Ahcilar, A., The study of use of some anthraquinone compounds as liquid crystal dye (2006) CHISA 2006 - 17th International Congress of Chemical and Process Engineering, 6 p.	2	
	Babudri, F., De Palma, D., Farinola, G.M., Ragni, R., Naso, F., Synthesis of functionalized anthraquinones via coupling reactions of 2,6-diiodo-1,5-dioctyloxy-9,10-anthraquinone (2008) Synthesis, (8), pp. 1227-1232.	3	
	Yildiz, E., Keles, T., Synthesis and characterization of new cobalt (II), iron (III) complexes with anthraquinone and s-triazine moieties (2009) Synthesis and Reactivity in Inorganic, Metal-Organic and Nano-Metal Chemistry, 39 (8), pp. 455-461.	4	
	Wilson, J.H., Bradbury, R., Annable, T., Yeates, S.G., Inkjet printable aqueous composite dye-polymer nanoparticles (2012) Dyes and Pigments, 95 (2), pp. 201-205.	5	
	Phatangare, K.R., Lanke, S.K., Sekar, N., Phenalenone fluorophores-synthesis, photophysical properties and DFT study (2014) Journal of Fluorescence, 24 (6), pp. 1827-1840.	6	
	Zarzeczńska, D., Ramotowska, S., Wcisło, A., Dabkowska, I., Niedziałkowski, P., Ossowski, T., In pursuit of the ideal chromoionophores (part I): PH-spectrophotometric characteristics of aza-12-crown-4 ethers substituted with an anthraquinone moiety (2016) Dyes and Pigments, 130, pp. 273-281.	7	
	Patil, V.V., Gayakwad, E.M., Patel, K.P., Shankarling, G.S., Efficient, facile metal free protocols for the bromination of commercially important deactivated aminoanthracene-9,10-diones (2017) Tetrahedron Letters, 58 (26), pp. 2608-2613.	8	
	Ramotowska, S., Zarzeczńska, D., Dabkowska, I., Wcisło, A., Niedziałkowski, P., Czaczyk, E., Grobelna, B., Ossowski, T., Hydrogen bonding and protonation effects in amino acids' anthraquinone derivatives - Spectroscopic and electrochemical studies (2019) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 222, art. no. 117226.	9	
	Brzeska, S., Brzeski, J., Niedziałkowski, P., Zarzeczńska, D. Macrocyclic chemosensors with anthraquinone signaling unit built into ionophore. Experimental and computational studies (part I) - synthesis and effect of proton binding on spectrophotometric and electrochemical properties. (2023) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 292, 122405.	10	
	Ciesielska A., Brzeski J., Zarzeczńska D., Stasiuk M., Makowski M., Brzeska S. Exploring the interaction of biologically active compounds with DNA through the application of the SwitchSense technique, UV-Vis spectroscopy, and computational methods. (2024) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 316, art. no. 124313.	11	
178	Grabchev, I., Philipova, T. Polymerization of styrene in the presence of some triazine-stilbene fluorescent brighteners (1998) Angewandte Makromolekulare Chemie, 263, pp. 1-4. <a href="https://doi.org/10.1002/(SICI)1522-9505(19981215)263:1<1::AID-APMC1>3.0.CO;2-0">https://doi.org/10.1002/(SICI)1522-9505(19981215)263:1<1::AID-APMC1>3.0.CO;2-0	10	
	Buruiana, E.C., Buruiana, T., Strat, G., Strat, M., Synthesis and optical properties of new polyurethane cationomers with anchored stilbene chromophores (2002) Journal of Polymer Science, Part A: Polymer Chemistry, 40 (11), pp. 1918-1928.	1	
	Vicinelli, V., Ceroni, P., Maestri, M., Lazzari, M., Balzani, V., Lee, S.-K., Van Heyst, J., Vögtle, F., Photochemical and photophysical properties of a poly(propylene amine) dendrimer functionalised with E-stilbene units (2004) Organic and Biomolecular Chemistry, 2 (15), pp. 2207-2213.	2	
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	3	
	Strat, G., Buruiana, E., Buruiana, T., Pohoata, V., Strat, M., Fluorescence properties of the polyurethane with anchored stilbene chromophore (2005) Journal of Optoelectronics and Advanced Materials, 7 (2), pp. 925-928.	4	

	Schulz, A., Meier, H., Poly(propylene imine) dendrimers functionalized with stilbene or 1,4-distyrylbenzene chromophores (2007) Tetrahedron, 63 (46), pp. 11429-11435.	5	
	Liu, J., Zhang, G.-H., The synthesis and study on optical characteristics of the asymmetrical polymerizable fluorescent brighteners (2011) International Journal of Polymeric Materials and Polymeric Biomaterials, 60 (2), pp. 199-211.	6	
	Liu, J., A study of the optical properties of triazene-cinnamic acid polymeric fluorescent brighteners (2012) Applied Mechanics and Materials, 184-185, pp. 868-871.	7	
	Zhang, G., Zheng, H., Guo, M., Du, L., Liu, G., Liu, J., A novel polymeric fluorescent brightener agent based on 4,4'-diamino-stilbene-2,2'-disulfonic acid-triazine structure: synthesis, characterization, photo-property, and performance on paper as light stabilizer, fluorescent brightener, and surface-sizing agent (2016) Journal of Wood Science, 62 (6), pp. 526-536.	8	
	Guo, M., Zhang, G., Du, L., Zheng, H., Liu, G., Li, Y., Multifunctional water-soluble polymeric fluorescent whitening agents based on 4,4'-Bis (1,3,5-Triazinyl)- Diamino Stilbene-2,2'-disulfonic acid structure (2017) BioResources, 12 (4), pp. 8901-8919.	9	
	Lee, H.-J., Yonekura, Y., Kim, N., Yoshida, J.-I., Kim, H., Regioselective Synthesis of α -Functional Stilbenes via Precise Control of Rapid cis- trans Isomerization in Flow (2021) Organic Letters, 23 (8), pp. 2904-2910.	10	
179	Filipova, Tz., Grabchev, I., Petkov, I. Synthesis and spectral properties of new N-substituted naphthalimide luminophores for structural coloration of polymethylmethacrylate and polystyrene (1997) Journal of Polymer Science, Part A: Polymer Chemistry, 35 (6), pp. 1069-1076. <a href="https://doi.org/10.1002/(SICI)1099-0518(19970430)35:6<1069::AID-POLA10>3.0.CO;2-4">https://doi.org/ 10.1002/(SICI)1099-0518(19970430)35:6<1069::AID-POLA10>3.0.CO;2-4	23	
	Hrdlovič, P., Chmela, S., Danko, M., Spectral characteristics and photochemical stability of fluorescence probes based on 1,8-naphthaleneimide in solution and in polymer matrix (1998) Journal of Photochemistry and Photobiology A: Chemistry, 112 (2-3), pp. 197-203.	1	
	S. Allen, Photochemistry 1999, 30, 31 (обзор).	2	
	Kovalevsky, A.Yu., Ponomarev, I.I., Antipin, M.Yu., Ermolenko, I.G., Shishkin, O.V., Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides (2000) Russian Chemical Bulletin, 49 (1), pp. 70-76.	3	
	Jardine, R.S., Bartlett, P., Synthesis of non-aqueous fluorescent hard-sphere polymer colloids (2002) Colloids and Surfaces A: Physicochemical and Engineering Aspects, 211 (2-3), pp. 127-132.	4	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (9), pp. 1723-1729.	5	
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	6	
	Anikin, V.F., Fed'ko, N.F., Synthesis of ion-active naphthalimide derivatives (2006) Russian Journal of Organic Chemistry, 42 (1), pp. 73-76.	7	
	Anikin, V.F., Fed'ko, N.F., Tetraalkylammonium salts of naphthimide and its halo and nitro derivatives (2006) Russian Journal of Applied Chemistry, 79 (3), pp. 411-415.	8	

	Hekmatshoar, R., Beheshtiha, S.Y.S., Nazari, A., Faridbod, F., Synthesis and absorption properties of some 4-mercapto-1,8-naphthalimides, 4-mercapto-7H-benzimidazo[2,1-a]benz[d,e]isoquinolin-7-one, and 4-mercapto-7H-benzimidazo [2,1-a]benz[d,e]isoquinoline-7-one (2006) Phosphorus, Sulfur and Silicon and the Related Elements, 181 (7), pp. 1521-1526.	9	
	Prezhdo, O.V., Uspenskii, B.V., Prezhdo, V.V., Boszczyk, W., Distanov, V.B., Synthesis and spectral-luminescent characteristics of N-substituted 1,8-naphthalimides (2007) Dyes and Pigments, 72 (1), pp. 42-46.	10	
	Jin, Z., Lu, J., Xu, Q., Wang, L., Xia, X., Synthesis and photophysical properties of fluorescent polystyrene containing 1,8-naphthalimide via atom transfer polymerization (2007) E-Polymers, pp. 1-8.	11	
	Qi, D., Yang, X., Huang, W., Preparation of monodisperse fluorescent core-shell polymer microspheres with functional groups in the shell layer by two-stage distillation-precipitation polymerization (2007) Polymer International, 56 (2), pp. 208-213.	12	
	Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) Journal of Inorganic and Organometallic Polymers and Materials, 17 (3), pp. 547-559.	13	
	Alfredo, N.V., Likhatchev, D., Ramirez, S.B., Vazquez, J.R., Valverde, G.C., Alexandrova, L., Highly effective low temperature route to pyrroloperimidines synthesis and their copolymerization with styrene and methyl methacrylate (2008) Polymer, 49 (17), pp. 3654-3662.	14	
	Maki, Y., Mori, H., Endo, T., Synthesis of well-defined alternating copolymers by RAFT copolymerization of N-vinylnaphthalimide (2008) Macromolecules, 41 (22), pp. 8397-8404	15	
	Zhengneng, J., Najun, L., Jianmei, L., Qingfeng, X., Xuwei, X., Jianfeng, G., Lihua, W. Synthesis, third-order nonlinear optical (NLO) properties of polystyrene containing 1,8-naphthalimide chromophores in the side chain (2010) E-Polymers, art. no. 060.	16	
	Kim, H.C., Noh, S.M., Park, S.-K., Synthesis and characterization of nanosilica ball-PMMA hybrid composites (2013) Journal of Applied Polymer Science, 127 (3), pp. 1653-1658.	17	
	Oguzhan, E., Bilgili, H., Baycan Koyuncu, F., Ozdemir, E., Koyuncu, S., A new processable donor-acceptor polymer displaying neutral state yellow electrochromism. (2013) Polymer (United Kingdom), 54 (23), pp. 6283-6292.	18	
	Lim, D.J., Oh, S.M., Kim, B.Y., Park, J.K., Kang, I.-K., Seo, K.-H., Oh, D.H. Synthesis of naphthalimidopropyl acrylate and GMA copolymers and their physical properties (2014) Polymer (Korea), 38 (4), pp. 535-543.	19	
	Jonas D. Kölsch, PhD thesis, Entwicklung neuer farbstoffmarkierter Polymere zur Visualisierung des LCST-Phasenübergangs in wässriger Lösung, Institut für Chemie Arbeitskreis Angewandte Polymerchemie, März, Germany, 2014.	20	
	Zhou, X., Su, F., Tian, Y., Meldrum, D.R., Dually fluorescent core-shell microgels for ratiometric imaging in live antigen-presenting cells (2014) PLoS ONE, 9 (2), art. no. e88185.	21	
	Noh, S.-M., Ahn, J.-B., Choi, K.-H., Park, S.-K., Preparation of core-shell hybrid compounds by atomic transfer radical polymerization and its application to plastic lens of headlamp (2015) Journal of Nanoscience and Nanotechnology, 15 (9), pp. 7164-7168.	22	
	Ko, K.-Y., Baek, S.-S., Hwang, S.-H., Synthesis of imide-based methacrylic monomers and their copolymerization with methyl methacrylate: monomer reactivity ratios and heat resistance properties (2018) Polymer International, 67 (7), pp. 957-963.	23	

180	Grabchev, I., Konstantinova, T. Synthesis of some polymerisable 1,8-naphthalimide derivatives for use as fluorescent brighteners (1997) Dyes and Pigments, 33 (3), pp. 197-203. https://doi.org/ 10.1016/S0143-7208(96)00053-8	59	
	Kovalevsky, A.Yu., Ponomarev, I.I., Antipin, M.Yu., Ermolenko, I.G., Shishkin, O.V. Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides (2000) Russian Chemical Bulletin, 49 (1), pp. 70-76.	1	
	Patrick, L.G.F., Whiting, A., Synthesis and application of some polycondensable fluorescent dyes (2002) Dyes and Pigments, 52 (2), pp. 137-143.	2	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (9), pp. 1723-1729.	3	
	Bojinov, V., Synergistic efficiency of combined HALS-UV absorber polymerizable stabilizers (2006) Journal of Applied Polymer Science, 102 (3), pp. 2408-2415.	4	
	Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) Dyes and Pigments, 74 (3), pp. 551-560.	5	
	Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) Dyes and Pigments, 78 (2), pp. 101-110.	6	
	Wu, W.-B., Wang, M.-L., Sun, Y.-M., Huang, W., Cui, Y.-P., Xu, C.-X., Color-tuned FRET polystyrene microspheres by single wavelength excitation (2008) Optical Materials, 30 (12), pp. 1803-1809.	7	
	Lu, H.-F., Yan, B., Molecular design and fluorescent whitening emission from novel lanthanide activated organic-inorganic covalently hybrid micro-particles (2008) Journal of Fluorescence, 18 (5), pp. 763-769.	8	
	Bardajee, G.R., Li, A.Y., Haley, J.C., Winnik, M.A., The synthesis and spectroscopic properties of novel, functional fluorescent naphthalimide dyes (2008) Dyes and Pigments, 79 (1), pp. 24-32.	9	
	Hamel, M., Simic, V., Normand, S., Fluorescent 1,8-naphthalimides-containing polymers as plastic scintillators. An attempt for neutron-gamma discrimination (2008) Reactive and Functional Polymers, 68 (12), pp. 1669-1679.	10	
	Felorzabihi, N., Froimowicz, P., Haley, J.C., Bardajee, G.R., Li, B., Bovero, E., Van Veggel, F.C.J.M., Winnik, M.A., Determination of the förster distance in polymer films by fluorescence decay for donor dyes with a nonexponential decay profile (2009) Journal of Physical Chemistry B, 113 (8), pp. 2262-2272.	11	
	Ho, Y.W., Yao, W.H., The synthesis and spectral characteristics of novel 6-(2-substituted-1,3,4-oxadiazol-5-yl)-2-phenylthieno[2,3-d]pyrimidine fluorescent compounds derived from 5-cyano-1,6-dihydro-4-methyl-2-phenyl-6-thioxopyrimidine (2009) Dyes and Pigments, 82 (1), pp. 6-12.	12	
	Sekar, N., Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	13	
	Zhao, C.-S., Liu, X.-L., Yang, M., Fang, J.-Y., Zhang, J.-J., Liu, F.-Q., The preparation of copolymerized fluorescent microspheres of styrene using detergent-free emulsion polymerization (2009) Dyes and Pigments, 82 (2), pp. 134-141.	14	

	Jiang, G., Liu, C., Liu, X., Zhang, G., Yang, M., Liu, F., Construction and properties of hydrophobic association hydrogels with high mechanical strength and reforming capability (2009) <i>Macromolecular Materials and Engineering</i> , 294 (12), pp. 815-820.	15	
	Georgiev, N.I., Bojinov, V.B., The design and synthesis of a novel 1,8-naphthalimide PAMAM light-harvesting dendron with fluorescence "off-on" switching core (2010) <i>Dyes and Pigments</i> , 84 (3), pp. 249-256.	16	
	Zhengneng, J., Najun, L., Jianmei, L., Qingfeng, X., Xuewei, X., Jianfeng, G., Lihua, W., Synthesis, third-order nonlinear optical (NLO) properties of polystyrene containing 1,8-naphthalimide chromophores in the side chain (2010) <i>E-Polymers</i> , art. no. 060.	17	
	Borowiak, T., Wolska, I., Brycki, B., Grzesiak, W., Polyamines. IV. Spectroscopic properties of N,N-bis-(1,8-naphthalenedicarboximidopropyl)-N-propylamine and supramolecular interactions in its crystals (2010) <i>Journal of Molecular Structure</i> , 979 (1-3), pp. 165-171.	18	
	Georgiev, N.I., Bojinov, V.B., Marinova, N., Novel PAMAM light-harvesting antennae based on 1,8-naphthalimide: Synthesis, energy transfer, photophysical and pH sensing properties (2010) <i>Sensors and Actuators, B: Chemical</i> , 150 (2), pp. 655-666.	19	
	Refat, M.S., Killa, H.M.A., Fetoh, H., Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	20	
	Lin, H.-H., Chan, Y.-C., Chen, J.-W., Chang, C.-C., Aggregation-induced emission enhancement characteristics of naphthalimide derivatives and their applications in cell imaging (2011) <i>Journal of Materials Chemistry</i> , 21 (9), pp. 3170-3177.	21	
	Refat, M.S., El-Metwaly, N.M., Spectroscopic and fluorescence studies on Mn(II), Co(II), Ni(II) and Cu(II) complexes with NO donor fluorescence dyes (2011) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 81 (1), pp. 215-227.	22	
	Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементоорганической химии, Им. А.Х. Несмеянова, РАН Москва, 2011.	23	
	Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J., Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) <i>Macromolecular Chemistry and Physics</i> , 213 (4), pp. 411-424.	24	
	Chen, J., Zhang, P., Fang, G., Yi, P., Zeng, F., Wu, S., Design and synthesis of FRET-mediated multicolor and photoswitchable fluorescent polymer nanoparticles with tunable emission properties (2012) <i>Journal of Physical Chemistry B</i> , 116 (14), pp. 4354-4362.	25	
	Sergeeva, A.N., Panchenko, P.A., Fedorov, Yu.V., Fedorova, O.A., Synthesis and sensor properties of crown-containing derivatives of 4-(1,5-diphenyl- Δ 2-pyrazolin-3-yl)-1,8-naphthalimide (2012) <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 48 (5), pp. 524-533.	26	
	Panchenko, P.A., Fedorov, Y.V., Fedorova, O.A., Jonusauskas, G., Comparative analysis of the PET and ICT sensor properties of 1,8-naphthalimides containing aza-15-crown-5 ether moiety (2013) <i>Dyes and Pigments</i> , 98 (3), pp. 347-357.	27	
	Bekere, L., Gachet, D., Lokshin, V., Marine, W., Khodorkovsky, V., Synthesis and spectroscopic properties of 4-amino-1,8-naphthalimide derivatives involving the carboxylic group: A new molecular probe for ZnO nanoparticles with unusual fluorescence features (2013) <i>Beilstein Journal of Organic Chemistry</i> , 9, pp. 1311-1318.	28	
	Selektor, S.L., Bogdanova, L.B., Shokurov, A.V., Panchenko, P.A., Fedorova, O.A., Arslanov, V.V., Intra- and interlayer energy transfer in planar systems based on amphiphilic naphthalimide derivatives (2014) <i>Macrocyclics</i> , 7 (3), pp. 311-320.	29	
	Panchenko, P.A., Fedorova, O.A., Fedorov, Yu.V., Fluorescent and colorimetric chemosensors for cations based on 1,8-naphthalimide derivatives: Design principles and optical signalling mechanisms (2014) <i>Russian Chemical Reviews</i> , 83 (2), pp. 155-182.	30	

	С. Л. Селектор, Л. Б. Богданова, А. В. Шокуров, П. А. Панченко, О. А. Федорова, В. В. Арсланов Внутри- и межслойный перенос энергии в планарных системах на основе дифильных производных нафталимида, Макрогетероциклы, 2014 7(3) 311-320.	31	
	Panchenko, P.A., Sergeeva, A.N., Fedorova, O.A., Fedorov, Y.V., Reshetnikov, R.I., Schelkunova, A.E., Grin, M.A., Mironov, A.F., Jonusauskas, G., Spectroscopical study of bacteriopurpurinimide-naphthalimide conjugates for fluorescent diagnostics and photodynamic therapy (2014) Journal of Photochemistry and Photobiology B: Biology, 133, pp. 140-144.	32	
	Nath, J.K., Baruah, J.B., Cyclic aromatic imides as a potential class of molecules for supramolecular interactions (2015) CrystEngComm, 17 (45), pp. 8575-8595.	33	
	Lin, Z., Zhang, J., Ma, H., Yao, Z., Preparation and properties of polymerizable 1,8-naphthalimide fluorescent dye grafted linear low-density polyethylene (2015) Journal of Applied Polymer Science, 132 (26), art. no. 42172.	34	
	Chen, J., Huang, F., Wang, H., Li, Y., Liu, S., Yi, P., One-pot preparation of multicolor polymeric nanoparticles with high brightness by single wavelength excitation (2015) Journal of Applied Polymer Science, 132 (8), art. no. 41492.	35	
	Wu, W., Huang, F., Pan, S., Mu, W., Meng, X., Yang, H., Xu, Z., Ragauskas, A.J., Deng, Y., Thermo-responsive and fluorescent cellulose nanocrystals grafted with polymer brushes (2015) Journal of Materials Chemistry A, 3 (5), pp. 1995-2005.	36	
	Arunchai, R., Sudyoadsuk, T., Prachumrak, N., Namuangruk, S., Promarak, V., Sukwattanasinitt, M., Rashatasakhon, P., Synthesis and characterization of new triphenylamino-1,8-naphthalimides for organic light-emitting diode applications (2015) New Journal of Chemistry, 39 (4), pp. 2807-2814.	37	
	Panchenko, P.A., Park, V.V., Fedorova, O.A., Fedorov, Y.V., Kataev, E.A., Cation-dependent spectral properties of fluorescent complexon based on 1,8-naphthalimide with PET mechanism of optical response (2015) Russian Chemical Bulletin, 64 (8), pp. 1871-1876.	38	
	Сергеева Антонина Николаевна, диссертация кхн, (2015), Синтез и исследование флуоресцентных гибридных систем на основе 1,8-нафталимида, Институт Элементоорганических Соединений им. А.Н.Несмеянова Российской Академии Наук, Москва, Русия.	39	
	Oshchepkova, M.V., Oshchepkov, A.S., Zaborina, O.E., Fedorova, O.A., Fedorov, Y.V., Lozinsky, V.I., Fluorescent cryogels based on copolymers of N,N-dimethylacrylamide and allyl derivatives of 1,8-naphthalimide (2015) Polymer Science - Series B, 57 (6), pp. 631-637.	40	
	Panchenko, P.A., Arkhipova, A.N., Zakharko, M.A., Jonusauskas, G., Fedorov, Y.V., Fedorova, O.A., Synthesis and spectral properties of fluorescent dyes based on 4-styryl-1,8-naphthalimide (2016) Russian Chemical Bulletin, 65 (10), pp. 2444-2451.	41	
	Gellerman, G., Recent developments in the synthesis and applications of anticancer amonafide derivatives. A mini review (2016) Letters in Drug Design and Discovery, 13 (1), pp. 47-63.	42	
	Wu, W., Li, J., Liu, W., Deng, Y., Temperature-sensitive, fluorescent poly(N-isopropylacrylamide)-grafted cellulose nanocrystals for drug release (2016) BioResources, 11 (3), pp. 7026-7035.	43	
	Manuel Hollauf, PhD thesis, Dye-Functionalized Polymers via Ring Opening Metathesis Polymerization for Photophysical Applications, Technischen Universität Graz, 2017.	44	
	Hollauf, M., Čajlaković, M., Tscherner, M., Köstler, S., Knall, A.-C., Trimmel, G., Synthesis and characterization of naphthalimide-functionalized polynorbornenes (2017) Monatshefte für Chemie, 148 (1), pp. 121-129.	45	

	Arkhipova, A.N., Panchenko, P.A., Fedorov, Y.V., Fedorova, O.A., Relationship between the photochromic and fluorescent properties of 4-styryl derivatives of N-butyl-1,8-naphthalimide (2017) <i>Mendeleev Communications</i> , 27 (1), pp. 53-55.	46	
	Wu, W., Song, R., Xu, Z., Jing, Y., Dai, H., Fang, G., Fluorescent cellulose nanocrystals with responsiveness to solvent polarity and ionic strength (2018) <i>Sensors and Actuators, B: Chemical</i> , 275, pp. 490-498.	47	
	Panchenko, P.A., Leichu, N.V., Fedorov, Y.V., Fedorova, O.A., Crown-containing 4-methoxy-1,8-naphthalimide derivatives as a basis for the construction of fluorescent pet chemosensors for metal cations (2019) <i>Macrocyclic Chemistry</i> , 12 (3), pp. 319-323.	48	
	Fed'ko, N. F., Anikin, V. F., Shevchenko, M. V., & Stankevych, V. V. (2019). Synthesis of n-carboxyethylnaphthalimides with fragments of primary and secondary amines in positions 4 and 5. <i>Вісник Одеського національного університету. Хімія</i> , 24(2 (70)), 39-46.	49	
	Oshchepkov, A., Oshchepkov, M., Pavlova, G., Ryabova, A., Kamagurov, S., Tkachenko, S., Frolova, S., Redchuk, A., Popov, K., Kataev, E.A., Naphthalimide-functionalized bisphosphonates for fluorescence detection of calcification in soft tissues (2020) <i>Sensors and Actuators, B: Chemical</i> , 314, art. no. 128047.	50	
	Nikitin, K.S., Polenov, Y.V., Kazak, A.V., Egorova, E.V., Usol'tseva, N.V., Interaction of N,N'-Di(4-chlorophenyl)diimide 1,1'-Binaphthyl-4,4',5,5',8,8'-hexacarboxylic Acid with Thiourea Dioxide in Solution and Thin Film (2020) <i>Crystallography Reports</i> , 65 (5), pp. 779-785.	51	
	Chu, Y., Song, R., Dai, H., Wu, W., Preparation of Cellulose Nanocrystal Fluorescent Probe for Fe ³⁺ Sensing (2020) <i>Zhongguo Zaozhi Xuebao/Transactions of China Pulp and Paper</i> , 35 (4), pp. 1-7.	52	
	Panchenko, P.A., Ignatov, P.A., Zakharko, M.A., Fedorov, Y.V., Fedorova, O.A., A fluorescent PET chemosensor for Zn ²⁺ cations based on 4-methoxy-1,8-naphthalimide derivative containing salicylideneamino receptor group (2020) <i>Mendeleev Communications</i> , 30 (1), pp. 55-58.	53	
	Федько, Н. Ф., Анікін, В. Ф., Ведута, В. В., Станкевич, В. В., & Балацька, А. В. (2021). Synthesis and properties of imidation products of monosubstituted and disubstituted naphthalic anhydrides with p-aminobenzoic acid. <i>Вісник Одеського національного університету. Хімія</i> , 26(4 (80)).	54	
	Panchenko, P. A., Fedorov, Y. V., Polyakova, A. S., & Fedorova, O. A. (2021). Fluorimetric detection of Ag ⁺ cations in aqueous solutions using a polyvinyl chloride sensor film doped with crown-containing 1, 8-naphthalimide. <i>Mendeleev Communications</i> , 31(4), 517-519.	55	
	Panchenko, P. A., Polyakova, A. S., Fedorov, Y. V., & Fedorova, O. A. (2021). Fluorescent chemosensor for mercury (II) cations in an aqueous solution based on 4-acetylamino-1, 8-naphthalimide derivative containing the N-phenylazadithia-15-crown-5-ether receptor. <i>Russian Chemical Bulletin</i> , 70(10), 1939-1945.	56	
	褚友露, 宋如愿, 戴红旗, & 吴伟兵. (2020). 纤维素纳米晶荧光探针的制备及其对 Fe ³⁺ 荧光传感检测. <i>中国造纸学报</i> , 35(4), 1-7.	57	
	Panchenko, P.A., Polyakova, A.S., Fedorov, Y.V., Fedorova, O.A. A Study on Cation-Dependent Resonance Energy Transfer in Crown-Containing Bischromophoric System Based on 4-Methoxy and 4-Styryl-1,8-naphthalimide. (2022) <i>Macrocyclic Chemistry</i> , 15(1), pp. 44-52.	58	

	Lubin A.A., Yakushin R.V., Oshchepkov M.S., Ulyanova Yu.V., Botev D.O., Chistolinov A.V., Podhaluzina N.Ya., Solovieva I.N., Boldyrev V.S. ACENAPHTHENE NITRO DERIVATIVES PLASMA-CHEMICAL SYNTHESIS IN THE HIGH-FREQUENCY CURRENTS FIELD AT REDUCED PRESSURE [ПЛАЗМОХИМИЧЕСКИЙ СИНТЕЗ НИТРОПРОИЗВОДНЫХ АЦЕНАФТЕНА В ПОЛЕ ТОКОВ ВЫСОКОЙ ЧАСТОТЫ ПРИ ПОНИЖЕННОМ ДАВЛЕНИИ]. (2023) Herald of the Bauman Moscow State Technical University, Series Natural Sciences, 109 (4), pp. 123 – 140.	59	
181	Grabtchev, I., Konstantinov, T., Guittonneau, S., Meallier, P. Photochemistry of some 1,8-naphthalic anhydride derivatives (1997) Dyes and Pigments, 35 (4), pp. 361-366. https://doi.org/ 10.1016/S0143-7208(96)00116-7	40	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (9), pp. 1723-1729.	1	
	Cavigiolio, G., Morgan, J.L., Robinson, B.H., Simpson, J., Fluorescent sugar and uridine conjugates of 1,8-naphthalimides with methyl and ferrocenyl headgroups (2004) Australian Journal of Chemistry, 57 (9), pp. 885-894.	2	
	KrishnaMurthy, N.V., Reddy, A.R., Spectrochemical properties of 2,3-dihydronaphtho[1,8-de][1,2]diazepine-1,4- dione and its derivatives (2006) Indian Journal of Chemistry - Section A Inorganic, Physical, Theoretical and Analytical Chemistry, 45 (12), pp. 2615-2623.	3	
	Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) Dyes and Pigments, 74 (3), pp. 551-560.	4	
	Bojinov, V.B., Simeonov, D.B., Georgiev, N.I., A novel blue fluorescent 4-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-1,8-naphthalimide pH chemosensor based on photoinduced electron transfer (2008) Dyes and Pigments, 76 (1), pp. 41-46.	5	
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) Journal of Photochemistry and Photobiology A: Chemistry, 193 (2-3), pp. 129-138.	6	
	Bojinov, V.B., Panova, I.P., Photo-stability of yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and HALS fragments and their acrylonitrile copolymers (2008) Polymer Degradation and Stability, 93 (6), pp. 1142-1150.	7	
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S., Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) Journal of Photochemistry and Photobiology A: Chemistry, 197 (2-3), pp. 281-289.	8	
	Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) Dyes and Pigments, 78 (2), pp. 101-110.	9	
	Wu, W.-B., Wang, M.-L., Sun, Y.-M., Huang, W., Cui, Y.-P., Xu, C.-X., Color-tuned FRET polystyrene microspheres by single wavelength excitation (2008) Optical Materials, 30 (12), pp. 1803-1809.	10	
	Bojinov, V.B., Panova, I.P., Novel 4-(2,2,6,6-tetramethylpiperidin-4-ylamino)-1,8-naphthalimide based yellow-green emitting fluorescence sensors for transition metal ions and protons (2009) Dyes and Pigments, 80 (1), pp. 61-66.	11	
	Triboni, E.R., Artur, J.C., Filho, P.B., Cuccovia, L.M., Politi, M.J., Aromatic nitro substitution reaction between 4-nitro-N-n-butyl-1,8- naphthalimide and n-heptanethiol in water-methanol binary mixtures (2009) Journal of Physical Organic Chemistry, 22 (7), pp. 703-708.	12	
	PhD thesis, Alaa El-Betany The synthesis and study of fluorescent dendritic molecules, Cardiff University, USA, 2010, UMI Number: U564496.	13	

	Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	14	
	Refat, M.S., Killa, H.M.A., Fetooh, H., Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine-N-allyl-1,8-naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	15	
	Oelgemöller, M., Kramer, W.H., Synthetic photochemistry of naphthalimides and related compounds (2010) <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 11 (4), pp. 210-244.	16	
	Chen, J., Zhang, P., Fang, G., Yi, P., Yu, X., Li, X., Zeng, F., Wu, S., Synthesis and characterization of novel reversible photoswitchable fluorescent polymeric nanoparticles via one-step miniemulsion polymerization (2011) <i>Journal of Physical Chemistry B</i> , 115 (13), pp. 3354-3362.	17	
	Angelova, P., Kuchukova, N., Dobrikov, G.M., Timtcheva, I., Kostova, K., Petkova, I., Vauthey, E., Fluorescent monolayer protected gold nanoparticles - Preparation and structure elucidation (2011) <i>Journal of Molecular Structure</i> , 993 (1-3), pp. 185-192.	18	
	Dobrikov, G.H., Dobrikov, G.M., Aleksandrova, M., Synthesis and electronic spectra of new low-molecular weight compounds with possible application in electroluminescent layers (2011) <i>Central European Journal of Chemistry</i> , 9 (6), pp. 1126-1132.	19	
	Chnirheb, A., Harir, M., Kanawati, B., Azzouzi, M.E., Gebefügi, I., Schmitt-Kopplin, P., Efficiency and degradation products elucidation of the photodegradation of mefenpyr-diethyl in water interface using TiO ₂ P-25 and Hombikat UV100 (2012) <i>Journal of Environmental Sciences (China)</i> , 24 (9), pp. 1686-1693.	20	
	Zhou, J., Fang, C., Chang, T., Liu, X., Shangguan, D., A pH sensitive ratiometric fluorophore and its application for monitoring the intracellular and extracellular pHs simultaneously (2013) <i>Journal of Materials Chemistry B</i> , 1 (5), pp. 661-667.	21	
	Soni, M., Das, S.K., Sahu, P.K., Kar, U.P., Rahaman, A., Sarkar, M., Synthesis, photophysics, live cell imaging, and aggregation behavior of some structurally similar alkyl chain containing bromonaphthalimide systems: Influence of alkyl chain length on the aggregation behavior (2013) <i>Journal of Physical Chemistry C</i> , 117 (27), pp. 14338-14347.	22	
	Hu, X., Zhang, X., Liu, J., Dai, J., A polymeric dye of aqueous disperse violet 17-based polyurethane dispersion (2013) <i>Asian Journal of Chemistry</i> , 25 (10), pp. 5503-5505.	23	
	Nagel, J., Pahner, F.-A., Zimmerer, C., Härtig, T., Gehde, M., Heinrich, G., Electrostatic discharging behaviour of polycarbonate parts made by process-integrated surface modification (2014) <i>Macromolecular Materials and Engineering</i> , 299 (11), pp. 1395-1402.	24	
	Hu, X., Liu, J., Li, Y., Cao, F., Preparation and fluorescence behaviour of violet waterborne polyurethane using disperse violet 28 as extender (2014) <i>Asian Journal of Chemistry</i> , 26 (5), pp. 1464-1466.	25	
	Wu, W., Huang, F., Pan, S., Mu, W., Meng, X., Yang, H., Xu, Z., Ragauskas, A.J., Deng, Y., Thermo-responsive and fluorescent cellulose nanocrystals grafted with polymer brushes (2015) <i>Journal of Materials Chemistry A</i> , 3 (5), pp. 1995-2005.	26	
	Huang, S., Han, R., Zhuang, Q., Du, L., Jia, H., Liu, Y., Liu, Y., New photostable naphthalimide-based fluorescent probe for mitochondrial imaging and tracking (2015) <i>Biosensors and Bioelectronics</i> , 71, pp. 313-321.	27	
	Sivkova, R., Trhlíková, O., Zedník, J., Sedláček, J., Copolymerization of N-(prop-1-yn-3-yl)-4-(piperidine-1-yl)-1,8-naphthalimide with Arylacetylenes into Fluorescent Polyacetylene-Type Conjugated Polymers (2015) <i>Macromolecular Chemistry and Physics</i> , 216 (21), pp. 2115-2128.	28	

	Zhao, Y., Zhang, G., Liu, Z., Guo, C., Peng, C., Pei, M., Li, P. Benzimidazo[2,1-a]benz[de]isoquinoline-7-one-12-carboxylic acid based fluorescent sensors for pH and Fe ³⁺ (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 314, art. no. 9978, pp. 52-59.	29	
	Wu, W., Li, J., Liu, W., Deng, Y., Temperature-sensitive, fluorescent poly(N-isopropyl-acrylamide)-grafted cellulose nanocrystals for drug release (2016) <i>BioResources</i> , 11 (3), pp. 7026-7035.	30	
	Pan, F., Huang, M., Song, J., Wu, M., Xu, M., Highly photoluminescent polysilsesquioxane hybrids based on weakly fluorescent 1,8-naphthalic anhydride derivatives (2016) <i>Chemical Physics Letters</i> , 657, pp. 107-112.	31	
	Ha, S.-W., Lee, J.-K., Beck, G.R., Jr., Synthesis of pH stable, blue light-emitting diode-excited, fluorescent silica nanoparticles and effects on cell behavior (2017) <i>International Journal of Nanomedicine</i> , 12, pp. 8699-8710.	32	
	Saito, G., Velluto, D., Resmini, M., Synthesis of 1,8-naphthalimide-based probes with fluorescent switch triggered by flufenamic acid (2018) <i>Royal Society Open Science</i> , 5 (6), art. no. 172137.	33	
	Wu, W., Song, R., Xu, Z., Jing, Y., Dai, H., Fang, G., Fluorescent cellulose nanocrystals with responsiveness to solvent polarity and ionic strength (2018) <i>Sensors and Actuators, B: Chemical</i> , 275, pp. 490-498.	34	
	Song, R., Zhang, Q., Chu, Y., Zhang, L., Dai, H., Wu, W., Fluorescent cellulose nanocrystals for the detection of lead ions in complete aqueous solution (2019) <i>Cellulose</i> , 26 (18), pp. 9553-9565.	35	
	Kim, M.S., Tsukahara, T., Studies on Coordination and Fluorescence Behaviors of a Novel Uranyl Ion-Selective Chemosensor Bearing Diaza 18-Crown-6 Ether and Naphthalimide Moieties (2020) <i>ACS Earth and Space Chemistry</i> , 4 (12), pp. 2270-2280.	36	
	Chu, Y., Song, R., Dai, H., Wu, W., Preparation of Cellulose Nanocrystal Fluorescent Probe for Fe ³⁺ Sensing (2020) <i>Zhongguo Zaozhi Xuebao/Transactions of China Pulp and Paper</i> , 35 (4), pp. 1-7.	37	
	Chu, Y., Song, R., Zhang, L., Dai, H., Wu, W., Water-dispersible, biocompatible and fluorescent poly(ethylene glycol)-grafted cellulose nanocrystals (2020) <i>International Journal of Biological Macromolecules</i> , 153, pp. 46-54.	38	
	Sharma P., Kumar S., Walia A., Marok S.S., Vanita V., Singh P. A naphthalimide-tyrosine-based dicationic amphiphile for intracellular ‘turn-on’ simultaneous detection of ATP and CTP. (2022) <i>Analytical Methods</i> , 15 (2), pp. 203 – 211.	39	
	Dong, T., Dong, G., Li, Y., Zhang, Z. Photocatalytic O ₂ activation carried out by organic aerosol: A case study of 1, 8-naphthalic anhydride. (2024) <i>Applied Catalysis B: Environmental</i> , 349, 123889.	40	
182	Konstantinova, T., Grabchev, I. On the copolymerization of styrene with some dyes that are naphthalimide derivatives(1996) <i>Journal of Applied Polymer Science</i>, 62 (3), pp. 447-449. <a href="https://doi.org/10.1002/(sici)1097-4628(19961017)62:3<447::aid-app1>3.0.co;2-q">https://doi.org/ 10.1002/(sici)1097-4628(19961017)62:3<447::aid-app1>3.0.co;2-q	10	
	Patrick, L.G.F., Whiting, A., Synthesis of some polymerisable fluorescent dyes (2002) <i>Dyes and Pigments</i> , 55 (2-3), pp. 123-132.	1	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 179 (9), pp. 1723-1729.	2	
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 56 (3), pp. 375-381.	3	

	Hekmatshoar, R., Beheshtiha, S.Y.S., Nazari, A., Faridbod, F., Synthesis and absorption properties of some 4-mercapto-1,8-naphthalimides, 4-mercapto-7H-benzimidazo[2,1-a]benz[d,e] isoquinolin-7-one, and 4-mercapto-7H-benzimidazo [2,1-a]benz[d,e]isoquinoline-7-one (2006) Phosphorus, Sulfur and Silicon and the Related Elements, 181 (7), pp. 1521-1526.	4	
	Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) Dyes and Pigments, 74 (3), pp. 551-560.	5	
	Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) Dyes and Pigments, 78 (2), pp. 101-110.	6	
	Ishchenko, A.A., Grabchuk, G.P., Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) Theoretical and Experimental Chemistry, 45 (3), pp. 143-167.	7	
	Sekar, N., Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	8	
	Hu, X.H., Zhang, X.Y., Dai, J.B., Synthesis and characterization of a novel waterborne stilbene-based polyurethane fluorescent brightener (2011) Chinese Chemical Letters, 22 (8), pp. 997-1000.	9	
	Joshi, M., Jauhari, S., Polymerizable dyes containing heterocyclic derivatives of polyureas and polyurethanes (2015) Advances in Materials Science Research, 18, pp. 177-211.	10	
183	Konstantinova, T.N., Grabchev, I.K. On the copolymerization of styrene and acrylonitrile with 1,8-naphthalimide derivatives (optical brightening agents), Polymer International, 1997, 43 (1), pp. 39-44. <a href="https://doi.org/10.1002/(sici)1097-0126(199705)43:1<39::aid-pi758>3.0.co;2-l">https://doi.org/ 10.1002/(sici)1097-0126(199705)43:1<39::aid-pi758>3.0.co;2-l	25	
	Cosnard, F., Wintgens, V., A new fluoroionophore derived from 4-amino-N-methyl-1,8-naphthalimide (1998) Tetrahedron Letters, 39 (18), pp. 2751-2754.	1	
	Senthilkumar, U., Balaji, R., Prasath, R.A., Nanjundan, S., Synthesis and characterization of homo- and copolymer of 2-(N-Phthalimido)ethyl methacrylate and styrene (2001) Journal of Macromolecular Science - Pure and Applied Chemistry, 38 A (1), pp. 67-78.	2	
	Senthilkumar, U., Balaji, R., Nanjundan, S., Copolymerization of 2-(n-phthalimido)ethyl methacrylate with glycidyl methacrylate: Synthesis, characterization, and monomer reactivity ratios (2001) Journal of Applied Polymer Science, 81 (1), pp. 96-103.	3	
	DiCesare, N., Adhikari, D.P., Heynekamp, J.J., Heagy, M.D., Lakowicz, J.R., Spectroscopic and Photophysical Characterization of Fluorescent Chemosensors for Monosaccharides Based on N-Phenylboronic Acid Derivatives of 1,8-Naphthalimide (2002) Journal of Fluorescence, 12 (2), pp. 147-154.	4	
	Triboni, E.R., Berlinck, R.G.S., Politi, M.J., Berci, P.F., Synthesis of 4-alkoxy-N-substituted-1,8-naphthalimides (2004) Journal of Chemical Research, (7), pp. 508-509.	5	
	Bojinov, V.B., Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials (2004) Journal of Photochemistry and Photobiology A: Chemistry, 162 (1), pp. 207-212.	6	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (9), pp. 1723-1729.	7	

	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) Huagong Xuebao/Journal of Chemical Industry and Engineering (China), 56 (3), pp. 375-381.	8	
	Martín, E., Coronado, J.L.Gu., Camacho, J.J., Pardo, A., Experimental and theoretical study of the intramolecular charge transfer on the derivatives 4-methoxy and 4-acetamide 1,8-naphthalimide N-substituted (2005) Journal of Photochemistry and Photobiology A: Chemistry, 175 (1), pp. 1-7.	9	
	Hekmatshoar, R., Beheshtiha, S.Y.S., Nazari, A., Faridbod, F., Synthesis and absorption properties of some 4-mercapto-1,8-naphthalimides, 4-mercapto-7H-benzimidazo[2,1-a]benz[d,e] isoquinolin-7-one, and 4-mercapto-7H-benzimidazo [2,1-a]benz[d,e]isoquinoline-7-one (2006) Phosphorus, Sulfur and Silicon and the Related Elements, 181 (7), pp. 1521-1526.	10	
	Bojinov, V.B., Panova, I.P., Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) Dyes and Pigments, 74 (3), pp. 551-560.	11	
	Ribeiro da Silva, M.A.V., Santos, C.P.F., Monte, M.J.S., Sousa, C.A.D., Thermochemical study of some chloro and bromo alkyl substituted phthalimides: Structural-energetic correlations (2007) Journal of Chemical Thermodynamics, 39 (10), pp. 1363-1371.	12	
	Coronado, J.L.Gu., Martín, E., Montero, L.A., Fierro, J.L.G., De La Vega, J.M.G., Effects of the 3- and 4-methoxy and acetamide substituents and solvent environment on the electronic properties of N-substituted 1,8-naphthalimide derivatives (2007) Journal of Physical Chemistry A, 111 (39), pp. 9724-9732.	13	
	Bojinov, V.B., Panova, I.P., Simeonov, D.B., Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) Dyes and Pigments, 78 (2), pp. 101-110.	14	
	Hu, Y., Wang, B., Su, Z., Synthesis and photophysical properties of a novel green fluorescent polymer for Fe ³⁺ sensing (2008) Polymer International, 57 (12), pp. 1343-1350.	15	
	Ishchenko, A.A., Grabchuk, G.P., Physical and chemical problems of the creation of photostable converters of light energy on the basis of dyed polymers (2009) Theoretical and Experimental Chemistry, 45 (3), pp. 143-167.	16	
	Sekar, N., Naphthalimide colorants: Some developments (2009) Colourage, 56 (8), pp. 54-56.	17	
	Hu, X.H., Zhang, X.Y., Dai, J.B., Synthesis and characterization of a novel waterborne stilbene-based polyurethane fluorescent brightener (2011) Chinese Chemical Letters, 22 (8), pp. 997-1000.	18	
	Hu, X.-H., Zhang, X.-Y., Dai, J.-B., Liu, J., Synthesis and fluorescent investigations of VBL-based waterborne polyurethane dye (2011) Journal of Luminescence, 131 (10), pp. 2160-2165.	19	
	Alaei, P., Rouhani, S., Gharanjig, K., Ghasemi, J., A new polymerizable fluorescent PET chemosensor of fluoride (F ⁻) based on naphthalimide-thiourea dye (2012) Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 90, pp. 85-92.	20	
	Gargallo, L., Leiva, A., González, A., Alegría, L., Sandoval, C., Radic, D., Polymers containing phtalimidoalkyl groups in the side chains. Effect of the alkyl groups in monolayers at the air-water interface (2012) E-Polymers, art. no. 064.	21	
	Zhou, J., Zhang, X., Dai, J., Li, J., Synthesis and fluorescent performance of fluorescein-functionalized waterborne polyurethane (2012) Journal of Macromolecular Science, Part A: Pure and Applied Chemistry, 49 (10), pp. 890-896.	22	

	Miladinova, P., On the photostability of some blue-emitting derivatives of 2-aminoterephthalic acid and their copolymers with methyl methacrylate (2013) <i>Polymer Degradation and Stability</i> , 98 (11), pp. 2347-2350.	23	
	Shekh, M.I., Patel, D.M., Patel, K.P., Patel, R.M., Electrospun nanofibers of poly(NPEMA-co.-CMPMA): Used as Heavy metal ion remover and water sanitizer (2016) <i>Fibers and Polymers</i> , 17 (3), pp. 358-370.	24	
	Evecen, M., Duru, G., Tanak, H., Ağar, A.A., Synthesis, crystal structure, spectral analysis and DFT computational studies on a novel isoindoline derivative (2016) <i>Journal of Molecular Structure</i> , 1118, pp. 1-9.	25	
184	Grabtchev, I., Philipova, T., Méallier, P., Guittonneau, S. Influence of substituents on the spectroscopic and photochemical properties of naphthalimide derivatives (1996) <i>Dyes and Pigments</i>, 31 (1), pp. 31-34. https://doi.org/10.1016/0143-7208(95)00092-5	33	
	Cosnard, F., Wintgens, V., A new fluoroionophore derived from 4-amino-N-methyl-1,8-naphthalimide (1998) <i>Tetrahedron Letters</i> , 39 (18), pp. 2751-2754.	1	
	Chang, S.-C., Utecht, R.E., Lewis, D.E., Synthesis and bromination of 4-alkylamino-N-alkyl-1,8-naphthalimides (1999) <i>Dyes and Pigments</i> , 43 (2), pp. 83-94.	2	
	Kawai, K., Kawabata, K., Tojo, S., Majima, T., Synthesis of ODNs containing 4-methylamino-1,8-naphthalimide as a fluorescence probe in DNA (2002) <i>Bioorganic and Medicinal Chemistry Letters</i> , 12 (17), pp. 2363-2366.	3	
	McAdam, C.J., Morgan, J.L., Robinson, B.H., Simpson, J., Rieger, P.H., Rieger, A.L. Tunable Donor-Acceptor Interactions in 4-Ene/Yne-Ferrocenyl and 4-Enamine Naphthalimides with Ferrocenyl Headgroups (2003) <i>Organometallics</i> , 22 (24), pp. 5126-5136.	4	
	Jia, L., Zhang, Y., Guo, X., Qian, X., A novel chromatism switcher with double receptors selectively for Ag ⁺ in neutral aqueous solution: 4,5-diaminoalkeneamino-N-alkyl-1,8-naphthalimides (2004) <i>Tetrahedron Letters</i> , 45 (20), pp. 3969-3973.	5	
	McAdam, C.J., Morgan, J.L., Murray, R.E., Robinson, B.H., Simpson, J., Synthesis and fluorescence properties of new enaminenaphthalimides (2004) <i>Australian Journal of Chemistry</i> , 57 (6), pp. 525-530.	6	
	Bardajee, G.R., Winnik, M.A., Lough, A.J., 4-[N-(2-Hydroxyethyl)-N-methylamino]-N-isopropyl-1,8-naphthalimide (2006) <i>Acta Crystallographica Section E: Structure Reports Online</i> , 62 (4).	7	
	Siegers, C., Hohl-Ebinger, J., Zimmermann, B., Würfel, U., Mülhaupt, R., Hinsch, A., Haag, R., A dyadic sensitizer for dye solar cells with high energy-transfer efficiency in the device (2007) <i>ChemPhysChem</i> , 8 (10), pp. 1548-1556.	8	
	Bardajee, G.R., Vancaeyzeele, C., Haley, J.C., Li, A.Y., Winnik, M.A., Synthesis, characterization, and energy transfer studies of dye-labeled poly(butyl methacrylate) latex particles prepared by miniemulsion polymerization (2007) <i>Polymer</i> , 48 (20), pp. 5839-5849.	9	
	Munro, N.H., Hanton, L.R., Robinson, B.H., Simpson, J., Synthesis and characterisation of fluorescent chitosan derivatives containing substituted naphthalimides (2008) <i>Reactive and Functional Polymers</i> , 68 (3), pp. 671-678.	10	
	Bardajee, G.R., Li, A.Y., Haley, J.C., Winnik, M.A., The synthesis and spectroscopic properties of novel, functional fluorescent naphthalimide dyes (2008) <i>Dyes and Pigments</i> , 79 (1), pp. 24-32.	11	
	Loving, G., Imperiali, B., A versatile amino acid analogue of the solvatochromic fluorophore 4-N,N-dimethylamino-1,8-naphthalimide: A powerful tool for the study of dynamic protein interactions (2008) <i>Journal of the American Chemical Society</i> , 130 (41), pp. 13630-13638.	12	

	Jiang, W., Tang, J., Qi, Q., Wu, W., Sun, Y., Fu, D., The synthesis, crystal structure and photophysical properties of three novel naphthalimide dyes (2009) <i>Dyes and Pigments</i> , 80 (1), pp. 11-16.	13	
	Liu, Q.-H., Fu, Q., Yang, J., Ma, J.-C., Li, W.-L., Wang, X., Synthesis, characterization and photophysical properties of novel tetrasubstituted phthalocyaninato zinc derivatives (2010) <i>Journal of Molecular Structure</i> , 963 (1), pp. 41-44.	14	
	Kirilova, E.M., Kalnina, I., 3-Isopropoxy-6-morpholino-2-phenylphenalen-1-one as Lipophilic fluorescent probe for lymphocyte investigations (2010) <i>Applied Biochemistry and Biotechnology</i> , 160 (6), pp. 1744-1751.	15	
	Oelgemöller, M., Kramer, W.H., Synthetic photochemistry of naphthalimides and related compounds (2010) <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 11 (4), pp. 210-244.	16	
	Павел Панченко, диссертация кхн, Синтез и катионоуправляемые фотофизические свойства краунсодержащих производных 4-амино- и 4-(ацил)амино-1,8-нафталимида Институт Элементарной органической химии, Им. А.Х. Несмеянова, РАН Москва, 2011.	17	
	Lin, H.-H., Chan, Y.-C., Chen, J.-W., Chang, C.-C., Aggregation-induced emission enhancement characteristics of naphthalimide derivatives and their applications in cell imaging (2011) <i>Journal of Materials Chemistry</i> , 21 (9), pp. 3170-3177.	18	
	Hou, C., Urbanec, A.M., Cao, H., A rapid Hg 2+ sensor based on aza-15-crown-5 ether functionalized 1,8-naphthalimide (2011) <i>Tetrahedron Letters</i> , 52 (38), pp. 4903-4905.	19	
	Song, J.-H., Wu, M., Yu, Y.-H., Chen, Q., Xu, M., Synthesis and fluorescence properties of polymerizable 1, 8-naphthalimide derivatives doped polysiloxane materials (2012) <i>Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities</i> , 33 (6), pp. 1339-1343.	20	
	Stoyanov, S., Petrov, P., Stoyanova, M., Dangelov, M., Shivachev, B., Nikolova, R., Petkov, I., 4-Amino-3-nitro naphthalimides-structures and spectral properties (2012) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 250, pp. 92-98.	21	
	Moon, J.O., Choi, M.G., Sun, T., Choe, J.-I., Chang, S.-K., Synthesis of thionaphthalimides and their dual Hg 2+-selective signaling by desulfurization of thioimides (2013) <i>Dyes and Pigments</i> , 96 (1), pp. 170-175.	22	
	Zhou, J., Fang, C., Chang, T., Liu, X., Shangguan, D., A pH sensitive ratiometric fluorophore and its application for monitoring the intracellular and extracellular pHs simultaneously (2013) <i>Journal of Materials Chemistry B</i> , 1 (5), pp. 661-667.	23	
	Bardajee, G.R., A facile route to functionalized naphthalimide dyes via copper-catalyzed C-N, C-O, and C-S cross-coupling reactions in aqueous medium (2013) <i>Tetrahedron Letters</i> , 54 (36), pp. 4937-4941.	24	
	Селектор София Львовна, Структурные превращения, фотофизические и редокс процессы в организованных ультратонких пленках сопряженных органических соединений, Институт физической химии и электрохимии им. А.Н. Фрумкина РАН диссертация на соискание ученой степени доктора химических наук, Москва-2014.	25	
	Vasilev, A.A., Balushev, S., Cheshmedzhieva, D., Ilieva, S., Castaño, O.D., Vaquero, J.J., Angelova, S.E., Landfester, K., Assembly of New Merocyanine Chromophores with a 1,8-Naphthalimide Core by a New Method for the Synthesis of the Methine Function (2015) <i>Australian Journal of Chemistry</i> , 68 (9), pp. 1399-1408.	26	
	Lee, S.K., Choi, M.G., Choi, J., Chang, S.-K., Fluorescence signaling of Zn2+ levels in synthetic urine by dipicolylamine-armed hydroxynaphthalimide (2015) <i>Sensors and Actuators, B: Chemical</i> , 207 (Part A), pp. 303-307.	27	
	Maity, J., Honcharenko, D., Strömberg, R., Synthesis of fluorescent D-amino acids with 4-acetamidobiphenyl and 4-N,N-dimethylamino-1,8-naphthalimido containing side chains (2015) <i>Tetrahedron Letters</i> , 56 (33), pp. 4780-4783.	28	

	Hsu, S.-M., Chakravarthy, R.D., Cheng, H., Wu, F.-Y., Lai, T.-S., Lin, H.-C., The role of aromatic side chains on the supramolecular hydrogelation of naphthalimide/dipeptide conjugates (2018) <i>New Journal of Chemistry</i> , 42 (6), pp. 4443-4449.	29	
	Zhu, G., Zhang, Y., Hu, Y., Zhao, X., Yuan, Z., Chen, Y., Conjugated polymers based on 1,8-naphthalene monoimide with high electron mobility (2018) <i>Journal of Polymer Science, Part A: Polymer Chemistry</i> , 56 (3), pp. 276-281.	30	
	Leslie, K.G., Jacquemin, D., New, E.J., Jolliffe, K.A., Expanding the Breadth of 4-Amino-1,8-naphthalimide Photophysical Properties through Substitution of the Naphthalimide Core (2018) <i>Chemistry - A European Journal</i> , 24 (21), pp. 5569-5573.	31	
	Johnson, A.D., Zammit, R., Vella, J., Valentino, M., Buhagiar, J.A., Magri, D.C., Aminonaphthalimide hybrids of mitoxantrone and amonafide as anticancer and fluorescent cellular imaging agents (2019) <i>Bioorganic Chemistry</i> , 93, art. no. 103287.	32	
	Lin, G., Guo, J., He, T., Ren, A., Influences of Electron Donating Groups on the Photophysical Properties of NNI-R Series Molecules (2020) <i>Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities</i> , 41 (6), pp. 1277-1286.	33	
185	Grabchev, I., The synthesis and properties of some triazine-stilbene fluorescent brighteners (1995) <i>Dyes and Pigments</i>, 29 (2), pp. 155-160. https://doi.org/10.1016/0143-7208(95)00040-M	23	
	Patel, P.S., Patel, S.K., Patel, K.C., Studies on Synthesis and Dyeing Performance of Some Fluorescent Brightening Agents Based on Stilbene Derivatives (1999) <i>Asian Journal of Chemistry</i> , 11 (3), pp. 800-804.	1	
	Lee, J.-K., Um, S.-I., Kang, Y., Baek, D.-J., The synthesis and properties of asymmetrically substituted 4,4'-bis(1,3,5-triazin-6-yl)diaminostilbene-2,2'-disulfonic acid derivatives as fluorescent brighteners (2005) <i>Dyes and Pigments</i> , 64 (1), pp. 25-30.	2	
	Um, S.I., Lee, J.-K., Kang, Y., Baek, D.-J., The synthesis and properties of triazine-stilbene fluorescent brighteners containing the phenolic antioxidant (2005) <i>Dyes and Pigments</i> , 64 (2), pp. 93-99.	3	
	Um, S.-I., Lee, J.-K., Kang, Y., Baek, D.-J., The synthesis and properties of triazine-stilbene fluorescent brighteners containing the phenolic antioxidant [II] (2006) <i>Dyes and Pigments</i> , 70 (2), pp. 84-90.	4	
	Cao, C., Han, H., Wang, D., Zhang, C., Zhu, Y., Synthesis and properties of quaternary ammonium salt fluorescent brighteners (2006) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 57 (12), pp. 3010-3015.	5	
	Shamsipur, M., Yeganeh-Faal, A., Chaichi, M.J., Tajbakhsh, M., Parach, A., A study of chemiluminescence from reaction of bis(2,4,6-trichlorophenyl)oxalate, hydrogen peroxide and an optical brightener 5-(3-anilino-5-chloroanilino)-2-[(E)-2-[4-(3-anilino-5-chloroanilino)-2-sulfophenyl]-1-ethenyl]-1-benzenesulfonic acid (2007) <i>Dyes and Pigments</i> , 72 (1), pp. 113-118.	6	
	Um, S.-I., The synthesis and properties of benzoxazole fluorescent brighteners for application to polyester fibers (2007) <i>Dyes and Pigments</i> , 75 (1), pp. 185-188.	7	
	Dufresne, S., Gaultois, M., Skene, W.G., Environmentally friendly preparation of a conjugated polyazostilbene: A photophysical and electrochemical investigation (2008) <i>Optical Materials</i> , 30 (6), pp. 961-967.	8	
	Xu Changhai. PhD thesis, The Chemistry and Perception of Fluorescent White Materials, North Carolina State University, USA, 2009.	9	
	Shamsipur, M., Zargoosh, K., Javad Chaichi, M., Tajbakhsh, M., Parach, A., Peroxyoxalate-chemiluminescence of Tinopal CBS as a commercially important optical brightener: Mechanistic study and quantification (2010) <i>Journal of Luminescence</i> , 130 (5), pp. 748-755.	10	
	Liu, J., Zhang, G.-H., Synthesis and properties of polymeric fluorescent brighteners modified by N-triazene-maleimide (2010) <i>Gaofenzi Cailiao Kexue Yu Gongcheng/Polymeric Materials Science and Engineering</i> , 26 (9), pp. 12-15.	11	
	Liu, J., Zhang, G.-H. The synthesis and study on optical characteristics of the asymmetrical polymerizable fluorescent brighteners (2011) <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 60 (2), pp. 199-211.	12	

	Liu, J., Zhang, G.-H., Synthesis and optical properties of fluorescent brighteners modified by chitosan (2011) Gongneng Cailiao/Journal of Functional Materials, 42 (4).	13	
	Chen, J., Wan, M., Cao, C., Sun, D., Sun, S., Synthesis and properties of new anionic fluorescent brighteners (2011) Advanced Materials Research, 332-334, pp. 188-191.	14	
	Wang, M.-Y., Wan, M.-S., Chen, J.-Z., Cao, C.-B., Synthesis and properties of DSD acid-triazine structure containing acylamino fluorescent brighteners (2012) Xiandai Huagong/Modern Chemical Industry, 32 (10), pp. 46-49.	15	
	Wang, M., Wan, M., Cao, C., Synthesis and properties of the composite DSD acid-triazine structure containing long-chain quaternary ammonium fluorescent brighteners (2013) Applied Mechanics and Materials, 261-262, pp. 83-86.	16	
	Jung, J., Kang, Y., The synthesis and properties of asymmetrically substituted 4,4'-bis(1,3,5-triazine-6-yl)diaminostilbene-2,2'-disulfonic acid derivatives as fluorescent brighteners [II](2013) Bulletin of the Korean Chemical Society, 34 (7), pp. 2131-2137.	17	
	Wan, M., Zhou, S., Jiao, P., Cao, C., Guo, J., Synthesis, physical properties and cytotoxicity of stilbene-triazine derivatives containing amino acid groups as fluorescent whitening agents(2013) Journal of Fluorescence, 23 (5), pp. 1099-1105.	18	
	Saeed, A., Shabir, G., Batool, I., Novel stilbene-triazine symmetrical optical brighteners: Synthesis and applications (2014) Journal of Fluorescence, 24 (4), pp. 1119-1127.	19	
	Nordin, N., Ariffin, A., Daud, M.N., Sim, Y.-L., Unexpected cleavage of C-S bond in the hydrazination of 2-((3,5-di-tert-butyl-4-hydroxybenzyl)thio) nicotinate: Synthesis and mechanistic studies by kinetic and computational approaches (2016) Tetrahedron, 72 (7), pp. 883-890.	20	
	El-Sedik, M., Aysha, T., Youssef, Y., Synthesis, photophysical properties, and application of optical brighteners based on stilbene-oxadiazole derivatives (2017) Coloration Technology, 133 (2), pp. 122-127.	21	
	Schramm, S., Weiß, D., Fluorescent heterocycles: Recent trends and new developments 2019) Advances in Heterocyclic Chemistry, 128, pp. 103-179.	22	
	Batool, I., Jabeen, F., Vellore, N.A., Shabir, G., Saeed, A., Identification of novel thiourea-stilbene-triazine conjugates as persuasive lymphoid tyrosine phosphatase inhibitors (2020) Journal of Heterocyclic Chemistry, 57 (9), pp. 3400-3411.	23	
186	Grabtchev, I., Philipova, Tz. Synthesis of 1,8-naphthalic anhydride derivatives for use as fluorescent brightening agents for polymeric materials (1995) Dyes and Pigments, 27 (4), pp. 321-325. https://doi.org/10.1016/0143-7208(94)00066-B	26	
	Tao, Z.-F., Qian, X., Tang, J. Synthesis of furonaphthalimides as novel DNA intercalators(1996) Dyes and Pigments, 30 (4), pp. 247-252.	1	
	Cosnard, F., Wintgens, V., A new fluoroionophore derived from 4-amino-N-methyl-1,8-naphthalimide (1998) Tetrahedron Letters, 39 (18), pp. 2751-2754.	2	
	Licchelli, M., Orbelli Biroli, A., Poggi, A., Sacchi, D., Sangermani, C., Zema, M., Excimer emission induced by metal ion coordination in 1,8-naphthalimide-tethered iminopyridine ligands (2003) Dalton Transactions, (23), pp. 4537-4545.	3	
	Bojinov, V.B., Novel adducts of a hindered amine and a blue-emitting fluorophore for "one-step" fluorescent brightening and stabilisation of polymer materials (2004) Journal of Photochemistry and Photobiology A: Chemistry, 162 (1), pp. 207-212.	4	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (9), pp. 1723-1729.	5	

	Hekmatshoar, R., Beheshtiha, S.Y.S., Nazari, A., Faridbod, F., Synthesis and absorption properties of some 4-mercapto-1,8-naphthalimides, 4-mercapto-7H-benzimidazo[2,1-a]benz[d,e]isoquinolin-7-one, and 4-mercapto-7H-benzimidazo [2,1-a]benz[d,e]isoquinoline-7-one (2006) Phosphorus, Sulfur and Silicon and the Related Elements, 181 (7), pp. 1521-1526.	6	
	Matsubayashi, K., Kubo, Y., Control of photophysical properties and photoreactions of aromatic imides by use of intermolecular hydrogen bonding (2008) Journal of Organic Chemistry, 73 (13), pp. 4915-4919.	7	
	Y. Jianxin, W. Jinxia, Y. Xueqiong, Chemical Industry, 35 (2009) 59	8	
	Matsubayashi, K., Kajimura, C., Shiratori, H., Kubo, Y., Yoshihara, T., Tobita, S., Kinetic analysis for the effect of intramolecular hydrogen bonding on photophysical properties of N-hydroxyalkyl-1, 8-naphthalimides (2010) Bulletin of the Chemical Society of Japan, 83 (9), pp. 1067-1073.	9	
	Oelgemöller, M., Kramer, W.H., Synthetic photochemistry of naphthalimides and related compounds (2010) Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 11 (4), pp. 210-244.	10	
	Zhao, P.-S., Song, J., Sun, X.-J., Du, L., Jian, F.-F., Syntheses, crystal structures and property studies on Cu(II) and Co(II) complexes with 1,8-naphthalimid schiff base (2011) Jiegou Huaxue, 30 (3), pp. 346-353.	11	
	Zhang, G.-H., Liu, L.-J., Sun, W.-L., Preparation and properties of 1,8-naphthalimide derivatives grafted onto Chitosan (2012) Advanced Materials Research, 393-395, pp. 1359-1362.	12	
	Song, J.-H., Wu, M., Yu, Y.-H., Chen, Q., Xu, M., Synthesis and fluorescence properties of polymerizable 1, 8-naphthalimide derivatives doped polysiloxane materials (2012) Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities, 33 (6), pp. 1339-1343.	13	
	Zhang, G.-H., Guo, J.-G., Xu, H.-L., Liu, G.-J., Zhao, F., Synthesis and application of yellowing inhibitor based on naphthalimide fluorescent brightening agent (2012) Zhongguo Zaozhi Xuebao/Transactions of China Pulp and Paper, 27 (2), pp. 29-34.	14	
	Zhang, Y., Feng, S.-B., Wang, K., Yi, X.-H., Wang, H.-S., Pan, Y.-M., Water-solvent method for the synthesis of N-substituted and N-,4-disubstituted 1,8-naphthalimides under microwave irradiation (2012) Synthetic Communications, 42 (20), pp. 3042-3052.	15	
	Guo, J.-G., Zhang, G.-H., Xu, H.-L., Liu, G.-J., Qiang, Y., Synthesis and application of polymeric yellowing inhibitor based on naphthalimide fluorescent brightening agent (2012) Gongneng Cailiao/Journal of Functional Materials, 43 (23), pp. 3269-3273.	16	
	Zhou, J., Fang, C., Chang, T., Liu, X., Shangguan, D., A pH sensitive ratiometric fluorophore and its application for monitoring the intracellular and extracellular pHs simultaneously (2013) Journal of Materials Chemistry B, 1 (5), pp. 661-667.	17	
	Yang, D.-P., Li, H., Liu, Y.-F., A TD-DFT study on the effect of intermolecular hydrogen bonding on the photophysical properties of N-methyl-1,8-naphthalimide. (2013) Journal of the Chinese Chemical Society, 60 (3), pp. 267-274.	18	
	Wang, L., Shi, Y., Zhao, Y., Liu, H., Li, X., Bai, M., Push-pull 1,8-naphthalic anhydride with multiple triphenylamine groups as electron donor (2014) Journal of Molecular Structure, 1056-1057 (1), pp. 339-346.	19	
	Li, H., Yang, Y., Yang, D., Liu, Y., Sun, J., TDDFT study on the excited-state hydrogen bonding of N-(2-hydroxyethyl)-1, 8-naphthalimide and N-(3-hydroxyethyl)-1,8-naphthalimide in methanol solution (2014) Journal of Physical Organic Chemistry, 27 (3), pp. 170-176.	20	

	Refat, M.S., Adam, A.A., Saad, H.A., Naglah, A.M., Al-Omar, M.A., Charge-transfer complexation and photostability characteristics of iodine with bis-1,8-naphthalimide as a photosensitive biologically active units in solution and in the solid state: Linear correlation of photostability and dissociation energy (2015) International Journal of Electrochemical Science, 10 (8), pp. 6405-6421.	21	
	Greiner, R., Schlücker, T., Zgela, D., Langhals, H., Fluorescent aryl naphthalene dicarboximides with large Stokes shifts and strong solvatochromism controlled by dynamics and molecular geometry (2016) Journal of Materials Chemistry C, 4 (47), pp. 11244-11252.	22	
	Pan, F., Huang, M., Song, J., Wu, M., Xu, M., Highly photoluminescent polysilsesquioxane hybrids based on weakly fluorescent 1,8-naphthalic anhydride derivatives (2016) Chemical Physics Letters, 657, pp. 107-112.	23	
	Chen, S., Li, X., Song, L., A fluorescent photochromic diarylethene based on naphthalic anhydride with strong solvatochromism (2017) RSC Advances, 7 (47), pp. 29854-29859.	24	
	Maltseva, E., Amirjalayer, S., Buma, W.J., Vibrationally-resolved spectroscopic studies of electronically excited states of 1,8-naphthalic anhydride and 1,8-naphthalimide: A delicate interplay between one $\pi\pi^*$ and two $n\pi^*$ states(2017) Physical Chemistry Chemical Physics, 19 (8), pp. 5861-5869.	25	
	Al-Aqar, R., A fluorescent molecule based on 1,8- naphthalic anhydride: Synthesis, spectral properties, and studying the conductance in solution (2020) Egyptian Journal of Chemistry, 63 (11), pp. 4227-4233.	26	
187	Philipova, T., Karamancheva, I., Grabchev, I. Absorption spectra of some N-substituted-1,8-naphthalimides (1995) Dyes and Pigments, 28 (2), pp. 91-99. https://doi.org/10.1016/0143-7208(95)00006-2	16	
	McKelvy, M.L., Britt, T.R., Davis, B.L., Gillie, J.K., Lentz, L.A., Leugers, A., Nyquist, R.A., Putzig, C.L., Infrared spectroscopy (1996) Analytical Chemistry, 68 (12) .	1	
	Mederski, Werner; Devant, Ralf; Barnickel, Gerhard; Bernotat-Danielowski, Sabine; Melzer, Guido; Raddatz, Peter; Wu, Zhengdong; Dhanoa, Daljit; Soll, Richard; Rinker, James; Graybill, Todd. (Merck Patent G.m.b.H., Germany). PCT Int. Appl. (2000) WO 20000310	2	
	Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H., Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) Journal of Inorganic and Organometallic Polymers and Materials, 17 (3), pp. 547-559.	3	
	Coronado, J.L.Gu., Martín, E., Montero, L.A., Fierro, J.L.G., De La Vega, J.M.G., Effects of the 3- and 4-methoxy and acetamide substituents and solvent environment on the electronic properties of N-substituted 1,8-naphthalimide derivatives (2007) Journal of Physical Chemistry A, 111 (39), pp. 9724-9732.	4	
	Umeda, R., Nishida, H., Otono, M., Nishiyama, Y., π -Sufficient heteroaromatic compounds fused naphthalimide unit as novel solvatochromic fluorophores (2011) Tetrahedron Letters, 52 (42), pp. 5494-5496.	5	
	Song, J.-H., Wu, M., Yu, Y.-H., Chen, Q., Xu, M., Synthesis and fluorescence properties of polymerizable 1, 8-naphthalimide derivatives doped polysiloxane materials (2012) Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities, 33 (6), pp. 1339-1343.	6	
	Camurlu, P., Eren, E., Gültekin, C., A Solution-processible, n-dopable polypyrrole derivative (2012) Journal of Polymer Science, Part A: Polymer Chemistry, 50 (23), pp. 4847-4853.	7	
	Cao, J., Wu, T., Sun, W., Hu, C., Time-dependent density functional theory study on the excited-state hydrogen bonding strengthening of photoexcited 4-amino-1,8-naphthalimide in hydrogen-donating solvents (2013) Journal of Physical Organic Chemistry, 26 (4), pp. 289-294.	8	

	Aguilera-Sigalat, J., Pais, V.F., Doménech-Carbó, A., Pischel, U., Galian, R.E., Pérez-Prieto, J., Unconventional fluorescence quenching in naphthalimide-capped CdSe/ZnS nanoparticles (2013) <i>Journal of Physical Chemistry C</i> , 117 (14), pp. 7365-7375.	9	
	Rouhani, S., Gharanjig, K., Nezhad, M.H., Facile synthesis of 4-nitro-N-substituted-1,8-naphthalimide derivatives using ultrasound in aqueous media (2014) <i>Green Chemistry Letters and Reviews</i> , 7 (2), pp. 174-178.	10	
	Lefèvre, X., Moggia, F., Segut, O., Lin, Y.-P., Ksari, Y., Delafosse, G., Smaali, K., Guérin, D., Derycke, V., Vuillaume, D., Lenfant, S., Patrone, L., Jousselme, B., Influence of molecular organization on the electrical characteristics of π -conjugated self-assembled monolayers (2015) <i>Journal of Physical Chemistry C</i> , 119 (10), pp. 5703-5713.	11	
	Reddy, T.S., Maragani, R., Dhokale, B., Mobin, S.M., Misra, R. Heteroatom-connected ferrocenyl substituted naphthalimides (2016) <i>RSC Advances</i> , 6 (10), pp. 7746-7754.	12	
	Dodangeh, M., Gharanjig, K., Arami, M., & Mohammadian, M. (2022). Synthesis, Infra-red Study, and Application of Polyamidoamine Dendrimer Modified with 1, 8-naphthalimide Derivatives as Novel Fluorescent Disperse Dye. <i>Progress in Color, Colorants and Coatings</i> , 15(3), 203-211.	13	
	Le, X., Shang, H., Yan, H., Zhang, J., Lu, W., Liu, M., Wang, L., Lu, G., Xue, Q., Chen, T., A Urease-Containing Fluorescent Hydrogel for Transient Information Storage (2021) <i>Angewandte Chemie - International Edition</i> , 60 (7), pp. 3640-3646.	14	
	Hosseinnazhad, M., Gharanjig, K., Moradian, S., Tafaghodi, S., Synthesis and application of some novel fluorescent heterocyclic disperse dyestuffs based on phenothiazine on polyester (2019) <i>Arabian Journal of Chemistry</i> , 12 (8), pp. 2069-2076.	15	
	Pulido-Reyes, G., Martín, E., Gu. Coronado, J.L., Leganes, F., Rosal, R., Fernández-Piñas, F., Physicochemical and biological interactions between cerium oxide nanoparticles and a 1,8-naphthalimide derivative (2017) <i>Journal of Photochemistry and Photobiology B: Biology</i> , 172, pp. 61-69.	16	
188	Grabchev, I., Meallier, P., Konstantinova, T., Popova, M. Synthesis of some unsaturated 1,8-naphthalimide dyes (1995) <i>Dyes and Pigments</i>, 28 (1), pp. 41-46. https://doi.org/10.1016/0143-7208(94)00078-G	28	
	Ц. Филипова, Дисертация, ХТМУ – София 1996	1	
	Tao, Z.-F., Qian, X., Tang, J., Synthesis of furonaphthalimides as novel DNA intercalators (1996) <i>Dyes and Pigments</i> , 30 (4), pp. 247-252.	2	
	П. Петрова, Дисертация, ХТМУ – София 2003	3	
	Patrick, L.G.F., Whiting, A., Synthesis and application of some polycondensable fluorescent dyes (2002) <i>Dyes and Pigments</i> , 52 (2), pp. 137-143.	4	
	V. Filho, F. de Campos, R. Correa, R. Yunes, R. Nunes, <i>Quim. Nova</i> , 2003, 26 (2) 230 (обзор)	5	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F., Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 179 (9), pp. 1723-1729.	6	

	Yang, J.-X., Wang, X.-L., Wang, X.-M., Xu, L.-H., The synthesis and spectral properties of novel 4-phenylacetylene-1,8-naphthalimide derivatives (2005) <i>Dyes and Pigments</i> , 66 (1), pp. 83-87.	7	
	Патент (L'Oreal, Fr.). T. Luukas, Cosmetic composition comprising a monomeric compound having an optical effect, and process using it, PCT Int. Appl. (2005), FR 2867970	8	
	Патент (L'Oreal, Fr.). T. Luukas, Cosmetic composition comprising a monomer compound exhibiting an optical property, and method making use of said composition. PCT Int. Appl. (2005), WO 2005102250	9	
	Yang, J.-X., Wang, X.-L., Tusong, A., Xu, L.-H., Studies on the synthesis and spectral properties of novel 4-benzofuranyl-1,8-naphthalimide derivatives (2005) <i>Dyes and Pigments</i> , 67 (1), pp. 27-33.	10	
	Hekmatshoar, R., Beheshtiha, S.Y.S., Nazari, A., Faridbod, F., Synthesis and absorption properties of some 4-mercapto-1,8-naphthalimides, 4-mercapto-7H-benzimidazo[2,1-a]benz[d,e]isoquinolin-7-one, and 4-mercapto-7H-benzimidazo [2,1-a]benz[d,e]isoquinoline-7-one (2006) <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 181 (7), pp. 1521-1526.	11	
	Grad, M.E., Simu, G.M., Lupea, A.X., Tomas, Ș., Pascariu, A., Synthesis and colour assessment of some new stilbene AZO dyes (2008) <i>Revue Roumaine de Chimie</i> , 53 (2), pp. 107-111.	12	
	Bardajee, G.R., Li, A.Y., Haley, J.C., Winnik, M.A., The synthesis and spectroscopic properties of novel, functional fluorescent naphthalimide dyes (2008) <i>Dyes and Pigments</i> , 79 (1), pp. 24-32.	13	
	Loving, G., Imperiali, B., A versatile amino acid analogue of the solvatochromic fluorophore 4-N,N-dimethylamino-1,8-naphthalimide: A powerful tool for the study of dynamic protein interactions (2008) <i>Journal of the American Chemical Society</i> , 130 (41), pp. 13630-13638.	14	
	Y. Jianxin, W. Jinxia, Y. Xueqiong, <i>Chemical Industry</i> , 35 (2009) 59	15	
	Sekar, N., Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	16	
	Liu, Y., Wang, H.-Y., Chen, G., Xu, X.-P., Ji, S.-J., Synthesis and properties of novel 'ethyne-linked' compounds containing carbazole and 1, 8-naphthalimide groups (2009) <i>Australian Journal of Chemistry</i> , 62 (8), pp. 934-940.	17	
	Wei, S., Sun, Y., Guo, P., Hu, X., Fan, J., A novel 4-(tetrahydro-2-furanmethoxy)-N-octadecyl-1,8-naphthalimide based blue emitting probe: Solvent effect on the photophysical properties and protein detection (2012) <i>Russian Journal of Bioorganic Chemistry</i> , 38 (5), pp. 469-478.	18	
	Yang, J.-X., Wang, X.-H., The Synthesis and electroluminescence properties of 4-benzofuranyl-1,8-naphthalimide derivatives (2012) <i>Advanced Materials Research</i> , 557-559, pp. 1031-1036.	19	
	Soni, M., Das, S.K., Sahu, P.K., Kar, U.P., Rahaman, A., Sarkar, M., Synthesis, photophysics, live cell imaging, and aggregation behavior of some structurally similar alkyl chain containing bromonaphthalimide systems: Influence of alkyl chain length on the aggregation behavior (2013) <i>Journal of Physical Chemistry C</i> , 117 (27), pp. 14338-14347.	20	
	Miladinova, P., On the photostability of some blue-emitting derivatives of 2-aminoterephthalic acid and their copolymers with methyl methacrylate (2013) <i>Polymer Degradation and Stability</i> , 98 (11), pp. 2347-2350.	21	

	Wang, L., Shi, Y., Zhao, Y., Liu, H., Li, X., Bai, M., Push-pull 1,8-naphthalic anhydride with multiple triphenylamine groups as electron donor (2014) <i>Journal of Molecular Structure</i> , 1056-1057 (1), pp. 339-346.	22	
	Maity, J., Honcharenko, D., Strömberg, R., Synthesis of fluorescent D-amino acids with 4-acetamidobiphenyl and 4-N,N-dimethylamino-1,8-naphthalimido containing side chains (2015) <i>Tetrahedron Letters</i> , 56 (33), pp. 4780-4783.	23	
	S. O. Aderinto, S. Imhanria, Fluorescent and colourimetric 1, 8-naphthalimide-appended chemosensors for the tracking of metal ions: selected examples from the year 2010 to 2017, <i>Chemical Papers</i> , 2018, https://doi.org/10.1007/s11696-018-0411-0	24	
	K. Gupta, A. Patra, , Luminescent pH-Responsive Ternary Europium(III) Complex of β -Diketones and Terpyridine Derivatives as Sensitizing Antennae – Photophysical Aspects, Anion Sensing, and Biological Interactions, <i>Eur. J. Inorg. Chem.</i> 2018, 18, 1882-1890.	25	
	Pilehkouhi, M., Shaki, H., Khosravi, A., Khorasani, M., Zamani, E.p Synthesis and Characterization of a Fluorescent Water-Borne Polyurethane Based on a Novel Naphthalimide Dye (2018) <i>Journal of Macromolecular Science, Part B: Physics</i> , 57 (2), pp. 151-167.	26	
	Delgado-González, M.J., Carmona-Jiménez, Y., Rodríguez-Dodero, M.C., García-Moreno, M.V., Color Space Mathematical Modeling Using Microsoft Excel (2018) <i>Journal of Chemical Education</i> , 95 (10), pp. 1885-1889.	27	
	Mateus, D.B.G., Paula de Lima Batista, A., da Silva Souza, S., Jean-François Demets, G., Nikolaou, S. Solvatochromism and solution π -stacking of N-(4-pyridyl)-1,8-naphthalimide and its corresponding triruthenium coordination complex. (2023) <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 292, 122420.	28	
189	Konstantinova T., Grabchev I., Konstantinov H. Investigations on thermal properties of triazinestilbene optical brightening agents and their copolymers with styrene and acrylonitrile. (1994) <i>Die Angewandte Makromolekulare Chemie</i>, 221 (1), pp. 45 – 51. https://doi.org/10.1002/apmc.1994.052210104	4	
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 56 (3), pp. 375-381.	1	
	Hu, X.H., Zhang, X.Y., Dai, J.B., Synthesis and characterization of a novel waterborne stilbene-based polyurethane fluorescent brightener (2011) <i>Chinese Chemical Letters</i> , 22 (8), pp. 997-1000.	2	
	Miladinova, P., On the photostability of some blue-emitting derivatives of 2-aminoterephthalic acid and their copolymers with methyl methacrylate (2013) <i>Polymer Degradation and Stability</i> , 98 (11), pp. 2347-2350.	3	
	Zhang, G., Zheng, H., Guo, M., Du, L., Liu, G., Liu, J., A novel polymeric fluorescent brightener agent based on 4,4'-diamino-stilbene-2,2'-disulfonic acid-triazine structure: synthesis, characterization, photo-property, and performance on paper as light stabilizer, fluorescent brightener, and surface-sizing agent (2016) <i>Journal of Wood Science</i> , 62 (6), pp. 526-536.	4	
190	Grabchev, I. The synthesis and properties of some triazene-stilbene fluorescent brighteners (1994) <i>Dyes and Pigments</i>, 25 (4), pp. 249 – 254. https://doi.org/10.1016/0143-7208(94)87013-6	8	
	Cao, C., Yu, X., Wang, Z., Han, H., Han, N., Liu, Z., Polymeric fluorescent brighteners (2005) <i>Huagong Xuebao/Journal of Chemical Industry and Engineering (China)</i> , 56 (3), pp. 375-381.	1	
	Xu, Changhai. PhD thesis, The Chemistry and Perception of Fluorescent White Materials, North Carolina State University, USA, 2009.	2	

	Liu, J., Zhang, G.-H., Xie, P., Synthesis and optical properties of new amphoteric quaternary ammonium salt fluorescent brighteners (2010) Gao Xiao Hua Xue Gong Cheng Xue Bao/Journal of Chemical Engineering of Chinese Universities, 24 (5), pp. 836-841.	3	
	Liu, J., Zhang, G.-H., The synthesis and study on optical characteristics of the asymmetrical polymerizable fluorescent brighteners (2011) International Journal of Polymeric Materials and Polymeric Biomaterials, 60 (2), pp. 199-211.	4	
	Liu, J., Zhang, G.-H., Synthesis and optical properties of fluorescent brighteners modified by chitosan (2011) Gongneng Cailiao/Journal of Functional Materials, 42 (4), pp. 685-688+692.	5	
	Liu, J., Zhang, G.-H., Synthesis and photoproperties of fluorescent brighteners modified by polyaminamide (2011) Advanced Materials Research, 233-235, pp. 3064-3067.	6	
	Guo, M., Zhang, G., Du, L., Zheng, H., Liu, G., Li, Y., Multifunctional water-soluble polymeric fluorescent whitening agents based on 4,4'-Bis (1,3,5-Triazinyl)- Diamino Stilbene-2,2'-disulfonic acid structure (2017) BioResources, 12 (4), pp. 8901-8919.	7	
	Bani Ali, E., Kazemi, M., Ali Ghasemzadeh, M., A Novel Preparation of Blankophor R Nanoparticles by Reverse Microemulsion Method (2020) Polycyclic Aromatic Compounds, 40 (5), pp. 1595-1605.	8	
191	I. Grabchev, S. Guittonneau, T. Konstantinova, P. Meallier, Photochemie de Colorants Derives de l'Anhydride Naphthalenique. Bull. Soc. Chim. Fr., 1994, 131, 828-830.	6	
	Ц. Филипова, Дисертация, ХТМУ – София 1996	1	
	F. Cosnard, V. Wintgens, Tetrahedron Letters, 39 (1998) 2751	2	
	П. Петрова, Дисертация, ХТМУ – София 2003	3	
	V. B. Bojinov, I.P. Panova, D. B. Simeonov, Dyes and Pigments 78 (2008) 101.	4	
	G. Loving, B. Imperiali, J. Am. Chem. Soc., 130 (2008) 13630	5	
	N.Secar, Colourage, 56 (2009) 54, (обзор)	6	
192	Grabtchev I., Konstantinova T. Brightening of textiles with new optical brighteners. (1994) Melliand Textilberichte, 75 (2), pp. 125 – 129.	1	
	Nasir, S., Sarfaraz, T.B., Khan, K.M., Aleem, A., Parveen, R. Synthesis, colorfastness evaluation and utilization of humic acid derived dyes / pigment. (2011) Journal of the Chilean Chemical Society, 56(1), pp. 559-565.	1	
193	Konstantinova, T.N., Meallier, P., Grabchev, I. The synthesis of some 1,8-naphthalic anhydride derivatives as dyes for polymeric materials, Dyes and Pigments, 1993, 22 (3), pp. 191-198. https://doi.org/10.1016/0143-7208(93)87006-Z	66	
	Patel, M.P., Modi, B.J., Patel, R.G., Patel, V.S. Studies of novel water-soluble colored polyesters containing azo moiety (1998) Journal of Applied Polymer Science, 68 (12), pp. 2041-2048.	1	

	Nakaya, K.-I., Funabiki, K., Muramatsu, H., Shibata, K., Matsui, M. N-Aryl-1,8-naphthalimides as highly sensitive fluorescent labeling reagents for carnitine (1999) <i>Dyes and Pigments</i> , 43 (3), pp. 235-239.	2	
	S.S.Liu (Дисертация Китай, Thesis Id:088NTUST566002), Synthesis and dyeing properties of Thiazole dyes, 2000.	3	
	Liu, W., Yang, X., Ning, F., Duan, J., Shen, G., Yu, R. An optical sensor for jatrorrhizine based on fluorescence quenching of covalently immobilized benzoanthracenon (2000) <i>Fenxi Huaxue</i> , 28 (1), pp. 20-21.	4	
	Patrick, L.G.F., Whiting, A. Synthesis and application of some polycondensable fluorescent dyes (2002) <i>Dyes and Pigments</i> , 52 (2), pp. 137-143.	5	
	Patrick, L.G.F., Whiting, A. Synthesis of some polymerisable fluorescent dyes (2002) <i>Dyes and Pigments</i> , 55 (2-3), pp. 123-132.	6	
	Cechinel Filho, V., De Campos, F., Corrêa, R., Yunes, R.A., Nunes, R.J. Chemical aspects and therapeutic potential of cyclic imides: A review (2003) <i>Quimica Nova</i> , 26 (2), pp. 230-241.	7	
	McAdam, C.J., Morgan, J.L., Robinson, B.H., Simpson, J., Rieger, P.H., Rieger, A.L. Tunable Donor-Acceptor Interactions in 4-Ene/Yne-Ferrocenyl and 4-Enamine Naphthalimides with Ferrocenyl Headgroups (2003) <i>Organometallics</i> , 22 (24), pp. 5126-5136.	8	
	Rezende Triboni, E., Berci Filho, P., Gomes De Souza Berlinck, R., Politi, M.J. Efficient sonochemical synthesis of 3- and 4-electron withdrawing ring substituted N-alkyl-1,8-naphthalimides from the related anhydrides (2004) <i>Synthetic Communications</i> , 34 (11), pp. 1989-1999.	9	
	McAdam, C.J., Morgan, J.L., Murray, R.E., Robinson, B.H., Simpson, J. Synthesis and fluorescence properties of new enaminenaphthalimides (2004) <i>Australian Journal of Chemistry</i> , 57 (6), pp. 525-530.	10	
	Beheshtiha, S.Y.S., Hekmatshoar, R., Soltani, F. Synthesis and absorption properties of some new 4-thio-1,8-naphthylimides and 4-(thio)-7H-benzimidazo [2,1-A] benz [D,E] isoquinolin-7-one derivatives (2004) <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 179 (9), pp. 1723-1729.	11	
	Cavigiolio, G., Morgan, J.L., Robinson, B.H., Simpson, J. Fluorescent sugar and uridine conjugates of 1,8-naphthalimides with methyl and ferrocenyl headgroups (2004) <i>Australian Journal of Chemistry</i> , 57 (9), pp. 885-894.	12	
	Патент (L'Oreal, Fr.). T. Luukas, Cosmetic composition comprising a monomer compound exhibiting an optical property, and method making use of said composition. PCT Int. Appl. (2005), WO 2005102250.	13	
	Yang, J.-X., Wang, X.-L., Wang, X.-M., Xu, L.-H. The synthesis and spectral properties of novel 4-phenylacetylene-1,8-naphthalimide derivatives (2005) <i>Dyes and Pigments</i> , 66 (1), pp. 83-87.	14	
	Yang, J.-X., Wang, X.-L., Tusong, A., Xu, L.-H. Studies on the synthesis and spectral properties of novel 4-benzofuranyl-1,8-naphthalimide derivatives (2005) <i>Dyes and Pigments</i> , 67 (1), pp. 27-33.	15	
	Hekmatshoar, R., Beheshtiha, S.Y.S., Nazari, A., Faridbod, F. Synthesis and absorption properties of some 4-mercapto-1,8-naphthalimides, 4-mercapto-7H-benzimidazo[2,1-a]benz[d,e] isoquinolin-7-one, and 4-mercapto-7H-benzimidazo [2,1-a]benz[d,e]isoquinoline-7-one (2006) <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 181 (7), pp. 1521-1526.	16	

	Bojinov, V.B., Panova, I.P. Synthesis and absorption properties of new yellow-green emitting benzo[de]isoquinoline-1,3-diones containing hindered amine and 2-hydroxyphenylbenzotriazole fragments (2007) <i>Dyes and Pigments</i> , 74 (3), pp. 551-560.	17	
	Dana, B.H., McAdam, C.J., Robinson, B.H., Simpson, J., Wang, H. Ferrocenyl monomers and polymers of N-allyl and N-acrylatenaphthalimides (2007) <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 17 (3), pp. 547-559.	18	
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S. Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 193 (2-3), pp. 129-138.	19	
	Zhu, W., Dai, M., Xu, Y., Qian, X. Novel nitroheterocyclic hypoxic markers for solid tumor: Synthesis and biological evaluation (2008) <i>Bioorganic and Medicinal Chemistry</i> , 16 (6), pp. 3255-3260.	20	
	Bojinov, V.B., Georgiev, N.I., Nikolov, P.S. Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna (2008) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 197 (2-3), pp. 281-289.	21	
	Bojinov, V.B., Panova, I.P., Simeonov, D.B. Design and synthesis of polymerizable, yellow-green emitting 1,8-naphthalimides containing built-in s-triazine UV absorber and hindered amine light stabilizer fragments (2008) <i>Dyes and Pigments</i> , 78 (2), pp. 101-110.	22	
	Wu, W.-B., Wang, M.-L., Sun, Y.-M., Huang, W., Cui, Y.-P., Xu, C.-X. Color-tuned FRET polystyrene microspheres by single wavelength excitation (2008) <i>Optical Materials</i> , 30 (12), pp. 1803-1809.	23	
	Bardajee, G.R., Li, A.Y., Haley, J.C., Winnik, M.A. The synthesis and spectroscopic properties of novel, functional fluorescent naphthalimide dyes (2008) <i>Dyes and Pigments</i> , 79 (1), pp. 24-32.	24	
	Bojinov, V.B., Panova, I.P., Chovelon, J.-M. Novel blue emitting tetra- and pentamethylpiperidin-4-yloxy-1,8-naphthalimides as photoinduced electron transfer based sensors for transition metal ions and protons (2008) <i>Sensors and Actuators, B: Chemical</i> , 135 (1), pp. 172-180.	25	
	Y. Jianxin, W. Jinxia, Y. Xueqiong, <i>Chemical Industry</i> , 35 (2009)	26	
	Jiang, W., Tang, J., Qi, Q., Wu, W., Sun, Y., Fu, D. The synthesis, crystal structure and photophysical properties of three novel naphthalimide dyes (2009) <i>Dyes and Pigments</i> , 80 (1), pp. 11-16.	27	
	Georgiev, N.I., Bojinov, V.B., Nikolov, P.S. Design and synthesis of a novel pH sensitive core and peripherally 1,8-naphthalimide-labeled PAMAM dendron as light harvesting antenna (2009) <i>Dyes and Pigments</i> , 81 (1), pp. 18-26.	28	
	Sekar, N. Naphthalimide colorants: Some developments (2009) <i>Colourage</i> , 56 (8), pp. 54-56.	29	
	Georgiev, N.I., Bojinov, V.B. The design and synthesis of a novel 1,8-naphthalimide PAMAM light-harvesting dendron with fluorescence "off-on" switching core (2010) <i>Dyes and Pigments</i> , 84 (3), pp. 249-256.	30	
	Panah, H.S., Khosravi, A., Gharanjig, K., Khorassani, M., Zadeh, M.K., Taromi, F.A. Synthesis and characterization of new fluorescent polymerizable dyes based on naphthalimide (2010) <i>Iranian Polymer Journal (English Edition)</i> , 19 (7), pp. 491-500.	31	

Georgiev, N.I., Bojinov, V.B., Marinova, N. Novel PAMAM light-harvesting antennae based on 1,8-naphthalimide: Synthesis, energy transfer, photophysical and pH sensing properties (2010) <i>Sensors and Actuators, B: Chemical</i> , 150 (2), pp. 655-666.	32	
Refat, M.S., Killa, H.M.A., Fetooh, H. Spectroscopic and thermal characterization of Cu(II), Co(II), Ni(II) and Mn(II) complexes of fluorescent dye 4-N,N-dimethyl-ethanolamine N-allyl-1,8-naphthalimide (4DMEAN) (2010) <i>Journal of Molecular Structure</i> , 983 (1-3), pp. 122-132.	33	
S. Nasir, T. B. Sarfaraz, K. M. Khan, A. Aleem, R Parveen, J. Chil. Chem. Soc., 56, (2011) 559	34	
Georgiev, N.I., Bojinov, V.B. Design, synthesis and photostability of novel 1,8-naphthalimide PAMAM light-harvesting dendrons (2011) <i>Journal of Fluorescence</i> , 21 (1), pp. 51-63.	35	
Georgiev, N.I., Bojinov, V.B., Nikolov, P.S. The design, synthesis and photophysical properties of two novel 1,8-naphthalimide fluorescent pH sensors based on PET and ICT (2011) <i>Dyes and Pigments</i> , 88 (3), pp. 350-357.	36	
Chen, J., Zhang, P., Fang, G., Yi, P., Yu, X., Li, X., Zeng, F., Wu, S. Synthesis and characterization of novel reversible photoswitchable fluorescent polymeric nanoparticles via one-step miniemulsion polymerization (2011) <i>Journal of Physical Chemistry B</i> , 115 (13), pp. 3354-3362.	37	
S. Nasir, T. B. Sarfaraz, K. M. Khan, A. Aleem, R Parveen, (2011) <i>J. Chil. Chem. Soc.</i> , 56, 559.	38	
M. Hossein-Nezhad, A. Khosravi, K. Gharanjig, S. Moradian, <i>Journal of Color Science and Technology</i> (2011)	39	
Sivkova, R., Vohlídal, J., Bláha, M., Svoboda, J., Sedláček, J., Zedník, J. Poly(disubstituted acetylene)s with pendant naphthalimide-based fluorophore groups (2012) <i>Macromolecular Chemistry and Physics</i> , 213 (4), pp. 411-424.	40	
Chen, J., Zhang, P., Fang, G., Yi, P., Zeng, F., Wu, S. Design and synthesis of FRET-mediated multicolor and photoswitchable fluorescent polymer nanoparticles with tunable emission properties (2012) <i>Journal of Physical Chemistry B</i> , 116 (14), pp. 4354-4362.	41	
Grzesiak, W., Brycki, B. Synthesis, FTIR, ¹³ C-NMR and temperature-dependent ¹ H-NMR characteristics of bis-naphthalimide derivatives (2012) <i>Molecules</i> , 17 (10), pp. 12427-12448.	42	
Yang, J.-X., Wang, X.-H. The Synthesis and electroluminescence properties of 4-benzofuranyl-1,8-naphthalimide derivatives (2012) <i>Advanced Materials Research</i> , 557-559, pp. 1031-1036.	43	
Fink, J.K. <i>Polymeric Sensors and Actuators</i> (2012) <i>Polymeric Sensors and Actuators</i> , pp. 1-512.	44	
Soni, M., Das, S.K., Sahu, P.K., Kar, U.P., Rahaman, A., Sarkar, M. Synthesis, photophysics, live cell imaging, and aggregation behavior of some structurally similar alkyl chain containing bromonaphthalimide systems: Influence of alkyl chain length on the aggregation behavior (2013) <i>Journal of Physical Chemistry C</i> , 117 (27), pp. 14338-14347.	45	
Raj, M., Raj, L. Studies on application of chemical modified epoxy resin as a coupling agent in polymeric azo dyes (2013) <i>Oriental Journal of Chemistry</i> , 29 (2), pp. 457-464.	46	

D'Agostino, S., Grepioni, F., Braga, D., Moreschi, D., Fattori, V., Delchiaro, F., Di Motta, S., Negri, F. Exciton coupling in molecular salts of 2-(1,8-naphthalimido)ethanoic acid and cyclic amines: Modulation of the solid-state luminescence (2013) <i>CrystEngComm</i> , 15 (48), pp. 10470-10480.	47	
Fleming, C.L., Ashton, T.D., Pfeffer, F.M. Synthesis of 4-amino substituted 1,8-naphthalimide derivatives using palladium-mediated amination (2014) <i>Dyes and Pigments</i> , 109, pp. 135-143.	48	
Rouhani, S., Nahavandifard, F. Molecular imprinting-based fluorescent optosensor using a polymerizable 1,8-naphthalimide dye as a fluorescence functional monomer (2014) <i>Sensors and Actuators, B: Chemical</i> , 197, pp. 185-192.	49	
Vasilev, A.A., Balushev, S., Cheshmedzhieva, D., Ilieva, S., Castaño, O.D., Vaquero, J.J., Angelova, S.E., Landfester, K. Assembly of New Merocyanine Chromophores with a 1,8-Naphthalimide Core by a New Method for the Synthesis of the Methine Function (2015) <i>Australian Journal of Chemistry</i> , 68 (9), pp. 1399-1408.	50	
Chen, J., Huang, F., Wang, H., Li, Y., Liu, S., Yi, P. One-pot preparation of multicolor polymeric nanoparticles with high brightness by single wavelength excitation (2015) <i>Journal of Applied Polymer Science</i> , 132 (8), art. no. 41492.	51	
Li, D., Munyentwali, A., Wang, G., Zhang, M., Xing, S. Light and temperature responsive block copolymer assemblies with tunable fluorescence emissions (2015) <i>Dyes and Pigments</i> , 117, pp. 92-99.	52	
Невена Маринова, Дисертация, научна степен „доктор” (2015): Дизайн и синтез на сензорни флуоресцентни нафталиמידни арилетерни антени с логически свойства, ХТМУ, София.	53	
Wu, W.-B., Xu, Z.-Y., Zhuang, Z.-L., Zhu, L. Fluorescent and thermo-responsive cellulose nanocrystals via single-electron transfer living radical polymerization (2015) <i>Acta Polymerica Sinica</i> , (3), pp. 338-345	54	
Wu, H., Wang, C., Zhang, J., Zhang, Y., Chen, C., Yang, Z., Fan, X. 1,8-Naphthalimide derivative-based turn-off fluorescent probe for the detection of picrate in organic aqueous media (2015) <i>Zeitschrift fur Naturforschung - Section B Journal of Chemical Sciences</i> , 70 (12), pp. 863-869.	55	
Xu, S.D., Fang, C.H., Tian, G.X., Chen, Y., Dou, Y.H., Kou, J.F., Wu, X.H. Reduction of 4-azidonaphthalimide with different phosphine ligands and exploration of their spectroscopic properties (2015) <i>Journal of Molecular Structure</i> , 1102, art. no. 21788, pp. 197-202.	56	
Wu, H.-L., Aderinto, S.O., Xu, Y.-L., Zhang, H., Fan, X.-Y., A Highly Selective Fluorescent Chemosensor for the Detection of Picrate Anion Based on 1,8-Naphthalimide Derivatives (2017) <i>Journal of Applied Spectroscopy</i> , 84 (1), pp. 25-30.	57	924
Li, J., Zhou, G.-C., Zhu, W.-Y., Wu, W.-B., Jing, Y., Dai, H.-Q., Preparation and Properties of Functional Composite Ethyl Cellulose Microspheres, (2017) <i>Zhongguo Zaozhi Xuebao/Transactions of China Pulp and Paper</i> , 32 (1), pp. 40-44.	58	925
Ha, S.-W., Lee, J.-K., Beck, G.R., Jr., Synthesis of pH stable, blue light-emitting diode-excited, fluorescent silica nanoparticles and effects on cell behavior (2017) <i>International Journal of Nanomedicine</i> , 12, pp. 8699-8710.	59	926
Huang, G., Li, C., Han, X., Aderinto, S.O., Shen, K., Mao, S., Wu, H., Sensitive and selective detection of Cu(II) ion: A new effective 1,8-naphthalimide-based fluorescence ‘turn off’ sensor (2018) <i>Luminescence</i> , 33 (4), pp. 660-669.	60	927
Sonalin, S., Sakthivel, K., Nagarajan, S., Functionalization of 1, 8-Naphthalimides- An approach towards air-stable n- type organic semiconductors (2018) <i>Materials Today: Proceedings</i> , 5 (8), pp. 16592-16597.	61	928
Khattab, T.A., Rehan, M., A review on synthesis of nitrogen-containing heterocyclic dyes for textile fibers - Part 2: Fused heterocycles (2018) <i>Egyptian Journal of Chemistry</i> , 61 (6), pp. 989-1018.	62	929

	Pilehkouhi, M., Shaki, H., Khosravi, A., Khorasani, M., Zamani, E., Synthesis and Characterization of a Fluorescent Water-Borne Polyurethane Based on a Novel Naphthalimide Dye (2018) Journal of Macromolecular Science, Part B: Physics, 57 (2), pp. 151-167.	63	930
	Ali, M.F., Mehamod, F.S., Yusof, N.N.M., Utilizing fluorescein methacrylate as fluorescent functional monomer on synthesizing fluorescent molecularly imprinted polymer in sensing caffeine (2018) AIP Conference Proceedings, 1985, art. no. 050005.	64	931
	Rodríguez Moreno, G. P. (2019). Elaboración de hidrogeles fluorescentes basados en quitosano-almidón oxidado (Bachelor's thesis, Quito).	65	932
	Sharma, H., Tan, N.K., Trinh, N., Yeo, J.H., New, E.J., Pfeffer, F.M., A fluorescent naphthalimide NADH mimic for continuous and reversible sensing of cellular redox state, Chemical Communications, 2020, 56 (15), pp. 2240-2243.	66	933
194	Konstantinova, T., Grabchev, I. On the polymerization of acrylonitrile in the presence of some unsaturated triazine derivatives, Die Angewandte Makromolekulare Chemie, 1992, 196 (1), pp. 107-111. https://doi.org/ 10.1002/apmc.1992.051960109	2	
	C. Cao, X. Yu, Wang, Z., Han, H., Han, N., Liu, Z. Journal of Chemical Industry and Engineering (China), 2005, 56, 375.	1	
	Miladinova, P., On the photostability of some blue-emitting derivatives of 2-aminoterephthalic acid and their copolymers with methyl methacrylate, Polymer Degradation and Stability, 2013, 98 (11), pp. 2347-2350.	2	